

PS PROPERTY SOLUTIONS, INC.

ASTM E1527-21 PHASE I ENVIRONMENTAL SITE ASSESSMENT

**Parcel No. 76.11-1-4
106 South Pearl St.
Albany, NY 12207**

PREPARED FOR:

**Mr. Kevin Catalano
Senior Vice-President & Director of Commercial Lending
Advance Albany County Alliance, LDC
111 Washington Ave, Suite 100
Albany, NY 12207**

PREPARED BY:

PS PROPERTY SOLUTIONS, INC.

**Paul M. Shannon
Environmental Professional / President
10 Catherine Street
Hudson Falls, NY 12839
518-932-9121 / 518-223-0458**

May 1, 2024

10 Catherine Street
Hudson Falls, NY 12839
Ph: (518) 223-0458
Cell: (518) 932-9121
pspropertiesolutions@albany.twcbc.com
paulmshannon@yahoo.com

EXECUTIVE SUMMARY

PS Property Solutions, Inc. (Property Solutions) performed a Phase I Environmental Site Assessment (ESA) in conformance with the scope and limitations of ASTM International's E1527-21: *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* of parcel no. 76.11-1-4, 106 South Pearl St., City of Albany, Albany County, New York (the subject Property). The purpose of this Phase I ESA was to provide an environmental liability assessment that identifies the presence of potential environmental concerns (i.e., *recognized environmental conditions* [RECs]) in connection with the subject Property. Although this Executive Summary provides a summary of this Phase I ESA, it is recommended that the entire document be thoroughly read and reviewed.

- The subject of this assessment is one (1) parcel, totaling approximately 3.65 acres and located on the northeastern side of the intersection of South Pearl St. and Madison Ave. in a historically commercialized/urbanized area in City of Albany, NY. The subject Property is improved by an approximately 3,148 square-foot, inactive, one (1)-story, slab-on-grade supermarket. The building contained features, items, amenities, and areas that appeared to be typical of an inactive supermarket.
- The exterior areas of the Property generally consisted of a paved parking lot and drive-through area. Electrical service, a natural gas meter, and a suspected sewer vent were noted along the southeastern exterior side of the building. Catch basins, for the collection of surface runoff, were noted throughout the parking lot area. Decorative landscaping surrounded areas of the perimeter of the building.
- The subject Property is located in a historically urbanized area in City of Albany, NY. Based on the observations during the walkover, there were no sites adjoining the subject Property that would appear to present a significant environmental concern based solely on their present observed uses. It should be noted that a steep, easterly-downward slope is present to the west of the subject Property (i.e., the subject Property is situated at the base of a large hill and may be located hydraulically downgradient of many sites). The Hudson River is located around 1,100 feet to the east of the subject Property.
- The results of the historical research suggest that the current subject Property building appears to have been built around 1994 and was used as a fast food restaurant, followed by a supermarket, since that time. The subject Property is suspected to have been vacant from around the 1960s until around 1994. Prior to the 1960s, the subject Property was covered by a large amount of buildings, mainly consisting of rowhouse-type structures. These uses included, but were not limited to, retail stores, apartments, restaurants, residences, bakery, office space, a printing company, dentist/doctor's offices, a welding company, and a possible chemical storage warehouse. A possible dry cleaning business was identified at 105 Madison Ave. (suspected to have formerly been located at the subject Property) in at least 1956 and 1961. However, this listing was not identified under the "Cleaner and dyers" section of the directories during those years. A past possible dry cleaner was identified across Madison Ave. to the west, at the intersection of Madison Ave. and South Pearl St. (i.e., 121 South Pearl St.) The past printing company use at the subject Property is not considered a significant environmental concern due to the past assumed connection of the sites to municipal sewer services. Surrounding sites appear to have mainly consisted of row house-type buildings over time. The subject Property has been located in a historically urbanized area over time.
- Property Solutions identified one (1) data gap during the performance of this Phase I ESA (lack of an interview with the subject Property's most recent former owner). It is Property Solutions' opinion that this data gap is not significant and does not warrant further inquiry and/or investigation.

CONCLUSIONS

Property Solutions performed a Phase I ESA (in conformance with the scope and limitations of ASTM Practice E1527-21) of the subject Property known as parcel no. 76.11-1-4, 106 South Pearl St., City of Albany, Albany County, New York. Any exceptions to, or deletions from, the ASTM E1527-21 are described in **Appendix A** of this report.

This assessment has identified no *controlled recognized environmental conditions, historical recognized environmental conditions, or significant data gaps* in connection with the subject Property.

This assessment has identified the following *REC* for the subject Property:

- During the federal and New York State environmental/regulatory public records databases review, the intersection of South Pearl St. and Madison Ave., which adjoins the subject Property to the southwest, was identified twice as a "Closed" New York State Department of Environmental Conservation (NYSDEC)-reported Spill site during the federal and New York State environmental/regulatory public records databases review. A Freedom of Information Law (FOIL) review was performed for these two (2) NYSDEC-reported Spill Numbers. Both of these Spills appear to have been reported to the NYSDEC due to #2 heating oil petroleum contamination found in the Madison Ave. Right-of-Way (ROW) across the street along the southwestern side of the subject Property in two (2) of four (4) soil borings advanced in this area in June 1997 for New York State Department of Transportation (NYSDOT) municipal water line work. The petroleum contamination was estimated to extend from around six (6) feet below grade (fbg) to 16 fbg. After excavation of the contaminated soil from the utility area, this Spill was "Closed - Meets Standards" by the NYSDEC in July 1998. Petroleum contamination was also found in 1998 in the approximate same area by the NYSDOT during continued excavation work for the municipal water line. After excavation of the contaminated soil from the utility area, this Spill was "Closed - Does Not Meet Standards" by the NYSDEC in February 1999. The designation of this Closed Spill as "Does Not Meet Standards" by the NYSDEC suggests that petroleum contamination above applicable NYSDEC Soil Cleanup Objectives (SCO) remained at the Spill area as of the date of this Spill Closure by the NYSDEC. It is assumed that the remedial excavation activities were limited to the municipal water line work area in the ROW along Madison Ave. at the subject Property. Based on the proximity of the contaminated soil borings to the subject Property, it is assumed that the petroleum contamination identified in the ROW area in 1997 and 1998 extends on to the subject Property. Due to this, it is Property Solutions' opinion that the subject Property is also assumed to be impacted at around the same depth (i.e., starting around six [6] feet below grade). As such, it is Property Solutions' opinion that this contamination could be encountered in the future during redevelopment at the Property (e.g., excavation for building footings). This could incur associated management costs for the subject Property owner (if applicable). Surrounding and/or adjoining federal and New York State-listed sites were identified during this review. These include, but are not limited to, 196 Spills/releases have been reported to the NYSDEC in the past within less than about 0.25 miles from the subject Property (albeit the majority have been "Closed" by the NYSDEC). Due to this, adversely-impacted soil, groundwater, and/or vapors, may be at, or in the vicinity of, the subject Property. It is Property Solutions' opinion that this can be typical of such a historically urbanized area. Petroleum contamination has been documented adjoining (but for Madison Ave.) the subject Property in the past. As such, it is possible that there could be the potential for a vapor encroachment condition (VEC) at the subject Property. This opinion of probable historical contamination at the subject Property is considered a *REC*.

OPINION

The ASTM Standard E1527-21 (Standard Practice for Phase I ESAs) defines *recognized environmental conditions* as “the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment”.

Property Solutions has performed an ASTM E1527-21 Phase I ESA for the subject Property. Based on the information contained within this report, it is Property Solutions' opinion that no additional inquiry and/or investigation is warranted at this time. However, since the subsurface at the subject Property is presumed to be affected by historical petroleum impacts (suspected to be mainly due to the historically urbanized nature of the surrounding area), a sub-slab depressurization system, vapor barrier(s), and/or similar vapors mitigation system should be installed for any new construction at the subject Property as a preventative measure.

ASTM E1527-21 PHASE I ENVIRONMENTAL SITE ASSESSMENT

Parcel No. 76.11-1-4
106 South Pearl St.
Albany, NY 12207

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 INTRODUCTION	3
1.1 Location and Legal Description of the subject Property	3
2.0 SUBJECT PROPERTY WALKOVER	3
2.1 Current Use of Adjoining Properties	4
2.2 Utilities.....	4
2.3 Storage Tanks	4
2.4 Hazardous Substances or Other Petroleum Products	4
2.5 Drains or Sumps.....	4
2.6 Polychlorinated Biphenyls (PCBs).....	5
2.7 Asbestos Containing Materials (ACM)	5
2.8 Lead Based Paint (LBP).....	5
2.9 Interviews	5
2.10 Other Non-ASTM Considerations.....	5
2.11 Environmental Liens.....	5
2.12 Relationship of Purchase Price to Fair Market Value	6
2.13 Activity and Use Limitations (AULs)	6
3.0 HISTORICAL RESEARCH	6
4.0 PHYSICAL SETTINGS	15
4.1 Topography	15
4.2 Geology/Hydrogeology	15
5.0 FEDERAL/NEW YORK STATE ENVIRONMENTAL/REGULATORY RECORDS DATABASES REVIEW	16
6.0 VAPOR ENCROACHMENT SCREENING	17
7.0 AGENCY FILE REVIEWS	19
8.0 DATA GAPS	21
9.0 SUMMARY OF FINDINGS	21
10.0 OPINION	21
11.0 CERTIFICATION	21

Appendices

- Appendix A: Scope and Limitations
- Appendix B: Figures
- Appendix C: ASTM E1527-21 *User Questionnaire*
- Appendix D: Photographic Log
- Appendix E: Environmental Risk Information Services, Inc. Report
- Appendix F: Freedom of Information Law Documents
- Appendix G: Professional Resume

ASTM E1527-21 PHASE I ENVIRONMENTAL SITE ASSESSMENT

Parcel No. 76.11-1-4
106 South Pearl St.
Albany, NY 12207

1.0 INTRODUCTION

This work was performed by Property Solutions, on behalf of Advance Albany County Alliance, LDC. The scope of work consisted of a Phase I ESA of the above referenced site (the subject Property). The Phase I ESA included, but may not have been limited to, a physical walkover of the subject Property, interview(s) with current and/or former owners (when available), research at municipal offices, a review of historical records, and a search of federal and New York State environmental and regulatory records databases information. The purpose of this Phase I ESA is to provide an environmental liability assessment that identifies the presence of potential environmental concerns (i.e., *recognized environmental conditions [RECs]*) in connection with the subject Property. The Phase I ESA was performed using the guidance provided in the ASTM E1527-21 - *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*, along with the Environmental Protection Agency's (EPA) AAI rule. The ASTM E1527-21 standard practice has been established to allow a lender or property owner to satisfy one of the requirements necessary to qualify for the *innocent landowner defense*, *contiguous property owner defense*, or the *bona fide prospective purchaser* limitations for liability under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). A detailed description of the scope of work and limiting conditions is outlined in Appendix A.

1.1 Location and Legal Description of the Subject Property

The subject of this assessment is one (1) parcel, located on the northeastern side of the intersection of South Pearl St. and Madison Ave. in an urbanized area in City of Albany, NY (Appendix B – **Figure 1**, **Figure 2**, and **Figure 3**). Some of the details for the subject Property, as gleaned from Albany County, NY online assessment database, are shown in **Table 1** (below). The subject Property is shown on this source as owned by AACC Holdings, LLC.

TABLE 1
LIMITED DETAILS - SUBJECT PROPERTY

PARCEL #	ADDRESS	PROPERTY CLASS / SITE USES	BUILDING SIZE (SQ. FT. +/-)	LOT SIZE (ACRES +/-)
76.11-1-4	106 South Pearl St.	454-Supermarket / Fast Food	3,148	3.65 acres

2.0 SUBJECT PROPERTY WALKOVER

Paul M. Shannon of Property Solutions conducted the subject Property walkover on April 4, 2024. Mr. James Cornwell, owner representative for the subject Property, was interviewed during the walkover and accompanied Property Solutions on the same. The ASTM E1527-21 *User Questionnaire* was also completed (**Appendix C**). Reconnaissance of the subject Property's vicinity and surrounding areas, and municipal / historical research were also performed on April 4, 2024. A photographic log summary of the walkover of the subject Property is provided in **Appendix D**.

The subject Property (Appendix B - **Figure 4**) is improved by an one (1)-story, slab-on-grade, concrete block, inactive supermarket (Appendix D - **Photographs 1 and 2**). The building contained features, items, amenities, and areas that appeared to be typical of an inactive supermarket (Appendix D - **Photographs 3 through 13**). These included, but were not limited to, shelving for food items, counter area, kitchen, dry storage, walk-in cooler, restroom, janitorial room, and storage/debris items. A utility room was also observed (containing such features as a hot water heater, municipal water meter, storage items, electrical panels, sinks, and sprinkler system piping). The walk-in cooler also contained storage and/or debris items. Standing water was observed inside the building.

The exterior areas of the Property generally consisted of a paved parking lot and drive-through driveway area (Appendix D - **Photographs 14 through 21**). Electrical services, a natural gas meter, and a suspected sewer vent were noted along the southeastern exterior side of the building. Catch basins, for the collection of surface runoff, were noted throughout the parking lot area. Decorative landscaping and/or greenspace surrounded areas of the perimeter of the building.

2.1 Current Use of Adjoining Properties

The subject Property is located in a mixed residential/commercial, urbanized area in the City of Albany, NY. The Property is adjoined by residences/apartments, a vacant lot, storefronts, and similar instances to the west, across South Pearl St. An elevated highway (S. Mall Arterial) borders the Property's northern/eastern side. Farther north/east, beyond this elevated highway are parking lots and office space. Madison Ave. adjoins the Property's southern side. Farther to the south, beyond this street, are row houses/apartments, along with office space. Based on observations during the walkover, there were no adjoining sites that appear to pose a potential environmental concern with regard to the subject Property based solely on their current observed uses.

2.2 Utilities

According to Albany County, NY municipal information, municipal water, sewer services, underground electric, and natural gas services are connected to the subject Property building. It should be noted that a heating oil tank may have been in use at the Property in the past, due to its lengthy period of development (to be discussed). If the tank (if applicable) was underground in nature, it would be considered a potential environmental concern. Underground electrical services are connected to the subject Property building.

2.3 Storage Tanks

No petroleum bulk storage tanks were observed on the subject Property during the walkover. One (1) aboveground storage tank for used cooking oil (Appendix D – **Photograph 22**) was observed behind the building on the subject Property during the walkover.

2.4 Hazardous Substances or Other Petroleum Products

No suspected hazardous materials and/or other suspected petroleum products were observed on the subject Property during the walkover.

2.5 Drains or Sumps

Federal regulation bans motor vehicle waste disposal wells throughout the United States. These wells require closure because they pose a threat to drinking water resources. The EPA's regulations consider "dry wells" or similar subsurface disposal structures to be

Class V Injection Wells. Where motor vehicle maintenance is done, EPA considers these facilities to be out of compliance and potential sources of drinking water contamination. These injection wells are no longer authorized and must be capped, sampled, and the underlying soils and/or groundwater remediated when necessary.

Floor drains were observed inside the building on the subject Property during the walkover. These were limited to such areas as the kitchen, restrooms, and/or similar instances. These drains are for accepting water and are assumed to be connected to the municipal sewer system. They are not considered a significant environmental concern.

2.6 Polychlorinated Biphenyls (PCBs)

Certain hydraulic oils (e.g., hydraulic lifts), electrical equipment (e.g., transformers or capacitors), fluorescent light ballasts, and/or similar units manufactured prior to 1979 have the potential to contain PCBs or PCB-containing oils and/or dielectric fluids. EPA regulations generally banned manufacturing of PCBs within the United States in 1979. No suspected PCB-containing equipment or apparatus were observed on the subject Property during the walkover. Pole-mounted transformers were observed in the vicinity of the subject Property, on nearby and/or adjoining street(s). These pole-mounted transformers are assumed to be owned by the local power company. As such, any spills from these units would likely be the local power company's responsibility.

2.7 Asbestos Containing Materials (ACM)

No suspected ACM was observed on the subject Property during the walkover. Additionally, based on the age of the subject Property building (1994), the presence of ACM in the same is considered unlikely.

2.8 Lead Based Paint (LBP)

No suspected LBP was observed on the subject Property during the walkover. Additionally, based on the age of the subject Property building (1994), the presence of LBP in the same is considered unlikely.

2.9 Interviews

Mr. James Cornwell, owner representative for the subject Property, was interviewed during the walkover and accompanied Property Solutions on the same. The most recent former owner of the subject Property was interviewed during the course of this Phase I ESA. However, this is not considered a significant environmental concern, as the subject Property appears to have been used as a store and restaurant during that time.

2.10 Non-ASTM Considerations

Property Solutions did not investigate non-ASTM details (refer to Appendix A) regarding the subject Property except for that which is listed in this Phase I ESA report (e.g., NYSDEC-reported spills, limited ACM, limited LBP).

2.11 Environmental Liens

Property Solutions did not identify any specific environmental liens against the Subject Property via Albany County, NY Clerk online source(s). Further, it was indicated on the *User Questionnaire* that there were not any known environmental liens encumbering the Subject Property (Appendix C).

2.12 Relationship of Purchase Price to Fair Market Value

It is Property Solutions' understanding that the future sale price for the subject Property approximately reflects fair market value (Appendix C). However, this was not confirmed.

2.13 Activity and Use Limitations (AULs)

Property Solutions did not identify AULs (i.e., engineering controls and/or institutional controls) in effect at the subject Property via Albany County, NY Clerk online source(s). This was also supported by completion of the *User Questionnaire* (Appendix C).

3.0 HISTORICAL RESEARCH

Based on a review of the Albany County, NY online assessment database, the subject Property building was built in 1994. Permits / Improvements for the subject Property are listed in **Table 2** (below).

TABLE 2
PERMITS / IMPROVEMENTS - PARCEL NO. 76.11-1-14

YEAR	PERMITS / IMPROVEMENTS	SQUARE FEET (+/-)
1994	Cold stor. rm.	504
1994	Cold stor. rm.	112
1994	Fldlt.-mercry.	250
1994	Strlt.-mercry.	20
1994	Pavng.-asphlt.	120,000

Historical topographic maps covering the subject Property and dated 1893, 1900, 1915, 1930, 1947, 1950, 1965, 1981 and, 2000 was performed via the United States Geological Survey (USGS) online, and/or via HistoricAerials.com. The historical topographic maps dated 1893, 1900, 1915, 1930, 1940, 1950, and 1965 appear to show the subject Property as developed. The historical topographic map dated 1981 appears to depict the Property as undeveloped. A typical topographic map (1947) reviewed as part of this Phase I ESA for the subject Property is attached as **Figure 5** (Appendix B).

A review of historical aerial photographs covering the subject Property and dated 1940, 1952, 1961, 1969, 1985, 1996, 2001, 2007, 2014, and 2017 was performed via the New York State online GIS Clearinghouse, Albany County GIS, the Albany County, NY Soil and Water Conservation District, and/or additional online source(s). The 1940, 1952, and 1961 historical aerial photographs appear to show the subject Property developed with suspected rowhouse-type buildings. The 1969 and 1985 historical aerial photographs appear to depict the subject Property as vacant land. The 1996 historical aerial photograph appears to show the current building, possibly under construction. The 2001, 2007, 2014, and, 2021 historical aerial photographs appear to depict the subject Property as similar to current conditions. The 1940, 1952, 1961, 1969, 1985, 1996, 2001, 2007, and 2014 historical aerial photographs are attached as **Figure 6** through **Figure 14**, respectively (Appendix B). The historical aerial photograph (2021) reviewed as part of this Phase I ESA is attached as Figure 3 (Appendix B). Surrounding sites appear to consist of retail site, apartments, and/or residences over time. The subject Property has been located in a historically urbanized area over time.

A limited local street directory review for the subject Property was performed at the Troy, NY Public Library, NY (**Tables 3** through **Table 5**). It should be noted that some of the listings may

have been inferred and/or estimated, based on suspected location, lack of address number, or similar instance. Limited volumes covering Albany, NY were identified for review. The subject Property is suspected to have previously been known as at least 106, 108 110, 112, 114, 116, 118, 120, 122, 124, 126, 128, 130, 132, 134, and 136 South Pearl St.; 87, 89, 91, 93, 95, 97, 101, 103, 105, 107, and 109 Madison Ave.; and, 13, 15, 17, and 19 Mosher St. (based on the historical Fire Insurance Map review). As such, these addresses were included in this review. As shown in Table 4, a possible dry cleaning business was identified at 105 Madison Ave. in at least 1956 and 1961. However, this listing was not identified under the "Cleaner and dyers" section of the directories during those years. A past possible dry cleaner was identified across Madison Ave. to the west, at the intersection of Madison Ave. and South Pearl St. Also as shown in Table 4, a suspected printing company was identified at 95 Madison Ave. in at least 1936, 1941, 1946, and 1951. However, the past printing company use is not considered a significant environmental concern due to the past assumed connection of the sites to municipal sewer services. A suspected past dry cleaning business was also identified at 121 South Pearl St. in at least the 1950s. This site adjoins (but for South Pearl St.) the subject Property to the west.

**TABLE 3
 LOCAL STREET DIRECTORY LISTINGS –
 106/108/110/112/114/116/118/120/122/124/126/128/130/132/134/136 SOUTH PEARL ST.**

YEAR(S)	OCCUPANT(S) OF SUBJECT PROPERTY
2020, 2017, 2012	106 S. Pearl St. - McDonald's
1993, 1988, 1985, 1981, 1976, 1971, 1966	106 S. Pearl St. – Subject Property address covered, but not listed 108 S. Pearl St. – Subject Property address covered, but not listed 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Subject Property address covered, but not listed 114 S. Pearl St. – Subject Property address covered, but not listed 116 S. Pearl St. – Subject Property address covered, but not listed 118 S. Pearl St. – Subject Property address covered, but not listed 120 S. Pearl St. – Subject Property address covered, but not listed 122 S. Pearl St. – Subject Property address covered, but not listed 124 S. Pearl St. – Subject Property address covered, but not listed 126 S. Pearl St. – Subject Property address covered, but not listed 128 S. Pearl St. – Subject Property address covered, but not listed 130 S. Pearl St. – Subject Property address covered, but not listed 132 S. Pearl St. – Subject Property address covered, but not listed 134 S. Pearl St. – Subject Property address covered, but not listed 136 S. Pearl St. – Subject Property address covered, but not listed
1961	106 S. Pearl St. – Morris Men's and Boy's Shop, Sam Brower (Dentist) 108 S. Pearl St. – Swartz Hertzman (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Standard Furniture Co. 114 S. Pearl St. – Subject Property address covered, but not listed 116 S. Pearl St. – Subject Property address covered, but not listed 118 S. Pearl St. – J. Wade, L. Brandon 120 S. Pearl St. – Leonard's House (furnishing goods) 122 S. Pearl St. – Rose Curtain Shop 124 S. Pearl St. – Ramax Paint Co., M. Glass, I. Brown

	<p>126 S. Pearl St. – Landau's Corset Shoppe, J. Turner, D. Horne 128 S. Pearl St. – E. Hughes, B. Saguski 130 S. Pearl St. – The Paris Co. (women's clothing) 132 S. Pearl St. – Rocky's Bar & Restaurant 134 S. Pearl St. – Velvet Paint Corp. 136 S. Pearl St. – Royal Suit & Cloak Co. (dresses)</p>
1956	<p>106 S. Pearl St. – Solomon's Men's Shop (men's and boys' clothing), Sam Brower (Dentist), Albany Window Cleaning 108 S. Pearl St. – Swartz & Levison (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Standard Furniture Co. 114 S. Pearl St. – Subject Property address covered, but not listed 116 S. Pearl St. – Subject Property address covered, but not listed 118 S. Pearl St. – L. Brandon 120 S. Pearl St. – Leonard's House (furnishing goods) 122 S. Pearl St. – Subject Property address covered, but not listed 124 S. Pearl St. – Ramax Paint Co., M. Glass, A. Ewell, S. Pearson, I. Brown 126 S. Pearl St. – Landau's Corset Shoppe, H. Gonya, F. DeNucci 128 S. Pearl St. – E. Hughes 130 S. Pearl St. – The Paris Co. (ready-to-wear) 132 S. Pearl St. – Subject Property address covered, but not listed 134 S. Pearl St. – Subject Property address covered, but not listed 136 S. Pearl St. – Royal Suit & Cloak Co. (dresses)</p>
1951	<p>106 S. Pearl St. – Solomon's Men's Shop (men's and boys' clothing), S. Brower (Dentist), Albany Window Cleaning 108 S. Pearl St. – Swartz & Levison (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Standard Furniture Co. 114 S. Pearl St. – Subject Property address covered, but not listed 116 S. Pearl St. – Subject Property address covered, but not listed 118 S. Pearl St. – F. Elston, W. Crawford 120 S. Pearl St. – Leonard's House, M. Gordon (atty.), E. Harris, J. Walton 122 S. Pearl St. – Subject Property address covered, but not listed 124 S. Pearl St. – Ramax Paint Co., A. Ewell, I. Brown, M. Glass, S. Pearson 126 S. Pearl St. – Landau's Corset Shoppe, E. Hirsch, A. Tallman 128 S. Pearl St. – E. Hughes 130 S. Pearl St. – The Paris Co. (ready-to-wear) 132 S. Pearl St. – Albany Spaghetti House (restaurant) 134 S. Pearl St. – Pirie Mme Corset Shop 136 S. Pearl St. – Royal Suit & Cloak Co. (dresses)</p>
1946	<p>106 S. Pearl St. – A. Solomon (clothing), Sam Brower (Dentist) 108 S. Pearl St. – Swartz & Levison (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Standard Furniture Co. 114 S. Pearl St. – Subject Property address covered, but not listed 116 S. Pearl St. – Subject Property address covered, but not listed 118 S. Pearl St. – Diamanets Importing Co. 120 S. Pearl St. – Leonard's (house furnishing goods), M. Gordon (lawyer), H. Eleazer, J. Walton 122 S. Pearl St. – Subject Property address covered, but not listed</p>

	<p>124 S. Pearl St. – Ramax Paint Co., A. Ewell, I. Brown, M. Glass, S. Pearson 126 S. Pearl St. – M. Landau Corset Shoppe, E. Hirsch, A. Tallman 128 S. Pearl St. – E. Hughes 130 S. Pearl St. – The Paris Co. (ready-to-wear) 132 S. Pearl St. – Albany Spaghetti House (restaurant) 134 S. Pearl St. – Pirie Mme Corset Shop 136 S. Pearl St. – Royal Suit & Cloak Co. (dresses)</p>
1941	<p>106 S. Pearl St. – A. Solomon (clothing), Sam Brower (Dentist) 108 S. Pearl St. – Swartz & Levison (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Standard Furniture 114 S. Pearl St. – Subject Property address covered, but not listed 116 S. Pearl St. – Subject Property address covered, but not listed 118 S. Pearl St. – Working Men’s Dry Goods, Store (men’s furring’s), P. Egner, F. Pritchard, R. Schaffer 120 S. Pearl St. – Baby Furniture Co. 122 S. Pearl St. – Regent Cut Rate (variety) 124 S. Pearl St. – I. Silverman (paints), L. Dixon, B. Glass 126 S. Pearl St. – M. Landau Corset Shoppe, E. Harrington, A. Williams 128 S. Pearl St. – Red & Blue Club (liquors) 130 S. Pearl St. – The Paris (dresses) 132 S. Pearl St. – A. Rubin (jeweler) 134 S. Pearl St. – Kay Vacuum Store 136 S. Pearl St. – Royal Suit & Cloak Co. (dresses)</p>
1936	<p>106 S. Pearl St. – Solomon Abr. Clothing, Sam Brower (Dentist) 108 S. Pearl St. – Swartz & Levison (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Standard Furniture Co. 114 S. Pearl St. – Vacant 116 S. Pearl St. – Vacant 118 S. Pearl St. – Workingmen’s Dry Goods Store (men’s furring’s) 120 S. Pearl St. – M. Gordon (beauty shop) 122 S. Pearl St. – Regent Theatre 124 S. Pearl St. – Palmer’s Women’s Wear, C. London 126 S. Pearl St. – J. Sherman (men’s clothing), L. Brown, A. Williams 128 S. Pearl St. – Ben Franklin Store (dept. store) 130 S. Pearl St. – R. Furie (shoes) 132 S. Pearl St. – M. Landau Corset Shoppe 134 S. Pearl St. – J. McCann, E. Potvin, K. Swartz 136 S. Pearl St. – Hannay’s Clothiers</p>
1931	<p>106 S. Pearl St. – Bender’s Clothes Shop (men’s clothing) 108 S. Pearl St. – Swartz & Levison (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Standard Furniture Co. 114 S. Pearl St. – Standard Furniture Co. 116 S. Pearl St. – Standard Furniture Co. 118 S. Pearl St. – Smuskler Alexander & Son (shoes), H. Drumm, H. Gleason 120 S. Pearl St. – Toporista Importing Co. (grocers), M Gordon (beauty shop), S, Bass Delicatessen 122 S. Pearl St. – Regent Theatre</p>

	124 S. Pearl St. – Fink's Men's Shop, M Hayes, C. London 126 S. Pearl St. – J. Sherman (men's clothing), I. Link (hairstylist), A. Williams 128 S. Pearl St. – Phillips Hardware 130 S. Pearl St. – Vacant 132 S. Pearl St. – Subject Property address covered, but not listed 134 S. Pearl St. – E. Darwick (dentist) 136 S. Pearl St. – Hannay's Clothiers
1926	106 S. Pearl St. – Goldberg Harry Dentist, John J. Plotke (men's furnishings) 108 S. Pearl St. – Swartz & Levison (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Standard Furniture Co. 114 S. Pearl St. – Brown Eazzey Shoes 116 S. Pearl St. – Solomon Samuel (dry goods), R. Mittler, S. Solomon 118 S. Pearl St. – James P. Cummings (shoes and real estate) 120 S. Pearl St. – E. Bennett (dry goods), 122 S. Pearl St. – Regent Theatre, M. Fisher, W. Pricci 124 S. Pearl St. – Fitwell Clothing Co., J. Cunningham, E. Harrington 126 S. Pearl St. – J. Sherman (men's clothing), H. Oliver, H. George 128 S. Pearl St. – A. Phillips (locksmith) 130 S. Pearl St. – D. Brown Shoe Co. 132 S. Pearl St. – Subject Property address covered, but not listed 134 S. Pearl St. – H. Gray, A. Rose 136 S. Pearl St. – W. Hannay (clothing), E. Peterson
1921	106 S. Pearl St. – Sherman and Spector (Clothing) 108 S. Pearl St. – Swartz & Levison (shoes) 110 S. Pearl St. – Subject Property address covered, but not listed 112 S. Pearl St. – Fred W. Eberle Agricultural Implements 114 S. Pearl St. – Brown Eazzey (shoes) 116 S. Pearl St. – Vacant, E. Collins, R. Mittler 118 S. Pearl St. – James P. Cummings shoes, N. Hagner, J. Serafino 120 S. Pearl St. – Antlook Cloghin Co., H. Cohn, P. Martin 122 S. Pearl St. – Regent Theatre, J. Socca, W. Quinn 124 S. Pearl St. – Fitwell Clothing Co., E. Phillips 126 S. Pearl St. – J. Sherman (men's clothing), J. O' Hare 128 S. Pearl St. – A. Phillips (locksmith), R. Morgan 130 S. Pearl St. – D. Brown Shoe Co. 132 S. Pearl St. – Subject Property address covered, but not listed 134 S. Pearl St. – J. Costello, H. Kerr, F. Matto, R. Sanders 136 S. Pearl St. –

TABLE 4
LOCAL STREET DIRECTORY LISTINGS – 87/89/91/93/95/97/101/103/105/107/109 MADISON AVE.

YEAR(S)	OCCUPANT(S) OF SUBJECT PROPERTY
2020, 2017, 2012	Madison Ave. addresses not identified
1993, 1988, 1985, 1981	87 Madison Ave. – Subject Property address covered, but not listed 89 Madison Ave. – Subject Property address covered, but not listed 91 Madison Ave. – Subject Property address covered, but not listed

	<p>93 Madison Ave. – Subject Property address covered, but not listed 95 Madison Ave. – Subject Property address covered, but not listed 97 Madison Ave. – Subject Property address covered, but not listed 101 Madison Ave. – Subject Property address covered, but not listed 103 Madison Ave. – Subject Property address covered, but not listed 105 Madison Ave. – Subject Property address covered, but not listed 107 Madison Ave. – Subject Property address covered, but not listed 109 Madison Ave. – Subject Property address covered, but not listed</p>
1961	<p>87 Madison Ave. – Havana Club Restaurant 89 Madison Ave. – S. Sluto, F. Campanella 91 Madison Ave. – C. Parker, N. Isgro 93 Madison Ave. – Chiaramonte & Sons (Bakers), F. Smith, F. Thorton 95 Madison Ave. – M. Reed, R. Savolis 97 Madison Ave. – Vacant store, F. Tissaj 101 Madison Ave. – B. Anastasto, G. Mosco 103 Madison Ave. – C. Faranacci (tailor), J. Johnson, T. Insero 105 Madison Ave. – Virgillio's Tailors & Cleaners 107 Madison Ave. – Virgillio's Laundromat 109 Madison Ave. – Sanford Tobacco Inc.</p>
1956	<p>87 Madison Ave. – Havana Restaurant & Bar, A. Belcastro 89 Madison Ave. – G. Clow, S. Stuto, S. Isgro, M. Alexander 91 Madison Ave. – V. Ricco, W. Wilson, A. Stella, J. Hawley 93 Madison Ave. – Chiaramonte & Sons (Bakers), F. Salvatore, M. Faranda, J. Chiaramonte 95 Madison Ave. – M. Reed, R. Savoie, G. Falcioni 97 Madison Ave. – C. Galluzzo, F. Milazzo, C. Milham 101 Madison Ave. – G. Farinacci (tailor), V. Gravagno, J. D'Ambrosi 103 Madison Ave. – G. DeRenzo (grocer), F. Maccagnano, J. Roberts 105 Madison Ave. – Virgillio's Tailors & Cleaners 107 Madison Ave. – Scott's Shade Shop 109 Madison Ave. – Safran Tobacco Co., Inc</p>
1951	<p>87 Madison Ave. – Havana Restaurant & Bar, A. Belcastro 89 Madison Ave. – N. Aurelia, E. DeCrescenzo, A. Maccagnano, A. Lourinia 91 Madison Ave. – J. Lupo, J. Hawley, Jos. Lupo, R. Valantino 93 Madison Ave. – Chiaramonte & Sons (Bakers), R. Chiaramonte, Jos. Chiaramonte, S. DeCrescenzo 95 Madison Ave. – Capitol Press Printers, A. Domenico, Jos. Bianchini, R. Savoie 97 Madison Ave. – F. Milazzo (upholstery), Modernistic Upholstery Shop, A. Milazzo 101 Madison Ave. – G. Farinacci (tailor), V. Gravagno, T. Insero, R. Scott 103 Madison Ave. – L. DeRenzo (grocer), F. Maccagnano, J. Roberts 105 Madison Ave. – John Virgillio Tailor 107 Madison Ave. – Scott's Shade Shop 109 Madison Ave. – Safran Tobacco Co., Inc</p>
1946	<p>87 Madison Ave. – Havana Restaurant & Bar, A. Belcastro 89 Madison Ave. – N. Aurelia, E. DeCrescenzo, A. Maccagnano, A. Tangora 91 Madison Ave. – J. Lupo, Jos. Lupo, D. Frentine 93 Madison Ave. – Antonio Chiaramonte (Bakers), Jos. Chiaramonte, S. DeCrescenzo 95 Madison Ave. – Capitol Press Printers, A. Domenico, P. Ignazio, G. Venditi 97 Madison Ave. – F. Milazzo (uphol H), O. Milazzo, C. Milham</p>

	<p>101 Madison Ave. – G. Farinacci (tailor), R. Caher 103 Madison Ave. – L. DeRenzo (grocer), F. Maccagnano, J. Roberts 105 Madison Ave. – John Virgillio Tailor 107 Madison Ave. – Scott’s Shade Shop 109 Madison Ave. – Safran Tobacco Co., Inc</p>
1941	<p>87 Madison Ave. – Eighty Seven Club Restaurant, L. Farinacci 89 Madison Ave. – N. Aurelia, E. DeCrescenzo, S. Wallace, L. Chiotti 91 Madison Ave. – J. Lupo, D. Bifano, F. Spallane 93 Madison Ave. – Antonio Chiaramonte (Bakers), Jos. Chiaramonte, S. DeCrescenzo 95 Madison Ave. – Capitol Press Printers, A. Domenico, L. Urbano, G. Venditi 97 Madison Ave. – Vacant store, O. Milazzo, C. Milham, Frank Milazzo Uphol. 101 Madison Ave. – G. Farinacci (tailor), R. Caher, M. Macri 103 Madison Ave. – L. DeRenzo (grocer), Wm. Derenzo, J. Roberts 105 Madison Ave. – John Virgillio Tailor 107 Madison Ave. – Safran Tobacco Co., Inc 109 Madison Ave. – Subject Property address covered, but not listed</p>
1936	<p>87 Madison Ave. – Vacant store 89 Madison Ave. – N. Aurelia, E. DeCrescenzo, P. DeCrescenzo, E. Lillie 91 Madison Ave. – J. Lupo, R. Belcastro 93 Madison Ave. – Antonio Chiaramonte (Bakers), A. Verdone 95 Madison Ave. – Vacant store, A. Domenico, L. Venditi, G. Venditi 97 Madison Ave. – Hockberg, Miley Printer, O. Milazzo, C. Milham, Frank Milazzo 101 Madison Ave. – G. Farinacci (tailor), R. Caher, J. Davis 103 Madison Ave. – L. DeRenzo (grocer), Wm. Derenzo, J. Delho 105 Madison Ave. – John Virgillio Tailor 107 Madison Ave. – Safran Tobacco Co., Inc 109 Madison Ave. – Ed Serafino restaurant. E. Harrington</p>
1931	<p>87 Madison Ave. – Costa Viginna Cigars, G. Gioeni 89 Madison Ave. – F. Castello, E. DeCrescenzo, A. Fabozzi, N. Fabozzi 91 Madison Ave. – J. Lupo, R. Belcastro, A. Tangorre 93 Madison Ave. – Antonio Chiaramonte (Bakers), F. Esopi 95 Madison Ave. – Dominick Andrew pocket billiards, A. Domenico, L. Venditi, G. Venditi 97 Madison Ave. – Milazzo Orazio shoe repair, C. Milham 101 Madison Ave. – G. Farinacci (tailor), R. Caher, J. Sager 103 Madison Ave. – L. DeRenzo (grocer), D. D’Amico, C. Melica 105 Madison Ave. – John Virgillio Tailor 107 Madison Ave. – B & M Tire Co., Inc 109 Madison Ave. – Samuel Chiffolo Barber. E. Harrington</p>
1926	<p>87 Madison Ave. – Padula Rocco V beverages, M. Belgrasa 89 Madison Ave. – E. DeCrescenzo, J. Nathan, N. Fabozzi 91 Madison Ave. – J. Lupo, R. Belcastro, J. Doyle, E. Ciarfello 93 Madison Ave. – Antonio Chiaramonte (Bakers), A. DiLillo, J. Lombardo, J. Torro 95 Madison Ave. – Vacant, A. Domenico, L. Venditi, 97 Madison Ave. – Milazzo Orazio shoe repair, A. DiMenzo, H. Amabile 101 Madison Ave. – G. Farinacci (tailor), R. Caher, W. Flesche, S. Virgilio 103 Madison Ave. – L. DeRenzo (grocer), D. D’Amico 105 Madison Ave. – John Virgillio Tailor 107 Madison Ave. – B & M Tire Co., Inc</p>

	109 Madison Ave. – Calsolaro Bros. Barber, R. Rings
1921	87 Madison Ave. – Padula Rocco V beverages, M. Belgras, A. Dominic 89 Madison Ave. – Brumer Abram (clothing), J. Colleenbrawn 91 Madison Ave. – J. Lupro, R. Belcastro, J. Doyle, E. Ciarfello 93 Madison Ave. – Sovitsky Meyer (furniture), J. Lupos, N. Fabozzi, A. Rocco 95 Madison Ave. – Dominick Andrew Pool, A. Domenico, A. DeCosta, L. Lopprasto 97 Madison Ave. – C. Maccarrone, L. Bombardo, L. Cassera, O. Milazzo 101 Madison Ave. – G. Farinacci (tailor), R. Caher, W. McTague, S. Virgilio 103 Madison Ave. – L. DeRenzo (grocer), F. Fioro, J. Perna 105 Madison Ave. – John Virgillio Tailor 107 Madison Ave. – Gabriel Feltman (bicycles) 109 Madison Ave. – R. Rings

TABLE 5
LOCAL STREET DIRECTORY LISTINGS - 11/13/15/17/19 MOSHER ST.

YEAR(S)	OCCUPANT(S) OF SUBJECT PROPERTY
2020, 2017, 2012	Mosher St. addresses not identified
1993, 1988, 1985, 1981, 1976, 1971, 1966	11 Mosher St. – No addresses shown on Mosher St. 13 Mosher St. – No addresses shown on Mosher St. 15 Mosher St. – No addresses shown on Mosher St. 17 Mosher St. – No addresses shown on Mosher St. 19 Mosher St. – No addresses shown on Mosher St.
1961	11 Mosher St. – Subject Property covered , but not listed 13 Mosher St. – Vacant store 15 Mosher St. – Springer’s Welding Works 17 Mosher St. – Storage 19 Mosher St. – Storage
1956	11 Mosher St. – Subject Property covered , but not listed 13 Mosher St. – Vacant store, I. Barnes 15 Mosher St. – Springer’s Welding Works 17 Mosher St. – Vacant store 19 Mosher St. – Vacant store
1951	11 Mosher St. – Subject Property covered , but not listed 13 Mosher St. – L. Cage 15 Mosher St. – Springer’s Welding Works 17 Mosher St. – Subject Property covered , but not listed 19 Mosher St. – Economizer Sales and Services (soda dispensing equipment)
1946	11 Mosher St. – Subject Property covered , but not listed 13 Mosher St. – C. Pennick 15 Mosher St. – Springer’s Welding Works 17 Mosher St. – La Capital (newspaper) 19 Mosher St. – La Capital (newspaper)
1941	11 Mosher St. – Subject Property covered , but not listed 13 Mosher St. – C. Pennick 15 Mosher St. – Springer’s Welding Works 17 Mosher St. – La Capital (newspaper)

	19 Mosher St. – La Capital (newspaper)
1936	11 Mosher St. – Subject Property covered , but not listed 13 Mosher St. – Vacant 15 Mosher St. – Springer’s Welding Works, J. Hampton 17 Mosher St. – 19 Mosher St. – Vacant
1931	11 Mosher St. – Subject Property covered , but not listed 13 Mosher St. – Springer’s Welding Works, J. Hampton 15 Mosher St. – Vacant 17 Mosher St. – Vacant 19 Mosher St. – Autento Salmeri (cigars)
1926	11 Mosher St. – Subject Property covered , but not listed 13 Mosher St. – Springer’s Welding Works, J. Hampton 15 Mosher St. – Subject Property covered , but not listed 17 Mosher St. – Vacant 19 Mosher St. – G. Anyeman (truckman)
1921	11 Mosher St. – Vacant 13 Mosher St. – S & S Welding 15 Mosher St. – C. Zubrick 17 Mosher St. – Vacant 19 Mosher St. – Subject Property covered , but not listed

Very limited ownership details for the subject Property were reviewed via the Albany County, NY Clerk online source(s). The very limited ownership details were researched to provide insight into past owners that could possibly present a potential environmental concern. A very limited summary of past ownership for the subject Property is provided in **Table 6** (below). These limited data should be considered to be inferences, are not guaranteed to be accurate, may contain gap(s), and are for informational purposes only for this Phase I ESA.

TABLE 6
PROPERTY OWNERSHIP PARCEL NO. 76.11-1-4

OWNER’S NAME	PERIOD OF OWNERSHIP	DEED REFERENCE (BOOK/PAGE)
AACC Holdings LLC	12/2021-Present	2021/39323
Albany Housing Authority	8/1966-12/2021	1879/59
State of New York*	Not Identified-8/1966	Not Identified

* Suspected to have been part of urban renewal project

A review of historical Fire Insurance Maps covering the subject Property and dated 1892, 1909, 1934, 1950, 1989, and 1990 was performed via ERIS. The 1892 and 1909 historical Fire Insurance Maps appear to depict the subject Property as stables, stores, and residences. The 1892 Map also shows a chemical dye warehouse “Mendelson and Sons”, possibly at the subject Property. Since this is shown as a warehouse (i.e., no manufacturing), it is not considered a significant environmental concern. The 1934 historical Fire Insurance Map appears to depict row house-type stores and houses, along with one (1) furniture warehouse and a restaurant. On the 1950 historical Fire Insurance Map, the resolution is of poor quality and appears to depict the subject Property as developed with interconnected row house-type buildings. Not all buildings were able to be identified, but at least apartments and stores were noted. The 1989 historical Fire Insurance Map appears to depict the Property as vacant. The 1990 historical Fire

Insurance Map depicts the Property as a parking lot. The 1892 through 1990 historical Fire Insurance Maps are attached as **Figure 15** through **Figure 20**, respectively (Appendix B).

Summary

The results of the historical research suggest that the current subject Property building appears to have been built around 1994 and was used as a fast food restaurant and a supermarket since that time. The subject Property is suspected to have been vacant from around the 1960s until around 1994. Prior to the 1960s, the subject Property was covered by a large amount of buildings, mainly consisting of rowhouse-type structures. These uses included, but were not limited to, retail stores, apartments, restaurants, residences, bakery, office space, a printing company, dentist/doctor's offices, a welding company, and a possible chemical storage warehouse. A possible dry cleaning business was identified at 105 Madison Ave. (suspected to have formerly been located at the subject Property) in at least 1956 and 1961. However, this listing was not identified under the "Cleaner and dyers" section of the directories during those years. A past possible dry cleaner was identified across Madison Ave. to the west, at the intersection of Madison Ave. and South Pearl St. (i.e., 121 South Pearl St.) The past printing company use is not considered a significant environmental concern due to the past assumed connection of the sites to municipal sewer services. Surrounding sites over time appear to have mainly consisted of row house-type buildings over time. The subject Property has been located in a historically urbanized area over time.

4.0 PHYSICAL SETTING

4.1 Topography

The subject Property and vicinity are depicted on the USGS 2023 Albany, NY Quadrangle topographic map (Appendix B – Figure 1). The subject Property is shown to be located at approximately Latitude: 42.6460242, Longitude: -73.75395045. The subject Property is shown as being located approximately 29 feet above sea level in elevation. A steep, easterly-downward slope is present to the west of the subject Property (i.e., the subject Property is situated at the base of a large hill and may be located hydraulically downgradient of many sites) The Hudson River is located around 1,100 feet to the east of the subject Property.

4.2 Geology/Hydrogeology

Surficial geology in the vicinity of the subject Properties appears to be mapped by the USGS as glacial till. These deposits are described as poorly-sorted sediments deposited beneath glacial ice (USGS, Surficial Geologic Map of New York, Hudson-Mohawk Sheet, 1987).

The depth to groundwater at the subject Property was not identified by Property Solutions, but is estimated to be greater than around 10 fbg, due to previous environmental work performed near the subject Property in the 1990s (to be discussed in Section 5.0). Groundwater flow direction at the subject Property is presumed to follow local topography (i.e., easterly), toward the Hudson River. However, a groundwater mapping study would be necessary to accurately determine the groundwater depth and flow direction at the subject Property.

The bedrock in the area appears to have been mapped by the USGS as the Normanskill Shale (USGS, Bedrock Map of New York, Hudson-Mohawk Sheet, 1970). The depth to bedrock at the Property was not identified by Property Solutions.

5.0 FEDERAL / NEW YORK STATE ENVIRONMENTAL / REGULATORY RECORDS DATABASES REVIEW

Property Solutions reviewed federal and New York State environmental / regulatory agency public records databases information for the subject Property and vicinity, as provided by ERIS. Inquiries were made based on the ASTM E1527-21 (i.e., Phase I ESA) recommended radii of search, although additional, non-ASTM records databases were also included. Although not an ASTM standard, Property Solutions included the NYSDEC Spills Incidents database to at least a radius distance of approximately 0.25 miles of the subject Property. It should be noted that limited environmental records exist prior to 1985. Information provided by ERIS was reviewed by Property Solutions regarding federal and New York State records database lists of known and/or potential hazardous waste sites, NYSDEC-listed Solid Waste Landfills (SWLFs), registered current hazardous waste generators (RCRA GEN), registered former hazardous waste generators (RCRA NONGEN), registered dry cleaner sites, Vapor Intrusion Legacy Site List sites (VAPOR), hazardous/regulated waste transporters (Manifest), CERCLIS (hazardous waste sites in which Superfund has some involvement) sites, NYSDEC-registered petroleum bulk storage sites, activity and use limitation (AUL) sites, NYSDEC-reported Leaking underground storage tank (UST) Spill sites, sites currently under regulatory scrutiny and/or investigation, environmental violations, Brownfield's sites, and/or similar instances. A brief summary of the regulatory information acquired during this limited evaluation from the ERIS report is included below. The ERIS Report is attached as **Appendix E**.

Federal Sites

Mapped and unmapped federal-listed sites were identified in the ERIS report. One (1) National Priorities List site (Hudson River PCBs) was identified within the one (1)-mile search radius. This site is not expected to present a significant environmental concern. This NPL site is shown as located around 0.22 miles to the east of the subject Property. It is also shown as around 25 feet lower in elevation than the subject Property. At this distance and elevation difference, this NPL site is not expected to present a significant environmental concern. One (1) Resource Conservation and Recovery Act (RCRA) Corrective Action site was identified within the one (1)-mile search radius. However, it is shown as located around 0.86 miles away. At this distance, this RCRA Corrective Action site is not expected to present a significant environmental concern. One (1) EPA-listed Facility Response Plan (FRP) site was identified within the 0.5-mile search radius (a bulk oil storage facility at 50 Church St.), but it is shown as being located around 0.21 miles away. At this distance, it is not expected to present a significant environmental concern. Five (5) mapped (i.e., located within around 0.25 miles or less of the subject Property) Alternative Fuels sites were identified (45 Hudson Ave., Empire State Plaza, 110 Sate St., and 100 Beaver St [listed twice]). These Alternative Fuels sites are presumed to represent electric vehicle chargers or similar instance and are not expected to present a potential environmental concern. 54 mapped (i.e., located within around 0.25 miles or less of the subject Property) RCRA GEN and/or RCRA NONGEN sites were identified in the ERIS report, along with two (2) RCRA GEN and/or RCRA NONGEN sites (a New York State Department of Transportation [NYS DOT] Bridge Identification Number [BIN] site and a National Grid site on James St.). The mapped RCRA GEN and/or RCRA NONGEN sites include, but are not limited to, 121 South Pearl St., 66 Green St., 45 Grand St., NYSDOT BIN sites, 34 Hamilton St., 50 Hudson Ave., 128 Hamilton St., 165 Madison Ave. and 104 Grand St. None of these RCRA GEN and/or RCRA NONGEN listings are expected to present a significant environmental concern. Additionally, 15 mapped (i.e., identified as mapped within a 0.125-mile radius of the Property) Facility Registry System (FRS) sites were identified (federal sites that are subject to regulatory scrutiny and/or interest). These FRS sites include, but are not limited to, 121 South Pearl St., NYSDOT BIN sites, 45 Grand St., 34 Hamilton St., 51 South Pearl St., 114 Hamilton St., and 50 Hudson Ave. Some of these federal-listed sites may adjoin, and/or be in close proximity to, the subject Property. It is Property Solutions' opinion that this can be typical of such a historically

urbanized area. However, it should be noted that the 121 South Pearl St. adjoins the subject Property (but for South Pearl St.) to the west, and is suspected to be located hydraulically upgradient of the subject Property. As such, it is possible that this past adjoining dry cleaner site may have affected the subject Property.

New York State Sites

New York State-listed sites were identified in the ERIS report. Four (4) NYSDEC-registered hazardous waste sites (Superfund equivalent) were identified within the one (1)-mile search radius, but they are all shown as located over 0.24 miles away from the subject Property. At this distance, they are not expected to present a significant environmental concern. One (1) VAPOR site was identified within the one (1)-mile search radius, but it is shown as being located around 0.86 miles away. At this distance, it is not expected to present a significant environmental concern. One (1) NYSDEC-listed SWLF site was identified within the 0.5-mile search radius, but it is shown as located around 0.21 miles away. At this distance, this SWLF site is not expected to present a significant environmental concern. One (1) NYSDEC-listed Voluntary Cleanup Program site was identified within the 0.5-mile search radius, but it is shown as being located around 0.24 miles away from the subject Property. At this distance, it is not expected to present a significant environmental concern. Two (2) NYSDEC-listed AUL sites were identified within the 0.5-mile search radius, but they are shown as located around 0.24 miles away. At this distance, they are not expected to present a significant environmental concern. Three (3) MGP sites were identified within the one (1)-mile search radius, but they are all shown as located over 0.56 miles away. At this distance, they are not expected to present a significant environmental concern. 11 NYSDEC-registered PBS sites were identified within around 0.25 miles or less of the Property. Three (3) are shown as "Active" and are listed as 34 Hamilton St., 222 South Real St., and a NYS Office of General Services site. The closest of these "Active" NYSDEC-registered PBS sites is shown as located around 0.10 miles away, and at an elevation around 14 feet lower than the subject Property. At this distance and elevation difference, this site is not expected to present a significant environmental concern. The remaining NYSDEC-registered PBS sites are shown as "Unregulated/Closed" and are shown as Cargill - Port of Albany, 40 Howard St., 70 Howard St., 90 State St., 80 State St., 112 State St., and 100 State St. None of these "Unregulated/Closed" NYSDEC-registered PBS sites are suspected to adjoin the subject Property, and none are considered a significant environmental concern. Two (2) Chemical Bulk Storage sites were identified within the 0.5-mile search radius (both shown as 50 Church St.). 50 Church St. is also shown as a Major Oil Storage Facility. This site is shown as being located around 0.20 miles away from the Property. At this distance, it is not expected to present a significant environmental concern. Eight (8) Manifest sites were identified within the 0.25-mile search radius of the subject Property. These Manifest sites include such listings as the aforementioned 121 South Pearl St., 45 Grand St., 34 Hamilton St., 114 Hamilton St., and 50 Hudson Ave. None of these Manifest listings are expected to present a significant environmental concern. Five (5) Tier 2 sites were identified within the 0.25-mile search radius (all shown as 34 Hamilton St.). This Tier 2 site does not adjoin the subject Property and is not considered a significant environmental concern. Tier 2 is a list of facilities which have reported hazardous substances provided by Homeland Security and Emergency Services. Two (2) PFAS sites were identified within the 0.5-mile search radius. These PFAS sites are shown as being located around 0.21 miles away or greater from the subject Property. At this distance, they are not expected to present a significant environmental concern. In addition to these listings, 196 mapped (i.e., within around 0.25 miles or less of the subject Property) NYSDEC-reported Spill sites were identified in the ERIS report, along with 39 unmapped NYSDEC-reported Spill sites. In addition to these NYSDEC-reported Spill sites, 22 mapped (within around 0.5 miles or less of the subject Property) NYSDEC-reported Leaking UST Spill sites were also identified in the ERIS report, along with three (3) unmapped NYSDEC-reported Leaking UST Spill sites. Many of these NYSDEC-reported Spills/Leaking UST Spill listings are associated with Spills at the Port of Albany (mainly large-scale PBS facilities and/or

similar instances). The remaining NYSDEC-reported Spill sites are associated with incidents such as equipment failures, residential, governmental, and/or commercial fuel oil tank failures, surface spills, gasoline station tank failures, discoveries of historical contamination, traffic accidents, pole-mounted transformer spills, spills on the Hudson River, and/or similar instances. The majority of these reported Spill listings/leaking UST Spill listings are shown as "Closed" by the NYSDEC in the ERIS report. Based on their "Closed" status, they are not expected to present a significant environmental concern. A total of four (4) "Active" NYSDEC-reported Spill sites were identified in the ERIS report within the 0.25-mile search radius. **Table 7** (below) shows the "Active" NYSDEC-reported Spills Identified in the ERIS report. None of these "Active" NYSDEC-reported Spills are expected to present a significant environmental concern, as none are suspected to adjoin the subject Property.

TABLE 7
"ACTIVE" NYSDEC-REPORTED SPILLS IDENTIFIED IN ERIS REPORT

NYSDEC SPILL NO.	ADDRESS / LOCATION	DETAILS
20-07610	71 Trinity Place; National Grid	Power transformer spill in vault. "In containment" is indicated. At 0.22 +/- miles away, this "Active" NYSDEC-reported Spill site is not expected to present a significant environmental concern.
92-14481	50 Church St. (Bulk oil facility)	Historical spill discovered. At 0.22 +/- miles away, this "Active" NYSDEC-reported Spill site is not expected to present a significant environmental concern.
11-10257	50 Church St. (Bulk oil facility)	Historical spill discovered. At 0.22 +/- miles away, this "Active" NYSDEC-reported Spill site is not expected to present a significant environmental concern.
20-10309	90 Church St.	Contamination found during UST removal; at 0.24 +/- miles away, this "Active" NYSDEC-reported Spill site is not expected to present a significant environmental concern.

Two (2) NYSDEC-reported Spills were identified for the intersection of South Pearl St. and Madison Ave., which adjoins the subject Property to the southwest. **Table 8** (below) shows these suspected past NYSDEC-reported Spills. A FOIL review was performed for these two (2) NYSDEC-reported Spills (**Appendix F**). Both of these Spills appear to have been reported to the NYSDEC due to petroleum contamination found during utility excavation work being performed along Madison Ave., near the southwestern side of the subject Property, in the 1990s. Both of the associated Spills have been "Closed" by the NYSDEC. Based on their "Closed" status by the NYSDEC, these past spills do not appear to present a significant environmental concern. However, one (1) of the below referenced NYSDEC-reported Spill Numbers is designated as "Closed - Does Not Meet Standards" by the NYSDEC. This suggests that petroleum contamination above applicable NYSDEC cleanup standards remained at the spill area at the time of the Spill closure by the NYSDEC. However, based on the "Closed" status, it suggests the contamination levels were acceptable to the NYSDEC at the time. It should be noted that this contamination could be encountered in the future during redevelopment (e.g., excavation) in the vicinity. This could incur associated costs (if applicable) for the subject Property owner.

TABLE 8
NYSDEC-REPORTED SPILLS ADJOINING SUBJECT PROPERTY AS IDENTIFIED IN ERIS REPORT

NYSDEC SPILL NO.	STATUS	DETAILS
97-03078	Opened 6/11/1997; Closed - Meets Standards 7/17/1998	South Pearl @ Madison Ave.: petroleum contamination found during subsurface investigation for NYSDOT project; environmental consultant handled contaminated soil disposal; "Pearl St. Rehabilitation Project" indicated.

98-01952	Opened 5/14/1998; Closed - Does Not Meet Standards 2/5/1999	South Pearl @ Madison Ave.: petroleum contamination found by NYSDOT during installation of water line; "Open excavation filled with water and oil" indicated. The same location as the above-described Spill (NYSDEC Spill No. 97-03078) is indicated.
----------	--	---

Summaries of the FOIL information are shown below:

NYSDEC Spill No. 97-03078

In 1997, the NYSDOT performed municipal water line work along Madison Ave. The work area of concern was generally located in the Right-of-Way (ROW) along Madison Ave., across the street from the subject Property to the south. As part of the NYSDOT work, geotechnical soil borings were advanced along South Pearl St. and Madison Ave. On June 11, 1997, a total of four (4) soil borings were advanced along the southeastern corner of the intersection of South Pearl St. and Madison Ave. (i.e., across Madison Ave. from the subject Property), in the ROW. The soil borings were advanced to depths ranging from approximately 12 to 16 fbg. The soil encountered during advancement of the soil borings generally consisted of suspected fill material and / or sand to a depth ranging between around four (4) and 10 fbg. Underlying this strata was generally clay in all soil borings. No groundwater was indicated. During advancement of the soil borings, photoionization detector (PID) headspace screening was performed. Low (i.e., below four [4] parts per million [ppm]) PID readings were documented in soil borings SB-1 and SB-2. However, elevated (i.e., up to 44.1 ppm and 107 ppm) PID readings were documented in soil borings SB-3 and SB-4, respectively. This was suggestive of petroleum contamination in these soil borings. Due to the field indications of petroleum contamination, the NYSDEC Spills Hotline was contacted and NYSDEC Spill No. 97-03078 was assigned. One (1) soil sample was obtained from each of soil borings SB-1, SB-2, and SB-4. The soil samples were collected from approximately eight (8) to 16 fbg (soil boring SB-1); approximately 0.5 to seven (7) fbg (soil boring SB-2); and, approximately eight (8) to 12 fbg (soil boring SB-4). The soil samples were all analyzed for Hazardous Waste Characterization (excluding PCBs, pesticides, and herbicides), along with the NYSDEC Spill Technology and Remediation Series (STARS) Memo #1 list of volatile organic compounds (VOCs) via EPA Method 8021, semi-VOCs (Base-Neutrals) via EPA Method 8270, and the suite of eight (8) RCRA metals via EPA Method 6010/7471. All analyses were performed via the Toxicity Characteristic Leaching Procedure. The soil sample from soil boring SB-4 was also analyzed for Petroleum Identification via EPA Method 310.14. The laboratory analytical results for the soil samples collected from soil borings SB-1 and SB-2 were "not characteristically hazardous" (i.e., no compounds of concern were detected above their applicable laboratory reporting limits). However, the soil sample collected from soil boring SB-4 exhibited exceedances of applicable (at the time) NYSDEC soil cleanup objectives (SCO) VOCs, along with a few semi-VOCs. Additionally, the results of the Petroleum Identification scan for the soil sample collected from soil boring SB-4 were indicative of #2 fuel oil.

The FOIL documents indicate that a plan was being formulated for handling of the contaminated soil that may be encountered during NYSDOT excavation activities. This Spill was "Closed - Meets Standards" by the NYSDEC on July 17, 1998. Since the Spill was Closed by the NYSDEC, it is presumed that any excavated contaminated soil was properly disposed of off-site.

NYSDEC Spill No. 98-01952

The FOIL information received for this NYSDEC-reported Spill was limited to the NYSDEC Spill Report Form (SRF). This Spill was reported to the NYSDEC on May 14, 1998 due to a report of petroleum contamination found in the approximate same previous location during continued excavation by the NYSDOT for the aforementioned municipal water line project. As of May 15,

1998, "soil stockpiled - to be disposed of. DOT project water line installation" is indicated on the SRF. No additional pertinent information was identified on the SRF, except that NYSDEC Spill No. 98-01952 was "Closed - Does Not Meet Standards" by the NYSDEC on February 5, 1999. Since the Spill was Closed by the NYSDEC, it is presumed that any contaminated soil that was excavated was properly disposed of off-site. The designation of this Closed Spill as "Does Not Meet Standards" by the NYSDEC suggests that petroleum contamination above applicable NYSDEC SCO remained at the Spill area as of the date of this Spill Closure by the NYSDEC.

No information with regard to any past investigations at the subject Property was identified during the FOIL review. It is assumed that the remedial excavation activities were limited to the municipal water line work area in the ROW along Madison Ave., across the street to the south of the subject Property. Based on the proximity of the contaminated soil borings to the subject Property, it is presumed that the petroleum contamination identified in the ROW area in 1997 and 1998 extends on to the subject Property. As such, this contamination could be encountered in the future during redevelopment at the Property (e.g., excavation for building footings). This could incur associated management costs for the subject Property owner (if applicable).

Summary

Two (2) NYSDEC-reported Spills (both "Closed" by the NYSDEC) were identified for the subject Property during the federal and New York State environmental/regulatory public records databases review for the intersection of South Pearl St. and Madison Ave., which adjoins the subject Property to the southwest. Both of these Spills appear to have been reported to the NYSDEC due to #2 heating oil petroleum contamination found in the Madison Ave. ROW across the street along the southwestern side of the subject Property in two (2) of four (4) soil borings advanced in this area in June 1997 for NYSDOT municipal water line work. The petroleum contamination was estimated to extend from around six (6) fbg to 16 fbg. After excavation of the contaminated soil from the utility area, this Spill was "Closed - Meets Standards" by the NYSDEC in July 1998. Petroleum contamination was also found in 1998 in the approximate same area by the NYSDOT during continued excavation work for the municipal water line. After excavation of the contaminated soil from the utility area, this Spill was "Closed - Does Not Meet Standards" by the NYSDEC in February 1999. The designation of this Closed Spill as "Does Not Meet Standards" by the NYSDEC suggests that petroleum contamination above applicable NYSDEC SCO remained at the Spill area as of the date of this Spill Closure by the NYSDEC. It is assumed that the remedial excavation activities were limited to the municipal water line work area in the ROW along Madison Ave. at the subject Property. Based on the proximity of the contaminated soil borings to the subject Property, it is assumed that the petroleum contamination identified in the ROW area in 1997 and 1998 extends onto the subject Property. Due to this, it is presumed that the subject Property is also impacted at around the same depth (i.e., starting around six [6] feet below grade). As such, this contamination could be encountered in the future during redevelopment at the Property (e.g., excavation for building footings). This could incur associated management costs for the subject Property owner (if applicable). Surrounding and/or adjoining federal and New York State-listed sites were identified during this review. These include, but are not limited to, 196 Spills/releases have been reported to the NYSDEC in the past within less than about 0.25 miles from the Property (albeit the majority have been "Closed" by the NYSDEC). Also identified was a former dry cleaner at 121 South Pearl St., which adjoins the subject Property (but for South Pearl St.) to the west, and is suspected to be located hydraulically upgradient of the subject Property. As such, it is possible that this past adjoining dry cleaner site may have affected the subject Property. This probable contamination at the subject Property is considered a *REC*. It is Property Solutions' opinion that this can be typical of such a historically urbanized area.

6.0 VAPOR ENCROACHMENT SCREENING (VES)

It is Property Solutions' understanding that the NYSDEC is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at certain sites. As a result, past (including previously "Closed" Spill sites), current, and future contaminated sites may be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion (i.e., Vapor Encroachment Condition [VEC]). Property Solutions conducted a "Tier I" (non-intrusive) VES on the subject Property in accordance with the methodology set forth in ASTM E 2600-10 "*Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions*". During the VES, the Area of Concern was minimized using the ASTM standard. The purpose of the Tier I VES was to conduct an initial screen to identify, to the extent feasible, the potential for a VEC in connection with the subject Property with respect to chemicals of concern that may migrate as vapors into the subsurface of the subject Property as a result of contaminated soil and groundwater on, or near, the same. This VES utilized available data sources previously discussed in this Phase I ESA to include the type of soils, geology and groundwater characteristics of the area of the subject Property (refer to Section 4.0) as well as known or potentially contaminated sites as identified on federal, State, tribal, and/or local public records databases (refer to Section 5.0). Property Solutions also utilized previously discussed standard historical sources of information (refer to Section 3.0) to identify potential historical sources of contamination on the subject Property and surrounding properties which may be indicative of a VEC. This data collection and analysis was also coupled with the subject Property walkover and a review of surrounding sites. Petroleum contamination has been documented adjoining the subject Property in the past. As such, it is possible that there could be the potential for a VEC at the subject Property.

7.0 AGENCY FILE REVIEWS

The ASTM E1527-21 standard indicates that an agency file review should be conducted: "*if the subject property or adjoining properties are identified in any of the standard environmental records sources*".

During the federal and New York State environmental/regulatory records databases review for the subject Property as part of the Phase I ESA, an area adjoining the subject Property (but for Madison Ave.) was identified twice as a "Closed" NYSDEC-reported Spill site. As such, a FOIL request to the NYSDEC was made for these NYSDEC-reported Spill Numbers (refer to Section 5.0).

8.0 DATA GAPS

Property Solutions identified one (1) data gap during the performance of this Phase I ESA (lack of an interview with the subject Properties' most current and recent former owners). It is Property Solutions' opinion that this data gap is not significant and does not warrant further inquiry and/or investigation.

9.0 SUMMARY OF FINDINGS

Property Solutions performed a Phase I ESA (in conformance with the scope and limitations of ASTM Practice E1527-21) of the subject Property known as parcel no. 76.11-1-4, 106 South Pearl St., City of Albany, Albany County, New York. Any exceptions or additions to, or deletions from, the ASTM E1527-21 or EPA's AA/ practice are described in Appendix A of this report. The findings of this assessment are outlined below.

- The subject of this assessment is one (1) parcel, totaling approximately 3.65 acres and located on the northeastern side of the intersection of South Pearl St. and Madison Ave.

in a historically commercialized/urbanized area in City of Albany, NY. The subject Property is improved by an approximately 3,148 square-foot, inactive, one (1)-story, slab-on-grade, supermarket. The building contained features, items, amenities, and areas that appeared to be typical of an inactive supermarket.

- The exterior areas of the Property generally consisted of a paved parking lot and drive-through area. Electrical service, a natural gas meter, and a suspected sewer vent were noted along the southeastern exterior side of the building. Catch basins, for the collection of surface runoff, were noted throughout the parking lot area. Decorative landscaping surrounded areas of the perimeter of the building.
- The subject Property is located in a historically urbanized area in City of Albany, NY. Based on the observations during the walkover, there were no sites adjoining the subject Property that would appear to present a significant environmental concern based solely on their present observed uses. It should be noted that a steep, easterly-downward slope is present to the west of the subject Property (i.e., the subject Property is situated at the base of a large hill and may be located hydraulically downgradient of many sites). The Hudson River is located around 1,100 feet to the east of the subject Property.
- The results of the historical research suggest that the current subject Property building appears to have been built around 1994 and was used as a fast food restaurant and a supermarket since that time. The subject Property is suspected to have been vacant from around the 1960s until around 1994. Prior to the 1960s, the subject Property was covered by a large amount of buildings, mainly consisting of rowhouse-type structures. These uses included, but were not limited to, retail stores, apartments, restaurants, residences, bakery, office space, a printing company, dentist/doctor's offices, a welding company, and a possible chemical storage warehouse. A possible dry cleaning business was identified at 105 Madison Ave. (suspected to have formerly been located at the subject Property) in at least 1956 and 1961. However, this listing was not identified under the "Cleaner and dyers" section of the directories during those years. A past possible dry cleaner was also identified across Madison Ave. to the west, at the intersection of Madison Ave. and South Pearl St. (i.e., 121 South Pearl St.) The past printing company use is not considered a significant environmental concern due to the past assumed connection of the sites to municipal sewer services. Surrounding sites over time appear to have mainly consisted of row house-type buildings over time. The subject Property has been located in a historically urbanized area over time.
- During the federal and New York State environmental/regulatory public records databases review, the intersection of South Pearl St. and Madison Ave., which adjoins the subject Property to the southwest, was identified twice as a "Closed" NYSDEC-reported Spill site during the federal and New York State environmental/regulatory public records databases review. A FOIL review was performed for these two (2) NYSDEC-reported Spill Numbers. Both of these Spills appear to have been reported to the NYSDEC due to #2 heating oil petroleum contamination found in the Madison Ave. ROW across the street along the southwestern side of the subject Property in two (2) of four (4) soil borings advanced in this area in June 1997 for NYSDOT municipal water line work. The petroleum contamination was estimated to extend from around six (6) fbg to 16 fbg. After excavation of the contaminated soil from the utility area, this Spill was "Closed - Meets Standards" by the NYSDEC in July 1998. Petroleum contamination was also found in 1998 in the approximate same area by the NYSDOT during continued excavation work for the municipal water line. After excavation of the contaminated soil from the utility area, this Spill was "Closed - Does Not Meet Standards" by the NYSDEC in February 1999. The designation of this Closed Spill as "Does Not Meet Standards"

by the NYSDEC suggests that petroleum contamination above applicable NYSDEC SCO remained at the Spill area as of the date of this Spill Closure by the NYSDEC. It is assumed that the remedial excavation activities were limited to the municipal water line work area in the ROW along Madison Ave. at the subject Property. Based on the proximity of the contaminated soil borings to the subject Property, it is assumed that the petroleum contamination identified in the ROW area in 1997 and 1998 extends on to the subject Property. Due to this, it is Property Solutions' opinion that the subject Property is also assumed to be impacted at around the same depth (i.e., starting around six [6] feet below grade). As such, it is Property Solutions' opinion that this contamination could be encountered in the future during redevelopment at the Property (e.g., excavation for building footings). This could incur associated management costs for the subject Property owner (if applicable). Surrounding and/or adjoining federal and New York State-listed sites were identified during this review. These include, but are not limited to, 196 Spills/releases have been reported to the NYSDEC in the past within less than about 0.25 miles from the subject Property (albeit the majority have been "Closed" by the NYSDEC). Due to this, adversely-impacted soil, groundwater, and/or vapors, may be at, or in the vicinity of, the subject Property. It is Property Solutions' opinion that this can be typical of such a historically urbanized area. Petroleum contamination has been documented adjoining the subject Property in the past. As such, it is possible that there could be the potential for a VEC at the subject Property. This probable contamination at the subject Property is considered a *REC*.

- Property Solutions identified one (1) data gap during the performance of this Phase I ESA (lack of an interview with the subject Property's most recent former owner). It is Property Solutions' opinion that this data gap is not significant and does not warrant further inquiry and/or investigation.

10.0 OPINION

The ASTM Standard E1527-21 (Standard Practice for Phase I ESAs) defines *recognized environmental conditions* as “the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment”.

Property Solutions has performed an ASTM E1527-21 Phase I ESA for the subject Property. Based on the information contained within this report, it is Property Solutions' opinion that no additional inquiry and/or investigation is warranted at this time. However, since the subsurface at the subject Property is presumed to be affected by historical petroleum impacts (suspected to be mainly due to the historically urbanized nature of the surrounding area), a sub-slab depressurization system, vapor barrier(s), and/or similar vapors mitigation system should be installed for any new construction at the subject Property as a preventative measure.

11.0 CERTIFICATION

PS Property Solutions, Inc. certifies to Advance Albany County Alliance LDC, their employees, successors and/or assigns that the information contained in this ASTM E1527-21 Phase I ESA of the subject Property known as parcel no. 76.11-1-4, 106 South Pearl St., City of Albany, Albany County, New York is true to the best of our knowledge. This Phase I ESA is based on the conditions observed by PS Property Solutions, Inc. during the walkover of the subject Property on April 4, 2024. This report has been compiled for the exclusive use of Advance Albany County Alliance LDC. Use of this report by any other party is the sole responsibility of

Advance Albany County Alliance LDC. This report and its contents represent confidential information and should not be duplicated without the expressed permission of Advance Albany County Alliance LDC, their employees, successors and/or assigns.

This ASTM E1527-21 Phase I ESA was limited to the Scope and Limitations as described in Appendix A. No representations or warranties are made concerning the nature or quality of the air, soil, water, building materials, or any other substances on the subject Property, other than the visual observations as stated within this report. Any statement or opinion contained in this Phase I ESA prepared by PS Property Solutions, Inc. shall not be construed to create any warranty or representation that the real or personal property on which the investigation was conducted is free of pollution or complies with any or all applicable regulatory or statutory requirements, or that the subject Property are fit for any particular purpose. Unless otherwise indicated in this Phase I ESA, PS Property Solutions, Inc. did not independently determine the compliance of present or past owners of the subject Property with federal, state or local laws and regulations. The conclusions presented in this Phase I ESA were based upon the services described, within the time and budgetary constraints imposed by the client, and not on scientific tasks or procedures beyond the scope of those described services. Any person or entity considering the acquisition, use or other involvement or activity concerning the subject Property that are the subject of this Phase I ESA shall be solely responsible for determining the adequacy of the subject Property for any and all such purposes. The person or entity should enter into any such acquisition or use relying solely on its own judgment and personal investigation of the subject Property, and not upon the reliance of any representation by PS Property Solutions, Inc. regarding the subject Property or character, quality or value thereof. This report has been prepared in accordance with generally accepted industry practices, including but not limited to, ASTM Practice E1527-21 and EPA's *All Appropriate Inquiries* rule, including the review of accessible public records, interviews, inspection of the subject Property their features and facilities, and similar notable items as presumed necessary for the particular circumstances involved. PS Property Solutions, Inc. is not an ownership title abstracting company; the ownership details presented in this report are for informational purposes only. A licensed and insured title abstracting company should be consulted for additional information regarding the chain of ownership review. The information received from the various sources during the performance of this Phase I ESA is presumed to be factual. PS Property Solutions, Inc. did not attempt to verify all data reviewed or received. However, PS Property Solutions, Inc. did not detect any inconsistency or omission that may call into question the validity of the information received by PS Property Solutions, Inc. To the extent that the findings, conclusions, and/or opinion(s) in this report are based in whole or in part on such information, they are contingent on the information's validity. PS Property Solutions, Inc. assumes no responsibility, other than the cost of this report, for any consequence arising from any information or condition that was concealed, withheld, misrepresented, or otherwise not fully disclosed or reasonably obtainable by PS Property Solutions, Inc. (including information contained within the ERIS report). The findings and conclusions contained herein must be considered not as scientific certainties, but as probabilities based on professional judgment concerning the significance of the limited data assimilated during the course of this evaluation.

WRITTEN BY:

PS PROPERTY SOLUTIONS, INC.

Paul M. Shannon

Environmental Professional / President

SIGNATURE:



DATE:

5/1/2024

APPENDIX A

SCOPE AND LIMITATIONS

A1.0 SCOPE OF WORK

The purpose of the ASTM E1527-21 Phase I ESA was to identify, to the extent feasible pursuant to the processes described in this report, any *recognized environmental conditions* in connection with the subject Property that could represent a potential present and/or future environmental liability.

A1.1 Limitations and Conformance to ASTM E1527-21 Standard

This Phase I ESA is based on the conditions observed by PS Property Solutions, Inc. during the limited walkover of the subject Property on March 4, 2024. This report has been compiled for the exclusive use of Advance Albany County Alliance LDC. Use of this report by any other party is the sole responsibility Advance Albany County Alliance LDC. This report and its contents represent confidential information and should not be duplicated without the expressed permission of Advance Albany County Alliance LDC, their employees, successors and/or assigns.

This Phase I ESA was limited to the Scope and Limitations as described in Appendix A. No representations or warranties are made concerning the nature or quality of the air, soil, water, building materials, or any other substances on the subject Property, other than the visual observations as stated within this report. Any statement or opinion contained in this Phase I ESA prepared by PS Property Solutions, Inc. shall not be construed to create any warranty or representation that the real or personal property on which the investigation was conducted is free of pollution or complies with any or all applicable regulatory or statutory requirements, or that the subject Property is fit for any particular purpose. Unless otherwise indicated in this Phase I ESA, PS Property Solutions, Inc. did not independently determine the compliance of present or past owners of the site with federal, state or local laws and regulations. This report has been prepared in accordance with generally accepted industry practices, including ASTM Practice E1527-21. This included the review of accessible public records, interviews, inspection of the subject Property' features and facilities, and similar notable items as presumed necessary for the particular circumstances involved. PS Property Solutions, Inc. did not attempt to verify all data reviewed or received. The data is limited to the information available from interviews, records, files, and plans released by the Property owner(s) and/or the owner's representatives, and/or the respective regulatory agencies and/or information officers and are assumed to be factual. The findings and conclusions contained herein must be considered not as scientific certainties, but as probabilities based on professional judgment concerning the significance of the limited data assimilated during the course of this evaluation. The Phase I ESA should not be construed as a guarantee or warranty with regard to the absence, presence, or potential of environmental liabilities that may impact the subject Property.

A1.2 Non-ASTM Considerations

Items not considered part of ASTM E1527-21 may also be investigated during the Phase I ESA. These out of scope items may include potential asbestos-containing materials, lead-based paint, per- and polyfluoroalkyl substances, on-site wells, regulatory compliance, and/or a review of the NYSDEC Spills database.

A1.3 Methods

Mr. Paul M. Shannon, Environmental Professional / President for Property Solutions, provided site inspection, research and report preparation services. The general methods utilized in the performance of this environmental assessment are outlined below.

A1.4 Subject Property Walkover

A visual inspection of the subject Property and the surrounding lands was performed, paying particular attention to (but may have not been limited to) the following features:

- surface conditions, staining, and spills;
- location, utilization, and documentation of any aboveground and/or underground storage tanks and any monitoring wells;
- chemical, petroleum, or waste loading, storage, and disposal areas;
- repair and potential subsurface disposal areas;
- current operations;
- potential areas of contamination; and,
- adjoining and/or nearby properties of potential environmental concern.

A1.5 Interviews

Property Solutions conducted personal interviews with current subject Property owners and past owners (where applicable and feasible) in order to gain further insight into potential environmental concerns associated with the subject Property.

A1.6 Environmental Liens

Property Solutions has researched applicable public records for known environmental liens against the subject Property and/or designated the *User* of this Phase I ESA to do so through the completion of the ASTM E1527-21 *User Questionnaire*. It should be noted that Property Solutions did not perform a search for any other types of liens associated with the subject Property.

A1.7 Relationship of Purchase Price to Fair Market Value

Property Solutions has researched applicable public records to consider the relationship of the purchase price of the subject Property to the fair market value of the subject Property if the subject Property was not contaminated, and/or designated the *User* of this Phase I ESA to do so through the completion of the ASTM E1527-21 *User Questionnaire*.

A1.8 Activity and Use Limitations

Property Solutions performed research (based mainly on the ERIS federal / New York State environmental / regulatory public records databases review) to determine whether the subject Property have activity and use limitations, including engineering controls or institutional controls, in effect.

A1.9 Subject Property Historical Reviews

The current and prior uses of the subject Property may be examined through a review of deeds and title information obtained by Property Solutions. In addition, when available and reasonably obtainable, Property Solutions examines possible sources (if available) such as city directories, aerial photographs, historical topographical maps, historical Fire Insurance maps, and/or local and regional maps in order to gain further insight into potential environmental concerns associated with the subject Property.

A1.10 Operations Information

Property Solutions has reviewed the available information on current and former subject Property uses that could present an environmental concern.

A1.11 Regulatory Review/Compliance

Property Solutions obtained from ERIS the available regulatory reports prepared by agencies from the State of New York and the US EPA. Property Solutions reviewed these reports with respect to the environmental integrity of the subject Property and adjoining properties within the recommended ASTM radius that could present an environmental liability concern. Where applicable, a review of compliance with required environmental permits may also be performed.

A1.12 Hydrogeological Review

Property Solutions has evaluated the available geologic and hydrogeologic data specific to the subject Property and surrounding region to determine the potential for off-site impacts from any potential releases to the soil and/or groundwater. The potential for impacts from the immediately surrounding areas was also addressed.

A1.13 Records Review/References

Records from the following agencies, references, organizations, and/or online resources listed below were utilized and/or visited during the completion of this Phase I ESA:

- Environmental Risk Information Services, Inc.
- ASTM E 2600-10: *Standard Guide for Vapor Encroachment Screening on Property Involved in Real Estate Transactions*
- New York State Department of Environmental Conservation website
- United States Environmental Protection Agency website
- United States Geological Survey website

- New York State Library, Albany, NY
- New York State Department of Transportation
- Historicaerials.com
- New York State GIS Clearinghouse
- Fultonhistory.com
- Albany County, NY GIS
- ARCGIS.com
- Albany County, NY Clerk's Office (via online)
- Albany County, NY Real Property Tax Service (via online)
- Albany County, NY Assessment Database (via online)
- Albany County, NY Soil and Water Conservation Service, Albany, NY
- City of Albany, NY Assessor
- Google Earth Pro™
- Google Maps™

A1.14 Agency File Reviews

Property Solutions may submit a Freedom of Information Law (FOIL) request to the appropriate local, state, and/or federal agencies (if applicable) "if the subject property or adjoining property is identified in any of the standard environmental records sources" per the ASTM E1527-21 standard to possibly provide further insight into reported spills/incidents at the subject Property and/or adjoining properties.

A1.15 ASTM E1527-21 Relevant Definitions

The following relevant definitions are presented within the ASTM E1527-21 Phase I ESA standard:

- *De minimis condition*: a condition related to a *release* that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. A condition determined to be a *de minimis condition* is not considered a *recognized environmental condition (REC)*, nor a *controlled recognized environmental condition (CREC)*.
- *Recognized Environmental Condition (REC)*: the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment.
- *Historical Recognized Environmental Condition (HREC)*: a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable

regulatory authority or authorities, without subjecting the subject Property to any required controls.

- Controlled Recognized Environmental Condition (CREC): a recognized environmental condition affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to implementation of controls.
- Significant Data Gap: a data gap that affects the environmental professional's ability to identify a recognized environmental condition.



A1.16 Environmental Professional Statement

As required by §40 C.F.R 312.21(d), Property Solutions makes the following statement:

I declare that, to the best of my professional knowledge and belief, I meet the definition of *Environmental Professional* as defined in § 312.10 of 40 C.F.R § 312 and I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject Property. I have developed and performed the all appropriate inquiries and practices set forth in §40 Part 312. Paul M. Shannon's Professional Resume is attached as **Appendix G**.

APPENDIX B

FIGURES




Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
 Hudson Falls, NY 12839 Cell: (518) 932-9121


PS
 PROPERTY SOLUTIONS, INC.

Figure 1
PROPERTY LOCATION MAP
 Parcel No. 76.11-1-4
 106 South Pearl St.
 Albany, NY 12207
 (2023 USGS Albany, NY Quadrangle)


paulshannon@yahoo.com
 pspropertiesolutions@albany.twcba.com




 Approximate Current Boundaries



Scale As Shown


PROPERTY SOLUTIONS, INC.
Figure 2
TAX MAP
 Parcel No. 76.11-1-4
 106 South Pearl St.
 Albany, NY 12207
 (Albany County, NY Online Assessment Database)

10 Catherine St. Ph: (518) 223-0458
 Hudson Falls, NY 12839 Cell: (518) 932-9121
 paulshannon@yahoo.com
 pspropertiesolutions@albany.twcba.com



State Unive
NY Adminis
Buildin

**SUBJECT
PROPERTY**

Parking lot

**Residential/
Store front/
Restaurant/
Office space**

Office building

Office space

Parking lot

Residential

Residential

Residential


MVP Arena

32

20

787

ion Area




Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121
paulshannon@yahoo.com
pspropertiesolutions@albany.twcbc.com

PS
PROPERTY SOLUTIONS, INC.

**Figure 3
GIS MAP**

Parcel No. 76.11-1-4
106 South Pearl St.
Albany, NY 12207
(2021 NYS GIS Clearinghouse)



Added Features Approximated and Exaggerated

SCALE NOT DETERMINED

PS

PROPERTY SOLUTIONS, INC.

Figure 4
SCHEMATIC

Parcel No. 76.11-1-4
106 South Pearl St.
Albany, NY 12207
(GOOGLE Earth Pro™)

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121
paulmshannon@yahoo.com
pspropertiesolutions@albany.twcbc.com



SUBJECT
PROPERTY
(Estimated)




Scale Not
Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121


paulshannon@yahoo.com
pspropertiesolutions@albany.twcrc.com

PS
PROPERTY SOLUTIONS, INC.

Figure 5
1947 TOPOGRAPHIC MAP
Parcel No. 76.11-1-4
106 South Pearl St.
Albany, NY 12207
(USGS 1947 Albany, NY Quadrangle)



SUBJECT
PROPERTY
(Estimated)



Scale Not Determined

10 Catherine St. Ph: (518) 223-0455
Hudson Falls, NY 12839 Cell: (518) 932-9121

pauimshannon@yahoo.com
pspropertiesolutions@albany.twcbc.com



PROPERTY SOLUTIONS, INC.

Figure 6


1940 AERIAL PHOTOGRAPH

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Albany County, Soil and Water Conservation District)



SUBJECT
PROPERTY
(Estimated)



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

paulshannon@yahoo.com
pspropertiesolutions@albany.twcba.com



PROPERTY SOLUTIONS, INC.

Figure 7

1952 AERIAL PHOTOGRAPH

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Albany County, Soil and Water Conservation District)



SUBJECT
PROPERTY
(Estimated)



Scale Not Determined

10 Catherine St. Ph: (518) 223-0455
Hudson Falls, NY 12839 Cell: (518) 932-9121

paulshannon@yahoo.com
pspropertiesolutions@albany.twcbc.com



PROPERTY SOLUTIONS, INC.

Figure 8

1961 AERIAL PHOTOGRAPH

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Albany County, NY Soil and Water Conservation District)



SUBJECT
PROPERTY



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

paulshannon@yahoo.com
pspropertiesolutions@albany.twcbc.com

PS

PROPERTY SOLUTIONS, INC.

Figure 9

1969 AERIAL PHOTOGRAPH

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Albany County, NY Soil and Water Conservation District)



**SUBJECT
PROPERTY**



Scale Not Determined

10 Catherine St. Ph: (518) 223-0455
Hudson Falls, NY 12839 Cell: (518) 932-9121


paulshannon@yahoo.com
pspropertiesolutions@albany.twcbc.com

PS
PROPERTY SOLUTIONS, INC.

Figure 10
1985 AERIAL PHOTOGRAPH
Parcel No. 76.11-1-4
106 South Pearl St.
Albany, NY 12207
(ARCGIS.com)



SUBJECT
PROPERTY



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121


PS
PROPERTY SOLUTIONS, INC.

Figure 11
1996 AERIAL PHOTOGRAPH
Parcel No. 76.11-1-4
106 South Pearl St.
Albany, NY 12207
(Albany County, NY GIS)

paulshannon@yahoo.com
pspropertiesolutions@albany.twcba.com



SUBJECT
PROPERTY



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

paulshannon@yahoo.com
pspropertiesolutions@albany.twcba.com



PROPERTY SOLUTIONS, INC.

Figure 12

2001 AERIAL PHOTOGRAPH

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Albany County, NY GIS)



**SUBJECT
PROPERTY**



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

paulshannon@yahoo.com
pspropertiesolutions@albany.twcbc.com



PROPERTY SOLUTIONS, INC.

Figure 13


2007 AERIAL PHOTOGRAPH

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Albany County, NY GIS)



**SUBJECT
PROPERTY**



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

pauimshannon@yahoo.com
pspropertiesolutions@albany.twcbb.com



PROPERTY SOLUTIONS, INC.

Figure 14


2014 AERIAL PHOTOGRAPH

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Albany County, NY GIS)



SUBJECT
PROPERTY



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

paulshannon@yahoo.com
pspropertiesolutions@albany.twcbs.com

PS
PROPERTY SOLUTIONS, INC.


Figure 15
1892 FIRE INSURANCE MAP

Parcel No. 76.11-1-4

106 South Pearl St.

Albany, NY 12207

(Environmental Risk Information Services)



Scale Not Determined


10 Catherine St. Ph: (518) 223-0455
 Hudson Falls, NY 12839 Cell: (518) 932-9121

paumshannon@yahoo.com
 pspropertiesolutions@albany.twcba.com


PS
 PROPERTY SOLUTIONS, INC.

Figure 16
1909 FIRE INSURANCE MAP
 Parcel No. 76.11-1-4
 106 South Pearl St.
 Albany, NY 12207

(Environmental Risk Information Services)



SUBJECT
PROPERTY



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

ps
paumshannon@yahoo.com
pspropertiesolutions@albany.twcbb.com

PS
PROPERTY SOLUTIONS, INC.


Figure 17
1934 FIRE INSURANCE MAP

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Environmental Risk Information Services)



SUBJECT
PROPERTY



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

paumshannon@yahoo.com
pspropertiesolutions@albany.twcba.com

PS
PROPERTY SOLUTIONS, INC.


Figure 18
1950 FIRE INSURANCE MAP

Parcel No. 76.11-1-4


106 South Pearl St.

Albany, NY 12207

(Environmental Risk Information Services)



SUBJECT PROPERTY




Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
 Hudson Falls, NY 12839 Cell: (518) 932-9121


PS
 PROPERTY SOLUTIONS, INC.

Figure 19
1989 FIRE INSURANCE MAP
 Parcel No. 76.11-1-4
 106 South Pearl St.
 Albany, NY 12207
 (Environmental Risk Information Services)

paulshannon@yahoo.com
 pspropertiesolutions@albany.twcbc.com



**SUBJECT
PROPERTY**



Scale Not Determined

10 Catherine St. Ph: (518) 223-0458
Hudson Falls, NY 12839 Cell: (518) 932-9121

paulshannon@yahoo.com
pspropertiesolutions@albany.twcbs.com

PS
PROPERTY SOLUTIONS, INC.

Figure 20
1990 FIRE INSURANCE MAP

Parcel No. 76.11-1-4

106 South Pearl St.

Albany, NY 12207

(Environmental Risk Information Services)

APPENDIX C

ASTM E1527-13 *USER QUESTIONNAIRE*



ASTM E1527-21 "USER" QUESTIONNAIRE

INTRODUCTION

In order to qualify for one of the *Landowner Liability Protections (LLPs)*¹⁸⁷ offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001 (the "*Brownfields Amendments*"),¹⁸⁸ the *user* must conduct the following inquiries required by 40 C.F.R 312.25, 312.28, 312.29, 312.30, and 312.31. These inquiries must also be conducted by EPA Brownfield Assessment and Characterization grantees. The *user* should provide the following information to the *environmental professional*. Failure to conduct these inquiries could result in a determination that "*all appropriate inquiries*" is not complete.

(1.) Environmental liens that are filed or recorded against the *subject property* (40 C.F.R 312.25).

Did a search of *recorded land title records* (or judicial records where appropriate, see **Note 1** below) identify any environmental liens filed or recorded against the *subject property* under federal, tribal, state or local law?

NONE KNOWN

NOTE 1—In certain jurisdictions, federal, tribal, state, or local statutes, or regulations specify that environmental liens and AULs be filed in judicial records rather than in land title records. In such cases judicial records shall be searched for environmental liens and AULs.

(2.) Activity and use limitations that are in place on the *property* or that have been filed or recorded against the *property* (40 C.F.R 312.26(a)(1)(v) and vi).

Did a search of *recorded land title records* (or judicial records where appropriate, see **Note 1** above) identify any AULs, such as *engineering controls*, land use restrictions or *institutional controls* that are in place at the *subject property* and/or have been filed or recorded against the *subject property* under federal, tribal, state or local law?

NO

(3.) Specialized knowledge or experience of the person seeking to qualify for the LLP (40 C.F.R 312.28).

Do you have any specialized knowledge or experience related to the *subject property* or nearby properties? For example, are you involved in the same line of business as the current or former *occupants* of the *subject property* or an *adjoining property* so that you would have specialized knowledge of the chemicals and processes used by this type of business?

YES

(4.) Relationship of the purchase price to the fair market value of the *subject property* if it were not contaminated (40 C.F.R 312.29).

Does the purchase price being paid for this *subject property* reasonably reflect the fair market value of the *property*? If you conclude that there is a difference, have you considered whether the lower purchase price is because contamination is known or believed to be present at the *subject property*?

YES

(5.) Commonly known or *reasonably ascertainable* information about the *subject property* (40 C.F.R 312.30).

Are you aware of commonly known or *reasonably ascertainable* information about the *property* that would help the *environmental professional* to identify conditions indicative of releases or threatened releases?

For example,

(a.) Do you know the past uses of the *subject property*?

Restaurant, store, parking

(b.) Do you know of specific chemicals that are present or once were present at the *subject property*?

NONE KNOWN

(c.) Do you know of spills or other chemical releases that have taken place at the *subject property*?

NONE KNOWN

(d.) Do you know of any environmental cleanups that have taken place at the *subject property*?

NONE KNOWN



(6.) The degree of obviousness of the presence or likely presence of contamination at the *subject property*, and the ability to detect the contamination by appropriate investigation (40 C.F.R 312.31).

Based on your knowledge and experience related to the *subject property* are there any *obvious* indicators that point to the presence or likely presence of releases at the *subject property*?

NONE KNOWN

X3.1 In addition, certain information should be collected, if available, and provided to the *environmental professional* conducting the *Phase I Environmental Site Assessment*. This information is intended to assist the *environmental professional*, but is not necessarily required to qualify for one of the *LLPs*. The information includes:

(a) the scope of services desired for the Phase I (including whether any parties to the *property* transaction may have a required standard scope of services or whether any considerations beyond the requirements of Practice E1527 are to be considered),

(b) identification of all parties who will rely on the Phase I *report*,

(c) identification of the site contact and how the contact can be reached,

(d) any special terms and conditions which must be agreed upon by the *environmental professional*, and

(e) any other knowledge or experience with the *property* that may be pertinent to the *environmental professional* (for example, copies of any available prior *environmental site assessment reports*, documents, correspondence, etc., concerning the *property* and its environmental condition).

(f) the reason why the Phase I is being performed,

(g) the type of *property* and type of *property* transaction, for example, sale, purchase, exchange, etc.,

(h) the complete and correct address for the *property* (a map or other documentation showing *property* location and boundaries is helpful)

a.) Standard ASTM E1527-21 Phase I ESA

b.) Advance Albany County Alliance, LDC

c.) Linda Jackson-Chalmers (ljacksonchalmers@gmail.com)

d.) None

e.) None

f.) Purchase ce

g.) Purchase

h.) Parcel no. 76.11-1-4, 106 South Pearl St., City of Albany, Albany County, New York (Refer to Appendix B - Figure 1; Appendix B - Figure 2; Appendix B - Figure 3).

APPENDIX D

PHOTOGRAPHIC LOG



Photograph #1 – Overview of subject Property building on April 4, 2024.



Photograph #2 – Overview of subject Property building on April 4, 2024.




Photograph #3 – Overview of subject Property building on April 4, 2024.




Photograph #4 – Overview of subject Property building on April 4, 2024.



Photograph #5 – Overview of subject Property building on April 4, 2024.



Photograph #6 – Overview of subject Property building on April 4, 2024.



Photograph #7 – Overview of subject Property on April 4, 2024.



Photograph #8 – Overview of subject Property building on April 4, 2024.



Photograph #9 – Overview of subject Property building on April 4, 2024.



Photograph #10 – Overview of subject Property building on April 4, 2024.




Photograph #11 - Overview of subject Property building on April 4, 2024.



Photograph #12 – Overview of subject Property building on April 4, 2024.



Photograph #13 – Overview of subject Property building on April 4, 2024.



Photograph #14 – Overview of subject Property building on April 4, 2024.



Photograph #15 – Overview of subject Property on April 4, 2024.



Photograph #16 – Overview of subject Property on April 4, 2024.



Photograph #17 – Overview of subject Property on April 4, 2024.



Photograph #18 – Overview of subject Property on April 4, 2024.



Photograph #19 – Overview of subject Property on April 4, 2024.



Photograph #20 – Overview of subject Property (utilities) on April 4, 2024.



Photograph #21 – Overview of subject Property on April 4, 2024.



Photograph #22 – Overview of subject Property (used cooking oil AST) on April 4, 2024.

APPENDIX E

ENVIRONMENTAL RISK INFORMATION SERVICES, INC. REPORT



DATABASE REPORT

Project Property: *106 S Pearl St
106 S Pearl St.
Albany NY 12207*

Project No: *106 S Pearl St*

Report Type: *Database Report*

Order No: *24032600830*

Requested by: *PS Property Solutions, Inc.*

Date Completed: *March 26, 2024*

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	9
Executive Summary: Site Report Summary - Surrounding Properties.....	10
Executive Summary: Summary by Data Source.....	40
Map.....	72
Aerial.....	75
Topographic Map.....	76
Detail Report.....	77
Unplottable Summary.....	527
Unplottable Report.....	532
Appendix: Database Descriptions.....	580
Definitions.....	596

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Inc. ("ERIS") using various sources of information, including information provided by Federal and State government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Inc. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 106 S Pearl St
106 S Pearl St. Albany NY 12207

Project No: 106 S Pearl St

Coordinates:

Latitude: 42.64604242
Longitude: -73.75395045
UTM Northing: 4,722,262.16
UTM Easting: 602,145.16
UTM Zone: 18T

Elevation: 29 FT

Order Information:

Order No: 24032600830
Date Requested: March 26, 2024
Requested by: PS Property Solutions, Inc.
Report Type: Database Report

Historicals/Products:

ERIS Xplorer [ERIS Xplorer](#)
Excel Add-On Excel Add-On
Fire Insurance Maps US Fire Insurance Maps

Executive Summary: Report Summary

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
Standard Environmental Records								
Federal								
NPL	Y	1	0	0	1	0	0	1
PROPOSED NPL	Y	1	0	0	0	0	0	0
DELETED NPL	Y	0.5	0	0	0	0	-	0
SEMS	Y	0.5	0	0	0	0	-	0
SEMS ARCHIVE	Y	0.5	0	0	0	0	-	0
ODI	Y	0.5	0	0	0	0	-	0
CERCLIS	Y	0.5	0	0	0	0	-	0
IODI	Y	0.5	0	0	0	0	-	0
CERCLIS NFRAP	Y	0.5	0	0	0	0	-	0
CERCLIS LIENS	Y	PO	0	-	-	-	-	0
RCRA CORRACTS	Y	1	0	0	0	0	1	1
RCRA TSD	Y	0.5	0	0	0	0	-	0
RCRA LQG	Y	0.25	0	6	12	-	-	18
RCRA SQG	Y	0.25	0	1	1	-	-	2
RCRA VSQG	Y	0.25	0	1	5	-	-	6
RCRA NON GEN	Y	0.25	0	5	23	-	-	28
RCRA CONTROLS	Y	0.5	0	0	0	0	-	0
FED ENG	Y	0.5	0	0	0	0	-	0
FED INST	Y	0.5	0	0	0	0	-	0
LUCIS	Y	0.5	0	0	0	0	-	0
NPL IC	Y	0.5	0	0	0	0	-	0
ERNS 1982 TO 1986	Y	PO	0	-	-	-	-	0
ERNS 1987 TO 1989	Y	PO	0	-	-	-	-	0
ERNS	Y	PO	0	-	-	-	-	0
FED BROWNFIELDS	Y	0.5	0	0	0	0	-	0
FEMA UST	Y	0.25	0	0	0	-	-	0
FRP	Y	0.25	0	0	1	-	-	1

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
DELISTED FRP	Y	0.25	0	0	0	-	-	0
HIST GAS STATIONS	Y	0.25	0	0	0	-	-	0
REFN	Y	0.25	0	0	0	-	-	0
BULK TERMINAL	Y	0.25	0	0	2	-	-	2
SEMS LIEN	Y	PO	0	-	-	-	-	0
SUPERFUND ROD	Y	1	0	0	0	0	0	0
DOE FUSRAP	Y	1	0	0	0	0	0	0
State								
SHWS	Y	1	0	0	2	0	2	4
DELISTED SHWS	Y	1	0	0	0	0	0	0
HSWDS	Y	1	0	0	0	0	0	0
VAPOR	Y	1	0	0	0	0	1	1
SWF/LF	Y	0.5	0	0	1	0	-	1
LANDFILL INACTIVE	Y	0.5	0	0	0	0	-	0
WASTE TIRE	Y	0.5	0	0	0	0	-	0
OER CLEANUP	Y	0.25	0	0	0	-	-	0
RECYCLING	Y	0.5	0	0	0	0	-	0
LST	Y	0.5	0	6	10	6	-	22
DELISTED LST	Y	0.5	0	0	0	0	-	0
UST	Y	0.25	0	1	2	-	-	3
AST	Y	0.25	0	0	8	-	-	8
TANKS	Y	0.25	0	0	0	-	-	0
MOSF	Y	0.5	0	0	1	0	-	1
CBS	Y	0.25	0	0	2	-	-	2
DELISTED TANKS	Y	0.25	0	0	0	-	-	0
DELISTED COUNTY	Y	0.25	0	0	0	-	-	0
ENG	Y	0.5	0	0	1	0	-	1
INST	Y	0.5	0	0	2	0	-	2
VCP	Y	0.5	0	0	1	0	-	1
ERP	Y	0.5	0	0	0	0	-	0
BROWNFIELDS	Y	0.5	0	0	0	0	-	0
Tribal								
INDIAN LUST	Y	0.5	0	0	0	0	-	0
INDIAN UST	Y	0.25	0	0	0	-	-	0

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
DELISTED INDIAN LST	Y	0.5	0	0	0	0	-	0
DELISTED INDIAN UST	Y	0.25	0	0	0	-	-	0

County

No County databases were selected to be included in the search.

Additional Environmental Records

Federal

PFAS GHG	Y	0.5	0	0	0	0	-	0
FINDS/FRS	Y	0.125	0	15	-	-	-	15
TRIS	Y	PO	0	-	-	-	-	0
PFAS NPL	Y	0.5	0	0	0	0	-	0
PFAS FED SITES	Y	0.5	0	0	0	0	-	0
PFAS SSEHRI	Y	0.5	0	0	0	0	-	0
ERNS PFAS	Y	0.5	0	0	0	0	-	0
PFAS NPDES	Y	0.5	0	0	0	0	-	0
PFAS TRI	Y	0.5	0	0	0	0	-	0
PFAS WATER	Y	0.5	0	0	0	0	-	0
PFAS TSCA	Y	0.5	0	0	0	0	-	0
PFAS E-MANIFEST	Y	0.5	0	0	0	0	-	0
PFAS IND	Y	0.5	0	0	0	0	-	0
HMIRS	Y	0.125	0	0	-	-	-	0
NCDL	Y	0.125	0	0	-	-	-	0
TSCA	Y	0.125	0	0	-	-	-	0
HIST TSCA	Y	0.125	0	0	-	-	-	0
FTTS ADMIN	Y	PO	0	-	-	-	-	0
FTTS INSP	Y	PO	0	-	-	-	-	0
PRP	Y	PO	0	-	-	-	-	0
SCRD DRYCLEANER	Y	0.5	0	0	0	0	-	0
ICIS	Y	PO	0	-	-	-	-	0
FED DRYCLEANERS	Y	0.25	0	0	0	-	-	0
DELISTED FED DRY	Y	0.25	0	0	0	-	-	0
FUDS	Y	1	0	0	0	1	0	1
FUDS MRS	Y	1	0	0	0	0	0	0
FORMER NIKE	Y	1	0	0	0	0	0	0
PIPELINE INCIDENT	Y	PO	0	-	-	-	-	0
MLTS	Y	PO	0	-	-	-	-	0

Database	Searched	Search Radius	Project Property	Within 0.12mi	0.125mi to 0.25mi	0.25mi to 0.50mi	0.50mi to 1.00mi	Total
HIST MLTS	Y	PO	0	-	-	-	-	0
MINES	Y	0.25	0	0	0	-	-	0
SMCRA	Y	1	0	0	0	0	0	0
MRDS	Y	1	0	0	0	0	0	0
LM SITES	Y	1	0	0	0	0	0	0
ALT FUELS	Y	0.25	0	1	4	-	-	5
CONSENT DECREES	Y	0.25	0	0	0	-	-	0
AFS	Y	PO	0	-	-	-	-	0
SSTS	Y	0.25	0	0	0	-	-	0
PCBT	Y	0.5	0	0	0	0	-	0
PCB	Y	0.5	0	0	0	0	-	0
State								
UIC	Y	PO	0	-	-	-	-	0
COOLING TOWERS NYC	Y	0.125	0	0	-	-	-	0
MGP	Y	1	0	0	1	0	2	3
NY SPILLS	Y	0.25	0	29	167	-	-	196
PFAS CONTAM	Y	0.5	0	0	0	0	-	0
PFAS	Y	0.5	0	0	1	1	-	2
PFAS LANDFILL	Y	0.5	0	0	0	0	-	0
DRYCLEANERS	Y	0.25	0	0	0	-	-	0
DELISTED DRYCLEANERS	Y	0.25	0	0	0	-	-	0
NY MANIFEST	Y	0.125	0	2	-	-	-	2
REC MANIFEST	Y	0.25	0	0	2	-	-	2
GEN MANIFEST	Y	0.125	0	4	-	-	-	4
E DESIGNATION	Y	0.125	0	0	-	-	-	0
COOLING TOWERS	Y	0.125	0	2	-	-	-	2
TIER 2	Y	0.125	0	5	-	-	-	5
PROJECTS	Y	0.25	0	0	0	-	-	0
AIR PERMITS	Y	0.25	0	0	2	-	-	2
LIEN	Y	PO	0	-	-	-	-	0

Tribal *No Tribal additional environmental record sources available for this State.*

County *No County additional environmental record sources available for this State.*

<i>Database</i>	<i>Searched</i>	<i>Search Radius</i>	<i>Project Property</i>	<i>Within 0.12mi</i>	<i>0.125mi to 0.25mi</i>	<i>0.25mi to 0.50mi</i>	<i>0.50mi to 1.00mi</i>	<i>Total</i>
			0	78	252	8	6	344
	<i>Total:</i>							

* PO – Property Only

* 'Property and adjoining properties' database search radii are set at 0.25 miles.

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev Diff (ft)</i>	<i>Page Number</i>
--------------------	-----------	--------------------------	----------------	------------------	-----------------------------	---------------------------	------------------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
1	RCRA NON GEN	E & J 1 HOUR CLEANERS	121 S PEARL ST ALBANY NY 12207-1411 <i>EPA Handler ID:</i> NYD981562374	W	0.02 / 95.14	8	77
1	FINDS/FRS	E & J 1 HOUR CLEANERS	121 S PEARL ST ALBANY NY 12207-1411 <i>Registry ID:</i> 110004409523	W	0.02 / 95.14	8	79
1	GEN MANIFEST	E & J ONE HOUR CLEANERS	121 SOUTH PEARL STREET ALBANY NY 12208	W	0.02 / 95.14	8	79
2	NY SPILLS	MADISON AVE @ S. PEARL WATER LINE INSTALLATION	MADISON AVE @ S. PEARL ST MADISON AVE SOU SIDE NEAR SOUTH PEARL ALBANY NY <i>Spill No Close Date:</i> 9801952 1999-02-05 00:00:00	WSW	0.02 / 97.25	3	80
2	NY SPILLS	CDTA BUS MADISON AVE	MADISON E OF S. PEARL ST IN THE STREET MADISON E OF S PEARL ST ALBANY NY <i>Spill No Close Date:</i> 0710338 2007-12-31 00:00:00	WSW	0.02 / 97.25	3	81
2	NY SPILLS	CONTAMINATION S. PEARL @ MADISON	S. PEARL ST @ MADISON AVE INTERSECTION PEARL AND MADISON AVE ALBANY NY <i>Spill No Close Date:</i> 9703078 1998-07-17 00:00:00	WSW	0.02 / 97.25	3	82
3	NY SPILLS	SOUTH MALL TOWERS S. PEARL ST	101 S. PEARL ST ALBANY NY <i>Spill No Close Date:</i> 9108190 1991-11-05 00:00:00	WNW	0.02 / 104.33	10	83
4	NY SPILLS	ROLLOVER DUNN BRIDGE RAMP S. PEARL ST	S. PEARL ST @ DUNN BRIDGE ALBANY NY <i>Spill No Close Date:</i> 9005666 1990-08-27 00:00:00	NNW	0.03 / 184.26	7	84
5	NY SPILLS	CDTA BUS MADISON @ GREEN	MADISON AVE @ GREEN ST ALBANY NY 12207 <i>Spill No Close Date:</i> 0111278 2002-03-01 00:00:00	SE	0.04 / 190.61	-8	85
5	NY SPILLS	CDTA BUS MADISON @ GREEN	MADISON AVE @ GREEN ST ALBANY NY <i>Spill No Close Date:</i> 0201145 2002-05-31 00:00:00	SE	0.04 / 190.61	-8	86
6	NY SPILLS	APARTMENT COMPLEX S.PEARL	99 S. PEARL ST ALBANY NY 12202 <i>Spill No Close Date:</i> 0209307 2002-12-16 00:00:00	WNW	0.04 / 201.98	13	86

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
7	FINDS/FRS	NYSDOT BIN 109298D	PEARL ST RAMP TO I787 & ALBANY NY 12210 <i>Registry ID: 110008107529</i>	ESE	0.04 / 214.28	-9	87
8	FINDS/FRS	NYSDOT BIN 1092981	EMPIRE STATE PLZ ARTERY NB I787 ALBANY NY 12207 <i>Registry ID: 110008088407</i>	NW	0.05 / 282.48	14	88
8	RCRA LQG	NYSDOT BIN 1092981	EMPIRE STATE PLZ ARTERY NB I787 ALBANY NY 12207 <i>EPA Handler ID: NYR000000521</i>	NW	0.05 / 282.48	14	89
9	NY SPILLS	GREYHOUND BUS GREEN ST @ LIBERTY ST NEAR HAMILTON	GREEN ST @ LIBERTY ST (NEAR 34 HAMILTON ST) GREYHOUSE BUS TERMINAL GREEN ST/LIBER ALBANY NY <i>Spill No Close Date: 0403243 2004-06-24 00:00:00</i>	E	0.05 / 290.17	-10	91
10	ALT FUELS	Empire State Plaza P2N	S Mall Arterial Albany NY 12207 <i>ID: 254237</i>	NNW	0.06 / 294.15	13	92
11	RCRA SQG	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH409	66 GREEN ST MH409 ALBANY NY 12211 <i>EPA Handler ID: NYP000261479</i>	ENE	0.07 / 378.09	-6	93
12	NY SPILLS	MEDICAL WASTE - USED NEEDLES	66 SOUTH PEARL ST ALBANY NY 12206 <i>Spill No Close Date: 2303923 2023-08-07 00:00:00</i>	N	0.07 / 379.56	7	94
13	NY SPILLS	V&R RESTAURANT MADISON AV	136 MADISON AVE ALBANY NY <i>Spill No Close Date: 0110497 2002-02-01 00:00:00</i>	W	0.08 / 427.89	18	95
14	NY SPILLS	DIVISION TOWER OMNI DEV. HUDSON AVE @ S. PEARL	HUDSON AVE @ S. PEARL ST ALBANY NY <i>Spill No Close Date: 8807294 1989-07-25 00:00:00</i>	N	0.08 / 436.28	7	96
15	RCRA LQG	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO - MANHOLE	45 GRAND ST ALBANY NY 12207 <i>EPA Handler ID: NYP000978340</i>	WNW	0.09 / 459.53	23	97
15	FINDS/FRS	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO - MANHOLE	45 GRAND ST ALBANY NY 12207 <i>Registry ID: 110071248700</i>	WNW	0.09 / 459.53	23	98

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
15	NY MANIFEST	NIAGARA MOHAWK A NATIONAL GRID COMPANY	45 GRAND ST ALBANY NY 12207	WNW	0.09 / 459.53	23	99
16	FINDS/FRS	NYSDOT BIN 109298C	QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202 <i>Registry ID:</i> 110008066494	SE	0.09 / 466.73	-11	99
16	RCRA LQG	NYSDOT BIN 109298C	QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202 <i>EPA Handler ID:</i> NYD986969681	SE	0.09 / 466.73	-11	100
17	FINDS/FRS	GREYHOUND LINES INC	34 HAMILTON ST #1 ALBANY NY 12207 <i>Registry ID:</i> 110040439870	E	0.09 / 475.95	-12	102
18	TIER 2	Greyhound Lines, Inc.	34 Hamilton Albany NY 12207	E	0.09 / 481.86	-11	103
19	RCRA NON GEN	ASSOCIATED PRESS AT THE KN THE	51 S PEARL ST THE KICK OFFICE ALBANY NY 12207 <i>EPA Handler ID:</i> NYR000001511	N	0.09 / 486.22	8	103
19	FINDS/FRS	ASSOCIATED PRESS AT THE KN THE	51 S PEARL ST ALBANY NY 12207 <i>Registry ID:</i> 110004511760	N	0.09 / 486.22	8	105
20	RCRA NON GEN	GREYHOUND LINES INC #150051	34 HAMILTON ST ALBANY NY 12207-2815 <i>EPA Handler ID:</i> NYD987009743	E	0.10 / 509.52	-14	106
20	UST	GREYHOUND LINES, INC. #150051	34 HAMILTON STREET Albany NY 12207 <i>Site ID Site Status:</i> 35623 Active	E	0.10 / 509.52	-14	108
20	NY SPILLS	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND TERMINAL 34 HAMILTON ST ALBANY NY <i>Spill No Close Date:</i> 9002519 1990-06-06 00:00:00	E	0.10 / 509.52	-14	114
20	NY SPILLS	GREYHOUND TERMINAL HAMILTON ST BUS	34 HAMILTON ST GREYHOUND TERMINAL 34 HAMILTON ST ALBANY NY <i>Spill No Close Date:</i> 1303471 2013-07-08 00:00:00	E	0.10 / 509.52	-14	115
20	NY SPILLS	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GRAY HOUND BUS TERM. 34 HAMILTON ST ALBANY NY <i>Spill No Close Date:</i> 1101866 2011-05-23 00:00:00	E	0.10 / 509.52	-14	116

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
20	NY SPILLS	GREYHOUND BUS GARAGE HAMILTON ST	34 HAMILTON ST GREYHOUND 34 HAMILTON ALBANY NY <i>Spill No Close Date:</i> 8912472 1990-04-09 00:00:00	E	0.10 / 509.52	-14	117
20	NY SPILLS	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND BUS STATION 34 HAMILTON ALBANY NY <i>Spill No Close Date:</i> 0400655 2004-04-23 00:00:00	E	0.10 / 509.52	-14	118
20	NY SPILLS	GREYHOUND BUS HAMILTON ST	34 HAMILTON ST GREYHOUND 34 HAMILTON ST BUS ALBANY NY <i>Spill No Close Date:</i> 9412504 1995-01-09 00:00:00	E	0.10 / 509.52	-14	119
20	NY SPILLS	ALBANY BUS TERMINAL HAMILTON ST	34 HAMILTON ST BUS ALBANY TERMINAL 34 HAMILTON ST ALBANY NY <i>Spill No Close Date:</i> 0704496 2007-07-26 00:00:00	E	0.10 / 509.52	-14	120
20	NY SPILLS	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND LOCATION 34 HAMILTON ST ALBANY NY <i>Spill No Close Date:</i> 0713144 2008-03-24 00:00:00	E	0.10 / 509.52	-14	121
20	NY SPILLS	ADIRONDACK TRANSIT BUS HAMILTON ST	34 HAMILTON ST 34 HAMILTON ST BUS ALBANY NY <i>Spill No Close Date:</i> 0303543 2003-07-07 00:00:00	E	0.10 / 509.52	-14	122
20	NY SPILLS	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND LOCATION 34 HAMILTON ALBANY NY 12202 <i>Spill No Close Date:</i> 0501065 2005-05-02 00:00:00	E	0.10 / 509.52	-14	123
20	NY SPILLS	CDTA BUS @ GREYHOUND TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND BUS TERMINAL 34 HAMILTON ST ALBANY NY <i>Spill No Close Date:</i> 9914836 2000-04-03 00:00:00	E	0.10 / 509.52	-14	124
20	LST	GREYHOUND BUS TERMINAL HAMILTON ST OFF BROADWAY	34 HAMILTON ST BUS TERMINAL @ LIBERTY GREYHOUND BROADWAY GREEN DALLIUS LIBERTY ALBANY NY <i>Spill No Close Date:</i> 8911814 1995-10-17 00:00:00	E	0.10 / 509.52	-14	125
20	LST	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST BUS TERMINAL @ LIBERTY GREYHOUND TERMINAL 34 HAMILTON ST LIBERT ALBANY NY <i>Spill No Close Date:</i> 8911600 1995-03-08 00:00:00	E	0.10 / 509.52	-14	126
20	LST	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST? GREYHOUND BUS LINE DORRIS AV DALLIUS? ALBANY NY	E	0.10 / 509.52	-14	128

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			Spill No Close Date: 8606776 1987-09-11 00:00:00					
20	LST	GREYHOUND BUS TERMINAL (HAMILTON ST?)	BUS TERMINAL (34 HAMILTON ST?) GREYHOUND TERMINAL ALBANY NY	E	0.10 / 509.52	-14	129	
			Spill No Close Date: 8603025 1995-02-14 00:00:00					
20	LST	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST @ GRAYHOUND TERMINAL 34 HAMILTON AVE. ALBANY NY	E	0.10 / 509.52	-14	130	
			Spill No Close Date: 9112689 1992-09-03 00:00:00					
20	FINDS/FRS	NIAGARA MOHAWK A NATIONAL GRID CO	34 HAMILTON ST ALBANY NY 12207	E	0.10 / 509.52	-14	131	
			Registry ID: 110058870351					
20	RCRA NON GEN	NIAGARA MOHAWK A NATIONAL GRID CO	34 HAMILTON ST ALBANY NY 12207	E	0.10 / 509.52	-14	132	
			EPA Handler ID: NYP000970343					
20	NY SPILLS	GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND BUS 34 HAMILTON ST ALBANY NY	E	0.10 / 509.52	-14	133	
			Spill No Close Date: 1407615 2015-08-20 00:00:00					
20	NY SPILLS	1ST GROUP AMERICA GREYHOUND BUS TERMINAL HAMILTON	34 HAMILTON ST FIRST GROUP AMERICA/GREY HOU 34 HAMILTON ALBANY NY	E	0.10 / 509.52	-14	134	
			Spill No Close Date: 1500418 2015-05-27 00:00:00					
20	GEN MANIFEST	NIAGARA MOHAWK A NATIONAL GRID CO	34 HAMILTON ST ALBANY NY 12207	E	0.10 / 509.52	-14	135	
20	NY SPILLS	GREYHOUND LINES	34 HAMILTON ST ALBANY NY	E	0.10 / 509.52	-14	135	
			Spill No Close Date: 2109831 2022-02-23 00:00:00					
20	TIER 2	Greyhound Lines, Inc. #150051	34 Hamilton Street Albany NY 12207	E	0.10 / 509.52	-14	136	
20	TIER 2	Greyhound Lines, Inc. #150051	34 Hamilton Street Albany NY 12207	E	0.10 / 509.52	-14	136	
20	LST	GREYHOUND	34 HAMILTON ST ALBANY NY	E	0.10 / 509.52	-14	136	
			Spill No Close Date: 2202351 2022-06-15 00:00:00					
20	TIER 2	Greyhound Lines, Inc. #150051	34 Hamilton Street Albany NY NY	E	0.10 / 509.52	-14	137	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
20	TIER 2	Greyhound Lines, Inc. #150051	34 Hamilton Street Albany NY Albany	E	0.10 / 509.52	-14	137
21	COOLING TOWERS		60 South Pearl Street Albany NY 12207	N	0.10 / 512.44	7	138
22	GEN MANIFEST	NYNEX CORP MANHOLE A	MADISON AVE & GRAND ST ALBANY NY 12201	W	0.10 / 525.76	24	138
23	RCRA VSQG	NIAGARA MOHAWK A NATIONAL GRID CO	114 HAMILTON ST ALBANY NY 12207 <i>EPA Handler ID: NYP000970004</i>	WNW	0.11 / 560.43	27	138
23	FINDS/FRS	NIAGARA MOHAWK A NATIONAL GRID CO	114 HAMILTON ST ALBANY NY 12207 <i>Registry ID: 110056378771</i>	WNW	0.11 / 560.43	27	139
23	GEN MANIFEST	NATIONAL GRID	114 HAMILTON ST ALBANY NY 12207	WNW	0.11 / 560.43	27	140
24	FINDS/FRS	NYS DEPT OF AGRICULTURE & MARKETS	FOOD LABORATORY DIVISION ALBANY NY 12235 <i>Registry ID: 110008030031</i>	ENE	0.11 / 577.09	-9	140
25	FINDS/FRS	NIAGARA MOHAWK A NATIONAL GRID CO	50 HUDSON AVE ALBANY NY 12205 <i>Registry ID: 110067209773</i>	ENE	0.11 / 598.12	-7	141
25	RCRA NON GEN	NIAGARA MOHAWK A NATIONAL GRID CO	50 HUDSON AVE ALBANY NY 12205 <i>EPA Handler ID: NYP000972463</i>	ENE	0.11 / 598.12	-7	141
25	NY MANIFEST	NIAGARA MOHAWK A NATIONAL GRID CO	50 HUDSON AVE ALBANY NY 12205	ENE	0.11 / 598.12	-7	142
26	NY SPILLS	GREYHOUND BUS DALLIUS @ DIVISION	DALLIUS ST @ DIVISION ST DALLIUS ST & DIVISION ST GRAYHOUND BUS ALBANY NY 12207 <i>Spill No Close Date: 0208313 2003-03-11 00:00:00</i>	ENE	0.11 / 605.93	-10	143
27	NY SPILLS	RED-KAP TRUCK HUDSON RIVER GREEN ST	GREEN ST RR XX HUDSON RIVER ALBANY NY <i>Spill No Close Date: 9912861 2000-05-09 00:00:00</i>	NE	0.12 / 628.36	-3	144

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
28	FINDS/FRS	ALBANY - C COMBINED SEWER OVERFLOWS	HUDSON RIVER ALBANY NY 12207 <i>Registry ID:</i> 110019787248	NE	0.12 / 629.25	-3	145
29	COOLING TOWERS		300 Broadway Albany NY 12207	E	0.12 / 629.76	-15	145
30	NY SPILLS	BROWN PROPERTY GRAND ST	84 GRAND ST RESIDENCIAL PROPERTY ALBANY NY <i>Spill No Close Date:</i> 0703243 2007-09-12 00:00:00	W	0.12 / 635.19	29	146
31	FINDS/FRS	NYSDOT BIN 7018190	AMTRAK HUDSON LINE OVER N PEARL ST ALBANY NY 12207 <i>Registry ID:</i> 110064675436	NE	0.12 / 656.69	-4	147
31	FINDS/FRS	NYSDOT BIN 7092900	AMTRAK/HUDSON LINE OVER WATER ST ALBANY NY 12207 <i>Registry ID:</i> 110064675445	NE	0.12 / 656.69	-4	147
31	FINDS/FRS	NYSDOT BIN 7200339	AMTRAK HUDSON LINE OVER BROADWAY ALBANY NY 12207 <i>Registry ID:</i> 110064675454	NE	0.12 / 656.69	-4	148
31	RCRA LQG	NYSDOT BIN 7018190	AMTRAK HUDSON LINE OVER N PEARL ST ALBANY NY 12207 <i>EPA Handler ID:</i> NYR000219915	NE	0.12 / 656.69	-4	149
31	RCRA LQG	NYSDOT BIN 7092900	AMTRAK/HUDSON LINE OVER WATER ST ALBANY NY 12207 <i>EPA Handler ID:</i> NYR000219923	NE	0.12 / 656.69	-4	150
31	RCRA LQG	NYSDOT BIN 7200339	AMTRAK HUDSON LINE OVER BROADWAY ALBANY NY 12207 <i>EPA Handler ID:</i> NYR000219931	NE	0.12 / 656.69	-4	151
32	NY SPILLS	PROPIONIC ACID TRUCK I-787 @ MADISON	MADISON AVE I-787 PROPIONIC ACID UNDERPASS ALBANY NY <i>Spill No Close Date:</i> 8707196 1988-11-23 00:00:00	SE	0.13 / 687.71	-14	152
32	NY SPILLS	BROADWAY & MADISON	BROADWAY & MADISON ALBANY NY <i>Spill No Close Date:</i> 8802224 1988-06-10 00:00:00	SE	0.13 / 687.71	-14	153
32	NY SPILLS	MOBIL TRUCK BROADWAY @ MADISON	BROADWAY @ MADISON AVE ALBANY NY <i>Spill No Close Date:</i> 9802838 1998-06-03 00:00:00	SE	0.13 / 687.71	-14	154
33	NY SPILLS	HUDSON RIVER MADISON BROADWAY SHEEN	MADISON @ BROADWAY HUDSON RIVER SHEEN NEAR UHAUL FOOT OF	SE	0.13 / 688.22	-14	155

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
			MADISON AVE/B'WAY / NEXT TO U- ALBANY NY <i>Spill No Close Date:</i> 9402588 1994-06-20 00:00:00				
34	RCRA NON GEN	NIAGARA MOHAWK A NATIONAL GRID CO	128 HAMILTON ST ALBANY NY 12204 <i>EPA Handler ID:</i> NYP000969972	WNW	0.13 / 704.85	36	156
35	NY SPILLS	OLIVER RES MADISON AVE	156 MADISON AVE ALBANY NY <i>Spill No Close Date:</i> 8806708 1988-11-18 00:00:00	W	0.13 / 706.15	38	157
35	REC MANIFEST	NATIONAL GRID	156 MADISON AVE VAULT ALBANY NY 12202	W	0.13 / 706.15	38	158
36	NY SPILLS	PS ASSOCIATE S. PEARL ST	36 S. PEARL ST ALBANY NY <i>Spill No Close Date:</i> 9813524 2000-02-03 00:00:00	N	0.14 / 727.25	8	158
37	NY SPILLS	NIMO TRINITY SUBSTATION NAT GRID GRAND ST	100 GRAND ST (TRINITY SUBSTATION) TRITNEY SUBSTATION 100 GRANDE STREET ALBANY NY <i>Spill No Close Date:</i> 0707170 2007-10-02 00:00:00	WSW	0.14 / 740.37	35	159
38	NY SPILLS	NIMO TRUCK GRAND ST	89 GRAND ST ALBANY NY <i>Spill No Close Date:</i> 0310006 2003-12-03 00:00:00	W	0.14 / 760.37	38	160
39	RCRA LQG	NATIONAL GRID 165 MADISON AVE	165 MADISON AVE ALBANY NY 12208 <i>EPA Handler ID:</i> NYP000977878	W	0.15 / 782.02	44	161
40	RCRA VSQG	MANSION INITIATIVE	104 GRAND ST ALBANY NY 12202 <i>EPA Handler ID:</i> NYR000116525	WSW	0.15 / 799.77	42	163
40	NY SPILLS	LEAD PAINT 104 GRAND ST	104 GRAND ST ALBANY NY <i>Spill No Close Date:</i> 9700464 1997-04-10 00:00:00	WSW	0.15 / 799.77	42	165
41	AST	CARGILL INCORPORATED-CGD	PORT OF ALBANY ALBANY NY 12202 <i>Site ID Site Status:</i> 35494 Unregulated/Closed	WSW	0.15 / 806.18	39	166
42	NY SPILLS	APARTMENT BLDG ELM ST	9 ELM ST ALBANY NY <i>Spill No Close Date:</i> 9801193 1999-02-05 00:00:00	W	0.15 / 806.18	45	168
43	ALT FUELS	Albany Parking Authority - Green Hudson Garage	45 Hudson Ave Albany NY 12207	ENE	0.15 / 813.19	-9	169

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
			ID: 123113				
44	NY SPILLS	NAT GRID TRANSFORMER S. PEARL ST	30 S. PEARL ST PAD 7437 30 SOUTH PEARL ST ALBANY ALBANY NY	NNE	0.16 / 831.38	8	170
			Spill No Close Date: 1212719 2013-01-30 00:00:00				
45	NY SPILLS	99 OR 101 GRAND ST	99 OR 101 GRAND ST ALBANY NY	WSW	0.16 / 846.04	45	171
			Spill No Close Date: 9704374 1997-07-16 00:00:00				
46	NY SPILLS	PARKING LOT PHILLIP ST ALBANY HOUSING AHA	PHILLIP @ HAMILTON ST AHA ALBANY NY	WNW	0.16 / 853.54	45	172
			Spill No Close Date: 9802938 2000-04-21 00:00:00				
47	ALT FUELS	ALBANY COUNTY TIMES UNION GA2	100 Beaver St Albany NY 12207	NNW	0.16 / 870.98	26	173
			ID: 162174				
47	ALT FUELS	ALBANY COUNTY TIMES UNION GAR	100 Beaver St Albany NY 12207	NNW	0.16 / 870.98	26	173
			ID: 180103				
48	NY SPILLS	MEGINNISS ELEC BROADWAY	368 BROADWAY ALBANY NY	ENE	0.17 / 891.16	-13	174
			Spill No Close Date: 9111051 1992-01-27 00:00:00				
49	NY SPILLS	NAT GRID TRANSFORMER MADISON AVE	180 MADISON AVE POLE # 17 180 MADISON AVE ALBANY NY	W	0.17 / 921.34	58	175
			Spill No Close Date: 1002157 2010-06-14 00:00:00				
50	RCRA NON GEN	NIAGARA MOHAWK A NATIONAL GRID CO	30 WILLIAM ST THIRD AVE & GREEN ST ALBANY NY 12207	N	0.17 / 923.66	22	176
			EPA Handler ID: NYP000973915				
51	RCRA LQG	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH 415 & 453	18 GREEN ST. MH 415&453 ALBANY NY 12208	NE	0.18 / 935.29	-4	177
			EPA Handler ID: NYP000257113				
52	RCRA NON GEN	NYSDOT BIN 109294A	DUNN MEMORIAL BRG TO I-787 SB ALBANY NY 12202	SSE	0.18 / 941.19	-13	179
			EPA Handler ID: NYD986969731				
53	LST	CALUMET GRILL PHILLIP ST	54 PHILLIP ST ALBANY NY	WNW	0.18 / 946.82	60	181
			Spill No Close Date: 9810927 1998-12-03 00:00:00				
54	NY SPILLS	DRUM DONGAN AVE BTWN S. FERRY ST & WESTERLO ST	DONGAN AVE BTWN S. FERRY ST & WESTERLO ST DONGAN AVE BETWEEN	SSE	0.19 / 999.70	-12	182

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
			FERRY + WESTERLO ST. ALBANY NY <i>Spill No Close Date:</i> 8601114 1987-03-31 00:00:00				
55	NY SPILLS	ALBANY DEV GROUP HOWARD ST	26-40 HOWARD ST 26-40 HOWARD STREET ALBANY NY <i>Spill No Close Date:</i> 9708459 1999-10-01 00:00:00	N	0.19 / 1,011.00	31	183
56	RCRA NON GEN	R B WING & SON CORP	384 BROADWAY ALBANY NY 12207-2903 <i>EPA Handler ID:</i> NY0001037589	ENE	0.19 / 1,017.49	-12	184
57	RCRA NON GEN	NYS DOT BIN 1092951	I-787 SB OVER BROADWAY QUAY ST CONNECTION ALBANY NY 12202 <i>EPA Handler ID:</i> NYD986969707	E	0.19 / 1,021.78	-18	186
58	NY SPILLS	HUDSON ARMOR CAR STATE ST	60 STATE ST NEAR KEYBANK ALBANY NY <i>Spill No Close Date:</i> 9105734 1991-08-28 00:00:00	NNE	0.19 / 1,027.81	0	188
58	RCRA LQG	NATIONAL GRID-60 STATE ST	60 STATE ST ALBANY NY 12206 <i>EPA Handler ID:</i> NYP000977464	NNE	0.19 / 1,027.81	0	188
59	AST	MCI-DBA VERIZON BUSINESS ALBPNY	80 STATE ST ALBANY NY 12207 <i>Site ID Site Status:</i> 38097 Unregulated/Closed	NNE	0.20 / 1,036.74	11	190
60	NY SPILLS	NATIONAL GRID	227 SOUTH PEARL ST ALBANY NY <i>Spill No Close Date:</i> 2300335 2023-09-20 00:00:00	SW	0.20 / 1,047.66	-2	191
61	RCRA NON GEN	GALESI GROUP & COLUMBIA DEV	40 HOWARD ST ALBANY NY 12207 <i>EPA Handler ID:</i> NYR000050849	NNW	0.20 / 1,059.36	41	192
61	AST	DORMITORY AUTHORITY PARKING GARAGE	40 HOWARD ST ALBANY NY 12207 <i>Site ID Site Status:</i> 38023 Unregulated/Closed	NNW	0.20 / 1,059.36	41	193
61	NY SPILLS	ALBANY COUNTY PARKING GARAGE HOWARD ST	40 HOWARD ST ALBANY COUNTY PARKING GAR 40 HOWARD ST ALBANY NY <i>Spill No Close Date:</i> 9707976 1997-10-07 00:00:00	NNW	0.20 / 1,059.36	41	197
61	NY SPILLS	COUNTY PARKING GARAGE HOWARD ST	40 HOWARD ST OLD COUNTY PARKING GARAGE 40 HOWARDS ST ALBANY NY <i>Spill No Close Date:</i> 9908469 2001-01-16 00:00:00	NNW	0.20 / 1,059.36	41	198
62	AST	90 STATE STREET BUILDING	90 STATE ST ALBANY NY 12207	NNE	0.20 / 1,075.39	17	199

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			Spill No Close Date: 1300516 2013-04-18 00:00:00					
68	NY SPILLS	ODOR COMPLAINT	42 ELM STREET ALBANY NY	W	0.21 / 1,109.95	73	214	
			Spill No Close Date: 2208353 2023-01-12 00:00:00					
69	NY SPILLS	PHILIP ST VAN	57 PHILIP ST ALBANY NY	W	0.21 / 1,116.38	75	215	
			Spill No Close Date: 9104536 1991-07-27 00:00:00					
70	RCRA NON GEN	NIAGARA MOHAWK A NATIONAL GRID CO	50 STATE ST & BROADWAY ALBANY NY 12204	NE	0.21 / 1,118.00	-2	216	
			EPA Handler ID: NYP000969592					
70	RCRA VSQG	PLAZA AT FIFTY STATE STREET THE	50 STATE ST ALBANY NY 12207	NE	0.21 / 1,118.00	-2	217	
			EPA Handler ID: NYR000175992					
71	RCRA NON GEN	NYSDOT BIN 1093010	PEDESTRIAN WALKWAY QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202	ESE	0.21 / 1,118.23	-24	219	
			EPA Handler ID: NYD986969673					
72	NY SPILLS	JONES PROPERTY HOWARD ST INST FOR HUMANIST STUDI	48 HOWARD ST JONES HOME 48 HOWARD STREET ALBANY NY 12210	NNW	0.21 / 1,126.53	46	220	
			Spill No Close Date: 0501507 2005-07-19 00:00:00					
72	RCRA LQG	NATIONAL GRID 48 HOWARD ST	48 HOWARD ST ALBANY NY 12204	NNW	0.21 / 1,126.53	46	221	
			EPA Handler ID: NYP000977209					
73	RCRA NON GEN	TEXPAR ENERGY INC	50 CHURCH ST - NE SECTION ALBANY NY 12202	SSE	0.21 / 1,127.46	-13	223	
			EPA Handler ID: NYD987036514					
73	CBS	GLOBAL COMPANIES, LLC ALBANY TERMINAL	50 CHURCH STREET ALBANY NY 12202	SSE	0.21 / 1,127.46	-13	225	
			Site ID Site Status: 340688 Active					
73	CBS	GLOBAL COMPANIES ALBANY TERMINAL	50 CHURCH STREET ALBANY NY 12202	SSE	0.21 / 1,127.46	-13	225	
			Site ID Site Status: 340689 Active					
73	MOSF	GLOBAL COMPANIES LLC ALBANY TERMINAL	50 CHURCH STREET ALBANY NY 12202	SSE	0.21 / 1,127.46	-13	226	
			Site ID Site Status: 344650 Active					
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	226	
			Spill No Close Date: 9003511 1990-11-09 00:00:00					

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
73	NY SPILLS	MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY ALBANY NY <i>Spill No Close Date:</i> 8909468 1990-01-09 00:00:00	SSE	0.21 / 1,127.46	-13	227
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 8809827 1989-03-22 00:00:00	SSE	0.21 / 1,127.46	-13	228
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN PORT OF ALBANY ALBANY NY <i>Spill No Close Date:</i> 8809235 1989-02-28 00:00:00	SSE	0.21 / 1,127.46	-13	229
73	NY SPILLS	MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT OF ALB HUDSON RIVER ALBANY NY <i>Spill No Close Date:</i> 8803693 1988-08-02 00:00:00	SSE	0.21 / 1,127.46	-13	230
73	NY SPILLS	MOBIL PORT OF ALB CHURCH ST MACINT	50 CHURCH ST PORT OF ALBANY RIGHT SIDE OF CHURCH AVE ALBANY NY <i>Spill No Close Date:</i> 9604121 1996-06-26 00:00:00	SSE	0.21 / 1,127.46	-13	231
73	NY SPILLS	MOBIL PORT BOUCHARD BARGE CHURCH ST HUDSON RIVER	50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY MOBIL TERMINAL NONE GIVEN ALBANY NY <i>Spill No Close Date:</i> 9805038 1998-07-23 00:00:00	SSE	0.21 / 1,127.46	-13	232
73	NY SPILLS	MOBIL PORT SHERIDAN TUG CHURCH ST HUDSON RIVER	50 CHURCH ST PORT HUDSON RIVER ALBANY NY <i>Spill No Close Date:</i> 8701842 1987-06-04 00:00:00	SSE	0.21 / 1,127.46	-13	233
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 9304248 1993-07-07 00:00:00	SSE	0.21 / 1,127.46	-13	234
73	NY SPILLS	EXXON MOBIL PORT OF ALB CHURCH ST (LATER GLOBAL)	50 CHURCH ST PORT EXXON MOBIL 50 CHRUCH ST ALBANY NY <i>Spill No Close Date:</i> 0207228 2002-10-29 00:00:00	SSE	0.21 / 1,127.46	-13	235
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN 50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 9213480 1993-03-26 00:00:00	SSE	0.21 / 1,127.46	-13	236
73	NY SPILLS	GLOBAL CORP CHURCH ST HUDSON RIVER PORT MOBIL	50 CHURCH ST PORT HUDSON RIVER GLOBAL CORP 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	237

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
			<i>Spill No Close Date:</i> 1104983 2011-11-21 00:00:00				
73	NY SPILLS	MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	238
			<i>Spill No Close Date:</i> 8912444 1990-04-09 00:00:00				
73	NY SPILLS	EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	239
			<i>Spill No Close Date:</i> 0010824 2001-06-27 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALB HUDSON RIVER CHURCH ST	50 CHURCH ST PORT OF ALB HUDSON RIVER MOBIL ALBANY - PORT OF AL ALBANY NY	SSE	0.21 / 1,127.46	-13	240
			<i>Spill No Close Date:</i> 0510587 2006-08-03 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	241
			<i>Spill No Close Date:</i> 9306460 1994-05-13 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	242
			<i>Spill No Close Date:</i> 0010881 2001-01-04 00:00:00				
73	NY SPILLS	EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	243
			<i>Spill No Close Date:</i> 0011469 2001-03-07 00:00:00				
73	NY SPILLS	MOBIL PORT ISLAND TRANSP CHURCH ST	50 CHURCH ST PORT OF ALB 30 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	244
			<i>Spill No Close Date:</i> 9305366 1993-08-03 00:00:00				
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	245
			<i>Spill No Close Date:</i> 9003263 1990-07-02 00:00:00				
73	NY SPILLS	MOBIL PORT HUDSON RIVERCO CHURCH ST	50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	246
			<i>Spill No Close Date:</i> 9309566 1993-11-08 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	247
			<i>Spill No Close Date:</i> 9310068 1995-01-23 00:00:00				
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	-13	248
			<i>Spill No Close Date:</i> 8805667 1988-10-04 00:00:00				
73	NY SPILLS	MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY	SSE	0.21 / 1,127.46	-13	249

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
			ALBANY NY				
			<i>Spill No Close Date:</i> 9704125 1997-07-07 00:00:00				
73	NY SPILLS	MOBIL EXXON PORT CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	250
			<i>Spill No Close Date:</i> 0104341 2001-10-09 00:00:00				
73	NY SPILLS	EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT MOBIL ALBANY NY	SSE	0.21 / 1,127.46	-13	251
			<i>Spill No Close Date:</i> 0207112 2002-10-29 00:00:00				
73	NY SPILLS	EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	252
			<i>Spill No Close Date:</i> 0302712 2003-06-15 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	253
			<i>Spill No Close Date:</i> 0311324 2004-01-12 00:00:00				
73	NY SPILLS	EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	254
			<i>Spill No Close Date:</i> 0310344 2004-01-12 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	255
			<i>Spill No Close Date:</i> 9414678 1995-03-21 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	256
			<i>Spill No Close Date:</i> 9505097 1995-08-22 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	257
			<i>Spill No Close Date:</i> 9610449 1996-11-20 00:00:00				
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	258
			<i>Spill No Close Date:</i> 9613568 1997-02-19 00:00:00				
73	NY SPILLS	MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	-13	259
			<i>Spill No Close Date:</i> 9513146 1996-01-22 00:00:00				
73	NY SPILLS	EXXON MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALBANY ALBANY NY	SSE	0.21 / 1,127.46	-13	260
			<i>Spill No Close Date:</i> 0503032 2005-10-17 00:00:00				
73	NY SPILLS	GLOBAL (FORMER MOBIL) PORT CHURCH ST	50 CHURCH ST PORT UNDERGROUND TANK COLLECTI 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	261

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			Spill No Close Date: 0703602 2007-07-27 00:00:00					
73	NY SPILLS	GLOBAL CO PORT (MOBIL) CHURCH ST	50 CHURCH ST PORT OF ALBANY GLOBAL COMPANIES LLC 50 CHURCH ST ALBANY NY 12202	SSE	0.21 / 1,127.46	-13	262	
			Spill No Close Date: 0802123 2008-05-27 00:00:00					
73	NY SPILLS	GLOBAL CHURCH ST PORT OF ALB MOBIL	50 CHURCH ST PORT OF ALBANY GLOBAL COMPANY 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	263	
			Spill No Close Date: 0900407 2009-05-14 00:00:00					
73	NY SPILLS	WASTE MGT TRUCK CHURCH ST PORT OF ALB@MOBIL/GLOBAL	50 CHURCH ST PORT OF ALBANY WASTE MANAGMENT TRUCK ALBANY NY 12202	SSE	0.21 / 1,127.46	-13	264	
			Spill No Close Date: 0609157 2006-11-13 00:00:00					
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN MOBIL DOCK - SOUTH ALBANY NY	SSE	0.21 / 1,127.46	-13	265	
			Spill No Close Date: 8908658 1989-12-05 00:00:00					
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	266	
			Spill No Close Date: 9906453 1999-09-17 00:00:00					
73	NY SPILLS	SEWAGE HUDSON RIVER PORT CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SEWAGE 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	267	
			Spill No Close Date: 9313660 1994-03-03 00:00:00					
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	268	
			Spill No Close Date: 9201673 1993-04-05 00:00:00					
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	-13	269	
			Spill No Close Date: 9213501 1993-03-26 00:00:00					
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	270	
			Spill No Close Date: 9203444 1993-04-05 00:00:00					
73	NY SPILLS	MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY ALBANY NY	SSE	0.21 / 1,127.46	-13	271	
			Spill No Close Date: 8701886 1987-06-04 00:00:00					
73	NY SPILLS	GLOBAL/MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB MOBIL - WEST END PORT OF ALBANY TERMINA ALBANY NY	SSE	0.21 / 1,127.46	-13	272	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			Spill No Close Date: 9214481					
73	NY SPILLS	MOBIL TUG PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	-13	274	
			Spill No Close Date: 8706650 1987-10-26 00:00:00					
73	NY SPILLS	MOBIL TUG PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	-13	275	
			Spill No Close Date: 8708203 1987-12-22 00:00:00					
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	275	
			Spill No Close Date: 8708444 1988-11-23 00:00:00					
73	NY SPILLS	MOBIL TUG PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER 150 EAST 42ND ST ALBANY NY	SSE	0.21 / 1,127.46	-13	276	
			Spill No Close Date: 8707222 1987-11-21 00:00:00					
73	NY SPILLS	MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	-13	277	
			Spill No Close Date: 9606541 1996-08-21 00:00:00					
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	278	
			Spill No Close Date: 9708272 1997-10-15 00:00:00					
73	NY SPILLS	KENWOOD YARD GLOBAL (MOBIL) CHURCH ST PORT TANKCAR	50 CHURCH ST PORT KENWOOD YARD 50 CHURCH ST GLOBAL ALBANY NY	SSE	0.21 / 1,127.46	-13	280	
			Spill No Close Date: 1109354 2011-10-26 00:00:00					
73	NY SPILLS	GLOBAL CHURCH ST PORT HUDSON RIVER (MOBIL)	50 CHURCH ST PORT HUDSON RIVER GLOBAL COMPANIES LLC 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	281	
			Spill No Close Date: 1200687 2012-06-27 00:00:00					
73	NY SPILLS	GLOBAL TANK 64 CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT GLOBAL 50 CHURCH STREET ALBANY NY	SSE	0.21 / 1,127.46	-13	282	
			Spill No Close Date: 1110257					
73	NY SPILLS	GLOBAL HUDSON RIVER CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT HUDSON RIVER 300-400FEET FROM THE HUDSON R 50 CHURCH ALBANY NY	SSE	0.21 / 1,127.46	-13	283	
			Spill No Close Date: 1110260 2011-11-20 00:00:00					

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
73	NY SPILLS	GLOBAL (MOBIL) CHURCH ST PORT	50 CHURCH ST PORT GLOBAL CO LLC 50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 1205415 2012-08-29 00:00:00	SSE	0.21 / 1,127.46	-13	284
73	NY SPILLS	GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT GLOBAL 50 CHURCH ST DISCOVERED PETRO FAC ALBANY NY 12202 <i>Spill No Close Date:</i> 0906610 2010-11-09 00:00:00	SSE	0.21 / 1,127.46	-13	285
73	NY SPILLS	HUDSON RIVER GLOBAL/MOBIL CHURCH ST PORT	50 CHURCH ST PORT HUDSON RIVER BEHIND 50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 1008836 2011-02-16 00:00:00	SSE	0.21 / 1,127.46	-13	286
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY <i>Spill No Close Date:</i> 9506244 1995-10-18 00:00:00	SSE	0.21 / 1,127.46	-13	288
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 9005534 1990-11-30 00:00:00	SSE	0.21 / 1,127.46	-13	288
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 9106322 1991-09-23 00:00:00	SSE	0.21 / 1,127.46	-13	289
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY <i>Spill No Close Date:</i> 9407727 1994-09-19 00:00:00	SSE	0.21 / 1,127.46	-13	290
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY <i>Spill No Close Date:</i> 8401060 1993-01-27 00:00:00	SSE	0.21 / 1,127.46	-13	291
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY <i>Spill No Close Date:</i> 9314241 1994-03-07 00:00:00	SSE	0.21 / 1,127.46	-13	292
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY <i>Spill No Close Date:</i> 9407447 1994-09-19 00:00:00	SSE	0.21 / 1,127.46	-13	293
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY <i>Spill No Close Date:</i> 9407448 1994-09-19 00:00:00	SSE	0.21 / 1,127.46	-13	294
73	NY SPILLS	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	-13	295

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
73	NY SPILLS	MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	-13	308
<i>Spill No Close Date:</i> 9005170 1991-04-10 00:00:00							
73	NY SPILLS	MOBIL PORT OF ALB LONG CHURCH ST	50 CHURCH ST PORT MOBIL MOBIL TERMIAL PORT OF ALBANY ALBANY NY	SSE	0.21 / 1,127.46	-13	309
<i>Spill No Close Date:</i> 0104753 2001-08-02 00:00:00							
73	NY SPILLS	MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	-13	310
<i>Spill No Close Date:</i> 0001759 2000-07-28 00:00:00							
73	NY SPILLS	EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT MOBIL CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	311
<i>Spill No Close Date:</i> 0206706 2002-09-30 00:00:00							
73	NY SPILLS	GLOBAL DOCK HUDSON RIVER CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT HUDSON RIVER GLOBAL TERMINAL 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	312
<i>Spill No Close Date:</i> 1404089 2014-07-16 00:00:00							
73	NY SPILLS	GLOBAL TANK FARM CHURCH ST PORT OF ALB (MOBIL)	50 CHURCH ST PORT OF ALB TANK FARM 50 CHURCH STREET ALBANY NY	SSE	0.21 / 1,127.46	-13	313
<i>Spill No Close Date:</i> 1405509 2014-09-16 00:00:00							
73	NY SPILLS	GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT GLOBAL 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	-13	314
<i>Spill No Close Date:</i> 1402029 2014-07-10 00:00:00							
73	NY SPILLS	KENWOOD YARD GLOBAL CHURCH ST PORT TANKCAR OVERFL	50 CHURCH ST PORT KENWOOD TRAINYARD 50 CHURCH ST GOLBAL C ALBANY NY	SSE	0.21 / 1,127.46	-13	315
<i>Spill No Close Date:</i> 1403390 2014-08-11 00:00:00							
73	NY SPILLS	GLOBAL CHURCH ST PORT OF ALBANY DRILL (MOBIL)	50 CHURCH ST PORT ALBANY 50 CHURCH ST DRILL ALBANY NY	SSE	0.21 / 1,127.46	-13	316
<i>Spill No Close Date:</i> 1406284 2014-09-12 00:00:00							
73	NY SPILLS	GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT GLOBAL COMPANIES - RACK AREA 50 CHURCH ALBANY NY	SSE	0.21 / 1,127.46	-13	317
<i>Spill No Close Date:</i> 1410735 2015-04-08 00:00:00							
73	NY SPILLS	GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST GLOBAL - RAILSIDE 50 CHURCH ST PORT ALBANY NY	SSE	0.21 / 1,127.46	-13	318
<i>Spill No Close Date:</i> 1500801 2015-04-23 00:00:00							

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
73	NY SPILLS	GLOBAL CHURCH ST PORT TANK 39 (MOBIL)	50 CHURCH ST TANK 39 50 CHURCH ST PORT ALBANY NY <i>Spill No Close Date:</i> 1501819 2015-06-22 00:00:00	SSE	0.21 / 1,127.46	-13	319
73	RCRA NON GEN	STAR ENERGY TRANSPORT	50 CHURCH ST DEC SPILL 1410735 ALBANY NY 12202 <i>EPA Handler ID:</i> NYP000971424	SSE	0.21 / 1,127.46	-13	320
73	NY SPILLS	GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST GLOBAL 50 CHURCH ST PORT ALBANY NY <i>Spill No Close Date:</i> 1504084 2021-09-29 00:00:00	SSE	0.21 / 1,127.46	-13	321
73	NY SPILLS	GLOBAL CHURCH ST DRILL PORT OF ALB (MOBIL)	50 CHURCH ST PORT OF ALB COMMERCIAL 50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 1510557 2016-02-01 00:00:00	SSE	0.21 / 1,127.46	-13	323
73	NY SPILLS	OUTSIDE	50 CHURCH STREET ALBANY NY 12211 <i>Spill No Close Date:</i> 1803849 2018-07-10 00:00:00	SSE	0.21 / 1,127.46	-13	324
73	REC MANIFEST	GLOBAL COMPANIES LLC ALBANY TERMINAL	50 CHURCH STREET ALBANY NY 12202	SSE	0.21 / 1,127.46	-13	324
73	PFAS	Global Companies, LLC - Albany	50 Church St Albany NY	SSE	0.21 / 1,127.46	-13	326
73	NY SPILLS	GLOBAL COMPANIES FACILITY	50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 1905787 2019-12-23 00:00:00	SSE	0.21 / 1,127.46	-13	326
73	NY SPILLS	GLOBAL COMPANIES	50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 1908062 2020-05-19 00:00:00	SSE	0.21 / 1,127.46	-13	327
73	SWF/LF	Global Albany Terminal	50 Church Street Port of Albany Albany NY 12202	SSE	0.21 / 1,127.46	-13	328
73	FRP	Global - Albany Terminal	50 Church Street Albany NY 12202 <i>Facility ID:</i> R2-NY-00005	SSE	0.21 / 1,127.46	-13	329
73	NY SPILLS	GLOBAL OIL TERMINAL	50 CHURCH ST ALBANY NY <i>Spill No Close Date:</i> 2205276 2022-09-29 00:00:00	SSE	0.21 / 1,127.46	-13	330
73	BULK TERMINAL	GLOBAL PARTNERS LP	50 CHURCH STREET ALBANY NY	SSE	0.21 / 1,127.46	-13	331

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
73	RCRA LQG	GLOBAL COMPANIES LLC ALBANY TERM	50 CHURCH ST ALBANY NY 12202 <i>EPA Handler ID:</i> NYD093248698	SSE	0.21 / 1,127.46	-13	332
74	NY SPILLS	NAT GRID TRANSFORMER STATE ST	70 STATE ST VAULT 2125 70 STATE ST ALBANY NY <i>Spill No Close Date:</i> 1201464 2012-06-04 00:00:00	NNE	0.21 / 1,131.88	7	347
75	NPL	HUDSON RIVER PCBS	NO STREET APPLICABLE HUDSON RIVER NY 12871-2834 <i>EPA ID:</i> NYD980763841	ESE	0.22 / 1,135.77	-25	348
76	RCRA NON GEN	GETTY SERVICE STATION	222 S PEARL ALBANY NY 12202-1809 <i>EPA Handler ID:</i> NYD986929255	SW	0.22 / 1,138.16	-2	349
76	AST	CITGO	222 SOUTH PEARL STREET PEARL & FERRY STREETS Albany NY 12202 <i>Site ID Site Status:</i> 37280 Active	SW	0.22 / 1,138.16	-2	351
76	UST	CITGO	222 SOUTH PEARL STREET PEARL & FERRY STREETS Albany NY 12202 <i>Site ID Site Status:</i> 37280 Active	SW	0.22 / 1,138.16	-2	353
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY #58745 222 SOUTH PEARL STREET ALBANY NY 12202 <i>Spill No Close Date:</i> 0500798 2005-04-20 00:00:00	SW	0.22 / 1,138.16	-2	366
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY #58745 222 SOUTH PEARL STREET ALBANY NY 12202 <i>Spill No Close Date:</i> 0510664 2006-11-08 00:00:00	SW	0.22 / 1,138.16	-2	367
76	NY SPILLS	GETTY # 58745 S. PEARL ST	222 S. PEARL ST GETTY # 58745 242 SOUTH PEARL ST ALBANY NY 12202 <i>Spill No Close Date:</i> 0608343 2006-11-13 00:00:00	SW	0.22 / 1,138.16	-2	368
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY # 58745 222 SOUTH PEARL STREET ALBANY NY 12202 <i>Spill No Close Date:</i> 0514489 2006-11-08 00:00:00	SW	0.22 / 1,138.16	-2	369
76	NY SPILLS	GETTY S. PEARL @ FERRY ST	222 S. PEARL ST @ S. FERRY ST GETTY STA. S. PEARL + FERRY ST. ALBANY NY <i>Spill No Close Date:</i> 9312890 1994-02-09 00:00:00	SW	0.22 / 1,138.16	-2	370

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
76	NY SPILLS	GETTY S. PEARL @ S. FERRY	222 S. PEARL ST @ S. FERRY GETTY SVC. STA. SO. PEARL ST + SO. FERRY ALBANY NY <i>Spill No Close Date:</i> 9106400 1991-09-27 00:00:00	SW	0.22 / 1,138.16	-2	371
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTYMART #58745 222 SOUTH PEARL STREET ALBANY NY <i>Spill No Close Date:</i> 0612880 2008-02-22 00:00:00	SW	0.22 / 1,138.16	-2	372
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY#58745 222 SOUTH PEARL STREET ALBANY NY <i>Spill No Close Date:</i> 0700034 2008-01-10 00:00:00	SW	0.22 / 1,138.16	-2	373
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY 58745 222 SOUTH PEARL STREET ALBANY NY 12202 <i>Spill No Close Date:</i> 0605475 2006-08-21 00:00:00	SW	0.22 / 1,138.16	-2	374
76	NY SPILLS	GETTY S. PEARL ST	222 S. PEARL ST GETTY STA. 222 SO. PEARL ST. ALBANY NY <i>Spill No Close Date:</i> 9206196 1992-10-08 00:00:00	SW	0.22 / 1,138.16	-2	375
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY#58745 222 SOUTH PEARL STREET ALBANY NY <i>Spill No Close Date:</i> 0609655 2007-04-20 00:00:00	SW	0.22 / 1,138.16	-2	376
76	NY SPILLS	GETTY # 58745 S. PEARL ST	222 S. PEARL ST GETTY # 58745 222 SOUTH PEARL STREET ALBANY NY 12202 <i>Spill No Close Date:</i> 0602849 2007-04-20 00:00:00	SW	0.22 / 1,138.16	-2	377
76	NY SPILLS	HECTOR (GAS STA) S. FERRY @ S. PEARL (LATER GETTY)	222 S. PEARL ST @ S. FERRY S. PEARL ST. + S. FERRY ST. SEWER ALBANY NY <i>Spill No Close Date:</i> 8300267 1983-06-28 00:00:00	SW	0.22 / 1,138.16	-2	378
76	NY SPILLS	MNZ MART S. PEARL ST (FORMER GETTY)	222 S. PEARL ST MNZ MART 222 SOUTH PEARL ST ALBANY NY <i>Spill No Close Date:</i> 1307045 2016-03-18 00:00:00	SW	0.22 / 1,138.16	-2	379
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY # 58745 221 SOUTH PEARL STREET ALBANY NY <i>Spill No Close Date:</i> 0612870 2008-08-06 00:00:00	SW	0.22 / 1,138.16	-2	381
76	NY SPILLS	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY# 58745 222 SOUTH PEARL STREET ALBANY NY 12202 <i>Spill No Close Date:</i> 0512453 2006-11-08 00:00:00	SW	0.22 / 1,138.16	-2	382

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
76	LST	GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY #58745 222 SOUTH PEARL ALBANY NY <i>Spill No Close Date:</i> 0612912 2007-12-20 00:00:00	SW	0.22 / 1,138.16	-2	383
76	LST	GETTY S. PEARL ST	222 S. PEARL ST GETTY 222 S. PEARL ST. ALBANY NY <i>Spill No Close Date:</i> 9002922 2003-08-04 00:00:00	SW	0.22 / 1,138.16	-2	384
76	LST	GETTY S. PEARL ST	222 S. PEARL ST GETTY GAS STA 222 SO. PEARL ST. ALBANY NY <i>Spill No Close Date:</i> 9206073 1992-10-08 00:00:00	SW	0.22 / 1,138.16	-2	385
76	NY SPILLS	CONSTRUCTION SITE AT GAS STATION	222 SOUTH PEARL ST ALBANY NY <i>Spill No Close Date:</i> 2205166 2023-02-28 00:00:00	SW	0.22 / 1,138.16	-2	386
77	NY SPILLS	FRANKLINS TOWER BROADWAY	414 BROADWAY ALBANY NY <i>Spill No Close Date:</i> 0610130 2007-01-04 00:00:00	NE	0.22 / 1,139.53	-8	387
77	NY SPILLS	FRANKLIN TOWERS BROADWAY	414 BROADWAY ALBANY NY 12210 <i>Spill No Close Date:</i> 0514545 2006-03-21 00:00:00	NE	0.22 / 1,139.53	-8	388
78	RCRA NON GEN	NYSDOT BIN 109299B	RAMP AD OVER BROADWAY ET AL ALBANY NY 12202 <i>EPA Handler ID:</i> NYD987022977	SE	0.22 / 1,140.32	-17	389
79	RCRA NON GEN	NATIONAL GRID	54 STATE ST ALBANY NY 12207 <i>EPA Handler ID:</i> NYP000978183	NE	0.22 / 1,142.32	0	391
80	NY SPILLS	NAT GRID TRANSFORMER STATE @ GREEN	STATE ST @ GREEN ST VAULT 6 VAULT 6 STATE ST & GREEN ST ALBANY NY <i>Spill No Close Date:</i> 0813415 2009-03-27 00:00:00	NE	0.22 / 1,148.49	-1	393
81	RCRA NON GEN	R F C PROPERTY INC	74-76 STATE ST ALBANY NY 12207 <i>EPA Handler ID:</i> NYR000089839	NNE	0.22 / 1,153.89	8	394
82	RCRA VSQG	HAMPTON PLAZA	38 STATE ST ALBANY NY 12242 <i>EPA Handler ID:</i> NYR000168963	NE	0.22 / 1,156.13	-4	396
82	RCRA NON GEN	NIAGARA MOHAWK A NATIONAL GRID CO	40 STATE ST ALBANY NY 12207 <i>EPA Handler ID:</i> NYP000969907	NE	0.22 / 1,156.13	-4	397
83	NY SPILLS	SALVATION ARMY	40 SOUTH FERRY ST ALBANY NY	S	0.22 / 1,159.45	-10	398

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			Spill No Close Date: 2006985 2023-03-03 00:00:00					
84	NY SPILLS	NAT GRID JAMES ST @ STATE ST (VAULT 55)	JAMES ST @ STATE ST ROADWAY JAMES AND STATE ST ALBANY NY	NNE	0.22 / 1,160.43	6	399	
			Spill No Close Date: 1700043 2017-08-15 00:00:00					
84	NY SPILLS	NAT GRID TRANSFORMER JAMES ST @ STATE ST	JAMES ST @ STATE ST ROADWAY JAMES ST AND STATE ST ALBANY NY	NNE	0.22 / 1,160.43	6	400	
			Spill No Close Date: 1700339 2017-04-11 00:00:00					
85	AIR PERMITS	GLOBAL COMPANIES LLC - ALBANY TERMINAL	50 CHURCH ST - PORT OF ALBANY ALBANY NY 12202	SSE	0.22 / 1,162.30	-14	401	
85	AIR PERMITS	GLOBAL COMPANIES LLC - ALBANY TERMINAL	50 CHURCH ST - PORT OF ALBANY ALBANY NY 12202	SSE	0.22 / 1,162.30	-14	402	
86	RCRA NON GEN	NYSDOT BIN 1092952	I-787 NB OVER BROADWAY QUAY ST CONNECTION ALBANY NY 12202	E	0.22 / 1,162.44	-24	402	
			EPA Handler ID: NYD986969715					
87	RCRA LQG	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH193	35 STATE ST ALBANY NY 12207	NE	0.22 / 1,165.66	-3	404	
			EPA Handler ID: NYP000978381					
87	RCRA VSQG	SUNY RESEARCH FOUNDATION	35 STATE ST ALBANY NY 12207	NE	0.22 / 1,165.66	-3	406	
			EPA Handler ID: NYR000264309					
88	BULK TERMINAL	GLOBAL COMPANIES LLC	ALBANY NY	SSE	0.22 / 1,166.69	-14	407	
89	NY SPILLS	MANUFACTURERS HANOVER STATE ST	63 STATE ST ALBANY NY	NNE	0.22 / 1,167.74	5	408	
			Spill No Close Date: 8904912 1989-11-20 00:00:00					
90	RCRA NON GEN	NISH CONTRACTING	135 GRAND ST ALBANY NY 12202	WSW	0.22 / 1,168.96	37	409	
			EPA Handler ID: NYR000034454					
91	UST	NYS OGS FLEET ADMINISTRATION	BLDG 18 STATE CAMPUS ALBANY NY 12226	NE	0.22 / 1,172.03	-5	410	
			Site ID Site Status: 36441 Active					
92	RCRA VSQG	ALBANY COUNTY DEPT OF GENERAL SERVICES	112 STATE ST ALBANY NY 11207	N	0.22 / 1,175.80	45	419	

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number	
			<i>EPA Handler ID:</i> NYN008019852					
92	AST	ALBANY COUNTY OFFICE BUILDING	112 STATE STREET ALBANY NY 12207	N	0.22 / 1,175.80	45	420	
			<i>Site ID Site Status:</i> 37647 Unregulated/Closed					
92	NY SPILLS	EQ FAIL STATE ST	112 STATE STREET ON STREET ALBANY NY 12207	N	0.22 / 1,175.80	45	423	
			<i>Spill No Close Date:</i> 0504054 2005-07-07 00:00:00					
92	LST	COUNTY OFF BLDG 112 STATE	112 STATE ST COUNTY OFFIC ALBANY NY	N	0.22 / 1,175.80	45	424	
			<i>Spill No Close Date:</i> 9408117 1994-10-13 00:00:00					
93	RCRA NON GEN	FIRST ALBANY CORP	41 STATE ST ALBANY NY 12207-3294	NE	0.22 / 1,185.23	-2	425	
			<i>EPA Handler ID:</i> NYD002088607					
94	NY SPILLS	NYS DOT LAB BLDG #7 STATE OFFICE CAMPUS RM.216	BLDG #7 STATE OFFICE CAMPUS ALBANY NY 12222	NE	0.23 / 1,189.97	-5	427	
			<i>Spill No Close Date:</i> 0806831 2009-02-23 00:00:00					
95	RCRA NON GEN	NIAGARA MOHAWK A NATIONAL GRID CO	429 BROADWAY ALBANY NY 12207	NE	0.23 / 1,190.58	-6	428	
			<i>EPA Handler ID:</i> NYP000972414					
96	ALT FUELS	NYS Comptroller Office Garage	110 State St Albany NY 12207	N	0.23 / 1,197.72	38	430	
			<i>ID:</i> 252716					
97	NY SPILLS	RESIDENCE GRAND ST	140 GRAND ST ALBANY NY 12202	WSW	0.23 / 1,197.72	35	430	
			<i>Spill No Close Date:</i> 0111594 2002-07-29 00:00:00					
98	RCRA LQG	NYSDOT BIN 1092840	STATE HWY 85 SB OVER PATROON CREEK ALBANY NY 12205	NNE	0.23 / 1,205.86	15	431	
			<i>EPA Handler ID:</i> NYR000146282					
98	RCRA LQG	NYSDOT BIN 1092850	STATE HWY 85 NB OVER PATROON CREEK ALBANY NY 12205	NNE	0.23 / 1,205.86	15	433	
			<i>EPA Handler ID:</i> NYR000146290					
98	RCRA LQG	NYSDOT BIN 1092860	STATE HWY 85 NB TO I-90 WB OVER PATROON CREEK ALBANY NY 12205	NNE	0.23 / 1,205.86	15	434	
			<i>EPA Handler ID:</i> NYR000146308					
98	RCRA LQG	NYSDOT BIN 1092870	I-90 WB TO STATE HWY 85 SB OVER PATROON CREEK ALBANY NY 12205	NNE	0.23 / 1,205.86	15	436	
			<i>EPA Handler ID:</i> NYR000146316					

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
99	NY SPILLS	NIMO EXCAVATION STATE @ BROADWAY	BROADWAY @ STATE ST ALBANY NY	NE	0.23 / 1,206.05	-6	437
<i>Spill No Close Date:</i> 9912801 2000-02-10 00:00:00							
100	NY SPILLS	COMMERCIAL	90 CHURCH ST ALBANY NY	SSE	0.23 / 1,220.62	-13	438
<i>Spill No Close Date:</i> 2010309							
101	RCRA NON GEN	ALBANY HOUSING AUTHO	159 CHURCH ST ALBANY NY 12202-1919	SSE	0.23 / 1,231.77	-14	439
<i>EPA Handler ID:</i> NYD987011459							
101	LST	ALBANY HOUSING STEAMBOAT SQUARE CHURCH ST AHA	159 CHURCH ST AHA ALBANY NY	SSE	0.23 / 1,231.77	-14	441
<i>Spill No Close Date:</i> 8709135 1988-11-23 00:00:00							
101	LST	ALBANY HOUSING STEAMBOAT SQUARE CHURCH ST AHA	159 CHURCH ST AHA ALBANY NY	SSE	0.23 / 1,231.77	-14	442
<i>Spill No Close Date:</i> 8709170 1988-11-23 00:00:00							
102	LST	SUNY ADMIN BLDG BROADWAY	UNIVERSITY PLAZA BROADWAY SUNY CENTRAL BROADWAY @ STATE ALBANY NY	NE	0.23 / 1,232.75	-7	444
<i>Spill No Close Date:</i> 9102287 1992-10-02 00:00:00							
103	AST	100 STATE ST	100 STATE ST ALBANY NY 12207	N	0.23 / 1,237.62	28	445
<i>Site ID Site Status:</i> 391697 Unregulated/Closed							
103	NY SPILLS	COMMERCIAL OFFICE STATE ST	100 STATE ST 100 STATE STREET ALBANY NY	N	0.23 / 1,237.62	28	447
<i>Spill No Close Date:</i> 0707905 2008-01-07 00:00:00							
103	LST	ALBANY VENTURES STATE ST	100 STATE ST ALBANY NY	N	0.23 / 1,237.62	28	448
<i>Spill No Close Date:</i> 8603373 1986-08-22 00:00:00							
104	RCRA SQG	HOWARD STREET PARKING FACILITY	70 HOWARD ST ALBANY NY 12207	NNW	0.24 / 1,265.75	66	449
<i>EPA Handler ID:</i> NYR000173583							
104	AST	HOWARD STREET PARKING FACILITY	70 HOWARD ST ALBANY NY 12207	NNW	0.24 / 1,265.75	66	450
<i>Site ID Site Status:</i> 434529 Unregulated/Closed							
105	RCRA NON GEN	BANK OF AMERICA	69 STATE ST ALBANY NY 12201	NNE	0.24 / 1,267.30	7	453
<i>EPA Handler ID:</i> NYD006976062							
106	LST	OMNI HOTEL STATE @ LODGE	STATE ST (89) @ LODGE ST OMNI HOTEL SATE AND LODGE	N	0.24 / 1,273.24	34	456

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
			ALBANY NY				
			Spill No Close Date: 9601631 1997-08-04 00:00:00				
107	NY SPILLS	COMMERCIAL APT HOWARD ST	64 HOWARD ST COMMERCIAL APT 64 HOWARD ST ALBANY NY	NNW	0.24 / 1,278.46	66	457
			Spill No Close Date: 1400853 2014-06-10 00:00:00				
108	NY SPILLS	NIMO TRANSFORMER TRINITY SUBSTATION GRAND ST	GRAND ST @ PARK AVE (BTWN GRAND ST & TRINITY PL) TRINITY SUBSTATION GRANDE/PARK STREET ALBANY NY 12202	SW	0.24 / 1,279.67	9	458
			Spill No Close Date: 0600771 2006-08-04 00:00:00				
108	NY SPILLS	NIMO TRINITY SUBSTATION GRAND ST	GRAND ST SUBSTATION (BTWN GRAND ST & TRINITY PL) TRINITY SUB STATION GRAND ST ALBANY ALBANY NY	SW	0.24 / 1,279.67	9	459
			Spill No Close Date: 0013218 2001-07-26 00:00:00				
108	NY SPILLS	NIMO TRINITY SUBSTATION GRAND ST	GRAND ST SUBSTATION (BTWN GRAND ST & TRINITY PL) TRINITY SUB STATION GRAND ST ALBANY ALBANY NY	SW	0.24 / 1,279.67	9	460
			Spill No Close Date: 9712374 2001-02-14 00:00:00				
109	RCRA NON GEN	ALBANY COUNTY DEPT OF HEALTH	260 S PEARL ST ALBANY NY 12201	SW	0.24 / 1,291.01	-2	461
			EPA Handler ID: NYR000104505				
110	SHWS	Albany - Grand and Trinity	85 Trinity Place Albany NY 12201	SW	0.25 / 1,301.93	1	462
111	RCRA NON GEN	67 REMEDIATION SITE	67 HOWARD ST ALBANY NY 12207	NNW	0.25 / 1,304.25	70	464
			EPA Handler ID: NYR000180018				
111	SHWS	Former Albany Laboratories	67 Howard Street Albany NY 12207	NNW	0.25 / 1,304.25	70	467
111	INST	Former Albany Laboratories	67 Howard Street Albany NY 12207	NNW	0.25 / 1,304.25	70	470
111	ENG	Former Albany Laboratories	67 Howard Street Albany NY 12207	NNW	0.25 / 1,304.25	70	474
112	NY SPILLS	NIMO TRANSFORMER	62 ELM ST MAPLEWOOD NY 12189	W	0.25 / 1,306.56	85	478

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
			Spill No Close Date: 0600405 2006-08-15 00:00:00				
113	VCP	NM - Arch St. - Albany MGP	150-152 Grand Street Albany NY 12202	WSW	0.25 / 1,319.40	29	479
113	INST	NM - Arch St. - Albany MGP	150-152 Grand Street Albany NY 12202	WSW	0.25 / 1,319.40	29	481
113	MGP	NM - Arch St. - Albany MGP	150-152 Grand Street Albany NY 12202	WSW	0.25 / 1,319.40	29	485
114	LST	OLD BANK N. PEARL ST (HOME SAVINGS)	11 N. PEARL ST OLD BANK 11 NORTH PEARL STREET ALBANY NY 12202	NNE	0.26 / 1,374.64	15	485
			Spill No Close Date: 0502857 2007-02-26 00:00:00				
115	FUDS	NAVY RESRV TRNING CNTR	ALBANY NY	ENE	0.30 / 1,573.94	-25	487
			FUDS Property No: C02NY1079				
116	LST	NYNEX STATE ST @ PARK ST (NY TELE, LATER VERIZON?)	148 STATE ST N.Y. TEL 148 STATE ST. ALBANY NY	NNW	0.32 / 1,674.54	91	487
			Spill No Close Date: 9107718 1992-06-22 00:00:00				
117	PFAS	Albany Fire Dept	26 Broad St Albany NY	SW	0.33 / 1,730.36	5	488
118	LST	SAINT MARYS CHURCH LODGE ST	10 LODGE ST SAINT MARY'S CHURCH 10 LODGE ST. ALBANY NY	NNE	0.37 / 1,967.32	38	489
			Spill No Close Date: 8705699 1993-12-07 00:00:00				
119	LST	GINSBURG PROP COLUMBIA ST	54C COLUMBIA ST ALBANY NY	NNE	0.41 / 2,182.68	3	490
			Spill No Close Date: 0006930 2000-10-06 00:00:00				
120	LST	CRISAFULLI PROPERTY DELAWARE ST	5 DELAWARE ST 5 DELAWARE ST ALBANY NY	SW	0.43 / 2,288.02	20	491
			Spill No Close Date: 0010416 2001-02-07 00:00:00				
121	LST	TEST PORT	1 PORT 625 BROADWAY TEST ALBANY NY	NE	0.48 / 2,551.17	0	492
			Spill No Close Date: 1404179 2014-07-17 00:00:00				
122	SHWS	NM - Rensselaer MGP	Washington St Rensselaer NY 12144	SE	0.57 / 3,014.05	-15	493

Map Key	DB	Company/Site Name	Address	Direction	Distance (mi/ft)	Elev Diff (ft)	Page Number
122	MGP	NM - Rensselaer MGP	Washington St Rensselaer NY 12144	SE	0.57 / 3,014.05	-15	495
123	MGP	NM - Rensselaer MGP	Washington St Rensselaer NY 12144	SE	0.57 / 3,022.92	-10	496
124	RCRA CORRACTS	ASHLAND DISTRIBUTION	SOUTH ST RENSELAER NY 12144 <i>EPA Handler ID: NYD046877775</i>	SE	0.86 / 4,534.12	-8	497
125	VAPOR	Sterling Drug Site 1	33 RIVERSIDE AVENUE RENSELAER NY 12144	SSE	0.96 / 5,048.00	-11	523
125	SHWS	Sterling Drug Site 1	33 RIVERSIDE AVENUE RENSELAER NY 12144	SSE	0.96 / 5,048.00	-11	523

Executive Summary: Summary by Data Source

Standard

Federal

NPL - National Priority List

A search of the NPL database, dated Oct 26, 2023 has found that there are 1 NPL site(s) within approximately 1.00miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
HUDSON RIVER PCBS	NO STREET APPLICABLE HUDSON RIVER NY 12871-2834	ESE	0.22 / 1,135.77	75
<i>EPA ID: NYD980763841</i>				

RCRA CORRACTS - RCRA CORRACTS-Corrective Action

A search of the RCRA CORRACTS database, dated Jan 1, 2024 has found that there are 1 RCRA CORRACTS site(s) within approximately 1.00miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
ASHLAND DISTRIBUTION	SOUTH ST RENSSELAER NY 12144	SE	0.86 / 4,534.12	124
<i>EPA Handler ID: NYD046877775</i>				

RCRA LQG - RCRA Generator List

A search of the RCRA LQG database, dated Jan 1, 2024 has found that there are 18 RCRA LQG site(s) within approximately 0.25miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NYSDOT BIN 1092981	EMPIRE STATE PLZ ARTERY NB I787 ALBANY NY 12207	NW	0.05 / 282.48	8
<i>EPA Handler ID: NYR000000521</i>				
NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO - MANHOLE	45 GRAND ST ALBANY NY 12207	WNW	0.09 / 459.53	15
<i>EPA Handler ID: NYP000978340</i>				
NATIONAL GRID 165 MADISON AVE	165 MADISON AVE ALBANY NY 12208	W	0.15 / 782.02	39
<i>EPA Handler ID: NYP000977878</i>				
NATIONAL GRID-60 STATE ST	60 STATE ST ALBANY NY 12206	NNE	0.19 / 1,027.81	58
<i>EPA Handler ID: NYP000977464</i>				
NATIONAL GRID - STATE ST	90 STATE ST ALBANY NY 12203	NNE	0.20 / 1,075.39	62

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	<i>EPA Handler ID: NYP000976852</i>			
NIAGARA MOHAWK	HOWARD ST ALBANY NY 12204	NNW	0.21 / 1,085.03	65
	<i>EPA Handler ID: NYP000964908</i>			
NATIONAL GRID 48 HOWARD ST	48 HOWARD ST ALBANY NY 12204	NNW	0.21 / 1,126.53	72
	<i>EPA Handler ID: NYP000977209</i>			
NYSDOT BIN 1092850	STATE HWY 85 NB OVER PATROON CREEK ALBANY NY 12205 <i>EPA Handler ID: NYR000146290</i>	NNE	0.23 / 1,205.86	98
NYSDOT BIN 1092840	STATE HWY 85 SB OVER PATROON CREEK ALBANY NY 12205 <i>EPA Handler ID: NYR000146282</i>	NNE	0.23 / 1,205.86	98
NYSDOT BIN 1092870	I-90 WB TO STATE HWY 85 SB OVER PATROON CREEK ALBANY NY 12205 <i>EPA Handler ID: NYR000146316</i>	NNE	0.23 / 1,205.86	98
NYSDOT BIN 1092860	STATE HWY 85 NB TO I-90 WB OVER PATROON CREEK ALBANY NY 12205 <i>EPA Handler ID: NYR000146308</i>	NNE	0.23 / 1,205.86	98
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NYSDOT BIN 109298C	QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202 <i>EPA Handler ID: NYD986969681</i>	SE	0.09 / 466.73	16
NYSDOT BIN 7200339	AMTRAK HUDSON LINE OVER BROADWAY ALBANY NY 12207 <i>EPA Handler ID: NYR000219931</i>	NE	0.12 / 656.69	31
NYSDOT BIN 7092900	AMTRAK/HUDSON LINE OVER WATER ST ALBANY NY 12207 <i>EPA Handler ID: NYR000219923</i>	NE	0.12 / 656.69	31
NYSDOT BIN 7018190	AMTRAK HUDSON LINE OVER N PEARL ST ALBANY NY 12207 <i>EPA Handler ID: NYR000219915</i>	NE	0.12 / 656.69	31
NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH 415 & 453	18 GREEN ST. MH 415&453 ALBANY NY 12208 <i>EPA Handler ID: NYP000257113</i>	NE	0.18 / 935.29	51
GLOBAL COMPANIES LLC ALBANY TERM	50 CHURCH ST ALBANY NY 12202 <i>EPA Handler ID: NYD093248698</i>	SSE	0.21 / 1,127.46	73

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH193	35 STATE ST ALBANY NY 12207	NE	0.22 / 1,165.66	87
	<i>EPA Handler ID: NYP000978381</i>			

RCRA SQG - RCRA Small Quantity Generators List

A search of the RCRA SQG database, dated Jan 1, 2024 has found that there are 2 RCRA SQG site(s) within approximately 0.25miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
HOWARD STREET PARKING FACILITY	70 HOWARD ST ALBANY NY 12207	NNW	0.24 / 1,265.75	104
	<i>EPA Handler ID: NYR000173583</i>			

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH409	66 GREEN ST MH409 ALBANY NY 12211	ENE	0.07 / 378.09	11
	<i>EPA Handler ID: NYP000261479</i>			

RCRA VSQG - RCRA Very Small Quantity Generators List

A search of the RCRA VSQG database, dated Jan 1, 2024 has found that there are 6 RCRA VSQG site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NIAGARA MOHAWK A NATIONAL GRID CO	114 HAMILTON ST ALBANY NY 12207	WNW	0.11 / 560.43	23
	<i>EPA Handler ID: NYP000970004</i>			

MANSION INITIATIVE	104 GRAND ST ALBANY NY 12202	WSW	0.15 / 799.77	40
	<i>EPA Handler ID: NYR000116525</i>			

ALBANY COUNTY DEPT OF GENERAL SERVICES	112 STATE ST ALBANY NY 11207	N	0.22 / 1,175.80	92
	<i>EPA Handler ID: NYN008019852</i>			

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
PLAZA AT FIFTY STATE STREET THE	50 STATE ST ALBANY NY 12207	NE	0.21 / 1,118.00	70
	<i>EPA Handler ID: NYR000175992</i>			

HAMPTON PLAZA	38 STATE ST ALBANY NY 12242	NE	0.22 / 1,156.13	82
	<i>EPA Handler ID: NYR000168963</i>			

SUNY RESEARCH FOUNDATION	35 STATE ST ALBANY NY 12207	NE	0.22 / 1,165.66	87
--------------------------	--------------------------------	----	-----------------	--------------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
------------------------	----------------	------------------	-------------------------	----------------

EPA Handler ID: NYR000264309

RCRA NON GEN - RCRA Non-Generators

A search of the RCRA NON GEN database, dated Oct 2, 2023 has found that there are 28 RCRA NON GEN site(s) within approximately 0.25miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
E & J 1 HOUR CLEANERS	121 S PEARL ST ALBANY NY 12207-1411 <i>EPA Handler ID: NYD981562374</i>	W	0.02 / 95.14	<u>1</u>
ASSOCIATED PRESS AT THE KN THE	51 S PEARL ST THE KICK OFFICE ALBANY NY 12207 <i>EPA Handler ID: NYR000001511</i>	N	0.09 / 486.22	<u>19</u>
NIAGARA MOHAWK A NATIONAL GRID CO	128 HAMILTON ST ALBANY NY 12204 <i>EPA Handler ID: NYP000969972</i>	WNW	0.13 / 704.85	<u>34</u>
NIAGARA MOHAWK A NATIONAL GRID CO	30 WILLIAM ST THIRD AVE & GREEN ST ALBANY NY 12207 <i>EPA Handler ID: NYP000973915</i>	N	0.17 / 923.66	<u>50</u>
GALESI GROUP & COLUMBIA DEV	40 HOWARD ST ALBANY NY 12207 <i>EPA Handler ID: NYR000050849</i>	NNW	0.20 / 1,059.36	<u>61</u>
NATIONAL GRID	54 STATE ST ALBANY NY 12207 <i>EPA Handler ID: NYP000978183</i>	NE	0.22 / 1,142.32	<u>79</u>
R F C PROPERTY INC	74-76 STATE ST ALBANY NY 12207 <i>EPA Handler ID: NYR000089839</i>	NNE	0.22 / 1,153.89	<u>81</u>
NISH CONTRACTING	135 GRAND ST ALBANY NY 12202 <i>EPA Handler ID: NYR000034454</i>	WSW	0.22 / 1,168.96	<u>90</u>
BANK OF AMERICA	69 STATE ST ALBANY NY 12201 <i>EPA Handler ID: NYD006976062</i>	NNE	0.24 / 1,267.30	<u>105</u>
67 REMEDIATION SITE	67 HOWARD ST ALBANY NY 12207 <i>EPA Handler ID: NYR000180018</i>	NNW	0.25 / 1,304.25	<u>111</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NIAGARA MOHAWK A NATIONAL GRID CO	34 HAMILTON ST ALBANY NY 12207	E	0.10 / 509.52	<u>20</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	<i>EPA Handler ID: NYP000970343</i>			
GREYHOUND LINES INC #150051	34 HAMILTON ST ALBANY NY 12207-2815	E	0.10 / 509.52	20
	<i>EPA Handler ID: NYD987009743</i>			
NIAGARA MOHAWK A NATIONAL GRID CO	50 HUDSON AVE ALBANY NY 12205	ENE	0.11 / 598.12	25
	<i>EPA Handler ID: NYP000972463</i>			
NYSDOT BIN 109294A	DUNN MEMORIAL BRG TO I-787 SB ALBANY NY 12202	SSE	0.18 / 941.19	52
	<i>EPA Handler ID: NYD986969731</i>			
R B WING & SON CORP	384 BROADWAY ALBANY NY 12207-2903	ENE	0.19 / 1,017.49	56
	<i>EPA Handler ID: NY0001037589</i>			
NYSDOT BIN 1092951	I-787 SB OVER BROADWAY QUAY ST CONNECTION ALBANY NY 12202	E	0.19 / 1,021.78	57
	<i>EPA Handler ID: NYD986969707</i>			
NIAGARA MOHAWK A NATIONAL GRID CO	50 STATE ST & BROADWAY ALBANY NY 12204	NE	0.21 / 1,118.00	70
	<i>EPA Handler ID: NYP000969592</i>			
NYSDOT BIN 1093010	PEDESTRIAN WALKWAY QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202	ESE	0.21 / 1,118.23	71
	<i>EPA Handler ID: NYD986969673</i>			
STAR ENERGY TRANSPORT	50 CHURCH ST DEC SPILL 1410735 ALBANY NY 12202	SSE	0.21 / 1,127.46	73
	<i>EPA Handler ID: NYP000971424</i>			
TEXPAR ENERGY INC	50 CHURCH ST - NE SECTION ALBANY NY 12202	SSE	0.21 / 1,127.46	73
	<i>EPA Handler ID: NYD987036514</i>			
GETTY SERVICE STATION	222 S PEARL ALBANY NY 12202-1809	SW	0.22 / 1,138.16	76
	<i>EPA Handler ID: NYD986929255</i>			
NYSDOT BIN 109299B	RAMP AD OVER BROADWAY ET AL ALBANY NY 12202	SE	0.22 / 1,140.32	78
	<i>EPA Handler ID: NYD987022977</i>			
NIAGARA MOHAWK A NATIONAL GRID CO	40 STATE ST ALBANY NY 12207	NE	0.22 / 1,156.13	82
	<i>EPA Handler ID: NYP000969907</i>			
NYSDOT BIN 1092952	I-787 NB OVER BROADWAY QUAY ST CONNECTION ALBANY NY 12202	E	0.22 / 1,162.44	86

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	<i>EPA Handler ID: NYD986969715</i>			
FIRST ALBANY CORP	41 STATE ST ALBANY NY 12207-3294	NE	0.22 / 1,185.23	93
	<i>EPA Handler ID: NYD002088607</i>			
NIAGARA MOHAWK A NATIONAL GRID CO	429 BROADWAY ALBANY NY 12207	NE	0.23 / 1,190.58	95
	<i>EPA Handler ID: NYP000972414</i>			
ALBANY HOUSING AUTHO	159 CHURCH ST ALBANY NY 12202-1919	SSE	0.23 / 1,231.77	101
	<i>EPA Handler ID: NYD987011459</i>			
ALBANY COUNTY DEPT OF HEALTH	260 S PEARL ST ALBANY NY 12201	SW	0.24 / 1,291.01	109
	<i>EPA Handler ID: NYR000104505</i>			

FRP - Facility Response Plan

A search of the FRP database, dated May 2, 2023 has found that there are 1 FRP site(s) within approximately 0.25miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Global - Albany Terminal	50 Church Street Albany NY 12202	SSE	0.21 / 1,127.46	73
	<i>Facility ID: R2-NY-00005</i>			

BULK TERMINAL - Petroleum Product and Crude Oil Rail Terminals

A search of the BULK TERMINAL database, dated Sep 22, 2023 has found that there are 2 BULK TERMINAL site(s) within approximately 0.25miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
GLOBAL PARTNERS LP	50 CHURCH STREET ALBANY NY	SSE	0.21 / 1,127.46	73
GLOBAL COMPANIES LLC	ALBANY NY	SSE	0.22 / 1,166.69	88

State

SHWS - Registry of Inactive Hazardous Waste Disposal Sites in New York State

A search of the SHWS database, dated Feb 5, 2024 has found that there are 4 SHWS site(s) within approximately 1.00miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Albany - Grand and Trinity	85 Trinity Place Albany NY 12201	SW	0.25 / 1,301.93	110

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Former Albany Laboratories	67 Howard Street Albany NY 12207	NNW	0.25 / 1,304.25	111

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NM - Rensselaer MGP	Washington St Rensselaer NY 12144	SE	0.57 / 3,014.05	122
Sterling Drug Site 1	33 RIVERSIDE AVENUE RENSELAER NY 12144	SSE	0.96 / 5,048.00	125

VAPOR - Vapor Intrusion Legacy Site List

A search of the VAPOR database, dated Jan 19, 2024 has found that there are 1 VAPOR site(s) within approximately 1.00miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Sterling Drug Site 1	33 RIVERSIDE AVENUE RENSELAER NY 12144	SSE	0.96 / 5,048.00	125

SWF/LF - Solid Waste Facilities and Landfills

A search of the SWF/LF database, dated Apr 7, 2022 has found that there are 1 SWF/LF site(s) within approximately 0.50miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Global Albany Terminal	50 Church Street Port of Albany Albany NY 12202	SSE	0.21 / 1,127.46	73

LST - Leaking Storage Tanks

A search of the LST database, dated Jan 2, 2024 has found that there are 22 LST site(s) within approximately 0.50miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
CALUMET GRILL PHILLIP ST	54 PHILLIP ST ALBANY NY	WNW	0.18 / 946.82	53
	<i>Spill No Close Date: 9810927 1998-12-03 00:00:00</i>			
COUNTY OFF BLDG 112 STATE	112 STATE ST COUNTY OFFIC ALBANY NY	N	0.22 / 1,175.80	92
	<i>Spill No Close Date: 9408117 1994-10-13 00:00:00</i>			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
ALBANY VENTURES STATE ST	100 STATE ST ALBANY NY	N	0.23 / 1,237.62	103
	Spill No Close Date: 8603373 1986-08-22 00:00:00			
OMNI HOTEL STATE @ LODGE	STATE ST (89) @ LODGE ST OMNI HOTEL SATE AND LODGE ALBANY NY	N	0.24 / 1,273.24	106
	Spill No Close Date: 9601631 1997-08-04 00:00:00			
OLD BANK N. PEARL ST (HOME SAVINGS)	11 N. PEARL ST OLD BANK 11 NORTH PEARL STREET ALBANY NY 12202	NNE	0.26 / 1,374.64	114
	Spill No Close Date: 0502857 2007-02-26 00:00:00			
NYNEX STATE ST @ PARK ST (NY TELE, LATER VERIZON?)	148 STATE ST N.Y. TEL 148 STATE ST. ALBANY NY	NNW	0.32 / 1,674.54	116
	Spill No Close Date: 9107718 1992-06-22 00:00:00			
SAINT MARYS CHURCH LODGE ST	10 LODGE ST SAINT MARY'S CHURCH 10 LODGE ST. ALBANY NY	NNE	0.37 / 1,967.32	118
	Spill No Close Date: 8705699 1993-12-07 00:00:00			
GINSBURG PROP COLUMBIA ST	54C COLUMBIA ST ALBANY NY	NNE	0.41 / 2,182.68	119
	Spill No Close Date: 0006930 2000-10-06 00:00:00			
CRISAFULLI PROPERTY DELAWARE ST	5 DELAWARE ST 5 DELAWARE ST ALBANY NY	SW	0.43 / 2,288.02	120
	Spill No Close Date: 0010416 2001-02-07 00:00:00			
TEST PORT	1 PORT 625 BROADWAY TEST ALBANY NY	NE	0.48 / 2,551.17	121
	Spill No Close Date: 1404179 2014-07-17 00:00:00			
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
GREYHOUND	34 HAMILTON ST ALBANY NY	E	0.10 / 509.52	20
	Spill No Close Date: 2202351 2022-06-15 00:00:00			
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST @ GRAYHOUND TERMINAL 34 HAMILTON AVE. ALBANY NY	E	0.10 / 509.52	20
	Spill No Close Date: 9112689 1992-09-03 00:00:00			
GREYHOUND BUS TERMINAL (HAMILTON ST?)	BUS TERMINAL (34 HAMILTON ST?) GREYHOUND TERMINAL ALBANY NY	E	0.10 / 509.52	20
	Spill No Close Date: 8603025 1995-02-14 00:00:00			
GREYHOUND BUS TERMINAL HAMILTON ST OFF BROADWAY	34 HAMILTON ST BUS TERMINAL @ LIBERTY GREYHOUND BROADWAY GREEN DALLIUS LIBERTY ALBANY NY	E	0.10 / 509.52	20
	Spill No Close Date: 8911814 1995-10-17 00:00:00			

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST BUS TERMINAL @ LIBERTY GREYHOUND TERMINAL 34 HAMILTON ST LIBERT ALBANY NY <i>Spill No Close Date: 8911600 1995-03-08 00:00:00</i>	E	0.10 / 509.52	20
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST? GREYHOUND BUS LINE DORRIS AV DALLIUS? ALBANY NY <i>Spill No Close Date: 8606776 1987-09-11 00:00:00</i>	E	0.10 / 509.52	20
GETTY S. PEARL ST	222 S. PEARL ST GETTY GAS STA 222 SO. PEARL ST. ALBANY NY <i>Spill No Close Date: 9206073 1992-10-08 00:00:00</i>	SW	0.22 / 1,138.16	76
GETTY S. PEARL ST	222 S. PEARL ST GETTY 222 S. PEARL ST. ALBANY NY <i>Spill No Close Date: 9002922 2003-08-04 00:00:00</i>	SW	0.22 / 1,138.16	76
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY #58745 222 SOUTH PEARL ALBANY NY <i>Spill No Close Date: 0612912 2007-12-20 00:00:00</i>	SW	0.22 / 1,138.16	76
ALBANY HOUSING STEAMBOAT SQUARE CHURCH ST AHA	159 CHURCH ST AHA ALBANY NY <i>Spill No Close Date: 8709170 1988-11-23 00:00:00</i>	SSE	0.23 / 1,231.77	101
ALBANY HOUSING STEAMBOAT SQUARE CHURCH ST AHA	159 CHURCH ST AHA ALBANY NY <i>Spill No Close Date: 8709135 1988-11-23 00:00:00</i>	SSE	0.23 / 1,231.77	101
SUNY ADMIN BLDG BROADWAY	UNIVERSITY PLAZA BROADWAY SUNY CENTRAL BROADWAY @ STATE ALBANY NY <i>Spill No Close Date: 9102287 1992-10-02 00:00:00</i>	NE	0.23 / 1,232.75	102

UST - Underground Storage Tanks- UST-Petroleum Bulk Storage (PBS)

A search of the UST database, dated Feb 21, 2024 has found that there are 3 UST site(s) within approximately 0.25miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
GREYHOUND LINES, INC. #150051	34 HAMILTON STREET Albany NY 12207 <i>Site ID Site Status: 35623 Active</i>	E	0.10 / 509.52	20
CITGO	222 SOUTH PEARL STREET PEARL & FERRY STREETS Albany NY 12202 <i>Site ID Site Status: 37280 Active</i>	SW	0.22 / 1,138.16	76
NYS OGS FLEET ADMINISTRATION	BLDG 18 STATE CAMPUS ALBANY NY 12226 <i>Site ID Site Status: 36441 Active</i>	NE	0.22 / 1,172.03	91

AST - The Bulk Storage Program Database - AST

A search of the AST database, dated Feb 21, 2024 has found that there are 8 AST site(s) within approximately 0.25miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
CARGILL INCORPORATED-CGD	PORT OF ALBANY ALBANY NY 12202	WSW	0.15 / 806.18	41
	<i>Site ID Site Status: 35494 Unregulated/Closed</i>			
MCI-DBA VERIZON BUSINESS ALBPNY	80 STATE ST ALBANY NY 12207	NNE	0.20 / 1,036.74	59
	<i>Site ID Site Status: 38097 Unregulated/Closed</i>			
DORMITORY AUTHORITY PARKING GARAGE	40 HOWARD ST ALBANY NY 12207	NNW	0.20 / 1,059.36	61
	<i>Site ID Site Status: 38023 Unregulated/Closed</i>			
90 STATE STREET BUILDING	90 STATE ST ALBANY NY 12207	NNE	0.20 / 1,075.39	62
	<i>Site ID Site Status: 37882 Unregulated/Closed</i>			
ALBANY COUNTY OFFICE BUILDING	112 STATE STREET ALBANY NY 12207	N	0.22 / 1,175.80	92
	<i>Site ID Site Status: 37647 Unregulated/Closed</i>			
100 STATE ST	100 STATE ST ALBANY NY 12207	N	0.23 / 1,237.62	103
	<i>Site ID Site Status: 391697 Unregulated/Closed</i>			
HOWARD STREET PARKING FACILITY	70 HOWARD ST ALBANY NY 12207	NNW	0.24 / 1,265.75	104
	<i>Site ID Site Status: 434529 Unregulated/Closed</i>			

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
CITGO	222 SOUTH PEARL STREET PEARL & FERRY STREETS Albany NY 12202	SW	0.22 / 1,138.16	76
	<i>Site ID Site Status: 37280 Active</i>			

MOSF - Major Oil Storage Facilities (MOSF)

A search of the MOSF database, dated Feb 21, 2024 has found that there are 1 MOSF site(s) within approximately 0.50miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
GLOBAL COMPANIES LLC ALBANY TERMINAL	50 CHURCH STREET ALBANY NY 12202	SSE	0.21 / 1,127.46	73
	<i>Site ID Site Status: 344650 Active</i>			

CBS - Chemical Bulk Storage (CBS)

A search of the CBS database, dated Feb 21, 2024 has found that there are 2 CBS site(s) within approximately 0.25miles of the project

property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
GLOBAL COMPANIES, LLC ALBANY TERMINAL	50 CHURCH STREET ALBANY NY 12202	SSE	0.21 / 1,127.46	73
	<i>Site ID / Site Status: 340688 Active</i>			
GLOBAL COMPANIES ALBANY TERMINAL	50 CHURCH STREET ALBANY NY 12202	SSE	0.21 / 1,127.46	73
	<i>Site ID / Site Status: 340689 Active</i>			

ENG - Registry of Engineering Controls in New York State

A search of the ENG database, dated Feb 5, 2024 has found that there are 1 ENG site(s) within approximately 0.50miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Former Albany Laboratories	67 Howard Street Albany NY 12207	NNW	0.25 / 1,304.25	111

INST - Registry of Institutional Controls in New York State

A search of the INST database, dated Feb 5, 2024 has found that there are 2 INST site(s) within approximately 0.50miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Former Albany Laboratories	67 Howard Street Albany NY 12207	NNW	0.25 / 1,304.25	111
NM - Arch St. - Albany MGP	150-152 Grand Street Albany NY 12202	WSW	0.25 / 1,319.40	113

VCP - Voluntary Cleanup Agreements

A search of the VCP database, dated Feb 5, 2024 has found that there are 1 VCP site(s) within approximately 0.50miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NM - Arch St. - Albany MGP	150-152 Grand Street Albany NY 12202	WSW	0.25 / 1,319.40	113

Non Standard

Federal

FINDS/FRS - Facility Registry Service/Facility Index

A search of the FINDS/FRS database, dated Sep 8, 2023 has found that there are 15 FINDS/FRS site(s) within approximately 0.12 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
E & J 1 HOUR CLEANERS	121 S PEARL ST ALBANY NY 12207-1411 <i>Registry ID: 110004409523</i>	W	0.02 / 95.14	<u>1</u>
NYSDOT BIN 1092981	EMPIRE STATE PLZ ARTERY NB I787 ALBANY NY 12207 <i>Registry ID: 110008088407</i>	NW	0.05 / 282.48	<u>8</u>
NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO - MANHOLE	45 GRAND ST ALBANY NY 12207 <i>Registry ID: 110071248700</i>	WNW	0.09 / 459.53	<u>15</u>
ASSOCIATED PRESS AT THE KN THE	51 S PEARL ST ALBANY NY 12207 <i>Registry ID: 110004511760</i>	N	0.09 / 486.22	<u>19</u>
NIAGARA MOHAWK A NATIONAL GRID CO	114 HAMILTON ST ALBANY NY 12207 <i>Registry ID: 110056378771</i>	WNW	0.11 / 560.43	<u>23</u>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NYSDOT BIN 109298D	PEARL ST RAMP TO I787 & ALBANY NY 12210 <i>Registry ID: 110008107529</i>	ESE	0.04 / 214.28	<u>7</u>
NYSDOT BIN 109298C	QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202 <i>Registry ID: 110008066494</i>	SE	0.09 / 466.73	<u>16</u>
GREYHOUND LINES INC	34 HAMILTON ST #1 ALBANY NY 12207 <i>Registry ID: 110040439870</i>	E	0.09 / 475.95	<u>17</u>
NIAGARA MOHAWK A NATIONAL GRID CO	34 HAMILTON ST ALBANY NY 12207 <i>Registry ID: 110058870351</i>	E	0.10 / 509.52	<u>20</u>
NYS DEPT OF AGRICULTURE & MARKETS	FOOD LABORATORY DIVISION ALBANY NY 12235 <i>Registry ID: 110008030031</i>	ENE	0.11 / 577.09	<u>24</u>
NIAGARA MOHAWK A NATIONAL GRID CO	50 HUDSON AVE ALBANY NY 12205 <i>Registry ID: 110067209773</i>	ENE	0.11 / 598.12	<u>25</u>
ALBANY - C COMBINED SEWER OVERFLOWS	HUDSON RIVER ALBANY NY 12207 <i>Registry ID: 110019787248</i>	NE	0.12 / 629.25	<u>28</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NYSDOT BIN 7092900	AMTRAK/HUDSON LINE OVER WATER ST ALBANY NY 12207 <i>Registry ID: 110064675445</i>	NE	0.12 / 656.69	31
NYSDOT BIN 7018190	AMTRAK HUDSON LINE OVER N PEARL ST ALBANY NY 12207 <i>Registry ID: 110064675436</i>	NE	0.12 / 656.69	31
NYSDOT BIN 7200339	AMTRAK HUDSON LINE OVER BROADWAY ALBANY NY 12207 <i>Registry ID: 110064675454</i>	NE	0.12 / 656.69	31

FUDS - Formerly Used Defense Sites

A search of the FUDS database, dated May 15, 2023 has found that there are 1 FUDS site(s) within approximately 1.00miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NAVY RESRV TRNING CNTR	ALBANY NY <i>FUDS Property No: C02NY1079</i>	ENE	0.30 / 1,573.94	115

ALT FUELS - Alternative Fueling Stations

A search of the ALT FUELS database, dated Aug 30, 2023 has found that there are 5 ALT FUELS site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Empire State Plaza P2N	S Mall Arterial Albany NY 12207 <i>ID: 254237</i>	NNW	0.06 / 294.15	10
ALBANY COUNTY TIMES UNION GA2	100 Beaver St Albany NY 12207 <i>ID: 162174</i>	NNW	0.16 / 870.98	47
ALBANY COUNTY TIMES UNION GAR	100 Beaver St Albany NY 12207 <i>ID: 180103</i>	NNW	0.16 / 870.98	47
NYS Comptroller Office Garage	110 State St Albany NY 12207 <i>ID: 252716</i>	N	0.23 / 1,197.72	96
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Albany Parking Authority - Green Hudson Garage	45 Hudson Ave Albany NY 12207 <i>ID: 123113</i>	ENE	0.15 / 813.19	43

State

MGP - Manufactured Gas Plants

A search of the MGP database, dated Feb 14, 2024 has found that there are 3 MGP site(s) within approximately 1.00miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NM - Arch St. - Albany MGP	150-152 Grand Street Albany NY 12202	WSW	0.25 / 1,319.40	113

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NM - Rensselaer MGP	Washington St Rensselaer NY 12144	SE	0.57 / 3,014.05	122

NM - Rensselaer MGP	Washington St Rensselaer NY 12144	SE	0.57 / 3,022.92	123
---------------------	--------------------------------------	----	-----------------	---------------------

NY SPILLS - Spill Incidents Database

A search of the NY SPILLS database, dated Jan 2, 2024 has found that there are 196 NY SPILLS site(s) within approximately 0.25 miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
MADISON AVE @ S. PEARL WATER LINE INSTALLATION	MADISON AVE @ S. PEARL ST MADISON AVE SOUH SIDE NEAR SOUTH PEARL ALBANY NY <i>Spill No Close Date: 9801952 1999-02-05 00:00:00</i>	WSW	0.02 / 97.25	2
CDTA BUS MADISON AVE	MADISON E OF S. PEARL ST IN THE STREET MADISON E OF S PEARL ST ALBANY NY <i>Spill No Close Date: 0710338 2007-12-31 00:00:00</i>	WSW	0.02 / 97.25	2
CONTAMINATION S. PEARL @ MADISON	S. PEARL ST @ MADISON AVE INTERSECTION PEARL AND MADISON AVE ALBANY NY <i>Spill No Close Date: 9703078 1998-07-17 00:00:00</i>	WSW	0.02 / 97.25	2
SOUTH MALL TOWERS S. PEARL ST	101 S. PEARL ST ALBANY NY <i>Spill No Close Date: 9108190 1991-11-05 00:00:00</i>	WNW	0.02 / 104.33	3
ROLLOVER DUNN BRIDGE RAMP S. PEARL ST	S. PEARL ST @ DUNN BRIDGE ALBANY NY <i>Spill No Close Date: 9005666 1990-08-27 00:00:00</i>	NNW	0.03 / 184.26	4
APARTMENT COMPLEX S. PEARL	99 S. PEARL ST ALBANY NY 12202 <i>Spill No Close Date: 0209307 2002-12-16 00:00:00</i>	WNW	0.04 / 201.98	6

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
MEDICAL WASTE - USED NEEDLES	66 SOUTH PEARL ST ALBANY NY 12206	N	0.07 / 379.56	12
	Spill No Close Date: 2303923 2023-08-07 00:00:00			
V&R RESTAURANT MADISON AV	136 MADISON AVE ALBANY NY	W	0.08 / 427.89	13
	Spill No Close Date: 0110497 2002-02-01 00:00:00			
DIVISION TOWER OMNI DEV. HUDSON AVE @ S. PEARL	HUDSON AVE @ S. PEARL ST ALBANY NY	N	0.08 / 436.28	14
	Spill No Close Date: 8807294 1989-07-25 00:00:00			
BROWN PROPERTY GRAND ST	84 GRAND ST RESIDENCIAL PROPERTY ALBANY NY	W	0.12 / 635.19	30
	Spill No Close Date: 0703243 2007-09-12 00:00:00			
OLIVER RES MADISON AVE	156 MADISON AVE ALBANY NY	W	0.13 / 706.15	35
	Spill No Close Date: 8806708 1988-11-18 00:00:00			
PS ASSOCIATE S. PEARL ST	36 S. PEARL ST ALBANY NY	N	0.14 / 727.25	36
	Spill No Close Date: 9813524 2000-02-03 00:00:00			
NIMO TRINITY SUBSTATION NAT GRID GRAND ST	100 GRAND ST (TRINITY SUBSTATION) TRITNEY SUBSTATION 100 GRANDE STREET ALBANY NY	WSW	0.14 / 740.37	37
	Spill No Close Date: 0707170 2007-10-02 00:00:00			
NIMO TRUCK GRAND ST	89 GRAND ST ALBANY NY	W	0.14 / 760.37	38
	Spill No Close Date: 0310006 2003-12-03 00:00:00			
LEAD PAINT 104 GRAND ST	104 GRAND ST ALBANY NY	WSW	0.15 / 799.77	40
	Spill No Close Date: 9700464 1997-04-10 00:00:00			
APARTMENT BLDG ELM ST	9 ELM ST ALBANY NY	W	0.15 / 806.18	42
	Spill No Close Date: 9801193 1999-02-05 00:00:00			
NAT GRID TRANSFORMER S. PEARL ST	30 S. PEARL ST PAD 7437 30 SOUTH PEARL ST ALBANY ALBANY NY	NNE	0.16 / 831.38	44
	Spill No Close Date: 1212719 2013-01-30 00:00:00			
99 OR 101 GRAND ST	99 OR 101 GRAND ST ALBANY NY	WSW	0.16 / 846.04	45
	Spill No Close Date: 9704374 1997-07-16 00:00:00			
PARKING LOT PHILLIP ST ALBANY HOUSING AHA	PHILLIP @ HAMILTON ST AHA ALBANY NY	WNW	0.16 / 853.54	46
	Spill No Close Date: 9802938 2000-04-21 00:00:00			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NAT GRID TRANSFORMER MADISON AVE	180 MADISON AVE POLE # 17 180 MADISON AVE ALBANY NY Spill No Close Date: 1002157 2010-06-14 00:00:00	W	0.17 / 921.34	49
ALBANY DEV GROUP HOWARD ST	26-40 HOWARD ST 26-40 HOWARD STREET ALBANY NY Spill No Close Date: 9708459 1999-10-01 00:00:00	N	0.19 / 1,011.00	55
HUDSON ARMOR CAR STATE ST	60 STATE ST NEAR KEYBANK ALBANY NY Spill No Close Date: 9105734 1991-08-28 00:00:00	NNE	0.19 / 1,027.81	58
ALBANY COUNTY PARKING GARAGE HOWARD ST	40 HOWARD ST ALBANY COUNTY PARKING GAR 40 HOWARD ST ALBANY NY Spill No Close Date: 9707976 1997-10-07 00:00:00	NNW	0.20 / 1,059.36	61
COUNTY PARKING GARAGE HOWARD ST	40 HOWARD ST OLD COUNTY PARKING GARAGE 40 HOWARDS ST ALBANY NY Spill No Close Date: 9908469 2001-01-16 00:00:00	NNW	0.20 / 1,059.36	61
TRW TITLE INS STATE ST	90 STATE ST ALBANY NY Spill No Close Date: 9004409 1990-08-01 00:00:00	NNE	0.20 / 1,075.39	62
URI KAUFMANN AND SCHWARTZ	90 STATE ST ALBANY NY Spill No Close Date: 1909327 2020-09-08 00:00:00	NNE	0.20 / 1,075.39	62
TRINITY SUBSTATION NIMO NAT GRID GRAND ST	71 TRINITY PL (BTWN GRAND ST & TRINITY PL) TRINITY SUBSTATION 71 TRINITY PLACE AL ALBANY NY Spill No Close Date: 0708865 2008-08-11 00:00:00	SW	0.21 / 1,087.12	66
NIMO TRINITY SUBSTATION GRAND ST	71 TRINITY PL (BTWN GRAND ST & TRINITY PL) TRINITY SUBSTATION 71 TRINITY PLACE AL ALBANY NY 12202 Spill No Close Date: 0607124 2006-09-21 00:00:00	SW	0.21 / 1,087.12	66
NATIONAL GRID	71 TRINITY PL POWER SUBSTATION ALBANY NY Spill No Close Date: 2007610 2021-11-23 00:00:00	SW	0.21 / 1,087.12	66
NATIONAL GRID	71 TRINITY PL ALBANY NY Spill No Close Date: 2306979	SW	0.21 / 1,087.12	66
WASTE MGT TRUCK WENDELL @ EXCHANGE	32 WENDELL @ EXCHANGE ST TO ROADWAY 32 WENDELL/ EXCHANGE ST ALB ALBANY NY Spill No Close Date: 1300516 2013-04-18 00:00:00	NNW	0.21 / 1,098.20	67
ODOR COMPLAINT	42 ELM STREET ALBANY NY	W	0.21 / 1,109.95	68

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	Spill No Close Date: 2208353 2023-01-12 00:00:00			
PHILIP ST VAN	57 PHILIP ST ALBANY NY	W	0.21 / 1,116.38	69
	Spill No Close Date: 9104536 1991-07-27 00:00:00			
JONES PROPERTY HOWARD ST INST FOR HUMANIST STUDI	48 HOWARD ST JONES HOME 48 HOWARD STREET ALBANY NY 12210	NNW	0.21 / 1,126.53	72
	Spill No Close Date: 0501507 2005-07-19 00:00:00			
NAT GRID TRANSFORMER STATE ST	70 STATE ST VAULT 2125 70 STATE ST ALBANY NY	NNE	0.21 / 1,131.88	74
	Spill No Close Date: 1201464 2012-06-04 00:00:00			
NAT GRID JAMES ST @ STATE ST (VAULT 55)	JAMES ST @ STATE ST ROADWAY JAMES AND STATE ST ALBANY NY	NNE	0.22 / 1,160.43	84
	Spill No Close Date: 1700043 2017-08-15 00:00:00			
NAT GRID TRANSFORMER JAMES ST @ STATE ST	JAMES ST @ STATE ST ROADWAY JAMES ST AND STATE ST ALBANY NY	NNE	0.22 / 1,160.43	84
	Spill No Close Date: 1700339 2017-04-11 00:00:00			
MANUFACTURERS HANOVER STATE ST	63 STATE ST ALBANY NY	NNE	0.22 / 1,167.74	89
	Spill No Close Date: 8904912 1989-11-20 00:00:00			
EQ FAIL STATE ST	112 STATE STREET ON STREET ALBANY NY 12207	N	0.22 / 1,175.80	92
	Spill No Close Date: 0504054 2005-07-07 00:00:00			
RESIDENCE GRAND ST	140 GRAND ST ALBANY NY 12202	WSW	0.23 / 1,197.72	97
	Spill No Close Date: 0111594 2002-07-29 00:00:00			
COMMERCIAL OFFICE STATE ST	100 STATE ST 100 STATE STREET ALBANY NY	N	0.23 / 1,237.62	103
	Spill No Close Date: 0707905 2008-01-07 00:00:00			
COMMERCIAL APT HOWARD ST	64 HOWARD ST COMMERCIAL APT 64 HOWARD ST ALBANY NY	NNW	0.24 / 1,278.46	107
	Spill No Close Date: 1400853 2014-06-10 00:00:00			
NIMO TRANSFORMER TRINITY SUBSTATION GRAND ST	GRAND ST @ PARK AVE (BTWN GRAND ST & TRINITY PL) TRINITY SUBSTATION GRANDE/PARK STREET ALBANY NY 12202	SW	0.24 / 1,279.67	108
	Spill No Close Date: 0600771 2006-08-04 00:00:00			
NIMO TRINITY SUBSTATION GRAND ST	GRAND ST SUBSTATION (BTWN GRAND ST & TRINITY PL) TRINITY SUB STATION GRAND ST ALBANY ALBANY NY	SW	0.24 / 1,279.67	108
	Spill No Close Date: 0013218 2001-07-26 00:00:00			

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NIMO TRINITY SUBSTATION GRAND ST	GRAND ST SUBSTATION (BTWN GRAND ST & TRINITY PL) TRINITY SUB STATION GRAND ST ALBANY ALBANY NY Spill No Close Date: 9712374 2001-02-14 00:00:00	SW	0.24 / 1,279.67	108
NIMO TRANSFORMER	62 ELM ST MAPLEWOOD NY 12189 Spill No Close Date: 0600405 2006-08-15 00:00:00	W	0.25 / 1,306.56	112
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
CDTA BUS MADISON @ GREEN	MADISON AVE @ GREEN ST ALBANY NY 12207 Spill No Close Date: 0111278 2002-03-01 00:00:00	SE	0.04 / 190.61	5
CDTA BUS MADISON @ GREEN	MADISON AVE @ GREEN ST ALBANY NY Spill No Close Date: 0201145 2002-05-31 00:00:00	SE	0.04 / 190.61	5
GREYHOUND BUS GREEN ST @ LIBERTY ST NEAR HAMILTON	GREEN ST @ LIBERTY ST (NEAR 34 HAMILTON ST) GREYHOUSE BUS TERMINAL GREEN ST/LIBER ALBANY NY Spill No Close Date: 0403243 2004-06-24 00:00:00	E	0.05 / 290.17	9
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND TERMINAL 34 HAMILTON ST ALBANY NY Spill No Close Date: 9002519 1990-06-06 00:00:00	E	0.10 / 509.52	20
GREYHOUND TERMINAL HAMILTON ST BUS	34 HAMILTON ST GREYHOUND TERMINAL 34 HAMILTON ST ALBANY NY Spill No Close Date: 1303471 2013-07-08 00:00:00	E	0.10 / 509.52	20
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GRAY HOUND BUS TERM. 34 HAMILTON ST ALBANY NY Spill No Close Date: 1101866 2011-05-23 00:00:00	E	0.10 / 509.52	20
GREYHOUND BUS GARAGE HAMILTON ST	34 HAMILTON ST GREYHOUND 34 HAMILTON ALBANY NY Spill No Close Date: 8912472 1990-04-09 00:00:00	E	0.10 / 509.52	20
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND BUS STATION 34 HAMILTON ALBANY NY Spill No Close Date: 0400655 2004-04-23 00:00:00	E	0.10 / 509.52	20
GREYHOUND BUS HAMILTON ST	34 HAMILTON ST GREYHOUND 34 HAMILTON ST BUS ALBANY NY Spill No Close Date: 9412504 1995-01-09 00:00:00	E	0.10 / 509.52	20
ALBANY BUS TERMINAL HAMILTON ST	34 HAMILTON ST BUS ALBANY TERMINAL 34 HAMILTON ST ALBANY NY Spill No Close Date: 0704496 2007-07-26 00:00:00	E	0.10 / 509.52	20

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND LOCATION 34 HAMILTON ST ALBANY NY <i>Spill No Close Date: 0713144 2008-03-24 00:00:00</i>	E	0.10 / 509.52	20
ADIRONDACK TRANSIT BUS HAMILTON ST	34 HAMILTON ST 34 HAMILTON ST BUS ALBANY NY <i>Spill No Close Date: 0303543 2003-07-07 00:00:00</i>	E	0.10 / 509.52	20
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND LOCATION 34 HAMILTON ALBANY NY 12202 <i>Spill No Close Date: 0501065 2005-05-02 00:00:00</i>	E	0.10 / 509.52	20
CDTA BUS @ GREYHOUND TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND BUS TERMINAL 34 HAMILTON ST ALBANY NY <i>Spill No Close Date: 9914836 2000-04-03 00:00:00</i>	E	0.10 / 509.52	20
GREYHOUND BUS TERMINAL HAMILTON ST	34 HAMILTON ST GREYHOUND BUS 34 HAMILTON ST ALBANY NY <i>Spill No Close Date: 1407615 2015-08-20 00:00:00</i>	E	0.10 / 509.52	20
1ST GROUP AMERICA GREYHOUND BUS TERMINAL HAMILTON	34 HAMILTON ST FIRST GROUP AMERICA/GREY HOU 34 HAMILTON ALBANY NY <i>Spill No Close Date: 1500418 2015-05-27 00:00:00</i>	E	0.10 / 509.52	20
GREYHOUND LINES	34 HAMILTON ST ALBANY NY <i>Spill No Close Date: 2109831 2022-02-23 00:00:00</i>	E	0.10 / 509.52	20
GREYHOUND BUS DALLIUS @ DIVISION	DALLIUS ST @ DIVISION ST DALLIUS ST & DIVISION ST GRAYHOUND BUS ALBANY NY 12207 <i>Spill No Close Date: 0208313 2003-03-11 00:00:00</i>	ENE	0.11 / 605.93	26
RED-KAP TRUCK HUDSON RIVER GREEN ST	GREEN ST RR XX HUDSON RIVER ALBANY NY <i>Spill No Close Date: 9912861 2000-05-09 00:00:00</i>	NE	0.12 / 628.36	27
PROPIONIC ACID TRUCK I-787 @ MADISON	MADISON AVE I-787 PROPIONIC ACID UNDERPASS ALBANY NY <i>Spill No Close Date: 8707196 1988-11-23 00:00:00</i>	SE	0.13 / 687.71	32
BROADWAY & MADISON	BROADWAY & MADISON ALBANY NY <i>Spill No Close Date: 8802224 1988-06-10 00:00:00</i>	SE	0.13 / 687.71	32
MOBIL TRUCK BROADWAY @ MADISON	BROADWAY @ MADISON AVE ALBANY NY <i>Spill No Close Date: 9802838 1998-06-03 00:00:00</i>	SE	0.13 / 687.71	32
HUDSON RIVER MADISON BROADWAY SHEEN	MADISON @ BROADWAY HUDSON RIVER SHEEN NEAR UHAUL FOOT OF MADISON AVE/B'WAY / NEXT TO U- ALBANY NY	SE	0.13 / 688.22	33

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	Spill No Close Date: 9402588 1994-06-20 00:00:00			
MEGINNISS ELEC BROADWAY	368 BROADWAY ALBANY NY	ENE	0.17 / 891.16	48
	Spill No Close Date: 9111051 1992-01-27 00:00:00			
DRUM DONGAN AVE BTWN S. FERRY ST & WESTERLO ST	DONGAN AVE BTWN S. FERRY ST & WESTERLO ST DONGAN AVE BETWEEN FERRY + WESTERLO ST. ALBANY NY	SSE	0.19 / 999.70	54
	Spill No Close Date: 8601114 1987-03-31 00:00:00			
NATIONAL GRID	227 SOUTH PEARL ST ALBANY NY	SW	0.20 / 1,047.66	60
	Spill No Close Date: 2300335 2023-09-20 00:00:00			
CDTA BUS @ SUNY PLAZA BROADWAY @ HUDSON AVE	HUDSON AVE @ BROADWAY SUNY PLAZA HUDSON/BROADWAY ALBANY NY 12207	ENE	0.20 / 1,075.68	63
	Spill No Close Date: 0605805 2006-08-21 00:00:00			
CP RAIL YARD (KENWOOD YARD)	5 CHURCH ST ALBANY NY	SSE	0.21 / 1,083.31	64
	Spill No Close Date: 1703235 2018-02-28 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8401060 1993-01-27 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9314241 1994-03-07 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9407447 1994-09-19 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9407448 1994-09-19 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9406775 1994-09-15 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9401620 1994-09-27 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9404709 1994-07-07 00:00:00			

Lower Elevation	Address	Direction	Distance (mi/ft)	Map Key
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY 12202	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9403518 2007-11-07 00:00:00			
MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9311126 2005-11-25 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9106893 1994-05-09 00:00:00			
GLOBAL CHURCH ST HUDSON RIVER PORT OF ALB (MOBIL)	50 CHURCH ST HUDSON RIVER PORT OF ALB GLOBAL MOSF 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1008701 2010-11-22 00:00:00			
MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8604538 1995-02-14 00:00:00			
GLOBAL/MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB PORT OF ALBANY - MOBIL TERMINAL ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9214484 2020-01-23 00:00:00			
MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER @ THE DOCK 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9303171 1993-06-09 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9301115 1993-04-23 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST HUDSON RIVER	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9106905 1991-10-03 00:00:00			
MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9005170 1991-04-10 00:00:00			
MOBIL PORT OF ALB LONG CHURCH ST	50 CHURCH ST PORT MOBIL MOBIL TERMIAL PORT OF ALBANY ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0104753 2001-08-02 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0001759 2000-07-28 00:00:00			
EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT MOBIL CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	Spill No Close Date: 0206706 2002-09-30 00:00:00			
GLOBAL DOCK HUDSON RIVER CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT HUDSON RIVER GLOBAL TERMINAL 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1404089 2014-07-16 00:00:00			
GLOBAL TANK FARM CHURCH ST PORT OF ALB (MOBIL)	50 CHURCH ST PORT OF ALB TANK FARM 50 CHURCH STREET ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1405509 2014-09-16 00:00:00			
GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT GLOBAL 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1402029 2014-07-10 00:00:00			
KENWOOD YARD GLOBAL CHURCH ST PORT TANKCAR OVERFL	50 CHURCH ST PORT KENWOOD TRAINYARD 50 CHURCH ST GOLBAL C ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1403390 2014-08-11 00:00:00			
GLOBAL CHURCH ST PORT OF ALBANY DRILL (MOBIL)	50 CHURCH ST PORT ALBANY 50 CHURCH ST DRILL ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1406284 2014-09-12 00:00:00			
GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT GLOBAL COMPANIES - RACK AREA 50 CHURCH ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1410735 2015-04-08 00:00:00			
GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST GLOBAL - RAILSIDE 50 CHURCH ST PORT ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1500801 2015-04-23 00:00:00			
GLOBAL CHURCH ST PORT TANK 39 (MOBIL)	50 CHURCH ST TANK 39 50 CHURCH ST PORT ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1501819 2015-06-22 00:00:00			
GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST GLOBAL 50 CHURCH ST PORT ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1504084 2021-09-29 00:00:00			
GLOBAL CHURCH ST DRILL PORT OF ALB (MOBIL)	50 CHURCH ST PORT OF ALB COMMERCIAL 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1510557 2016-02-01 00:00:00			
OUTSIDE	50 CHURCH STREET ALBANY NY 12211	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1803849 2018-07-10 00:00:00			
GLOBAL COMPANIES FACILTY	50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1905787 2019-12-23 00:00:00			

Lower Elevation	Address	Direction	Distance (mi/ft)	Map Key
GLOBAL COMPANIES	50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1908062 2020-05-19 00:00:00			
GLOBAL OIL TERMINAL	50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 2205276 2022-09-29 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9003511 1990-11-09 00:00:00			
MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8909468 1990-01-09 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8809827 1989-03-22 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN PORT OF ALBANY ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8809235 1989-02-28 00:00:00			
MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT OF ALB HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8803693 1988-08-02 00:00:00			
MOBIL PORT OF ALB CHURCH ST MACINT	50 CHURCH ST PORT OF ALBANY RIGHT SIDE OF CHURCH AVE ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9604121 1996-06-26 00:00:00			
MOBIL PORT BOUCHARD BARGE CHURCH ST HUDSON RIVER	50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY MOBIL TERMINAL NONE GIVEN ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9805038 1998-07-23 00:00:00			
MOBIL PORT SHERIDAN TUG CHURCH ST HUDSON RIVER	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8701842 1987-06-04 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9304248 1993-07-07 00:00:00			
EXXON MOBIL PORT OF ALB CHURCH ST (LATER GLOBAL)	50 CHURCH ST PORT EXXON MOBIL 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0207228 2002-10-29 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	Spill No Close Date: 9213480 1993-03-26 00:00:00			
GLOBAL CORP CHURCH ST HUDSON RIVER PORT MOBIL	50 CHURCH ST PORT HUDSON RIVER GLOBAL CORP 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 1104983 2011-11-21 00:00:00			
MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8912444 1990-04-09 00:00:00			
EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0010824 2001-06-27 00:00:00			
MOBIL PORT OF ALB HUDSON RIVER CHURCH ST	50 CHURCH ST PORT OF ALB HUDSON RIVER MOBIL ALBANY - PORT OF AL ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0510587 2006-08-03 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9306460 1994-05-13 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0010881 2001-01-04 00:00:00			
EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0011469 2001-03-07 00:00:00			
MOBIL PORT ISLAND TRANSP CHURCH ST	50 CHURCH ST PORT OF ALB 30 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9305366 1993-08-03 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9003263 1990-07-02 00:00:00			
MOBIL PORT HUDSON RIVERCO CHURCH ST	50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9309566 1993-11-08 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9310068 1995-01-23 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8805667 1988-10-04 00:00:00			

Lower Elevation	Address	Direction	Distance (mi/ft)	Map Key
MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY NY <i>Spill No Close Date: 9704125 1997-07-07 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL EXXON PORT CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 0104341 2001-10-09 00:00:00</i>	SSE	0.21 / 1,127.46	73
EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT MOBIL ALBANY NY <i>Spill No Close Date: 0207112 2002-10-29 00:00:00</i>	SSE	0.21 / 1,127.46	73
EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 0302712 2003-06-15 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 0311324 2004-01-12 00:00:00</i>	SSE	0.21 / 1,127.46	73
EXXON MOBIL PORT OF ALB CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 0310344 2004-01-12 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 9414678 1995-03-21 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 9505097 1995-08-22 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 9610449 1996-11-20 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 9613568 1997-02-19 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY <i>Spill No Close Date: 9513146 1996-01-22 00:00:00</i>	SSE	0.21 / 1,127.46	73
EXXON MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALBANY NY <i>Spill No Close Date: 0503032 2005-10-17 00:00:00</i>	SSE	0.21 / 1,127.46	73
GLOBAL (FORMER MOBIL) PORT CHURCH ST	50 CHURCH ST PORT UNDERGROUND TANK COLLECTI 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	Spill No Close Date: 0703602 2007-07-27 00:00:00			
GLOBAL CO PORT (MOBIL) CHURCH ST	50 CHURCH ST PORT OF ALBANY GLOBAL COMPANIES LLC 50 CHURCH ST ALBANY NY 12202	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0802123 2008-05-27 00:00:00			
GLOBAL CHURCH ST PORT OF ALB MOBIL	50 CHURCH ST PORT OF ALBANY GLOBAL COMPANY 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0900407 2009-05-14 00:00:00			
WASTE MGT TRUCK CHURCH ST PORT OF ALB@MOBIL/GLOBAL	50 CHURCH ST PORT OF ALBANY WASTE MANAGMENT TRUCK ALBANY NY 12202	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 0609157 2006-11-13 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN MOBIL DOCK - SOUTH ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8908658 1989-12-05 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9906453 1999-09-17 00:00:00			
SEWAGE HUDSON RIVER PORT CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SEWAGE 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9313660 1994-03-03 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9201673 1993-04-05 00:00:00			
MOBIL PORT HUDSON RIVER SHEEN CHURCH ST	50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9213501 1993-03-26 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9203444 1993-04-05 00:00:00			
MOBIL PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8701886 1987-06-04 00:00:00			
GLOBAL/MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB MOBIL - WEST END PORT OF ALBANY TERMINA ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9214481			
MOBIL TUG PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 8706650 1987-10-26 00:00:00			

Lower Elevation	Address	Direction	Distance (mi/ft)	Map Key
MOBIL TUG PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY <i>Spill No Close Date: 8708203 1987-12-22 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY <i>Spill No Close Date: 8708444 1988-11-23 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL TUG PORT HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER 150 EAST 42ND ST ALBANY NY <i>Spill No Close Date: 8707222 1987-11-21 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT BARGE HUDSON RIVER CHURCH ST	50 CHURCH ST PORT HUDSON RIVER ALBANY NY <i>Spill No Close Date: 9606541 1996-08-21 00:00:00</i>	SSE	0.21 / 1,127.46	73
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY <i>Spill No Close Date: 9708272 1997-10-15 00:00:00</i>	SSE	0.21 / 1,127.46	73
KENWOOD YARD GLOBAL (MOBIL) CHURCH ST PORT TANKCAR	50 CHURCH ST PORT KENWOOD YARD 50 CHURCH ST GLOBAL ALBANY NY <i>Spill No Close Date: 1109354 2011-10-26 00:00:00</i>	SSE	0.21 / 1,127.46	73
GLOBAL CHURCH ST PORT HUDSON RIVER (MOBIL)	50 CHURCH ST PORT HUDSON RIVER GLOBAL COMPANIES LLC 50 CHURCH ST ALBANY NY <i>Spill No Close Date: 1200687 2012-06-27 00:00:00</i>	SSE	0.21 / 1,127.46	73
GLOBAL TANK 64 CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT GLOBAL 50 CHURCH STREET ALBANY NY <i>Spill No Close Date: 1110257 </i>	SSE	0.21 / 1,127.46	73
GLOBAL HUDSON RIVER CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT HUDSON RIVER 300-400FEET FROM THE HUDSON R 50 CHURCH ALBANY NY <i>Spill No Close Date: 1110260 2011-11-20 00:00:00</i>	SSE	0.21 / 1,127.46	73
GLOBAL (MOBIL) CHURCH ST PORT	50 CHURCH ST PORT GLOBAL CO LLC 50 CHURCH ST ALBANY NY <i>Spill No Close Date: 1205415 2012-08-29 00:00:00</i>	SSE	0.21 / 1,127.46	73
GLOBAL CHURCH ST PORT (MOBIL)	50 CHURCH ST PORT GLOBAL 50 CHURCH ST DISCOVERED PETRO FAC ALBANY NY 12202 <i>Spill No Close Date: 0906610 2010-11-09 00:00:00</i>	SSE	0.21 / 1,127.46	73
HUDSON RIVER GLOBAL/MOBIL CHURCH ST PORT	50 CHURCH ST PORT HUDSON RIVER BEHIND 50 CHURCH ST ALBANY NY <i>Spill No Close Date: 1008836 2011-02-16 00:00:00</i>	SSE	0.21 / 1,127.46	73

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9506244 1995-10-18 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9005534 1990-11-30 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9106322 1991-09-23 00:00:00			
MOBIL PORT OF ALBANY CHURCH ST	50 CHURCH ST PORT OF ALB ALBANY NY	SSE	0.21 / 1,127.46	73
	Spill No Close Date: 9407727 1994-09-19 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY #58745 222 SOUTH PEARL STREET ALBANY NY 12202	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0500798 2005-04-20 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY #58745 222 SOUTH PEARL STREET ALBANY NY 12202	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0510664 2006-11-08 00:00:00			
GETTY # 58745 S. PEARL ST	222 S. PEARL ST GETTY # 58745 242 SOUTH PEARL ST ALBANY NY 12202	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0608343 2006-11-13 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY # 58745 222 SOUTH PEARL STREET ALBANY NY 12202	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0514489 2006-11-08 00:00:00			
GETTY S. PEARL @ FERRY ST	222 S. PEARL ST @ S. FERRY ST GETTY STA. S. PEARL + FERRY ST. ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 9312890 1994-02-09 00:00:00			
GETTY S. PEARL @ S. FERRY	222 S. PEARL ST @ S. FERRY GETTY SVC. STA. SO. PEARL ST + SO. FERRY ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 9106400 1991-09-27 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTYMART #58745 222 SOUTH PEARL STREET ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0612880 2008-02-22 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY#58745 222 SOUTH PEARL STREET ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0700034 2008-01-10 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY 58745 222 SOUTH PEARL STREET ALBANY NY 12202	SW	0.22 / 1,138.16	76

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
	Spill No Close Date: 0605475 2006-08-21 00:00:00			
GETTY S. PEARL ST	222 S. PEARL ST GETTY STA. 222 SO. PEARL ST. ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 9206196 1992-10-08 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY#58745 222 SOUTH PEARL STREET ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0609655 2007-04-20 00:00:00			
GETTY # 58745 S. PEARL ST	222 S. PEARL ST GETTY # 58745 222 SOUTH PEARL STREET ALBANY NY 12202	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0602849 2007-04-20 00:00:00			
HECTOR (GAS STA) S.FERRY @ S. PEARL (LATER GETTY)	222 S. PEARL ST @ S. FERRY S. PEARL ST. + S. FERRY ST. SEWER ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 8300267 1983-06-28 00:00:00			
MNZ MART S. PEARL ST (FORMER GETTY)	222 S. PEARL ST MNZ MART 222 SOUTH PEARL ST ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 1307045 2016-03-18 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY # 58745 221 SOUTH PEARL STREET ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0612870 2008-08-06 00:00:00			
GETTY #58745 S. PEARL ST	222 S. PEARL ST GETTY# 58745 222 SOUTH PEARL STREET ALBANY NY 12202	SW	0.22 / 1,138.16	76
	Spill No Close Date: 0512453 2006-11-08 00:00:00			
CONSTRUCTION SITE AT GAS STATION	222 SOUTH PEARL ST ALBANY NY	SW	0.22 / 1,138.16	76
	Spill No Close Date: 2205166 2023-02-28 00:00:00			
FRANKLINS TOWER BROADWAY	414 BROADWAY ALBANY NY	NE	0.22 / 1,139.53	77
	Spill No Close Date: 0610130 2007-01-04 00:00:00			
FRANKLIN TOWERS BROADWAY	414 BROADWAY ALBANY NY 12210	NE	0.22 / 1,139.53	77
	Spill No Close Date: 0514545 2006-03-21 00:00:00			
NAT GRID TRANSFORMER STATE @ GREEN	STATE ST @ GREEN ST VAULT 6 VAULT 6 STATE ST & GREEN ST ALBANY NY	NE	0.22 / 1,148.49	80
	Spill No Close Date: 0813415 2009-03-27 00:00:00			
SALVATION ARMY	40 SOUTH FERRY ST ALBANY NY	S	0.22 / 1,159.45	83
	Spill No Close Date: 2006985 2023-03-03 00:00:00			
NYS DOT LAB BLDG #7 STATE OFFICE CAMPUS RM.216	BLDG #7 STATE OFFICE CAMPUS ALBANY NY 12222	NE	0.23 / 1,189.97	94

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
<i>Spill No Close Date: 0806831 2009-02-23 00:00:00</i>				
NIMO EXCAVATION STATE @ BROADWAY	BROADWAY @ STATE ST ALBANY NY	NE	0.23 / 1,206.05	99
<i>Spill No Close Date: 9912801 2000-02-10 00:00:00</i>				
COMMERCIAL	90 CHURCH ST ALBANY NY	SSE	0.23 / 1,220.62	100
<i>Spill No Close Date: 2010309 </i>				

PFAS - Per- and Polyfluoroalkyl Substances (PFAS)

A search of the PFAS database, dated Jan 16, 2019 has found that there are 2 PFAS site(s) within approximately 0.50miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Albany Fire Dept	26 Broad St Albany NY	SW	0.33 / 1,730.36	117

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Global Companies, LLC - Albany	50 Church St Albany NY	SSE	0.21 / 1,127.46	73

NY MANIFEST - Hazardous Waste Manifest - Facilities

A search of the NY MANIFEST database, dated Dec 5, 2023 has found that there are 2 NY MANIFEST site(s) within approximately 0.12miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NIAGARA MOHAWK A NATIONAL GRID COMPANY	45 GRAND ST ALBANY NY 12207	WNW	0.09 / 459.53	15

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NIAGARA MOHAWK A NATIONAL GRID CO	50 HUDSON AVE ALBANY NY 12205	ENE	0.11 / 598.12	25

REC MANIFEST - Receivers from Hazardous Waste Manifests

A search of the REC MANIFEST database, dated Dec 5, 2023 has found that there are 2 REC MANIFEST site(s) within approximately 0.25miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
NATIONAL GRID	156 MADISON AVE VAULT ALBANY NY 12202	W	0.13 / 706.15	35

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
-------------------------------	----------------	------------------	-------------------------	----------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
------------------------	----------------	------------------	-------------------------	----------------

GLOBAL COMPANIES LLC ALBANY TERMINAL	50 CHURCH STREET ALBANY NY 12202	SSE	0.21 / 1,127.46	73
---	-------------------------------------	-----	-----------------	--------------------

GEN MANIFEST - Generators from Hazardous Waste Manifests

A search of the GEN MANIFEST database, dated Dec 5, 2023 has found that there are 4 GEN MANIFEST site(s) within approximately 0.12miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
-------------------------------	----------------	------------------	-------------------------	----------------

E & J ONE HOUR CLEANERS	121 SOUTH PEARL STREET ALBANY NY 12208	W	0.02 / 95.14	1
-------------------------	---	---	--------------	-------------------

NYNEX CORP MANHOLE A	MADISON AVE & GRAND ST ALBANY NY 12201	W	0.10 / 525.76	22
----------------------	---	---	---------------	--------------------

NATIONAL GRID	114 HAMILTON ST ALBANY NY 12207	WNW	0.11 / 560.43	23
---------------	------------------------------------	-----	---------------	--------------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
------------------------	----------------	------------------	-------------------------	----------------

NIAGARA MOHAWK A NATIONAL GRID CO	34 HAMILTON ST ALBANY NY 12207	E	0.10 / 509.52	20
--------------------------------------	-----------------------------------	---	---------------	--------------------

COOLING TOWERS - Registered Cooling Towers

A search of the COOLING TOWERS database, dated Feb 7, 2024 has found that there are 2 COOLING TOWERS site(s) within approximately 0.12miles of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
-------------------------------	----------------	------------------	-------------------------	----------------

	60 South Pearl Street Albany NY 12207	N	0.10 / 512.44	21
--	--	---	---------------	--------------------

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
------------------------	----------------	------------------	-------------------------	----------------

	300 Broadway Albany NY 12207	E	0.12 / 629.76	29
--	---------------------------------	---	---------------	--------------------

TIER 2 - Tier 2 Report

A search of the TIER 2 database, dated Sep 28, 2022 has found that there are 5 TIER 2 site(s) within approximately 0.12miles of the


project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
Greyhound Lines, Inc.	34 Hamilton Albany NY 12207	E	0.09 / 481.86	18
Greyhound Lines, Inc. #150051	34 Hamilton Street Albany NY NY	E	0.10 / 509.52	20
Greyhound Lines, Inc. #150051	34 Hamilton Street Albany NY Albany	E	0.10 / 509.52	20
Greyhound Lines, Inc. #150051	34 Hamilton Street Albany NY 12207	E	0.10 / 509.52	20
Greyhound Lines, Inc. #150051	34 Hamilton Street Albany NY 12207	E	0.10 / 509.52	20

AIR PERMITS - Air Permitted Facilities

A search of the AIR PERMITS database, dated Dec 30, 2022 has found that there are 2 AIR PERMITS site(s) within approximately 0.25miles of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (mi/ft)</u>	<u>Map Key</u>
GLOBAL COMPANIES LLC - ALBANY TERMINAL	50 CHURCH ST - PORT OF ALBANY ALBANY NY 12202	SSE	0.22 / 1,162.30	85
GLOBAL COMPANIES LLC - ALBANY TERMINAL	50 CHURCH ST - PORT OF ALBANY ALBANY NY 12202	SSE	0.22 / 1,162.30	85




Map: 1.0 Mile Radius

Order Number: 24032600830
 Address: 106 S Pearl St., Albany, NY



- Project Property
- Buffer Outline
- ▲ Sites with Higher Elevation
- ▲ Sites with Same Elevation
- ▼ Sites with Lower Elevation
- Sites with Unknown Elevation
- Areas with Higher Elevation
- Areas with Same Elevation
- Areas with Lower Elevation
- Areas with Unknown Elevation
- Freeways; Highways
- Traffic Circle; Ramp
- Major & Minor Arterial
- Traffic Circle; Ramp
- Local Road
- + Rail
- State
- Country
- National Wetland
- Indian Reserve Land
- 100 Year Flood Zone
- 500 Year Flood Zone
- FWS Special Designation Areas
- National Priorities List (Active, Delisted, Proposed, Institutional Control)



Map: 0.5 Mile Radius

Order Number: 24032600830

Address: 106 S Pearl St., Albany, NY



Project Property

Buffer Outline

Sites with Higher Elevation

Sites with Same Elevation

Sites with Lower Elevation

Sites with Unknown Elevation

Areas with Higher Elevation

Areas with Same Elevation

Areas with Lower Elevation

Areas with Unknown Elevation

Freeways; Highways

Traffic Circle; Ramp

Major & Minor Arterial

Traffic Circle; Ramp

Local Road

Rail

State

Country

National Wetland


Indian Reserve Land

100 Year Flood Zone

500 Year Flood Zone

FWS Special Designation Areas

National Priorities List (Active, Delisted, Proposed, Institutional Control)



Map: 0.25 Mile Radius

Order Number: 24032600830
Address: 106 S Pearl St., Albany, NY



- Project Property
- Buffer Outline
- ▲ Sites with Higher Elevation
- ▲ Sites with Same Elevation
- ▼ Sites with Lower Elevation
- Sites with Unknown Elevation
- Areas with Higher Elevation
- Areas with Same Elevation
- Areas with Lower Elevation
- Areas with Unknown Elevation
- Freeways; Highways
- Traffic Circle; Ramp
- Major & Minor Arterial
- Traffic Circle; Ramp
- Local Road
- Rail
- State
- Country
- National Wetland
- Indian Reserve Land
- 100 Year Flood Zone
- 500 Year Flood Zone
- FWS Special Designation Areas
- National Priorities List (Active, Delisted, Proposed, Institutional Control)



Aerial Year: 2021

Address: 106 S Pearl St., Albany, NY

Source: ESRI World Imagery

Order Number: 24032600830



© ERIS Information Inc.

Detail Report

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<u>1</u>	1 of 3	W	0.02 / 95.14	37.13 / 8	E & J 1 HOUR CLEANERS 121 S PEARL ST ALBANY NY 12207-1411	RCRA NON GEN

EPA Handler ID: NYD981562374
Gen Status Universe: No Report
Contact Name:
Contact Address: 121 , S PEARL ST , , ALBANY , NY, 12207 , US
Contact Phone No and Ext:
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type:
Receive Date: 20070101
Location Latitude: 42.646141
Location Longitude: -73.754905

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19861015
Handler Name: E & J 1 HOUR CLEANERS
Source Type: Notification
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: F002
Waste Code Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19990708
 Handler Name: E & J 1 HOUR CLEANERS
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20060101
 Handler Name: E & J 1 HOUR CLEANERS
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 3
 Receive Date: 20070101
 Handler Name: E & J 1 HOUR CLEANERS
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	NOT REQUIRED
Name:	JOHN A HOULE	Street 2:	
Date Became Current:		City:	NOT REQUIRED
Date Ended Current:		State:	WY
Phone:	212-555-1212	Country:	US
Source Type:	Implementer	Zip Code:	99999

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	NOT REQUIRED
Name:	JOHN A HOULE	Street 2:	
Date Became Current:		City:	NOT REQUIRED
Date Ended Current:		State:	WY
Phone:	212-555-1212	Country:	US
Source Type:	Implementer	Zip Code:	99999

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	NOT REQUIRED
Name:	JOHN A HOULE	Street 2:	
Date Became Current:		City:	NOT REQUIRED
Date Ended Current:		State:	WY
Phone:	212-555-1212	Country:	US
Source Type:	Notification	Zip Code:	99999

Historical Handler Details

Receive Dt: 20060101
 Generator Code Description: Not a Generator, Verified

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Handler Name:		E & J 1 HOUR CLEANERS				
Receive Dt:		19990708				
Generator Code Description:		Not a Generator, Verified				
Handler Name:		E & J 1 HOUR CLEANERS				
Receive Dt:		19861015				
Generator Code Description:		Small Quantity Generator				
Handler Name:		E & J 1 HOUR CLEANERS				

<u>1</u>	2 of 3	W	0.02 / 95.14	37.13 / 8	E & J 1 HOUR CLEANERS 121 S PEARL ST ALBANY NY 12207-1411	FINDS/FRS
----------	--------	---	--------------	-----------	---	-----------

Registry ID: 110004409523
FIPS Code: 36001
HUC Code: 02020006
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 01-MAR-00
Update Date: 17-OCT-17
Interest Types: UNSPECIFIED UNIVERSE
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: FRS-GEOCODE
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001144
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.64601
Longitude: -73.75464
Reference Point: CENTER OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-HOUSE NUMBER
Accuracy Value: 30
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110004409523
Data Source: Facility Registry Service - Single File
Program Acronyms:

RCRAINFO:NYD981562374

<u>1</u>	3 of 3	W	0.02 / 95.14	37.13 / 8	E & J ONE HOUR CLEANERS 121 SOUTH PEARL STREET ALBANY NY 12208	GEN MANIFEST
----------	--------	---	--------------	-----------	--	--------------

RCRA ID:	NYD981562374	Mailing State:	NY
District Name:	E & J ONE HOUR CLEANERS	Mailing ZIP:	12208
Contact Name:	E & J ONE HOUR CLEANERS	Mailing ZIP Ext:	
Business Phone No:	5184650651	Mailing Country:	USA
Mailing Street 1:	121 SOUTH PEARL STREET	Location ZIP Ext:	
Mailing Street 2:		Location Country:	USA
Mailing City:	ALBANY	Location County:	ALBANY

Manifest Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Waste Code(s):

F002: (Generic) The following spent halogenated solvents: tetrachloro-ethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2- trifluoroethane, orthodichlorobenzene, trichlorofluoromethane and 1,1,2-trichloroethane; all spent solvent mixtures/blends containing, before use, a total of 10 percent or more (by volume) of one or more of the above halogenated solvents or those listed in F001, F004 or F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (T)

Waste Amounts By Year:

1987: 280 Pounds

<u>2</u>	1 of 3	WSW	0.02 / 97.25	32.44 / 3	MADISON AVE @ S. PEARL WATER LINE INSTALLATION MADISON AVE @ S. PEARL ST MADISON AVE SOUH SIDE NEAR SOUTH PEARL ALBANY NY	NY SPILLS
----------	--------	-----	--------------	-----------	--	-----------

Spill No:	9801952	UST Trust:	False
Site ID:	95274	Spill Date:	1998-05-14 15:00:00
DER Facility ID:	85223	Received Date:	1998-05-14 15:24:00
CID:	257	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1999-02-05 00:00:00
Water Body:		Create Date:	1998-05-14 00:00:00
Class:	B3	Update Date:	2012-02-01 16:38:47.953000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"caller is doing work for nys dot and came across contaminated soil"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN SEE 9703078. 6/8/98 - UPDATE OPEN EXCAVATION FILLED WITH WATER AND OIL. DOT HIRED KLEEN RESOURCES TO PUMP OUT EXCAVATION. THIS IS THE SAME EXCAVATION THAT THEY INCOUNTED CONTAMINATED SOIL. (see 9703078)"

Material Information

OP Unit ID:	1062491	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	323864	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name: DON QUAY
Spiller Company: MADISON AVE SOUH SIDE[SP]

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Address:		NEAR S. PEARL ST				
Spiller City:		ALBANY				
Spiller State:		ZZ				
Spiller Zip:						
Spiller Country:		001				
Contact Name:		DON QUAY				
Contact Phone:		(518) 463-6696				
Contact Ext:						
Latitude:						
Longitude:						

2	2 of 3	WSW	0.02 / 97.25	32.44 / 3	CDTA BUS MADISON AVE MADISON E OF S. PEARL ST IN THE STREET MADISON E OF S PEARL ST ALBANY NY	NY SPILLS
-------------------	--------	-----	--------------	-----------	---	-----------

Spill No:	0710338	UST Trust:	
Site ID:	391607	Spill Date:	2007-12-29 07:50:00
DER Facility ID:	341211	Received Date:	2007-12-29 08:24:00
CID:	76	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2007-12-31 00:00:00
Water Body:		Create Date:	2007-12-29 08:41:00
Class:	C4	Update Date:	2008-01-04 13:46:29.117000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"caller reports spill due to ruptured radiator hose. spill did make it to storm sewer system. maint trk is o/s. req call back from dec rep."

DEC Remark:

"12/29 - MF telecon with Moscatello. Revised estimate to appx 10 gallons of antifreeze. While we were on the phone his service man looked into the man hole and could see water moving thru the sewer. Rain last night in area. Warm and melting snow today. Recovery of material no likely due to flushing action. He also believes that this is not straight antifreeze, but rather a mix. Closed."

Material Information

OP Unit ID:	1148651	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2139143	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	True
Quantity:	20.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0043A		
Material Name:	antifreeze		

Spiller Information

Spiller Name:	JOE MOSCATELLO
Spiller Company:	CDTA BUS
Spiller Address:	MADISON E OF S PEARL ST

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:		12205				
Spiller Country:		999				
Contact Name:		JOE MOSCATELLO				
Contact Phone:		(518) 437-8375				
Contact Ext:						
Latitude:						
Longitude:						

2	3 of 3	WSW	0.02 / 97.25	32.44 / 3	CONTAMINATION S. PEARL @ MADISON S. PEARL ST @ MADISON AVE INTERSECTION PEARL AND MADISON AVE ALBANY NY	NY SPILLS
-------------------	--------	-----	--------------	-----------	--	-----------

Spill No:	9703078	UST Trust:	False
Site ID:	140610	Spill Date:	1997-06-11 11:30:00
DER Facility ID:	120082	Received Date:	1997-06-11 12:45:00
CID:	311	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1998-07-17 00:00:00
Water Body:		Create Date:	1997-06-11 00:00:00
Class:	B3	Update Date:	2015-02-11 12:28:09.270000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"GROUND TEST COMPANY FOUND DURING OPERATIONS AT THE ABOVE INTERSECTION UNK PETRO ODORS AND PID READINGS GREATER THAN 100PPM."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN Alpha Geoscience handled soil disposal for this DOT Project for the Pearl Street Rehabilitation Project (see Edocs). see 9801952 2/8/12 - FOIL 12/004, Edoc CD (see 12/012)"

Material Information

OP Unit ID:	1048922	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	335988	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	PETER HOWARD
Spiller Company:	UNK
Spiller Address:	PEARL AND MADISON AVE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name: PETER HOWARD
Contact Phone: (518) 486-4295
Contact Ext:
Latitude:
Longitude:

3	1 of 1	WNW	0.02 / 104.33	39.38 / 10	SOUTH MALL TOWERS S. PEARL ST 101 S. PEARL ST ALBANY NY	NY SPILLS
-------------------	--------	-----	---------------	------------	---	-----------

Spill No:	9108190	UST Trust:	False
Site ID:	165118	Spill Date:	1991-10-31 10:00:00
DER Facility ID:	139191	Received Date:	1991-10-31 10:30:00
CID:		CAC Date:	1991-10-31 00:00:00
Program Type:	ER	Insp Date:	1991-10-31 00:00:00
SWIS Code:	0101	Close Date:	1991-11-05 00:00:00
Water Body:		Create Date:	1991-11-05 00:00:00
Class:	C3	Update Date:	2015-02-11 12:40:21.517000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"REPORTED FINDING CONT. SOIL WHILE REMOVING TANK. 10/31-NOT CONTAMINATED."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	958574	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	570468	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: SOUTH MALL TOWERS
Spiller Address: 101 S. PEARL ST
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.646839020
Longitude: -73.754460990

4	1 of 1	NNW	0.03 / 184.26	36.48 / 7	ROLLOVER DUNN BRIDGE RAMP S. PEARL ST S. PEARL ST @ DUNN BRIDGE ALBANY NY	NY SPILLS
-------------------	--------	-----	---------------	-----------	--	-----------

Spill No:	9005666	UST Trust:	False
Site ID:	150180	Spill Date:	1990-08-22 13:00:00
DER Facility ID:	127716	Received Date:	1990-08-22 13:24:00
CID:		CAC Date:	1990-08-22 00:00:00
Program Type:	ER	Insp Date:	1990-08-22 00:00:00
SWIS Code:	0101	Close Date:	1990-08-27 00:00:00
Water Body:		Create Date:	1990-08-27 00:00:00
Class:	A2	Update Date:	2015-02-11 12:41:56.517000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCCULLOUGH
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Traffic Accident		
Reported by:	Police Department		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"TRUCK ROLLED ON RAMP FROM S.PEARL TO BRIDGE E. CALLED LARKIN-NA. EOI SENT 5 LABORERS & TRUCK, CLEAN-UP COMPLETE."

DEC Remark:

""

Material Information

OP Unit ID:	943202	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	433155	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	100.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:
Spiller Company: PREPAKT CONCRETE
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.645914994

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Longitude: -73.754695000

<u>5</u>	1 of 2	SE	0.04 / 190.61	20.78 / -8	CDTA BUS MADISON @ GREEN MADISON AVE @ GREEN ST ALBANY NY 12207	NY SPILLS
----------	--------	----	------------------	---------------	---	-----------

Spill No:	0111278	UST Trust:	False
Site ID:	269980	Spill Date:	2002-02-27 14:10:00
DER Facility ID:	321718	Received Date:	2002-02-27 14:15:00
CID:	396	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2002-03-01 00:00:00
Water Body:		Create Date:	2002-02-27 00:00:00
Class:	B3	Update Date:	2006-10-16 11:50:33.590000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Passenger Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"they have speedy dry down.fire dept is responding at this time."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 03/01/2001 - Spill of approximately 10-20 gallons was caused by a leaking fuel line. Cleanup done by CDTA personal. On site. wtc 0201145"

Material Information

OP Unit ID:	848341	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	528866	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	
Spiller Company:	CDTA
Spiller Address:	110 WATERVLIET AVE
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	-
Spiller Country:	001
Contact Name:	JOHN VANSYCKLE
Contact Phone:	(518) 482-8133
Contact Ext:	
Latitude:	
Longitude:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<u>5</u>	2 of 2	SE	0.04 / 190.61	20.78 / -8	CDTA BUS MADSION @ GREEN MADISON AVE @ GREEN ST ALBANY NY	NY SPILLS

Spill No: 0201145
Site ID: 269981
DER Facility ID: 219870
CID: 252
Program Type: ER
SWIS Code: 0101
Water Body:
Class: C4
Meets Std: True
Penalty: False
REM Phase: 0
County: Albany
Contributing Factor: Equipment Failure
Reported by: Responsible Party
Referred to:
Source: Commercial Vehicle
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

UST Trust: False
Spill Date: 2002-04-30 16:37:00
Received Date: 2002-04-30 16:49:00
CAC Date:
Insp Date:
Close Date: 2002-05-31 00:00:00
Create Date: 2002-04-30 00:00:00
Update Date: 2002-05-31 00:00:00
DEC Region: 4
Lead DEC: WTCHRIST
After Hours: True

Caller Remark:

"FIRE DEPT HAS BEEN NOTIFIED-HAZMAT ENROUTE FOR CLEANUP."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 0111278 05/31/2002 - No DEC response."

Material Information

OP Unit ID: 852141
OU: 01
Material ID: 563032
CAS No:
Material Family: Petroleum
Quantity: 10.00
Units: G
Recovered: .00
Med Soil: True
Med Air: False
Material Code: 0008
Material Name: diesel

Med Ind Air: False
Med GW: False
Med SW: False
Med DW: False
Med Sewer: False
Med Surf: False
Med Subway: False
Med Utility: False
Oxygenate:

Spiller Information

Spiller Name: JOHN VANSYCKLE
Spiller Company: CDTA
Spiller Address: 110 WATERVLIET AVE
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: -
Spiller Country: 001
Contact Name: JOHN VANSYCKLE
Contact Phone: (518) 482-8133
Contact Ext:
Latitude:
Longitude:

<u>6</u>	1 of 1	WNW	0.04 / 201.98	42.59 / 13	APARTMENT COMPLEX S.PEARL 99 S. PEARL ST ALBANY NY 12202	NY SPILLS
----------	--------	-----	---------------	------------	--	-----------

Spill No: 0209307
UST Trust: False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Site ID:	308056				Spill Date:	2002-12-10 15:00:00
DER Facility ID:	248788				Received Date:	2002-12-10 16:13:00
CID:	390				CAC Date:	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	2002-12-16 00:00:00
Water Body:					Create Date:	2002-12-10 00:00:00
Class:	B3				Update Date:	2002-12-16 00:00:00
Meets Std:	False				DEC Region:	4
Penalty:	False				Lead DEC:	WTCHRIST
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Unknown				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"caller reporting soil samle [SP] results returned today - tested positive for unk. petroleum [SP]"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 12/16/2002 - Received Phase II report from HRP Associates/Chris Bablin. Borings reviled soil samples that exceeded TAGMs 4046 for Benzo(a)anthracene, Chrysene, Benzo(b)Flouranthene, Benzo(k)Flouranthene and Benzo(a)pyrene. Non detect for all VOC's No remediation is required. Closed wtc"

Material Information

OP Unit ID:	860708	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	516282	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	CHRIS BABLIN
Spiller Company:	APARTMENT COMPLEX....
Spiller Address:	99 S. PEARL ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	-
Spiller Country:	001
Contact Name:	CHRIS BABLIN
Contact Phone:	(518) 899-3011
Contact Ext:	
Latitude:	42.647475750
Longitude:	-73.754216510

<u>7</u>	1 of 1	ESE	0.04 / 214.28	20.01 / -9	NYS DOT BIN 109298D PEARL ST RAMP TO I787 & ALBANY NY 12210	FINDS/FRS
----------	--------	-----	------------------	---------------	---	-----------

Registry ID:	110008107529
FIPS Code:	36001
HUC Code:	02020006
Site Type Name:	STATIONARY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Location Description:
Supplemental Location: PARKING LOT
Create Date: 01-MAR-00
Update Date: 09-AUG-10
Interest Types: UNSPECIFIED UNIVERSE
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: REGION02
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001147
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.64513
Longitude: -73.75232
Reference Point: FACILITY CENTROID
Coord Collection Method: INTERPOLATION-PHOTO
Accuracy Value: 25
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110008107529
Data Source: Facility Registry Service - Single File
Program Acronyms:

RCRAINFO:NYR000069336

<u>8</u>	1 of 2	NW	0.05 / 282.48	43.53 / 14	NYS DOT BIN 1092981 EMPIRE STATE PLZ ARTERY NB I787 ALBANY NY 12207	FINDS/FRS
----------	--------	----	------------------	---------------	--	-----------

Registry ID: 110008088407
FIPS Code: 36001
HUC Code: 02020006
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 01-MAR-00
Update Date: 09-AUG-10
Interest Types: HAZARDOUS WASTE BIENNIAL REPORTER, LQG
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: REGION02
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001139
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.64734
Longitude: -73.754992
Reference Point: CENTER OF FACILITY
Coord Collection Method: INTERPOLATION-PHOTO
Accuracy Value: 25
Datum: NAD83

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source:

Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110008088407

Data Source: Facility Registry Service - Single File

Program Acronyms:

BR:NYR000000521, RCRAINFO:NYR000000521

8	2 of 2	NW	0.05 / 282.48	43.53 / 14	NYSDOT BIN 1092981 EMPIRE STATE PLZ ARTERY NB I787 ALBANY NY 12207	RCRA LQG
-------------------	--------	----	---------------	------------	---	----------

EPA Handler ID: NYR000000521
Gen Status Universe: Large Quantity Generator
Contact Name: STEPHEN W RADZYMINSKI
Contact Address: 50 , WOLF RD , , ALBANY , NY, 12232 , US
Contact Phone No and Ext: 518-485-0969
Contact Email: STEVEN.RADZYMINSKI@DOT.NY.GOV
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20180223
Location Latitude: 42.64734
Location Longitude: -73.754992

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19950223
Handler Name: NYSDOT BIN 1092981
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D000
Waste Code Description: DESCRIPTION

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19960329
Handler Name: NYS DEPARTMENT OF TRANSPORTATION REG I
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: NYSDOT BIN 1092981
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: NYSDOT BIN 1092981
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20180223
Handler Name: NYSDOT BIN 1092981
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	50
Type:	State	Street 1:	WOLF RD
Name:	NYSDOT	Street 2:	
Dt Became Current:	19670101	City:	ALBANY
Dt Ended Current:		State:	NY
Phone:	518-485-0969	Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	12232

Owner/Operator Ind:	Current Owner	Street No:	
Type:	State	Street 1:	84 HOLLAND AVE
Name:	NYSDOT	Street 2:	
Dt Became Current:		City:	ALBANY
Dt Ended Current:		State:	NY
Phone:	518-474-6562	Country:	US
Source Type:	Implementer	Zip Code:	12208

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Owner/Operator Ind:	Current Owner				Street No: 50	
Type:	State				Street 1: WOLF RD	
Name:	NYSDOT				Street 2:	
Dt Became Current:	19670101				City: ALBANY	
Dt Ended Current:					State: NY	
Phone:	518-485-0969				Country: US	
Source Type:	Annual/Biennial Report update with Notification				Zip Code: 12232	
Owner/Operator Ind:	Current Operator				Street No:	
Type:	State				Street 1: 84 HOLLAND AVE	
Name:	NYSDOT				Street 2:	
Dt Became Current:					City: ALBANY	
Dt Ended Current:					State: NY	
Phone:	518-474-6562				Country: US	
Source Type:	Implementer				Zip Code: 12208	
Owner/Operator Ind:	Current Owner				Street No:	
Type:	State				Street 1: 84 HOLLAND AVE	
Name:	NYSDOT				Street 2:	
Dt Became Current:					City: ALBANY	
Dt Ended Current:					State: NY	
Phone:	518-474-6562				Country: US	
Source Type:	Notification				Zip Code: 12208	

Historical Handler Details

Receive Dt:	20070101
Generator Code Description:	Not a Generator, Verified
Handler Name:	NYSDOT BIN 1092981
Receive Dt:	20060101
Generator Code Description:	Not a Generator, Verified
Handler Name:	NYSDOT BIN 1092981
Receive Dt:	19960329
Generator Code Description:	Large Quantity Generator
Handler Name:	NYS DEPARTMENT OF TRANSPORTATION REG I
Receive Dt:	19950223
Generator Code Description:	Not a Generator, Verified
Handler Name:	NYSDOT BIN 1092981

<u>9</u>	1 of 1	E	0.05 / 290.17	19.33 / -10	GREYHOUND BUS GREEN ST @ LIBERTY ST NEAR HAMILTON GREEN ST @ LIBERTY ST (NEAR 34 HAMILTON ST) GREYHOUSE BUS TERMINAL GREEN ST/LIBER ALBANY NY	NY SPILLS
Spill No:	0403243				UST Trust: False	
Site ID:	81028				Spill Date: 2004-06-24 15:00:00	
DER Facility ID:	75018				Received Date: 2004-06-24 16:01:00	
CID:	403				CAC Date:	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date: 2004-06-24 00:00:00	
Water Body:					Create Date: 2004-06-24 00:00:00	
Class:	C4				Update Date: 2015-07-31 10:34:21.637000000	
Meets Std:	False				DEC Region: 4	
Penalty:	False				Lead DEC: WTCHRIST	
REM Phase:	0				After Hours: False	
County:	Albany					
Contributing Factor:	Other					
Reported by:	Other					
Referred to:						
Source:	Commercial Vehicle					
Source File:	NYSDOC - Environmental Remediation Data Files - Spill Data					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Caller Remark:

"fuel line leak on the bus caused about 5 gallons to spill.in process of being cleaned up.little bit went into a storm drain,storm drain is being vaccumed out."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN [PBS 4-088080 SHOWS GREYHOUND TERMINAL AT 34 HAMILTON (SEVERAL RELEASES THERE), APPEARS BUS LEAKED ON STs AROUND TERMINAL] 16:10 - TMK CALLED MAROTTA & CONFIRMED CLEANUP. "

Material Information

OP Unit ID:	885223	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	490836	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	GEORGE FUDGE GREYHOUSE[SP]BUS TERMINAL
Spiller Company:	GREYHOUND BUS TERMINAL
Spiller Address:	GREEN ST/LIBERTY ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	GEORGE FUDGE
Contact Phone:	(518) 783-8080
Contact Ext:	
Latitude:	
Longitude:	

10	1 of 1	NNW	0.06 / 294.15	42.55 / 13	Empire State Plaza P2N S Mall Arterial Albany NY 12207	ALT FUELS
-----------	--------	------------	----------------------	-------------------	---	------------------

ID:	254237	CNG Dispenser No:	
Fuel Type Code:	ELEC: Electric	CNG Site Renew Src:	
Station Phone:	866-816-7584	CNG Tot Compr Cap:	
Expected Date:		CNG Storage Cap:	
BD Blends:		CNG Fill Type Code:	
NG PSI:		CNG PSI:	
Federal Agency ID:		CNG Vehicle Class:	
Open Date:	2023-02-18	LNG Site Renew Src:	
Hydrogen is Retail:		LNG Vehicle Class:	
Federal Agency:		LPG Nozzle Types:	
Facility Type:		Hydrogen Pressures:	
Dt Last Confirmed:	2023-08-30	Hydrogen Standards:	
Updated at:	2023-08-30 01:12:44 UTC	Latitude:	42.647454
Access Code:	public	Longitude:	-73.754851
Access Detail Code:			
Groups with Access Code:	Public		
Groups with Access Code Fr:	Public		
Fed Agency Name:			
Hydrogen Status Link:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

E85 Other Ethanol Blends:

NPS Unit Name:
Cards Accepted:
CNG Statn Sells Renewable Na:
LNG Statn Sells Renewable Na:
Maximum Vehicle Class:
RD Blended With Biodiesel:
RD Blends:
RD Blends French:
RD Maximum Biodiesel Level:
Status:
Owner Type Desc:
E85 Blender Pump Desc:
NG Fill Type Desc:
NG Vehicle Class Desc:
Geocode Status Desc:
Group with Access Desc:
LPG Primary Desc:
Intersection Directions:
Access Days Time:
Restricted Access:

Open: The station is open.

The location is from a real GPS readout at the station.
Publicly available to all customers.

11	1 of 1	ENE	0.07 / 378.09	23.36 / -6	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH409 66 GREEN ST MH409 ALBANY NY 12211	RCRA SQG
--------------------	--------	------------	----------------------	-------------------	---	-----------------

EPA Handler ID: NYP000261479
Gen Status Universe: Small Quantity Generator
Contact Name: MATTHEW ROOT
Contact Address: 1125 , BRAODWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext: 518-227-7508
Contact Email: MATTHEW.ROOT2@NATIONALGRID.COM
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20230822
Location Latitude: 42.646716
Location Longitude: -73.752313

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20230822
Handler Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH409
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator
Source Type: Temporary

Waste Code Details

Hazardous Waste Code: B007
Waste Code Description: Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.

Owner/Operator Details

Owner/Operator Ind: Current Operator	Street No: 300
Type: Private	Street 1: ERIE BLVD WEST
Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:
Date Became Current: 20000905	City: SYRACUSE
Date Ended Current:	State: NY
Phone: 315-474-1511	Country: US
Source Type: Temporary	Zip Code: 13202

Owner/Operator Ind: Current Owner	Street No: 300
Type: Private	Street 1: ERIE BLVD WEST
Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:
Date Became Current: 20000905	City: SYRACUSE
Date Ended Current:	State: NY
Phone: 315-474-1511	Country: US
Source Type: Temporary	Zip Code: 13202

12	1 of 1	N	0.07 / 379.56	35.75 / 7	MEDICAL WASTE - USED NEEDLES 66 SOUTH PEARL ST ALBANY NY 12206	NY SPILLS
--------------------	--------	---	---------------	-----------	---	-----------

Spill No: 2303923	UST Trust:
Site ID: 655816	Spill Date: 2023-08-07 10:50:00
DER Facility ID: 601504	Received Date: 2023-08-07 10:50:00
CID:	CAC Date:
Program Type: ER	Insp Date:
SWIS Code: 0101	Close Date: 2023-08-07 00:00:00
Water Body:	Create Date: 2023-08-07 15:55:00
Class: E5	Update Date: 2023-08-07 16:00:53.520000000
Meets Std: False	DEC Region: 4
Penalty: False	Lead DEC: JDUTBERG
REM Phase: 0	After Hours: False
County: Albany	
Contributing Factor: Vandalism	
Reported by: Affected Persons	
Referred to:	
Source: Commercial/Industrial	
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data	

Caller Remark:

"A large number of used needles and other debris have been left in the area around the transformers at the key bank building in Albany. As a result, NG Workers will not enter the area to do maintenance on equipment."

DEC Remark:

"Report received from NG that there was a large number of needles near their transformers at the key bank building. DEC does not dispose of medical

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

waste. Contacted Albany PD. They said to call Albany DGS at 518-427-7480. Left report with Albany DGS they said one of their divisions would respond to the site. Also found info on Project Safe Point that is a nonprofit that deals with this type of incident. Was not able to contact anyone at their phone number. JDU"

Spiller Information

Spiller Name:
Spiller Company:
Spiller Address:
Spiller City:
Spiller State:
Spiller Zip:
Spiller Country:
Contact Name: MATT ROOT
Contact Phone: (518) 227-7508
Contact Ext:
Latitude:
Longitude:

13	1 of 1	W	0.08 / 427.89	46.65 / 18	V&R RESTAURANT MADISON AV 136 MADISON AVE ALBANY NY	NY SPILLS
--------------------	--------	---	---------------	------------	---	-----------

Spill No:	0110497	UST Trust:	False
Site ID:	255365	Spill Date:	2002-02-01 16:00:00
DER Facility ID:	209167	Received Date:	2002-02-01 16:25:00
CID:	282	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2002-02-01 00:00:00
Water Body:		Create Date:	2002-02-01 00:00:00
Class:	D5	Update Date:	2002-03-11 00:00:00
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Deliberate		
Reported by:	Health Department		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"albany police officer was chasing a suspect thru a alley way and fell into a pit filled with cooking grease the rest. is apparently dumping in the ground on purpose. "

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 3/11/02 - No DEC response. wtc"

Material Information

OP Unit ID:	847575	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	528118	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0046A		
Material Name:	cooking grease		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name: N/A [626-0001]
Spiller Company: V AND R RESTAURANT
Spiller Address: 136 MADISON AVE
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202-001
Spiller Country: N/A
Contact Name: N/A
Contact Phone:
Contact Ext:
Latitude: 42.646065130
Longitude: -73.756172050

14	1 of 1	N	0.08 / 436.28	36.45 / 7	DIVISION TOWER OMNI DEV. HUDSON AVE @ S. PEARL HUDSON AVE @ S. PEARL ST ALBANY NY	NY SPILLS
--------------------	--------	---	---------------	-----------	--	-----------

Spill No: 8807294	UST Trust: True
Site ID: 66231	Spill Date: 1988-11-29 12:00:00
DER Facility ID: 63447	Received Date: 1988-11-29 12:10:00
CID:	CAC Date: 1989-07-25 00:00:00
Program Type: ER	Insp Date:
SWIS Code: 0101	Close Date: 1989-07-25 00:00:00
Water Body:	Create Date: 1988-12-05 00:00:00
Class: B3	Update Date: 2012-01-03 16:39:20.500000000
Meets Std: True	DEC Region: 4
Penalty: False	Lead DEC: MCDONALD
REM Phase: 0	After Hours: False
County: Albany	
Contributing Factor: Equipment Failure	
Reported by: Responsible Party	
Referred to:	
Source: Gasoline Station or other PBS Facility	
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data	

Caller Remark:

"TANK REMOVALS BY DOMERMUTH. FOUND, REMOVED LARGE AMT. CONT. SOIL. 6/21- 30 MORE LOADS REMOVED BY FAXON. 7/25/89- CLEANUP COMPLETE. NO FURTHER ACTION. SEE RPT FOR SITE ASSESSMENT."

DEC Remark:

""

Material Information

OP Unit ID: 923973	Med Ind Air: False
OU: 01	Med GW: True
Material ID: 455640	Med SW: False
CAS No:	Med DW: False
Material Family: Petroleum	Med Sewer: False
Quantity: .00	Med Surf: False
Units: G	Med Subway: False
Recovered: .00	Med Utility: False
Med Soil: False	Oxygenate:
Med Air: False	
Material Code: 0009	
Material Name: gasoline	

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Name:
Spiller Company: DIVISON TOWER ASSOCIATES
Spiller Address: 415 MADISON AVE
Spiller City: NEW YORK
Spiller State: NY
Spiller Zip: 10017
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

15	1 of 3	WNW	0.09 / 459.53	52.21 / 23	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO - MANHOLE 45 GRAND ST ALBANY NY 12207	RCRA LQG
--------------------	--------	-----	---------------	------------	---	----------

EPA Handler ID: NYP000978340
Gen Status Universe: Large Quantity Generator
Contact Name: MATTHEW ROOT
Contact Address: 1125 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext: 518-227-7508
Contact Email: MATTHEW.ROOT2@NATIONALGRID.COM
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20230224
Location Latitude: 42.646871
Location Longitude: -73.756091

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20220217
Handler Name: NIAGARA MOHAWK A NATIONAL GRID COMPANY
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Emergency

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20230224
Handler Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO - MANHOLE
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: B007
Waste Code Description: Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.
Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:	315-474-1511	Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Owner/Operator Ind:	Current Operator	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:	315-474-1511	Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Historical Handler Details

Receive Dt: 20220217
Generator Code Description: Large Quantity Generator
Handler Name: NIAGARA MOHAWK A NATIONAL GRID COMPANY

15	2 of 3	WNW	0.09 / 459.53	52.21 / 23	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO - MANHOLE 45 GRAND ST ALBANY NY 12207	FINDS/FRS
--------------------	--------	-----	---------------	------------	--	-----------

Registry ID: 110071248700
FIPS Code: 36001
HUC Code: 02020006
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 27-APR-22
Update Date:
Interest Types: LQG
SIC Codes:
SIC Code Descriptions:
NAICS Codes: 221122
NAICS Code Descriptions: ELECTRIC POWER DISTRIBUTION.
Conveyor: RCRAINFO

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Federal Facility Code: Federal Agency Name: Tribal Land Code: Tribal Land Name: Congressional Dist No: 21 Census Block Code: 360010011001140 EPA Region Code: 02 County Name: ALBANY US/Mexico Border Ind: Latitude: 42.646871 Longitude: -73.756091 Reference Point: ENTRANCE POINT OF A FACILITY OR STATION Coord Collection Method: GDT-ADDRESS MATCHING (GEOCODING) Accuracy Value: Datum: NAD83 Source: Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110071248700 Data Source: Facility Registry Service - Single File Program Acronyms: RCRAINFO:NYP000978340						

15	3 of 3	WNW	0.09 / 459.53	52.21 / 23	NIAGARA MOHAWK A NATIONAL GRID COMPANY 45 GRAND ST ALBANY NY 12207	NY MANIFEST
RCRA ID:	NYP000978340				Mailing Street 1: 1125 BROADWAY	
District Name:	NIAGARA MOHAWK A NATIONAL GRID COMPANY				Mailing Street 2:	
Business Phone No:	5182277508				Mailing City: ALBANY	
Contact Name:	NIAGARA MOHAWK A NATIONAL GRID COMPANY				Mailing State: NY	
Location ZIP Ext:					Mailing ZIP: 12204	
Location County:	ALBANY				Mailing ZIP Ext:	
Location Country:	USA				Mailing Country: USA	

16	1 of 2	SE	0.09 / 466.73	18.15 / -11	NYSDOT BIN 109298C QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202	FINDS/FRS
Registry ID:	110008066494					
FIPS Code:	36001					
HUC Code:	02020006					
Site Type Name:	STATIONARY					
Location Description:						
Supplemental Location:						
Create Date:	01-MAR-00					
Update Date:	09-AUG-10					
Interest Types:	LQG					
SIC Codes:						
SIC Code Descriptions:						
NAICS Codes:	237310					
NAICS Code Descriptions:	HIGHWAY, STREET, AND BRIDGE CONSTRUCTION. REGION02					
Conveyor:						
Federal Facility Code:						
Federal Agency Name:						
Tribal Land Code:						
Tribal Land Name:						
Congressional Dist No:	21					
Census Block Code:	360010025002011					
EPA Region Code:	02					
County Name:	ALBANY					
US/Mexico Border Ind:						
Latitude:	42.644329					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Longitude:		-73.752209				
Reference Point:		CENTER OF FACILITY				
Coord Collection Method:		INTERPOLATION-PHOTO				
Accuracy Value:		25				
Datum:		NAD83				
Source:						
Facility Detail Rprt URL:		https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110008066494				
Data Source:		Facility Registry Service - Single File				
Program Acronyms:						
RCRAINFO:NYD986969681						

16	2 of 2	SE	0.09 / 466.73	18.15 / -11	NYSDOT BIN 109298C QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202	RCRA LQG
--------------------	--------	----	------------------	----------------	---	-----------------

EPA Handler ID: NYD986969681
Gen Status Universe: Large Quantity Generator
Contact Name: STEPHEN RADZYMINSKI
Contact Address: 50 , WOLF RD , , ALBANY , NY, 12232 , US
Contact Phone No and Ext: 518-485-0969
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20210318
Location Latitude: 42.644329
Location Longitude: -73.752209

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19910821
Handler Name: NYSDOT BIN 109298C
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Notification

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Waste Code Details

Hazardous Waste Code: D000
Waste Code Description: DESCRIPTION

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19960329
Handler Name: NYS DEPARTMENT OF TRANSPORTATION REG I
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: NYSDOT BIN 109298C
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: NYSDOT BIN 109298C
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20210318
Handler Name: NYSDOT BIN 109298C
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind: Current Operator
Type: State
Name: NYSDOT
Dt Became Current:
Dt Ended Current:
Phone: 518-474-6562
Source Type: Implementer

Street No:
Street 1: 84 HOLLAND AVE
Street 2:
City: ALBANY
State: NY
Country: US
Zip Code: 12208

Owner/Operator Ind: Current Owner
Type: State
Name: NYSDOT

Street No:
Street 1: 84 HOLLAND AVE
Street 2:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Dt Became Current:					City: ALBANY	
Dt Ended Current:					State: NY	
Phone:	518-474-6562				Country: US	
Source Type:	Implementer				Zip Code: 12208	
Owner/Operator Ind:	Current Owner				Street No:	
Type:	State				Street 1: 84 HOLLAND AVE	
Name:	NYSDOT				Street 2:	
Dt Became Current:					City: ALBANY	
Dt Ended Current:					State: NY	
Phone:	518-474-6562				Country:	
Source Type:	Notification				Zip Code: 12208	
Owner/Operator Ind:	Current Owner				Street No: 50	
Type:	State				Street 1: WOLF RD	
Name:	NYSDOT				Street 2:	
Dt Became Current:					City: ALBANY	
Dt Ended Current:					State: NY	
Phone:					Country: US	
Source Type:	Annual/Biennial Report update with Notification				Zip Code: 12232	
Owner/Operator Ind:	Current Operator				Street No: 50	
Type:	State				Street 1: WOLF RD	
Name:	NYSDOT				Street 2:	
Dt Became Current:					City: ALBANY	
Dt Ended Current:					State: NY	
Phone:	518-485-0969				Country: US	
Source Type:	Annual/Biennial Report update with Notification				Zip Code: 12232	

Historical Handler Details

Receive Dt:	20070101
Generator Code Description:	Not a Generator, Verified
Handler Name:	NYSDOT BIN 109298C
Receive Dt:	20060101
Generator Code Description:	Not a Generator, Verified
Handler Name:	NYSDOT BIN 109298C
Receive Dt:	19960329
Generator Code Description:	Large Quantity Generator
Handler Name:	NYS DEPARTMENT OF TRANSPORTATION REG I
Receive Dt:	19910821
Generator Code Description:	Not a Generator, Verified
Handler Name:	NYSDOT BIN 109298C

[17](#) 1 of 1 E 0.09 / 475.95 17.16 / -12 GREYHOUND LINES INC 34 HAMILTON ST #1 ALBANY NY 12207 [FINDS/FRS](#)

Registry ID:	110040439870
FIPS Code:	36001
HUC Code:	02020006
Site Type Name:	STATIONARY
Location Description:	
Supplemental Location:	
Create Date:	18-FEB-10
Update Date:	11-JAN-16
Interest Types:	ICIS-NPDES NON-MAJOR, STATE MASTER, STORM WATER INDUSTRIAL, UNSPECIFIED UNIVERSE
SIC Codes:	4131
SIC Code Descriptions:	INTERCITY AND RURAL BUS TRANSPORTATION
NAICS Codes:	
NAICS Code Descriptions:	
Conveyor:	FRS-GEOCODE
Federal Facility Code:	
Federal Agency Name:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001131
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.64635
Longitude: -73.7514
Reference Point: CENTER OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-HOUSE NUMBER
Accuracy Value: 30
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110040439870
Data Source: Facility Registry Service - Single File
Program Acronyms:

FIS:4-0101-00429, NPDES:NYR00E790, RCRAINFO:NYD987009743

18	1 of 1	E	0.09 / 481.86	17.94 / -11	Greyhound Lines, Inc. 34 Hamilton Albany NY 12207	TIER 2
--------------------	--------	---	------------------	----------------	---	--------

Company Name: Greyhound Lines, Inc.
DUN Bradstreet Cd: 151197878
County: Albany
Latitude: 42.646346
Longitude: -73.751609
Report Method: Reported Online

19	1 of 2	N	0.09 / 486.22	37.16 / 8	ASSOCIATED PRESS AT THE KN THE 51 S PEARL ST THE KICK OFFICE ALBANY NY 12207	RCRA NON GEN
--------------------	--------	---	------------------	--------------	---	-----------------

EPA Handler ID: NYR000001511
Gen Status Universe: No Report
Contact Name:
Contact Address: PO BOX 11010 , , ALBANY , NY, 12211 , US
Contact Phone No and Ext:
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: County
Receive Date: 20070101
Location Latitude: 42.64834
Location Longitude: -73.753957

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Furnace Exemption:		No				
Underground Injection Activity:		No				
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19950310
Handler Name: ASSOCIATED PRESS AT THE KN THE
Source Type: Notification
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: D011
Waste Code Description: SILVER

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19990708
Handler Name: ASSOCIATED PRESS AT THE KN THE
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20060101
Handler Name: ASSOCIATED PRESS AT THE KN THE
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 3
Receive Date: 20070101
Handler Name: ASSOCIATED PRESS AT THE KN THE
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	County	Street 1:	51 S PEARL ST
Name:	ALBANY COUNTY	Street 2:	
Date Became Current:		City:	ALBANY
Date Ended Current:		State:	NY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Phone:	518-487-2014			Country:	US	
Source Type:	Implementer			Zip Code:	12207	
Owner/Operator Ind:	Current Owner			Street No:		
Type:	County			Street 1:	51 S PEARL ST	
Name:	ALBANY COUNTY			Street 2:		
Date Became Current:				City:	ALBANY	
Date Ended Current:				State:	NY	
Phone:	518-487-2014			Country:		
Source Type:	Notification			Zip Code:	12207	
Owner/Operator Ind:	Current Operator			Street No:		
Type:	County			Street 1:	51 S PEARL ST	
Name:	ALBANY COUNTY			Street 2:		
Date Became Current:				City:	ALBANY	
Date Ended Current:				State:	NY	
Phone:	518-487-2014			Country:	US	
Source Type:	Implementer			Zip Code:	12207	

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: ASSOCIATED PRESS AT THE KN THE

Receive Dt: 19990708
Generator Code Description: Not a Generator, Verified
Handler Name: ASSOCIATED PRESS AT THE KN THE

Receive Dt: 19950310
Generator Code Description: Small Quantity Generator
Handler Name: ASSOCIATED PRESS AT THE KN THE

19	2 of 2	N	0.09 / 486.22	37.16 / 8	ASSOCIATED PRESS AT THE KN THE 51 S PEARL ST ALBANY NY 12207	FINDS/FRS
--------------------	--------	---	---------------	-----------	--	---------------------------

Registry ID: 110004511760
FIPS Code: 36001
HUC Code: 02020006
Site Type Name: STATIONARY
Location Description:
Supplemental Location: THE KICK OFFICE
Create Date: 01-MAR-00
Update Date: 09-AUG-10
Interest Types: UNSPECIFIED UNIVERSE
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: FRS-GEOCODE
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001095
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.64806
Longitude: -73.75388
Reference Point: CENTER OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-HOUSE NUMBER
Accuracy Value: 30
Datum: NAD83

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source:

Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110004511760

Data Source: Facility Registry Service - Single File

Program Acronyms:

RCRAINFO:NYR000001511

20	1 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND LINES INC #150051 34 HAMILTON ST ALBANY NY 12207-2815	RCRA NON GEN
--------------------	---------	---	---------------	-------------	---	-----------------

EPA Handler ID: NYD987009743
Gen Status Universe: No Report
Contact Name:
Contact Address: PO BOX 660362 - MS 1050 , , DALLAS , NY, 75266-0362 , US
Contact Phone No and Ext:
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20070101
Location Latitude: 42.645959
Location Longitude: -73.751376

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19960820
Handler Name: GREYHOUND LINES INC #150051
Source Type: Notification
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Code: X001
Waste Code Description: DESCRIPTION

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19990708
Handler Name: GREYHOUND LINES INC #150051
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20060101
Handler Name: GREYHOUND LINES INC #150051
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 3
Receive Date: 20070101
Handler Name: GREYHOUND LINES INC #150051
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Operator	Street No:
Type: Private	Street 1: PO BOX 660362 - MS 1050
Name: GREYHOUND LINES INC	Street 2:
Date Became Current:	City: DALLAS
Date Ended Current:	State: TX
Phone: 214-849-8148	Country: US
Source Type: Implementer	Zip Code: 75266-0362

Owner/Operator Ind: Current Owner	Street No:
Type: Private	Street 1: PO BOX 660362 - MS 1050
Name: GREYHOUND LINES INC	Street 2:
Date Became Current:	City: DALLAS
Date Ended Current:	State: TX
Phone: 214-849-8148	Country: US
Source Type: Implementer	Zip Code: 75266-0362

Owner/Operator Ind: Current Owner	Street No:
Type: Private	Street 1: PO BOX 660362 - MS 1050
Name: GREYHOUND LINES INC	Street 2:
Date Became Current:	City: DALLAS
Date Ended Current:	State: TX
Phone: 214-849-8148	Country: US
Source Type: Notification	Zip Code: 75266-0362

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: GREYHOUND LINES INC #150051

Receive Dt: 19990708

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Generator Code Description: Not a Generator, Verified
Handler Name: GREYHOUND LINES INC #150051

Receive Dt: 19960820
Generator Code Description: Large Quantity Generator
Handler Name: GREYHOUND LINES INC #150051

20	2 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND LINES, INC. #150051 34 HAMILTON STREET Albany NY 12207	UST
--------------------	---------	---	---------------	-------------	--	-----

Site ID:	35623	Expiry:	03/24/2027
Site Status:	Active	County:	Albany
Program No:	4-088080	UTM X:	602353.85656
Program Type Code:	PBS	UTM Y:	4722273.14686
Program Type Desc:	Petroleum Bulk Storage Program		
Site Type:	Trucking/Transportation/Fleet Operation		

Tank Information

Prog No:	4-088080	UDC Ind:	0
Tank ID:	255748	Red Tag Start Date:	
Tank No:	3	Red Tag End Date:	
Tank Status:	1	Tank Last Test:	
Tank Status Desc:	In Service	Tank Next Test Due:	
Tank Type:	06	Test Method:	-
Tank Type Desc:	Fiberglass Reinforced Plastic (FRP)	Date Tested:	
Install Date:	04/16/2015	Next Test:	
Close Date:		Line Last Test Due:	03/09/2018
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	15000	Line Test Method:	17
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	2		
Category Desc:	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015		
Subpart:	2		
Subpart Desc:	Subpart 2 contains requirements for USTs (underground storage tanks) subject to EPA UST regulations and DEC requirements.		
Class A Operator:	CHAITRAM RAMBHAROSE		
Class B Operator:	CHAITRAM RAMBHAROSE		
Tank Owner Name:	CHAITRAM RAMBHAROSE		
Tank Owner Address:	350 NORTH SAINT PAULSTPATRIOT TOWER DALLAS, TX. 75201		

Material Information

Material Name: diesel
Percent: 100.00

Equipment Information

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: L07
Code Name: Pressurized Piping Leak Detector
Type: Piping Leak Detection

Equipment: E04
Code Name: Double walled UG
Type: Piping Secondary Containment

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Equipment:		C03				
Code Name:		Aboveground/Underground Combination				
Type:		Pipe Location				
Equipment:		I02				
Code Name:		High Level Alarm				
Type:		Overfill				
Equipment:		F05				
Code Name:		Jacketed				
Type:		Pipe External Protection				
Equipment:		J01				
Code Name:		Pressurized Dispenser				
Type:		Dispenser				
Equipment:		D11				
Code Name:		Flexible Piping				
Type:		Pipe Type				
Equipment:		G04				
Code Name:		Double-Walled (Underground)				
Type:		Tank Secondary Containment				
Equipment:		B04				
Code Name:		Fiberglass				
Type:		Tank External Protection				
Equipment:		H01				
Code Name:		Interstitial - Electronic Monitoring				
Type:		Tank Leak Detection				
Equipment:		L01				
Code Name:		Interstitial - Electronic Monitoring				
Type:		Piping Leak Detection				
Equipment:		K01				
Code Name:		Catch Basin				
Type:		Spill Prevention				
Equipment:		I03				
Code Name:		Automatic Shut-Off				
Type:		Overfill				

Tank Information

Prog No:	4-088080	UDC Ind:	1
Tank ID:	88150	Red Tag Start Date:	
Tank No:	1-A	Red Tag End Date:	
Tank Status:	6	Tank Last Test:	
Tank Status Desc:	Closed Prior to 03/1991	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Date Tested:	
Install Date:		Next Test:	
Close Date:		Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	12000	Line Test Method:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Class A Operator:			
Class B Operator:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tank Owner Name:
 Tank Owner Address:

Material Information

Material Name: #2 fuel oil (on-site consumption)
 Percent: 100.00

Equipment Information

Equipment: G00
 Code Name: None
 Type: Tank Secondary Containment

Equipment: A00
 Code Name: None
 Type: Tank Internal Protection

Equipment: D01
 Code Name: Steel/Carbon Steel/Iron
 Type: Pipe Type

Equipment: H99
 Code Name: Other
 Type: Tank Leak Detection

Equipment: F06
 Code Name: Wrapped
 Type: Pipe External Protection

Equipment: B00
 Code Name: None
 Type: Tank External Protection

Equipment: I04
 Code Name: Product Level Gauge (A/G)
 Type: Overfill

Equipment: C00
 Code Name: No Piping
 Type: Pipe Location

Equipment: J01
 Code Name: Pressurized Dispenser
 Type: Dispenser

Tank Information

Prog No:	4-088080	UDC Ind:	1
Tank ID:	86973	Red Tag Start Date:	
Tank No:	2	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Date Tested:	
Install Date:	07/01/1987	Next Test:	
Close Date:	08/01/1992	Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	12000	Line Test Method:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	2		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Category Desc: Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015
Subpart:
Subpart Desc:
Class A Operator:
Class B Operator:
Tank Owner Name:
Tank Owner Address:

Material Information

Material Name: diesel
Percent: 100.00

Equipment Information

Equipment: I03
Code Name: Automatic Shut-Off
Type: Overfill

Equipment: G04
Code Name: Double-Walled (Underground)
Type: Tank Secondary Containment

Equipment: D02
Code Name: Galvanized Steel
Type: Pipe Type

Equipment: C03
Code Name: Aboveground/Underground Combination
Type: Pipe Location

Equipment: B02
Code Name: Original Sacrificial Anode
Type: Tank External Protection

Equipment: H04
Code Name: Groundwater Well
Type: Tank Leak Detection

Equipment: F02
Code Name: Original Sacrificial Anode
Type: Pipe External Protection

Equipment: J01
Code Name: Pressurized Dispenser
Type: Dispenser

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: H99
Code Name: Other
Type: Tank Leak Detection

Tank Information

Prog No: 4-088080	UDC Ind: 0
Tank ID: 50554	Red Tag Start Date:
Tank No: 1	Red Tag End Date:
Tank Status: 3	Tank Last Test:
Tank Status Desc: Closed - Removed	Tank Next Test Due:
Tank Type: 10	Test Method: NN
Tank Type Desc: Urethane Clad Steel	Date Tested:
Install Date: 08/01/1992	Next Test:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Close Date:	04/14/2015				Line Last Test Due:	
Tk Out of Serv Dt:					Next Line Test Due:	
Capacity (Gal):	15000				Line Test Method:	
Registered:	True				Modified by:	MJGRIFFI
Tank Model:					Last Modified:	05/09/2022
Pipe Model:						
Tank Location:	5					
Tank Location Desc:	Underground					
Category:	2					
Category Desc:	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015					
Subpart:						
Subpart Desc:						
Class A Operator:						
Class B Operator:						
Tank Owner Name:						
Tank Owner Address:						

Material Information

Material Name:	diesel
Percent:	100.00

Equipment Information

Equipment:	B09
Code Name:	Urethane
Type:	Tank External Protection

Equipment:	L01
Code Name:	Interstitial - Electronic Monitoring
Type:	Piping Leak Detection

Equipment:	C03
Code Name:	Aboveground/Underground Combination
Type:	Pipe Location

Equipment:	I02
Code Name:	High Level Alarm
Type:	Overfill

Equipment:	D11
Code Name:	Flexible Piping
Type:	Pipe Type

Equipment:	E04
Code Name:	Double walled UG
Type:	Piping Secondary Containment

Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection

Equipment:	F00
Code Name:	None
Type:	Pipe External Protection

Equipment:	L07
Code Name:	Pressurized Piping Leak Detector
Type:	Piping Leak Detection

Equipment:	H01
Code Name:	Interstitial - Electronic Monitoring
Type:	Tank Leak Detection

Equipment:	H05
Code Name:	In-Tank System (ATG)
Type:	Tank Leak Detection

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Equipment: G04
Code Name: Double-Walled (Underground)
Type: Tank Secondary Containment

Equipment: K01
Code Name: Catch Basin
Type: Spill Prevention

Equipment: J01
Code Name: Pressurized Dispenser
Type: Dispenser

Equipment: I01
Code Name: Float Vent Valve
Type: Overfill

Affiliation Information

Affiliation Type: 04
Affiliation Name: Facility Operator
Affiliation Sub Type: NNN
Company: GREYHOUND LINES, INC. #150051
Contact Title:
Contact Name: CHAITRAM RAMBHAROSE
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 001
Phone: (518) 434-1100
Phone Ext:
Email:
Fax:

Affiliation Type: 07
Affiliation Name: Mail Contact
Affiliation Sub Type: NNN
Company: STRATA ENVIRONMENTAL
Contact Title:
Contact Name: NAN CUTSHALL
Address1: 110 PERIMETER PARK, SUITE E
Address2:
City: KNOXVILLE
State: TN
Zip Code: 37922
Country Code: 001
Phone: (865) 539-2077
Phone Ext:
Email: GREYHOUND@STRATAENV.COM
Fax:

Affiliation Type: 01
Affiliation Name: Facility Owner
Affiliation Sub Type: E
Company: GREYHOUND LINES, INC.
Contact Title: WORKING FOREMAN
Contact Name: CHAITRAM RAMBHAROSE
Address1: 350 NORTH SAINT PAULSTPATRIOT TOWER
Address2:
City: DALLAS
State: TX
Zip Code: 75201
Country Code: 001
Phone: (214) 849-8000
Phone Ext:
Email: GREGHOUND@STRATAENV.COM

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Fax:

Affiliation Type: 11
Affiliation Name: Emergency Contact
Affiliation Sub Type: NNN
Company: GREYHOUND LINES, INC.
Contact Title:
Contact Name: CHAITRAM RAMBHAROSE
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 999
Phone: (518) 982-8501
Phone Ext:
Email:
Fax:

20	3 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST GREYHOUND TERMINAL 34 HAMILTON ST ALBANY NY	NY SPILLS
--------------------	---------	---	---------------	-------------	---	-----------

Spill No:	9002519	UST Trust:	False
Site ID:	81844	Spill Date:	1990-06-04 16:45:00
DER Facility ID:	393119	Received Date:	1990-06-04 16:50:00
CID:		CAC Date:	1990-06-04 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1990-06-06 00:00:00
Water Body:	SEWER	Create Date:	1990-06-06 00:00:00
Class:	C4	Update Date:	2015-07-28 15:07:31.960000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	PNBENTIE
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Citizen		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"STRIKER REPORTS BUS 5065 APPEARS TO BE SPILLING DIESEL ON PLATFORM. OP. MRG. RICH RPTS SPILL CLEANED UP."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BENTIENTEN SEE PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418."

Material Information

OP Unit ID:	940554	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	437261	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Name: diesel

Spiller Information

Spiller Name:
 Spiller Company: GREYHOUND BUS TERMINAL
 Spiller Address: 34 HAMILTON ST
 Spiller City: ALBANY
 Spiller State: ZZ
 Spiller Zip:
 Spiller Country: 001
 Contact Name:
 Contact Phone:
 Contact Ext:
 Latitude: 42.646332720
 Longitude: -73.750970070

Tank Test Information

Spill Tank ID:	1537150	Source:	
Tank No:	0	Test Method:	00
Tank Size:	0	Leak Rate:	.00
Material:	0008	Gross Fail:	
EPA UST:		Modified by:	Spills
UST:		Last Modified:	2004-10-01 04:00:45.140000000
Cause:			
Alt Test Method:	Unknown		

20	4 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND TERMINAL HAMILTON ST BUS 34 HAMILTON ST GREYHOUND TERMINAL 34 HAMILTON ST ALBANY NY	NY SPILLS
--------------------	---------	---	---------------	-------------	---	-----------

Spill No:	1303471	UST Trust:	False
Site ID:	483952	Spill Date:	2013-07-01 14:15:00
DER Facility ID:	393119	Received Date:	2013-07-01 14:26:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2013-07-08 00:00:00
Water Body:		Create Date:	2013-07-01 14:29:00
Class:	C4	Update Date:	2015-07-28 15:11:08.890000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"2-3 Gallons spilled from bus due to mechanical problem. Cleanup is pending, TMC will be responding for cleanup."

DEC Remark:

"MF telecon with A. Swears. Bus had leak in fuel tank and lost some fule in/around parking lot. He has covered drain with a bag to try to prevent any fuel from getting into drain, but he thinks some made it in there. Clean up contractor (TMC) went to site and vac'd out catch basin. They indicated to A. Swears that they did not believe any fuel actually made it into the drain. They left a booms in the sewer as a preventative measure. This spill can be closed. 9/11 - ERTS report received (edoc). Confirms above info. PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1233647	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2232568	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	3.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	
Spiller Company:	GREYHOUND BUS @ TERMINAL
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	ANDRE SWEARS
Contact Phone:	5185284412
Contact Ext:	
Latitude:	42.645901433
Longitude:	-73.751338573

20	5 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST GRAY HOUND BUS TERM. 34 HAMILTON ST ALBANY NY	NY SPILLS
--------------------	---------	---	---------------	-------------	---	-----------

Spill No:	1101866	UST Trust:	False
Site ID:	449343	Spill Date:	2011-05-19 13:00:00
DER Facility ID:	403931	Received Date:	2011-05-19 14:04:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2011-05-23 00:00:00
Water Body:		Create Date:	2011-05-19 14:08:00
Class:	C4	Update Date:	2015-07-28 15:10:44.157000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"spill to paved surface/spill contained/ tmc enroute"

DEC Remark:

"MF on site. Small leak from bus. MC Env placed pads down and will come back and pick them up. Some material has entered storm drain, but heavy rains in the area have flushed it away. Closed based on inspection. PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1199557	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2195934	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	GRAY HOUND BUS TERM.
Spiller Company:	GREYHOUND BUS TERM.
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	RYAN CAMPBELL
Contact Phone:	
Contact Ext:	
Latitude:	42.645901433
Longitude:	-73.751338573

20	6 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS GARAGE HAMILTON ST 34 HAMILTON ST GREYHOUND 34 HAMILTON ALBANY NY	NY SPILLS
--------------------	---------	----------	----------------------	--------------------	--	------------------

Spill No:	8912472	UST Trust:	False
Site ID:	168163	Spill Date:	1990-03-31 12:50:00
DER Facility ID:	393120	Received Date:	1990-03-31 13:37:00
CID:		CAC Date:	1990-03-31 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1990-04-09 00:00:00
Water Body:		Create Date:	1990-04-09 00:00:00
Class:	D5	Update Date:	2015-07-28 15:07:12.007000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	PNBENTIE
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Deliberate		
Reported by:	Citizen		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"WATER PROBABLY CONTAMINATED W/PETRO RAN INTO SEWER FROM WASHING GARAGE FLOOR. REFERRED TO TONY ADAMCZYK."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BENTIE PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418."

Material Information

OP Unit ID:	939203	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	562133	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	
Spiller Company:	GREYHOUND BUS GARAGE
Spiller Address:	34 HAMILTON
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.646332720
Longitude:	-73.750970070

Tank Test Information

Spill Tank ID:	1536901	Source:	
Tank No:	0	Test Method:	00
Tank Size:	0	Leak Rate:	.00
Material:	0064A	Gross Fail:	
EPA UST:		Modified by:	Spills
UST:		Last Modified:	2004-10-01 04:00:45.140000000
Cause:			
Alt Test Method:	Unknown		

20	7 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST GREYHOUND BUS STATION 34 HAMILTON ALBANY NY	NY SPILLS
--------------------	---------	---	---------------	-------------	---	-----------

Spill No:	0400655	UST Trust:	False
Site ID:	81842	Spill Date:	2004-04-20 08:00:00
DER Facility ID:	393117	Received Date:	2004-04-20 09:37:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2004-04-23 00:00:00
Water Body:		Create Date:	2004-04-20 00:00:00
Class:	B3	Update Date:	2015-07-28 15:09:30.857000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Caller Remark:

"BUS WAS LEAKING DIESEL DUE TO HOLE IN TANK: IN PROCESS AT THIS TIME BEING CLEANED UP: DID GO INTO STORM/SEWER DRAIN: HAS CONTACTED SAFETY CLEAN [SP] AND CITY OF ALBANY; ALSO ON LAND"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN SEE PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418. 04/23/2004 - Bus returning from its run developed a leak in its fuel tank while parked overnight. 3-5 gallons leaked to concrete and into drainage basin. Op-Tech was called in to remediate spill. Speedir-dri was used on concrete and basin was pumped out. Closed wtc"

Material Information

OP Unit ID:	884876	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	491900	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	True
Quantity:	90.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	ANDRE SUAES
Spiller Company:	GREYHOUND BUS STATION
Spiller Address:	34 HAMILTON
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	ANDRE SUAES
Contact Phone:	(518) 434-1100
Contact Ext:	
Latitude:	42.646332720
Longitude:	-73.750970070

20	8 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS HAMILTON ST 34 HAMILTON ST GREYHOUND 34 HAMILTON ST BUS ALBANY NY	NY SPILLS
--------------------	---------	---	---------------	-------------	--	-----------

Spill No:	9412504	UST Trust:	False
Site ID:	81845	Spill Date:	1994-12-18 06:00:00
DER Facility ID:	344414	Received Date:	1994-12-18 06:00:00
CID:		CAC Date:	1994-12-18 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1995-01-09 00:00:00
Water Body:	HUDSON RIVER ??	Create Date:	1995-01-09 00:00:00
Class:	D5	Update Date:	2015-07-28 15:08:14.573000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Deliberate		
Reported by:	Citizen		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Caller Remark:

"MAINTENANCE DUMPED FLOOR STRIPPER DOWN DRAIN, HAPPENED TWICE BEFORE THIS WEEK. NO DEC RESPONSE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN SEE PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418."

Material Information

OP Unit ID:	1006134	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	374810	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	True
Quantity:	10.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0999A		
Material Name:	floor stripper		

Spiller Information

Spiller Name:
Spiller Company: GREYHOUND BUS MAINTENANCE
Spiller Address: 34 HAMILTON ST
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.646332720
Longitude: -73.750970070

Tank Test Information

Spill Tank ID:	1543462	Source:	
Tank No:	0	Test Method:	00
Tank Size:	0	Leak Rate:	.00
Material:	0999A	Gross Fail:	
EPA UST:		Modified by:	Spills
UST:		Last Modified:	2004-10-01 04:00:45.140000000
Cause:			
Alt Test Method:	Unknown		

20	9 of 29	E	0.10 / 509.52	15.53 / -14	ALBANY BUS TERMINAL HAMILTON ST 34 HAMILTON ST BUS ALBANY TERMINAL 34 HAMILTON ST ALBANY NY	NY SPILLS
--------------------	---------	---	---------------	-------------	---	-----------

Spill No:	0704496	UST Trust:	
Site ID:	384651	Spill Date:	2007-07-20 14:15:00
DER Facility ID:	334049	Received Date:	2007-07-20 15:04:00
CID:	408	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2007-07-26 00:00:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Water Body:				Create Date:	2007-07-20 15:29:00	
Class:	C4			Update Date:	2015-07-28 15:10:05.700000000	
Meets Std:	False			DEC Region:	4	
Penalty:	False			Lead DEC:	wtchrist	
REM Phase:	0			After Hours:	False	
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Commercial Vehicle				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"UNDETERMINED AMOUNT ENTERED SEWER; CLEAN UP IN PROGRESS; NO CONTACT WITH PETERPAN BUS COMPANY HAS BEEN MADE YET;"

DEC Remark:

"7/26/07 - No Dec response. PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418"

Material Information

OP Unit ID:	1141950	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2132164	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	True
Quantity:	4.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	
Spiller Company:	PETERPAN BUS
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	BILL LIVINGSTON
Contact Phone:	(845) 339-4230
Contact Ext:	155
Latitude:	42.645901433
Longitude:	-73.751338573

20	10 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST GREYHOUND LOCATION 34 HAMILTON ST ALBANY NY	NY SPILLS
--------------------	----------	---	---------------	-------------	---	-----------

Spill No:	0713144	UST Trust:	
Site ID:	394851	Spill Date:	2008-03-12 15:30:00
DER Facility ID:	344400	Received Date:	2008-03-12 16:43:00
CID:	404	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2008-03-24 00:00:00
Water Body:		Create Date:	2008-03-12 16:54:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Class:	C4				Update Date:	2015-07-28 15:10:22.407000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	WTCHRIST
REM Phase:	0				After Hours:	True
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"nothing is spilled; it was just a leak detector failure; found while testing; the leak detector is going to be replaced;"

DEC Remark:

"03/24/08 - No spill. Leak detector no good and has been replaced. wtc PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418"

Material Information

OP Unit ID:	1151800	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2142551	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	JOSEPH SMITH
Spiller Company:	GREYHOUND LOCATION BUS TERM
Spiller Address:	34 HAMILTON ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	JOSEPH SMITH
Contact Phone:	(214) 232-0395
Contact Ext:	
Latitude:	42.645901433
Longitude:	-73.751338573

20	11 of 29	E	0.10 / 509.52	15.53 / -14	ADIRONDACK TRANSIT BUS HAMILTON ST 34 HAMILTON ST 34 HAMILTON ST BUS ALBANY NY	NY SPILLS
Spill No:	0303543	UST Trust:	False			
Site ID:	81841	Spill Date:	2003-07-04 10:00:00			
DER Facility ID:	401762	Received Date:	2003-07-04 10:59:00			
CID:	405	CAC Date:				
Program Type:	ER	Insp Date:				
SWIS Code:	0101	Close Date:	2003-07-07 00:00:00			
Water Body:		Create Date:	2003-07-04 00:00:00			
Class:	C4	Update Date:	2015-07-28 15:09:03.730000000			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Meets Std:	True				DEC Region: 4	
Penalty:	False				Lead DEC: WTCHRIST	
REM Phase:	0				After Hours: True	
County:		Albany				
Contributing Factor:		Human Error				
Reported by:		Responsible Party				
Referred to:						
Source:		Commercial Vehicle				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"caller states that approx 10-15 gallons spilled onto the pavement out of a bus due to not securing the gas cap on the bus - all has been cleaned up"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 07/07/2003 - No DEC response. Clean up by Adirondack Trailways. Closed wtc SEE PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418."

Material Information

OP Unit ID:	870639	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	504408	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	15.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	N/A [GREYHOUND]
Spiller Company:	ADIRONDACK TRAILWAYS BUS
Spiller Address:	SAME [34 HAMILTON ST]
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	THOMAS BAKER
Contact Phone:	(845) 629-0057
Contact Ext:	
Latitude:	42.646332720
Longitude:	-73.750970070

20	12 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST GREYHOUND LOCATION 34 HAMILTON ALBANY NY 12202	NY SPILLS
Spill No:	0501065	UST Trust:	False			
Site ID:	344197	Spill Date:	2005-04-25 15:00:00			
DER Facility ID:	290836	Received Date:	2005-04-26 13:12:00			
CID:	444	CAC Date:				
Program Type:	ER	Insp Date:				
SWIS Code:	0101	Close Date:	2005-05-02 00:00:00			
Water Body:		Create Date:	2005-04-26 13:38:00			
Class:	C4	Update Date:	2015-07-28 15:09:47.933000000			
Meets Std:	True	DEC Region:	4			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Penalty:	False				Lead DEC:	WTCHRIST
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Commercial Vehicle				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"A LINE BROKE ON A BUS AND IS ALL CLEANED UP AND REPAIRED: LESS THEN 1 GALLON LEAKED"

DEC Remark:

"05/02/2005 - No DEC response. wtc SEE PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418."

Material Information

OP Unit ID:	1102851	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	583072	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	JOSEPH SMITH
Spiller Company:	GREYHOUND LOCATION BUS
Spiller Address:	34 HAMILTON
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	JOSEPH SMITH
Contact Phone:	(214) 849-8411
Contact Ext:	
Latitude:	42.646335000
Longitude:	-73.750974000

20	13 of 29	E	0.10 / 509.52	15.53 / -14	CDTA BUS @ GREYHOUND TERMINAL HAMILTON ST 34 HAMILTON ST GREYHOUND BUS TERMINAL 34 HAMILTON ST ALBANY NY	NY SPILLS
--------------------	----------	---	---------------	-------------	--	-----------

Spill No:	9914836	UST Trust:	False
Site ID:	81846	Spill Date:	2000-03-31 16:05:00
DER Facility ID:	393118	Received Date:	2000-03-31 16:39:00
CID:	322	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2000-04-03 00:00:00
Water Body:		Create Date:	2000-03-31 00:00:00
Class:	B3	Update Date:	2015-07-28 15:08:37.747000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

County: Albany
Contributing Factor: Equipment Failure
Reported by: Fire Department
Referred to:
Source: Commercial Vehicle
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"TANK ON BUS LEAKING - LEAK ONTO GROUND AND STORM SEWER - * * * * *REQUEST RESPONSE"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 4/3/00 - CDTA bus broke the cross over fuel line due to a shift of the fuel tank. Minor amount entered a dry sewer. The bus driver saw the problem and returned to an area under 787. The fire Department was called in and applied speedie dri. CDTA hired Environmental Products and Services to clean up spill. They cleaned out the sewer and cleaned up spill under 787. No soil or groundwater was involved. (PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418.)"

Material Information

OP Unit ID:	1089340	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	293121	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	True
Quantity:	100.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name: MR GREEN
Spiller Company: GREYHOUND BUS TERM [CDTA]
Spiller Address: 34 HAMILTON ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name: MR GREEN
Contact Phone: (518) 482-8133
Contact Ext:
Latitude: 42.646332720
Longitude: -73.750970070

<u>20</u>	14 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST OFF BROADWAY 34 HAMILTON ST BUS TERMINAL @ LIBERTY GREYHOUND BROADWAY GREEN DALLIUS LIBERTY ALBANY NY	LST
-----------	----------	---	------------------	----------------	--	-----

Spill No:	8911814	REM Phase:	0
Site ID:	234699	UST Trust:	True
DER Facility ID:	193320	Spill Date:	1990-03-14 13:30:00
CID:		Rcvd Date:	1990-03-14 14:06:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1995-10-17 00:00:00
Water Body:		Create Date:	1990-03-26 00:00:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Class:	B3				Update Date: 2015-07-28 15:06:48.600000000	
Meets Std:	False				DEC Region: 4	
Penalty:	False				Lead DEC: ANGEISEN	
County:	Albany				After Hours: False	
Referred to:						
Reported by:		Tank Tester				
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"LINE TEST-GROSS LEAK PETROTITE. SEE ALSO 8911600. 3/14-PHONE CONTACT W/GREYHOUND, SYSTEM DOWN TILL LINE IS REPLACED, SITE ASSESS. 3/16-STRIKER REPORTED FUMES, ANG ON SITE, SEE NOTES."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was GEISENDORFER SEE Edocs; PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418. (site bordered by Green, Dalius & Liberty) 3/31/11 - FOIL 11/070 Edoc CD"

Material Information

OP Unit ID:	938648	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	441314	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	LEE BOSARGE
Spiller Company:	GREYHOUND BUS
Spiller Address:	BROADWAY [34 HAMILTON?]
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	LEE BOSARGE
Contact Phone:	(214) 744-6678
Contact Ext:	
Latitude:	42.654459994
Longitude:	-73.750390000

Tank Test Information

Spill Tank ID:	1536860	Source:	
Tank No:	0	Leak Rate:	.00
Tank Size:	0	Gross Fail:	F
Material:	0008	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.140000000
UST:		Test Method:	01
Cause:			
Alt Test Method:	Petro-Tite/Petro Comp		

20	15 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST BUS TERMINAL	LST
--------------------	----------	---	------------------	----------------	--	-----

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

@ LIBERTY GREYHOUND
 TERMINAL 34 HAMILTON ST
 LIBERT
 ALBANY NY

Spill No:	8911600	REM Phase:	0
Site ID:	81843	UST Trust:	True
DER Facility ID:	393116	Spill Date:	1990-03-09 10:00:00
CID:		Rcvd Date:	1990-03-09 11:00:00
Program Type:	ER	CAC Date:	1995-03-08 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1995-03-08 00:00:00
Water Body:		Create Date:	1990-03-13 00:00:00
Class:	B3	Update Date:	2015-07-28 15:06:23.41000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	ANGEISEN
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Tank Tester		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"12K UGT FAILED TRACERTITE, VAPOR LEAK IN TANKTOP, WILL HAVE DIFFERENT CONTRACTOR TEST PIPING* [RUSS BRAUKSIECK WAS ON SITE?]**SEE 8911814** SEE FOLDER."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was GEISENDORFER SEE FOLDER (Edocs) & PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418"

Material Information

OP Unit ID:	937287	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	567797	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	
Spiller Company:	GREYHOUND BUS LINE EMBRY BIRD
Spiller Address:	901 MAIN ST
Spiller City:	DALLAS
Spiller State:	TX
Spiller Zip:	75202
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.646332720
Longitude:	-73.750970070

Tank Test Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spill Tank ID:	1536846				Source:	
Tank No:	0				Leak Rate:	.00
Tank Size:	12000				Gross Fail:	F
Material:	0008				Modified by:	Spills
EPA UST:					Last Modified:	2004-10-01 04:00:45.140000000
UST:					Test Method:	16
Cause:						
Alt Test Method:		Tracer Tight				

20	16 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST? GREYHOUND BUS LINE DORRIS AV DALLIUS? ALBANY NY	LST
--------------------	----------	---	---------------	-------------	--	-----

Spill No:	8606776	REM Phase:	0
Site ID:	183080	UST Trust:	True
DER Facility ID:	153375	Spill Date:	1987-02-04 16:30:00
CID:		Rcvd Date:	1987-02-04 17:03:00
Program Type:	ER	CAC Date:	1987-09-11 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1987-09-11 00:00:00
Water Body:		Create Date:	1987-02-05 00:00:00
Class:	B3	Update Date:	2015-07-28 15:06:00.707000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Tank Tester		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"-1.88 GPH. FAILURE RATE. 12K TANK WILL BE RETESTED WITHIN A FEW DAYS. FAILED RETEST FEB. 12 '87."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN // : PHONE RESPONSE WITH VALLEY EQUIPT. 374-5571. PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418"

Material Information

OP Unit ID:	904355	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	472338	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	
Spiller Company:	GREYHOUND BUS TERMINAL
Spiller Address:	HAMILTON ST
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Country:		001				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.662005994				
Longitude:		-73.782319000				
<u>Tank Test Information</u>						
Spill Tank ID:		1530550			Source:	
Tank No:		0			Leak Rate:	.00
Tank Size:		0			Gross Fail:	
Material:		0008			Modified by:	Spills
EPA UST:					Last Modified:	2004-10-01 04:00:45.140000000
UST:					Test Method:	00
Cause:						
Alt Test Method:		Unknown				

20	17 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL (HAMILTON ST?) BUS TERMINAL (34 HAMILTON ST?) GREYHOUND TERMINAL ALBANY NY	LST
--------------------	----------	---	---------------	-------------	--	-----

Spill No:	8603025	REM Phase:	0
Site ID:	238436	UST Trust:	True
DER Facility ID:	196356	Spill Date:	1985-08-01 12:00:00
CID:		Rcvd Date:	1986-08-06 10:49:00
Program Type:	ER	CAC Date:	1986-08-06 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1995-02-14 00:00:00
Water Body:		Create Date:	1986-08-08 00:00:00
Class:	B4	Update Date:	2015-08-03 11:07:45.320000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	LENO
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Responsible Party		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
"LEAKING TANK - 1GPH; LEAK OBSERVED BY EPA IN TANK TEST PROGRAM, GREYHOUND RECEIVED REPORT ON6/12/86. TANKS TO BE RETESTED"

Dec Remark:
"SEE PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418. 8/3/15 - FOIL 15/281, Edoc CD W/PBS"

Material Information

OP Unit ID:	899917	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	475865	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name:
Spiller Company: GREYHOUND (BUS TERMINAL)
Spiller Address: GREYHOUND TERMINAL
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Tank Test Information

Spill Tank ID:	1530108	Source:	
Tank No:	0	Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0008	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.140000000
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

20	18 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST @ GRAYHOUND TERMINAL 34 HAMILTON AVE. ALBANY NY	LST
--------------------	----------	---	---------------	-------------	---	-----

Spill No:	9112689	REM Phase:	0
Site ID:	171387	UST Trust:	True
DER Facility ID:	144231	Spill Date:	1992-03-11 16:00:00
CID:		Rcvd Date:	1992-03-12 15:55:00
Program Type:	ER	CAC Date:	1992-08-04 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1992-09-03 00:00:00
Water Body:		Create Date:	1992-03-17 00:00:00
Class:	B3	Update Date:	2015-07-28 15:07:52.587000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Other		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"12K UGT FAILED TRACER @ [RATE NOT GIVEN]. RWS IN PLACE, HANDLING UNDER 8911814."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN/SPERBECK SEE PBS 4-088080; 8603025, 8606776, 8911600 (FOLDER, Edocs), 8911814 (Edocs), 8912472, 9002519, 9112689, 9412504, 9914836, 0303543, 0400655, 0501065, 0704496, 0713144, 1101866 (Edocs), 1303471 (1303471), 1407615, 1500418."

Material Information

OP Unit ID:	966282	Med in Air:	False
OU:	01	Med GW:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Material ID:	414251				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0008				
Material Name:		diesel				

Spiller Information

Spiller Name:
Spiller Company: GREYHOUND BUS TERMINAL
Spiller Address: 34 HAMILTON ST
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.646332720
Longitude: -73.750970070

20	19 of 29	E	0.10 / 509.52	15.53 / -14	NIAGARA MOHAWK A NATIONAL GRID CO 34 HAMILTON ST ALBANY NY 12207	FINDS/FRS
--------------------	----------	---	---------------	-------------	--	-----------

Registry ID: 110058870351
FIPS Code: 36001
HUC Code: 02020006
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 30-APR-14
Update Date:
Interest Types: UNSPECIFIED UNIVERSE
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor: FRS-GEOCODE
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001131
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.64635
Longitude: -73.7514
Reference Point: CENTER OF A FACILITY OR STATION
Coord Collection Method: ADDRESS MATCHING-HOUSE NUMBER
Accuracy Value: 30
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110058870351
Data Source: Facility Registry Service - Single File
Program Acronyms:

RCRAINFO:NYP000970343

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
20	20 of 29	E	0.10 / 509.52	15.53 / -14	NIAGARA MOHAWK A NATIONAL GRID CO 34 HAMILTON ST ALBANY NY 12207	RCRA NON GEN

EPA Handler ID: NYP000970343
Gen Status Universe: No Report
Contact Name: BARBARA SCHEURER
Contact Address: 1125 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext: 518-433-3696
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type:
Receive Date: 20140522
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20140219
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Source Type: Emergency
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20140522
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Historical Handler Details

Receive Dt: 20140219
 Generator Code Description: Very Small Quantity Generator
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO

20	21 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND BUS TERMINAL HAMILTON ST 34 HAMILTON ST GREYHOUND BUS 34 HAMILTON ST ALBANY NY	NY SPILLS
--------------------	----------	---	---------------	-------------	--	-----------

Spill No:	1407615	UST Trust:	False
Site ID:	501141	Spill Date:	2014-10-23 12:53:00
DER Facility ID:	439135	Received Date:	2014-10-23 12:53:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2015-08-20 00:00:00
Water Body:		Create Date:	2014-10-23 12:55:00
Class:		Update Date:	2015-08-20 09:20:02.750000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"15,000 gal tank/product in interstitial area"

DEC Remark:

"12/4 - MF left msg w/ Chad. 1/12 - MF telecon with Andre at Greyhound. The tank was pressure tested and product was found in the interstitial. The tank was pumped out and has not been used since. they are planning on replacing the tank in the spring. Strata Environmental is handling the work. Andrea Heinzenberger @ 865-539-2077. 1/14/15 - MF spoke to Andrea. They are going to remove and replace tank in next month or two. Ed Hyde from Strata will be handling tank removal thru Paragon Construction. 4/9/15 - Update. Tank to e removed sometime next week. See also spill # 1500418 8/20/15 - MF telecon with Marks. Water that was removed had sheen, but no free product. See report. Post ex soil meets residential guidance values for restricted use SCO's Based on information, this spill can be closed."

Material Information

OP Unit ID:	1250543	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2252288	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:
Spiller Company: CORTLAND PUMP GREYHOUND BUS TERMINAL
Spiller Address:
Spiller City:
Spiller State: NY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Zip:
 Spiller Country: 999
 Contact Name: CHAD
 Contact Phone:
 Contact Ext:
 Latitude:
 Longitude:

20	22 of 29	E	0.10 / 509.52	15.53 / -14	1ST GROUP AMERICA GREYHOUND BUS TERMINAL HAMILTON 34 HAMILTON ST FIRST GROUP AMERICA/GREY HOU 34 HAMILTON ALBANY NY	NY SPILLS
--------------------	----------	---	---------------	-------------	---	-----------

Spill No:	1500418	UST Trust:	False
Site ID:	506571	Spill Date:	2015-04-13 14:30:00
DER Facility ID:	465369	Received Date:	2015-04-14 08:29:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2015-05-27 00:00:00
Water Body:		Create Date:	2015-04-14 08:34:00
Class:	B4	Update Date:	2015-07-27 13:57:10.640000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"removed 15000 gal ust/loss of product to soil/clean up underway"

DEC Remark:

"See spill # 1407615. This spill will be handled under that #. Closed. "

Material Information

OP Unit ID:	1255918	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	2258696	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name: FIRST GROUP AMERICA/GREY HOUND BUS TERMINAL
Spiller Company: FIRST GROUP AMERICA/GREY HOUND BUS TERMINAL
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Country: 999
Contact Name: ED HYDE
Contact Phone: (865) 539-2077
Contact Ext:
Latitude:
Longitude:

20	23 of 29	E	0.10 / 509.52	15.53 / -14	NIAGARA MOHAWK A NATIONAL GRID CO 34 HAMILTON ST ALBANY NY 12207	GEN MANIFEST
--------------------	----------	---	---------------	-------------	---	---------------------

RCRA ID:	NYP000970343	Mailing State:	NY
District Name:	NIAGARA MOHAWK A NATIONAL GRID CO	Mailing ZIP:	12204
Contact Name:	NATIONAL GRID	Mailing ZIP Ext:	
Business Phone No:		Mailing Country:	USA
Mailing Street 1:	1125 BROADWAY	Location ZIP Ext:	
Mailing Street 2:		Location Country:	USA
Mailing City:	ALBANY	Location County:	ALBANY

Manifest Information

Waste Code(s):

D008: LEAD (Waste Code Description from EPA Hazardous Waste Identification)

Waste Amounts By Year:

2014: 1210 Pounds

20	24 of 29	E	0.10 / 509.52	15.53 / -14	GREYHOUND LINES 34 HAMILTON ST ALBANY NY	NY SPILLS
--------------------	----------	---	---------------	-------------	---	------------------

Spill No:	2109831	UST Trust:	False
Site ID:	632862	Spill Date:	2022-02-18 16:30:00
DER Facility ID:	456141	Received Date:	2022-02-18 16:51:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2022-02-23 00:00:00
Water Body:		Create Date:	2022-02-18 16:53:00
Class:	E5	Update Date:	2022-02-23 11:18:40.883000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Other		
Reported by:	Other		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"SPILL BUCKET FAILURE-NO ACTUAL RELEASE."

DEC Remark:

"2/18/22 - Spill bucket test failure. No spill, can be followed up by PBS inspection. MJR"

Material Information

OP Unit ID:	1379943	Med Ind Air:	False
OU:	01	Med GW:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Material ID:	2393875				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:					Med Surf:	False
Units:					Med Subway:	False
Recovered:					Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0008				
Material Name:		diesel				

Spiller Information

Spiller Name: MELIISSA
Spiller Company: GRAYHOUND LINES
Spiller Address: 34 HAMILTON ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: MELIISSA
Contact Phone: (856) 234-1152
Contact Ext:
Latitude:
Longitude:

[20](#) 25 of 29 E 0.10 / 509.52 15.53 / -14 Greyhound Lines, Inc. #150051 34 Hamilton Street Albany NY 12207 TIER 2

Company Name: Greyhound Lines, Inc.
DUN Bradstreet Cd: 151197878
County: Albany
Latitude: 42.646
Longitude: -73.7514
Report Method: Reported Online

[20](#) 26 of 29 E 0.10 / 509.52 15.53 / -14 Greyhound Lines, Inc. #150051 34 Hamilton Street Albany NY 12207 TIER 2

Company Name: Greyhound Lines, Inc.
DUN Bradstreet Cd: 151197878
County: Albany
Latitude: 42.6460805
Longitude: -73.7513712
Report Method: Reported Online

[20](#) 27 of 29 E 0.10 / 509.52 15.53 / -14 GREYHOUND 34 HAMILTON ST ALBANY NY LST

Spill No: 2202351 **REM Phase:** 0
Site ID: 637436 **UST Trust:** False
DER Facility ID: 456141 **Spill Date:** 2022-06-15 15:00:00
CID: **Rcvd Date:** 2022-06-15 15:31:00
Program Type: ER **CAC Date:**
SWIS Code: 0101 **Insp Date:**
Contribute Factor: Tank Test Failure **Close Date:** 2022-06-15 00:00:00
Water Body: **Create Date:** 2022-06-15 15:35:00
Class: E4 **Update Date:** 2022-06-15 15:56:13.410000000
Meets Std: False **DEC Region:** 4
Penalty: False **Lead DEC:** MJRICE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

County:	Albany	After Hours:	False
Referred to:			
Reported by:	Other		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"sub pump test"

Dec Remark:

"6/15/22 - TC with Krisa from Tanknology. Hydrostatic test of the tank top sump failed. Following up with site, no actual spill. MJR"

Material Information

OP Unit ID:	1384493	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	2399121	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	KRISA
Spiller Company:	GRAYHOUND
Spiller Address:	34 HAMILTON ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	KRISA
Contact Phone:	(856) 234-1152
Contact Ext:	
Latitude:	
Longitude:	

20	28 of29	E	0.10 / 509.52	15.53 / -14	Greyhound Lines, Inc. #150051 34 Hamilton Street Albany NY NY	TIER 2
--------------------	---------	---	---------------	-------------	---	--------

Company Name:	Greyhound Lines, Inc.
DUN Bradstreet Cd:	151197878
County:	Albany
Latitude:	42.646
Longitude:	-73.7514
Report Method:	Reported Online

20	29 of29	E	0.10 / 509.52	15.53 / -14	Greyhound Lines, Inc. #150051 34 Hamilton Street Albany NY Albany	TIER 2
--------------------	---------	---	---------------	-------------	---	--------

Company Name:	Greyhound Lines, Inc.
DUN Bradstreet Cd:	151197878
County:	NY
Latitude:	42.6460805

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Longitude:		-73.7513712				
Report Method:		Reported Online				

21	1 of 1	N	0.10 / 512.44	36.47 / 7	60 South Pearl Street Albany NY 12207	COOLING TOWERS
Equipment ID:	1671	Reg Comp:	Compliant			
Equipment County:	Albany	Commissioned Dt:				
Equipment Borough:		Inspection Dt:				
CT Status:	Out of Service	Last Sampled Days:	112			
Intended Use:		Last Update Days:	78			
Cooling Capacity:		Latitude:	42.648098			
Cool Capacity Unit:		Longitude:	-73.753761			
Manufacturer:						
Model:						
Bacteriological Sample Dt:						
Legionella Sample Coll Dt:						
Last Legionella Sample Result:						
Equipmnt Last Legionella Test:	lt20					
Equipmnt Last Legionella Sam:	10/10/2023					
Equipmnt Tower Operatn Dura:	Seasonal					
Street Address:						
New Georeferenced Column:						
Georeference:	POINT (-73.753761 42.648098)					

22	1 of 1	W	0.10 / 525.76	53.06 / 24	NYNEX CORP MANHOLE A MADISON AVE & GRAND ST ALBANY NY 12201	GEN MANIFEST
RCRA ID:	NYP000915025	Mailing State:	NY			
District Name:	NYNEX CORP MANHOLE A	Mailing ZIP:	10036			
Contact Name:	RICHARD DEPASO	Mailing ZIP Ext:				
Business Phone No:	2125027045	Mailing Country:	USA			
Mailing Street 1:	1095 AVE OF AMERICAS	Location ZIP Ext:				
Mailing Street 2:		Location Country:	USA			
Mailing City:	NEW YORK	Location County:	ALBANY			

Manifest Information

Waste Code(s):
D008: LEAD (Waste Code Description from EPA Hazardous Waste Identification)

Waste Amounts By Year:
1994: 1200 Pounds

23	1 of 3	WNW	0.11 / 560.43	56.58 / 27	NIAGARA MOHAWK A NATIONAL GRID CO 114 HAMILTON ST ALBANY NY 12207	RCRA VSQG
EPA Handler ID:	NYP000970004					
Gen Status Universe:	VSG					
Contact Name:	BARBARA SCHEURER					
Contact Address:	1125 , BROADWAY , , ALBANY , NY, 12204 , US					
Contact Phone No and Ext:	518-433-3696					
Contact Email:						
Contact Country:	US					
County Name:	ALBANY					
EPA Region:	02					
Land Type:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Receive Date:		20130930				
Location Latitude:		42.647539				
Location Longitude:		-73.755396				

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20130930
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Implementer

23	2 of 3	WNW	0.11 / 560.43	56.58 / 27	NIAGARA MOHAWK A NATIONAL GRID CO 114 HAMILTON ST ALBANY NY 12207	FINDS/FRS
Registry ID:	110056378771					
FIPS Code:	36001					
HUC Code:	02020006					
Site Type Name:	STATIONARY					
Location Description:						
Supplemental Location:						
Create Date:	17-DEC-13					
Update Date:	17-OCT-17					
Interest Types:	VSQG					
SIC Codes:						
SIC Code Descriptions:						
NAICS Codes:						
NAICS Code Descriptions:						
Conveyor:	FRS-GEOCODE					
Federal Facility Code:						
Federal Agency Name:						
Tribal Land Code:						
Tribal Land Name:						
Congressional Dist No:	21					
Census Block Code:	360010011001136					
EPA Region Code:	02					
County Name:	ALBANY					
US/Mexico Border Ind:						
Latitude:	42.64719					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Longitude:		-73.7563				
Reference Point:		CENTER OF A FACILITY OR STATION				
Coord Collection Method:		ADDRESS MATCHING-HOUSE NUMBER				
Accuracy Value:		30				
Datum:		NAD83				
Source:						
Facility Detail Rprt URL:		https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110056378771				
Data Source:		Facility Registry Service - Single File				
Program Acronyms:						
RCRAINFO:NYP000970004						

23	3 of 3	WNW	0.11 / 560.43	56.58 / 27	NATIONAL GRID 114 HAMILTON ST ALBANY NY 12207	GEN MANIFEST
RCRA ID:	NYP000970004	Mailing State:	NY			
District Name:	NATIONAL GRID	Mailing ZIP:	12204			
Contact Name:	NATIONAL GRID	Mailing ZIP Ext:				
Business Phone No:	5184333696	Mailing Country:	USA			
Mailing Street 1:	1125 BROADWAY	Location ZIP Ext:				
Mailing Street 2:		Location Country:	USA			
Mailing City:	ALBANY	Location County:	ALBANY			

Manifest Information

Waste Code(s):

D008: LEAD (Waste Code Description from EPA Hazardous Waste Identification)

Waste Amounts By Year:

2013: 400 Pounds

24	1 of 1	ENE	0.11 / 577.09	19.91 / -9	NYS DEPT OF AGRICULTURE & MARKETS FOOD LABORATORY DIVISION ALBANY NY 12235	FINDS/FRS
Registry ID:	110008030031					
FIPS Code:	36001					
HUC Code:	02020006					
Site Type Name:	STATIONARY					
Location Description:						
Supplemental Location:						
Create Date:	01-MAR-00					
Update Date:	09-SEP-10					
Interest Types:	HAZARDOUS WASTE BIENNIAL REPORTER, SQG					
SIC Codes:						
SIC Code Descriptions:						
NAICS Codes:						
NAICS Code Descriptions:						
Conveyor:	RCRAINFO					
Federal Facility Code:						
Federal Agency Name:						
Tribal Land Code:						
Tribal Land Name:						
Congressional Dist No:	21					
Census Block Code:	360010011001124					
EPA Region Code:	02					
County Name:	ALBANY					
US/Mexico Border Ind:						
Latitude:	42.646984					
Longitude:	-73.751818					

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Reference Point:		ENTRANCE POINT OF A FACILITY OR STATION				
Coord Collection Method:		GDT-ADDRESS MATCHING (GEOCODING)				
Accuracy Value:						
Datum:		NAD83				
Source:						
Facility Detail Rprt URL:		https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110008030031				
Data Source:		Facility Registry Service - Single File				
Program Acronyms:						
BR:NYD982726424, RCRAINFO:NYD982726424						

25	1 of 3	ENE	0.11 / 598.12	22.35 / -7	NIAGARA MOHAWK A NATIONAL GRID CO 50 HUDSON AVE ALBANY NY 12205	FINDS/FRS
Registry ID:		110067209773				
FIPS Code:		36001				
HUC Code:		02020006				
Site Type Name:		STATIONARY				
Location Description:						
Supplemental Location:						
Create Date:		26-JAN-16				
Update Date:						
Interest Types:		UNSPECIFIED UNIVERSE				
SIC Codes:						
SIC Code Descriptions:						
NAICS Codes:						
NAICS Code Descriptions:						
Conveyor:		FRS-GEOCODE				
Federal Facility Code:						
Federal Agency Name:						
Tribal Land Code:						
Tribal Land Name:						
Congressional Dist No:		21				
Census Block Code:		360010140013025				
EPA Region Code:		02				
County Name:		ALBANY				
US/Mexico Border Ind:						
Latitude:		42.699508				
Longitude:		-73.817083				
Reference Point:		ENTRANCE POINT OF A FACILITY OR STATION				
Coord Collection Method:		ADDRESS MATCHING-HOUSE NUMBER				
Accuracy Value:		50				
Datum:		NAD83				
Source:						
Facility Detail Rprt URL:		https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110067209773				
Data Source:		Facility Registry Service - Single File				
Program Acronyms:						
RCRAINFO:NYP000972463						

25	2 of 3	ENE	0.11 / 598.12	22.35 / -7	NIAGARA MOHAWK A NATIONAL GRID CO 50 HUDSON AVE ALBANY NY 12205	RCRA NON GEN
EPA Handler ID:		NYP000972463				
Gen Status Universe:		No Report				
Contact Name:		BARBARA SCHEURER				
Contact Address:		1125 , BROADWAY , , ALBANY , NY, 12204 , US				
Contact Phone No and Ext:		518-433-3696				
Contact Email:						
Contact Country:		US				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20160411
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20160105
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Source Type: Emergency
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20160411
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Historical Handler Details

Receive Dt: 20160105
Generator Code Description: Large Quantity Generator
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO

25	3 of 3	ENE	0.11 / 598.12	22.35 / -7	NIAGARA MOHAWK A NATIONAL GRID CO 50 HUDSON AVE ALBANY NY 12205	NY MANIFEST
--------------------	--------	-----	---------------	------------	---	-------------

RCRA ID: NYP000972463
District Name: NIAGARA MOHAWK A NATIONAL GRID CO
Business Phone No:

Mailing Street 1: 1125 BROADWAY
Mailing Street 2:
Mailing City: ALBANY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Contact Name:		NIAGARA MOHAWK A NATIONAL GRID CO		Mailing State:		NY
Location ZIP Ext:				Mailing ZIP:		12204
Location County:		ALBANY		Mailing ZIP Ext:		
Location Country:		USA		Mailing Country:		USA

26	1 of 1	ENE	0.11 / 605.93	19.28 / -10	GREYHOUND BUS DALLIUS @ DIVISION DALLIUS ST @ DIVISION ST DALLIUS ST & DIVISION ST GRAYHOUND BUS ALBANY NY 12207	NY SPILLS
--------------------	--------	------------	----------------------	--------------------	---	------------------

Spill No:	0208313	UST Trust:	False
Site ID:	95130	Spill Date:	2002-11-11 22:21:00
DER Facility ID:	85104	Received Date:	2002-11-11 22:44:00
CID:	322	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2003-03-11 00:00:00
Water Body:		Create Date:	2002-11-11 00:00:00
Class:	B3	Update Date:	2010-03-31 12:26:09.587000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Vandalism		
Reported by:	Fire Department		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"unk subj damaged a valve on a bus - fuel ran into a storm drain fire dept on scene & request a response"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN see Edocs NRC Rpt # 628847 [NRC Rpt SHOWS GREYHOUND BUS NOT CDTA, CONFIRMED BY WTC WHO WAS @ SITE.] 12/16/2002 - Received report from Grayhound. Revised discharge is 15 gallons instead of 100 gallons. Approximately 5 yds of soil removed and will be taken to ESML. wtc 02/28/2003 - Left message on answering machine of Mr. Bill Brewer for closure report and disposal receipts. wtc 03/11/2003 - Closure report received from Greyhound Lines Inc. (see Edocs) Clean up was by Miller Environmental. Contaminated material was disposed of at ESML. Closed wtc"

Material Information

OP Unit ID:	861312	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	515320	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	True
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	15.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	
Spiller Company:	GREYHOUND BUS #2876
Spiller Address:	DALLIUS ST & DIVISION ST
Spiller City:	ALBANY
Spiller State:	ZZ

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Zip:
Spiller Country: 999
Contact Name: BILL BREWER
Contact Phone: (518) 434-0291
Contact Ext:
Latitude:
Longitude:

27	1 of 1	NE	0.12 / 628.36	25.72 / -3	RED-KAP TRUCK HUDSON RIVER GREEN ST GREEN ST RR XX HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	--------	----	---------------	------------	--	-----------

Spill No:	9912861	UST Trust:	False
Site ID:	200327	Spill Date:	2000-02-11 12:15:00
DER Facility ID:	166698	Received Date:	2000-02-11 12:38:00
CID:	323	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2000-05-09 00:00:00
Water Body:	HUDSON RIVER & SEWER	Create Date:	2000-02-11 00:00:00
Class:	A3	Update Date:	2012-07-16 13:04:03.62000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"IT APPEARS THAT THE TRAILER HAS DETACHED FROM THE TRACTOR. ONE OF THE COMPARTMENTS ON THE TRAILER LET GO. AFD ON SCENE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN D&H CALLED WEST CENTRAL, RED-KAP CALLED EPS, ANG NOTIFIED DOW, Alb Co SEWER, ACHD, PNB CALLED NRC (800-424-8802; #519498 MATT ROBERTSON); CALL FROM USCG 13:25 LOOKING FOR UPDATE PO MACON 718-354-4121. 02/15/00 - On 2/1/00, 1,250 gallons of gasoline discharged from a red Kap tanker when it dislodged from it's tractor. This caused the tanker to drop and the dolly wheel to puncture the middle compartment. The gasoline entered a storm sewer and then into the Hudson River. Gasoline puddled in an access road next to the spill site and satuated snow and soil. The soil was dug out and stored on plastic. Approx. 200 yards of soil stockpiled. Red Kap accepted responsibility for the spill and hired EPS to remediate the spill site. 5/09/00 - Received closure report from Environmental Products & Services. Analytical results show site meets NYS Stars #1. "

Material Information

OP Unit ID:	1087398	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	294726	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	True
Quantity:	3100.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
Spiller Company: RED/KAP SALES TANKER

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Address:						
Spiller City:		SCHENECTADY				
Spiller State:		ZZ				
Spiller Zip:						
Spiller Country:		999				
Contact Name:		DOUG LANE				
Contact Phone:		(518) 469-3416				
Contact Ext:						
Latitude:						
Longitude:						

28	1 of 1	NE	0.12 / 629.25	25.84 / -3	ALBANY - C COMBINED SEWER OVERFLOWS HUDSON RIVER ALBANY NY 12207	FINDS/FRS
--------------------	--------	----	---------------	------------	--	-----------

Registry ID:	110019787248					
FIPS Code:						
HUC Code:	02020006					
Site Type Name:	STATIONARY					
Location Description:						
Supplemental Location:						
Create Date:	22-NOV-04					
Update Date:	29-OCT-14					
Interest Types:	STATE MASTER					
SIC Codes:	4952					
SIC Code Descriptions:	SEWERAGE SYSTEMS					
NAICS Codes:						
NAICS Code Descriptions:						
Conveyor:	FRS-GEOCODE					
Federal Facility Code:						
Federal Agency Name:						
Tribal Land Code:						
Tribal Land Name:						
Congressional Dist No:	21					
Census Block Code:	360010011001101					
EPA Region Code:	02					
County Name:	ALBANY					
US/Mexico Border Ind:						
Latitude:	42.64769					
Longitude:	-73.75232					
Reference Point:	ENTRANCE POINT OF A FACILITY OR STATION					
Coord Collection Method:	ADDRESS MATCHING-HOUSE NUMBER					
Accuracy Value:	50					
Datum:	NAD83					
Source:						
Facility Detail Rprt URL:	https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110019787248					
Data Source:	Facility Registry Service - Single File					
Program Acronyms:						
FIS:4-0101-00012						

29	1 of 1	E	0.12 / 629.76	13.77 / -15	300 Broadway Albany NY 12207	COOLING TOWERS
Equipment ID:	10341		Reg Comp:	Compliant		
Equipment County:	Albany		Commissioned Dt:			
Equipment Borough:			Inspection Dt:			
CT Status:	Decommissioned		Last Sampled Days:	999		
Intended Use:			Last Update Days:	1488		
Cooling Capacity:			Latitude:	42.645348		
Cool Capacity Unit:			Longitude:	-73.750114		
Manufacturer:						
Model:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Bacteriological Sample Dt:
Legionella Sample Coll Dt:
Last Legionella Sample Result:
Equipmnt Last Legionella Test: It20
Equipmnt Last Legionella Sam: 11/6/2019
Equipmnt Tower Operatn Dura: Seasonal
Street Address:
New Georeferenced Column:
Georeference: POINT (-73.750114 42.645348)

30	1 of 1	W	0.12 / 635.19	58.06 / 29	BROWN PROPERTY GRAND ST 84 GRAND ST RESIDENCIAL PROPERTY ALBANY NY	NY SPILLS
--------------------	--------	---	------------------	---------------	---	-----------

Spill No:	0703243	UST Trust:	
Site ID:	383134	Spill Date:	2007-06-15 14:00:00
DER Facility ID:	332607	Received Date:	2007-06-19 15:14:00
CID:	410	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2007-09-12 00:00:00
Water Body:		Create Date:	2007-06-19 17:57:00
Class:	B4	Update Date:	2007-09-12 10:13:39.833000000
Meets Std:	False	DEC Region:	4
Penalty:		Lead DEC:	wtchrist
REM Phase:	0	After Hours:	
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Private Dwelling		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"DURING THE REMOVAL OF A TANK NOT IN USE, ROUGHLY 5 GALLONS OF OIL WAS SPILLED ON THE GROUND. CLEANUP TO FOLLOW, CONTRACTOR RESPONDING ON 6/20/2007:"

DEC Remark:

"07/26/07 - Left phone message (2:04pm) requesting closure report. wtc 9/12/07 - Received closure and disposal receipts from Miller Environmental. wtc"

Material Information

OP Unit ID:	1140507	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2130583	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name: EDWARD BROWN
Spiller Company: RESIDENCIAL PROPERTY
Spiller Address: 84 GRAND STREET
Spiller City: ALBANY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		001				
Contact Name:		EDWARD BROWN				
Contact Phone:		(978) 373-3535				
Contact Ext:						
Latitude:		42.645531428				
Longitude:		-73.756698582				

31	1 of 6	NE	0.12 / 656.69	24.71 / -4	NYS DOT BIN 7018190 AMTRAK HUDSON LINE OVER N PEARL ST ALBANY NY 12207	FINDS/FRS
--------------------	--------	----	---------------	------------	--	-----------

Registry ID: 110064675436
FIPS Code: 36001
HUC Code: 02020006
Site Type Name: STATIONARY
Location Description:
Supplemental Location: N PEARL ST
Create Date: 27-AUG-15
Update Date:
Interest Types: LQG
SIC Codes:
SIC Code Descriptions:
NAICS Codes: 237310
NAICS Code Descriptions: HIGHWAY, STREET, AND BRIDGE CONSTRUCTION.
Conveyor: RCRAINFO
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001112
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.647666
Longitude: -73.752165
Reference Point: ENTRANCE POINT OF A FACILITY OR STATION
Coord Collection Method: GDT-ADDRESS MATCHING (GEOCODING)
Accuracy Value:
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110064675436
Data Source: Facility Registry Service - Single File
Program Acronyms:

RCRAINFO:NYR000219915

31	2 of 6	NE	0.12 / 656.69	24.71 / -4	NYS DOT BIN 7092900 AMTRAK/HUDSON LINE OVER WATER ST ALBANY NY 12207	FINDS/FRS
--------------------	--------	----	---------------	------------	--	-----------

Registry ID: 110064675445
FIPS Code: 36001
HUC Code: 02020006
Site Type Name: STATIONARY
Location Description:
Supplemental Location: WATER ST
Create Date: 27-AUG-15
Update Date:
Interest Types: LQG
SIC Codes:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

SIC Code Descriptions:
NAICS Codes: 237310
NAICS Code Descriptions: HIGHWAY, STREET, AND BRIDGE CONSTRUCTION.
Conveyor: RCRAINFO
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001112
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.647666
Longitude: -73.752165
Reference Point: ENTRANCE POINT OF A FACILITY OR STATION
Coord Collection Method: GDT-ADDRESS MATCHING (GEOCODING)
Accuracy Value:
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110064675445
Data Source: Facility Registry Service - Single File
Program Acronyms:
 RCRAINFO:NYR000219923

31	3 of 6	NE	0.12 / 656.69	24.71 / -4	NYSDOT BIN 7200339 AMTRAK HUDSON LINE OVER BROADWAY ALBANY NY 12207	FINDS/FRS
--------------------	--------	----	---------------	------------	--	---------------------------

Registry ID: 110064675454
FIPS Code: 36001
HUC Code: 02020006
Site Type Name: STATIONARY
Location Description:
Supplemental Location: BROADWAY
Create Date: 27-AUG-15
Update Date:
Interest Types: LQG
SIC Codes:
SIC Code Descriptions:
NAICS Codes: 237310
NAICS Code Descriptions: HIGHWAY, STREET, AND BRIDGE CONSTRUCTION.
Conveyor: RCRAINFO
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No: 21
Census Block Code: 360010011001112
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude: 42.647666
Longitude: -73.752165
Reference Point: ENTRANCE POINT OF A FACILITY OR STATION
Coord Collection Method: GDT-ADDRESS MATCHING (GEOCODING)
Accuracy Value:
Datum: NAD83
Source:
Facility Detail Rprt URL: https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110064675445
Data Source: Facility Registry Service - Single File
Program Acronyms:
 RCRAINFO:NYR000219931

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
31	4 of 6	NE	0.12 / 656.69	24.71 / -4	NYS DOT BIN 7018190 AMTRAK HUDSON LINE OVER N PEARL ST ALBANY NY 12207	RCRA LQG

EPA Handler ID: NYR000219915
Gen Status Universe: Large Quantity Generator
Contact Name: SCOTT H KAPPELLER
Contact Address: 50 , WOLF RD DOT REGION 1 CONSTRUCTION OFFICE , , ALBANY , NY, 12232 , US
Contact Phone No and Ext: 518-485-9142
Contact Email: SCOTT.KAPPELLER@DOT.NY.GOV
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Municipal
Receive Date: 20150616
Location Latitude: 42.647666
Location Longitude: -73.752165

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20150616
Handler Name: NYS DOT BIN 7018190
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind: Current Operator
Type: Federal
Street No:
Street 1:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Name:	NATIONAL RAILROAD PASSENGER CORPORATION				Street 2:	
Dt Became Current:	20121201				City:	
Dt Ended Current:					State:	
Phone:					Country:	
Source Type:	Notification				Zip Code:	
Owner/Operator Ind:	Current Owner				Street No:	60
Type:	Federal				Street 1:	MASSACHUSETTS AVE NE
Name:	NATIONAL RAILROAD PASSENGER CORPORATION				Street 2:	
Dt Became Current:	20121201				City:	WASHINGTON
Dt Ended Current:					State:	DC
Phone:	212-630-6215				Country:	US
Source Type:	Notification				Zip Code:	20002

[31](#) 5 of 6 **NE** 0.12 / 656.69 24.71 / -4 **NYS DOT BIN 7092900
AMTRAK/HUDSON LINE OVER
WATER ST
ALBANY NY 12207** **RCRA LQG**

EPA Handler ID: NYR000219923
Gen Status Universe: Large Quantity Generator
Contact Name: SCOTT H KAPPELLER
Contact Address: 50 , WOLF RD DOT REGION 1 CONSTRUCTION OFFICE , , ALBANY , NY, 12232 , US
Contact Phone No and Ext: 518-485-9142
Contact Email: SCOTT.KAPPELLER@DOT.NY.GOV
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Municipal
Receive Date: 20150616
Location Latitude: 42.647666
Location Longitude: -73.752165

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20150616
Handler Name: NYS DOT BIN 7092900
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source Type:	Notification				
--------------	--------------	--	--	--	--

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	60
Type:	Federal	Street 1:	MASSACHUSETTS AVE NE
Name:	NATIONAL RR PASSENGER CORP	Street 2:	
Dt Became Current:	20121201	City:	WASHINGTON
Dt Ended Current:		State:	DC
Phone:	212-630-6215	Country:	US
Source Type:	Notification	Zip Code:	20002

Owner/Operator Ind:	Current Owner	Street No:	60
Type:	Federal	Street 1:	MASSACHUSETTS AVE NE
Name:	NATIONAL RR PASSENGER CORP	Street 2:	
Dt Became Current:	20121201	City:	WASHINGTON
Dt Ended Current:		State:	DC
Phone:	212-630-6215	Country:	US
Source Type:	Notification	Zip Code:	20002

31	6 of 6	NE	0.12 / 656.69	24.71 / -4	NYS DOT BIN 7200339 AMTRAK HUDSON LINE OVER BROADWAY ALBANY NY 12207	RCRA LQG
--------------------	--------	----	---------------	------------	--	----------

EPA Handler ID: NYR000219931
Gen Status Universe: Large Quantity Generator
Contact Name: SCOTT H KAPPELLER
Contact Address: 50 , WOLF RD DOT REGION 1 CONSTRUCTION OFFICE , , ALBANY , NY, 12232 , US
Contact Phone No and Ext: 518-485-9142
Contact Email: SCOTT.KAPPELLER@DOT.NY.GOV
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Municipal
Receive Date: 20150616
Location Latitude: 42.647666
Location Longitude: -73.752165

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20150616
 Handler Name: NYSDOT BIN 7200339
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	60
Type:	Federal	Street 1:	MASSACHUSETTS AVE NE
Name:	NATIONAL RR PASSENGER CORP	Street 2:	
Dt Became Current:	20121201	City:	WASHINGTON
Dt Ended Current:		State:	DC
Phone:	212-630-6215	Country:	US
Source Type:	Notification	Zip Code:	20002

Owner/Operator Ind:	Current Operator	Street No:	60
Type:	Federal	Street 1:	MASSACHUSETTS AVE NE
Name:	NATIONAL RR PASSENGER CORP	Street 2:	
Dt Became Current:	20121201	City:	WASHINGTON
Dt Ended Current:		State:	DC
Phone:	212-630-6215	Country:	US
Source Type:	Notification	Zip Code:	20002

32	1 of 3	SE	0.13 / 687.71	15.21 / -14	PROPIONIC ACID TRUCK I-787 @ MADISON MADISON AVE I-787 PROPIONIC ACID UNDERPASS ALBANY NY	NY SPILLS
--------------------	--------	----	---------------	-------------	--	------------------

Spill No:	8707196	UST Trust:	False
Site ID:	156119	Spill Date:	1987-11-20 14:40:00
DER Facility ID:	132141	Received Date:	1987-11-20 14:54:00
CID:		CAC Date:	1987-11-20 00:00:00
Program Type:	ER	Insp Date:	1987-11-20 00:00:00
SWIS Code:	0101	Close Date:	1988-11-23 00:00:00
Water Body:		Create Date:	1987-12-16 00:00:00
Class:	B3	Update Date:	2007-07-11 09:12:04.950000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Police Department		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"HAZ. MAT. (10 PPM TLV). WORKER OVERCOME CLEANING TRUCK. FD HOZED TRUCK. NOT ENOUGH LEFT TO CREATE A PROBLEM. BLAIN RESPONDED. NO DEC ACTION."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN / / : CASE CLOSED."

Material Information

OP Unit ID:	911077	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	466164	Med SW:	False
CAS No:	00079094	Med DW:	False
Material Family:	Hazardous Material	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0113A		
Material Name:	propionic acid		

Spiller Information

Spiller Name:	
Spiller Company:	UNKNOWN
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.656689994
Longitude:	-73.760660000

32	2 of 3	SE	0.13 / 687.71	15.21 / -14	BROADWAY & MADISON BROADWAY & MADISON ALBANY NY	NY SPILLS
--------------------	--------	----	---------------	-------------	---	-----------

Spill No:	8802224	UST Trust:	False
Site ID:	102630	Spill Date:	1988-06-10 07:00:00
DER Facility ID:	90885	Received Date:	1988-06-10 07:33:00
CID:		CAC Date:	1988-06-10 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1988-06-10 00:00:00
Water Body:		Create Date:	
Class:	C3	Update Date:	2008-06-02 15:03:48.007000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Citizen		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"BLAIN ON SCENE 8:30 - OIL SMELL & SAND AROUND BUT NO OIL TO CLEANUP."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	917551	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	461347	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	UNKNOWN
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.643987003
Longitude:	-73.751392996

32	3 of 3	SE	0.13 / 687.71	15.21 / -14	MOBIL TRUCK BROADWAY @ MADISON BROADWAY @ MADISON AVE ALBANY NY	NY SPILLS
--------------------	--------	----	---------------	-------------	--	------------------

Spill No:	9802838	UST Trust:	False
Site ID:	168210	Spill Date:	1998-06-03 13:15:00
DER Facility ID:	141705	Received Date:	1998-06-03 13:33:00
CID:	266	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1998-06-03 00:00:00
Water Body:		Create Date:	1998-06-03 00:00:00
Class:	C3	Update Date:	2008-10-02 14:54:52.183000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"RUPTURED SADDLE TANK. ONTO ROADWAY. ALBANY FIRE DEPARTMENT, AND ENVIRONMENTAL PRODUCTS AND SERVICES ON SCENE FOR CLEAN UP."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 6/3/98 - EPS AND FD DID CLEANUP. NO PROBLEM, CLEANUP COMPLETE."

Material Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OP Unit ID:	1063488				Med Ind Air:	False
OU:	01				Med GW:	False
Material ID:	321158				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	30.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	30.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0008				
Material Name:		diesel				

Spiller Information

Spiller Name: TIM FAYLES
Spiller Company: MOBIL OIL CORPORATION
Spiller Address: 50 CHURCH STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202-
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

33	1 of 1	SE	0.13 / 688.22	15.21 / -14	HUDSON RIVER MADISON BROADWAY SHEEN MADISON @ BROADWAY HUDSON RIVER SHEEN NEAR UHAUL FOOT OF MADISON AVE/B'WAY / NEXT TO U-ALBANY NY	NY SPILLS
--------------------	--------	----	---------------	-------------	--	-----------

Spill No:	9402588	UST Trust:	False
Site ID:	111866	Spill Date:	1994-05-23 07:30:00
DER Facility ID:	97795	Received Date:	1994-05-27 09:00:00
CID:		CAC Date:	1994-05-27 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1994-06-20 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1994-06-20 00:00:00
Class:	A4	Update Date:	2010-05-06 14:54:06.867000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Citizen		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"[NONE GIVEN] SEE 9402584? [NOTE SPILL DATE & CO DATE] SEE RPT."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 09/28/95: This is additional information about material spilled from the translation of the old spill file: HEAVY SHEEN. 9004053, 9005150, 9305897, 9711578, 9903349, 0100287 LOCATION RPTd AS FOOT OF MADISON AVE/B'WAY / NEXT TO U-HAUL BLDG. "

Material Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OP Unit ID:	999671				Med Ind Air:	False
OU:	01				Med GW:	False
Material ID:	382771				Med SW:	True
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0008				
Material Name:		diesel				

Spiller Information

Spiller Name:
Spiller Company: UNKNOWN
Spiller Address:
Spiller City: ***UPDATE***
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

34	1 of 1	WNW	0.13 / 704.85	64.67 / 36	NIAGARA MOHAWK A NATIONAL GRID CO 128 HAMILTON ST ALBANY NY 12204	RCRA NON GEN
--------------------	--------	-----	---------------	------------	---	-----------------

EPA Handler ID: NYP000969972
Gen Status Universe: No Report
Contact Name: BARBARA SCHEURER
Contact Address: 1125 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext: 518-433-3696
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type:
Receive Date: 20140603
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20130917
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Emergency
 Federal Waste Generator Code: 3
 Generator Code Description: Very Small Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20140603
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Historical Handler Details

Receive Dt: 20130917
 Generator Code Description: Very Small Quantity Generator
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO

<u>35</u>	1 of 2	W	0.13 / 706.15	67.31 / 38	OLIVER RES MADISON AVE 156 MADISON AVE ALBANY NY	NY SPILLS
-----------	--------	----------	--------------------------	-----------------------	---	------------------

Spill No:	8806708	UST Trust:	False
Site ID:	174285	Spill Date:	1988-11-03 12:00:00
DER Facility ID:	146609	Received Date:	1988-11-10 15:27:00
CID:		CAC Date:	1988-11-18 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1988-11-18 00:00:00
Water Body:		Create Date:	1988-11-21 00:00:00
Class:	C4	Update Date:	2008-06-02 16:02:04.063000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCDONALD
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"SPILL LEFT PATCH 15' X 10' ON BASEMENT CONCRETE FLOOR. DOMERMUTH REMOVING TANK AND BREAKING UP FLOOR. SPOT WAS THERE WHEN PURCHASED. CONVERTED TO GAS PREVIOUSLY. NO DEC RESPONSE."

DEC Remark:

""

Material Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OP Unit ID:	923532				Med Ind Air:	False
OU:	01				Med GW:	False
Material ID:	455047				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	.00				Med Surf:	False
Units:	L				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0001A				
Material Name:		#2 fuel oil				

Spiller Information

Spiller Name:
Spiller Company: OLIVER
Spiller Address: 156 MADISON AVE
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name: LEWIS OLIVER
Contact Phone:
Contact Ext:
Latitude: 42.646372170
Longitude: -73.757080830

35 2 of2 **W** 0.13 / 706.15 67.31 / 38 **NATIONAL GRID
156 MADISON AVE VAULT
ALBANY NY 12202** **REC
MANIFEST**

RCRA ID: NYP000960633 **Mailing State:** NY
District Name: NATIONAL GRID **Mailing Zip:** 12202
Contact Name: ANTHONY MELFI **Mailing Zip Extension:**
Business Phone No: 5184333696 **Mailing Country:** USA
Mailing Street 1: 1125 BORADWAY **Location Zip Ext:**
Mailing Street 2: **Location Country:** USA
Mailing City: ALBANY **Location County:** ALBANY

Manifest Information

Waste Code(s):

B002: (Wastes containing polychlorinated biphenyls (PCBs)) Petroleum oil or other liquid containing 50 ppm or greater of PCBs, but less than 500 ppm PCBs. This includes oil from electrical equipment whose PCB concentration is unknown, except for circuit breakers, reclosers, and cable.
B007: (Wastes containing polychlorinated biphenyls (PCBs)) Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.

Waste Received By Year:

2006: 591 Kilograms

36 1 of1 **N** 0.14 / 727.25 37.25 / 8 **PS ASSOCIATE S. PEARL ST
36 S. PEARL ST
ALBANY NY** **NY SPILLS**

Spill No: 9813524 **UST Trust:** False
Site ID: 99087 **Spill Date:** 1999-02-03 13:00:00
DER Facility ID: 88096 **Received Date:** 1999-02-04 14:13:00
CID: 382 **CAC Date:**
Program Type: ER **Insp Date:**
SWIS Code: 0101 **Close Date:** 2000-02-03 00:00:00
Water Body: **Create Date:** 1999-02-04 00:00:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Class:	D5				Update Date: 2022-03-31 09:08:57.820000000	
Meets Std:	False				DEC Region: 4	
Penalty:	False				Lead DEC: WTCHRIST	
REM Phase:	0				After Hours: False	
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"SOIL CONTAMINATION FOUND DURING A PROBING. 20 SAMPLES TAKEN."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 11/03/99 - Left phone message for Crage Corbett for an update on what is or has been done on the project. 10:50AM Crage called back and will send over analytical results and any other information that he has. 2/3/00 - Analytical results received 11/05/99. Tank closed in place and analytical results show only Naphthalene at 18ppb. No contaminated soil removed do to location of tank."

Material Information

OP Unit ID:	1070904	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	310238	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	JOE BORELLI
Spiller Company:	PS ASSOCIATE
Spiller Address:	36 SO PEARL ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	JOE BORRELLI
Contact Phone:	(518) 432-1500
Contact Ext:	
Latitude:	42.648684050
Longitude:	-73.753533640

37	1 of 1	WSW	0.14 / 740.37	64.57 / 35	NIMO TRINITY SUBSTATION NAT GRID GRAND ST 100 GRAND ST (TRINITY SUBSTATION) TRITNEY SUBSTATION 100 GRANDE STREET ALBANY NY	NY SPILLS
--------------------	--------	-----	---------------	------------	--	-----------

Spill No:	0707170	UST Trust:	
Site ID:	387809	Spill Date:	2007-09-28 14:19:00
DER Facility ID:	337290	Received Date:	2007-09-28 14:19:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
SWIS Code:	0101				Close Date: 2007-10-02 00:00:00	
Water Body:					Create Date: 2007-09-28 14:30:00	
Class:	C4				Update Date: 2013-07-19 13:27:33.52000000	
Meets Std:	False				DEC Region: 4	
Penalty:	False				Lead DEC: wtchrist	
REM Phase:	0				After Hours: False	
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"POSSIBLE DUE TO OVERLOAD: ABOUT 1/2 GALLON: CLEAN UP CREW ON SITE: ON A PAD"

DEC Remark:

"10/02/07 - Non PCB oil used. wtc"

Material Information

OP Unit ID:	1145011	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2135329	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name:	BARBARASCHEURER [SP]
Spiller Company:	TRITNEY [SP] SUBSTATION NAT GRID NIMO
Spiller Address:	100 GRANDE STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	BARBARASCHEURER [SP]
Contact Phone:	(518) 433-3696
Contact Ext:	
Latitude:	42.645091371
Longitude:	-73.756968513

38	1 of 1	W	0.14 / 760.37	67.25 / 38	NIMO TRUCK GRAND ST 89 GRAND ST ALBANY NY	NY SPILLS
-----------	---------------	----------	----------------------	-------------------	--	------------------

Spill No:	0310006	UST Trust:	False
Site ID:	126110	Spill Date:	2003-11-25 10:11:00
DER Facility ID:	109061	Received Date:	2003-11-25 10:11:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2003-12-03 00:00:00
Water Body:		Create Date:	
Class:	C4	Update Date:	2003-12-03 00:00:00
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Commercial Vehicle				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"while driving the road line broke on truck and spilled on the ground. crew is picking it up now"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 12/03/2003 - No DEC response. Clean up by NiMo personal. Closed wtc"

Material Information

OP Unit ID:	877660	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	498959	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name:	TOM SULLIVAN
Spiller Company:	NIAGARA MOHAWK NIMO
Spiller Address:	89 GRANDE STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	TOM SULLIVAN
Contact Phone:	(518) 356-6471
Contact Ext:	
Latitude:	42.645480960
Longitude:	-73.757110780

39	1 of 1	W	0.15 / 782.02	73.52 / 44	NATIONAL GRID 165 MADISON AVE 165 MADISON AVE ALBANY NY 12208	RCRA LQG
--------------------	--------	---	---------------	------------	---	----------

EPA Handler ID:	NYP000977878
Gen Status Universe:	Large Quantity Generator
Contact Name:	MATTHEW ROOT
Contact Address:	1125 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext:	518-433-3696
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	Private
Receive Date:	20220225
Location Latitude:	42.646725
Location Longitude:	-73.7573

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20210930
Handler Name: NIAGARA MOHAWK A NATIONAL GRID COMPANY
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Emergency

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20220119
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Deactivation

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20220225
Handler Name: NATIONAL GRID 165 MADISON AVE
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	1125
Type:	Private	Street 1:	BROADWAY
Name:	NIAGARA MOHAWK POWER CORP A	Street 2:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Dt Became Current:	NATIONAL GRID CO				City:	ALBANY
Dt Ended Current:	20000905				State:	NY
Phone:					Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	12204
Owner/Operator Ind:	Current Owner				Street No:	1125
Type:	Private				Street 1:	BROADWAY
Name:	NIAGARA MOHAWK POWER CORP A				Street 2:	
	NATIONAL GRID CO					
Dt Became Current:	20000905				City:	ALBANY
Dt Ended Current:					State:	NY
Phone:					Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	12204

Historical Handler Details

Receive Dt:	20220119
Generator Code Description:	Not a Generator, Verified
Handler Name:	NIAGARA MOHAWK A NATIONAL GRID CO
Receive Dt:	20210930
Generator Code Description:	Large Quantity Generator
Handler Name:	NIAGARA MOHAWK A NATIONAL GRID COMPANY

40	1 of 2	WSW	0.15 / 799.77	70.69 / 42	MANSION INITIATIVE 104 GRAND ST ALBANY NY 12202	RCRA VSQG
--------------------	--------	------------	----------------------	-------------------	--	------------------

EPA Handler ID:	NYR000116525
Gen Status Universe:	VSG
Contact Name:	CHRIS BETTS
Contact Address:	324 , BROADWAY , ATTN: COMMUNITY BLDRS , ALBANY , NY, 12207 , US
Contact Phone No and Ext:	518-432-9017
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	Private
Receive Date:	20070101
Location Latitude:	42.644999
Location Longitude:	-73.757071

Violation/Evaluation Summary

Note: NO VIOLATIONS: All of the compliance records associated with this facility (EPA ID) indicate NO VIOLATIONS; Compliance Monitoring and Enforcement table dated Jan, 2024.

Evaluation Details

Evaluation Start Date:	20040804
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Violation Short Description:	
Return to Compliance Date:	
Evaluation Agency:	State

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Underground Injection Activity:	No					
Commercial TSD:	No					
Used Oil Transporter:	No					
Used Oil Transfer Facility:	No					
Used Oil Processor:	No					
Used Oil Refiner:	No					
Used Oil Burner:	No					
Used Oil Market Burner:	No					
Used Oil Spec Marketer:	No					

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20030624
Handler Name: MANSION INITIATIVE
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: MANSION INITIATIVE
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: MANSION INITIATIVE
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Implementer

Owner/Operator Details

Owner/Operator Ind: Current Operator	Street No: 104
Type: Private	Street 1: GRAND ST
Name: MANSION INITIATIVE	Street 2:
Date Became Current: 19791231	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-432-9017	Country:
Source Type: Notification	Zip Code: 12202

Owner/Operator Ind: Current Operator	Street No: 104
Type: Private	Street 1: GRAND ST
Name: MANSION INITIATIVE	Street 2:
Date Became Current: 19791231	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-432-9017	Country: US
Source Type: Implementer	Zip Code: 12202

Owner/Operator Ind: Current Owner	Street No: 324
Type: Private	Street 1: BROADWAY
Name: HISTORIC MANSION ON HILL LTD	Street 2: ATTN: COMMUNITY BLDRS

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Date Became Current:	PARTNERSHIP 19791231				City: ALBANY	
Date Ended Current:					State: NY	
Phone:	518-432-9017				Country: US	
Source Type:	Implementer				Zip Code: 12207	
Owner/Operator Ind:	Current Owner				Street No: 324	
Type:	Private				Street 1: BROADWAY	
Name:	HISTORIC MANSION ON HILL LTD PARTNERSHIP				Street 2: ATTN: COMMUNITY BLDRS	
Date Became Current:	19791231				City: ALBANY	
Date Ended Current:					State: NY	
Phone:	518-432-9017				Country:	
Source Type:	Notification				Zip Code: 12207	

Historical Handler Details

Receive Dt:	20060101
Generator Code Description:	Very Small Quantity Generator
Handler Name:	MANSION INITIATIVE
Receive Dt:	20030624
Generator Code Description:	Small Quantity Generator
Handler Name:	MANSION INITIATIVE

40	2 of 2	WSW	0.15 / 799.77	70.69 / 42	LEAD PAINT 104 GRAND ST 104 GRAND ST ALBANY NY	NY SPILLS
--------------------	--------	-----	------------------	---------------	--	-----------

Spill No:	9700464	UST Trust:	False
Site ID:	225512	Spill Date:	1997-04-10 10:00:00
DER Facility ID:	186162	Received Date:	1997-04-10 10:17:00
CID:	266	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1997-04-10 00:00:00
Water Body:		Create Date:	1997-04-10 00:00:00
Class:	D5	Update Date:	2008-08-04 13:49:12.127000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	PNBENTIE
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Deliberate		
Reported by:	Local Agency		
Referred to:			
Source:	Private Dwelling		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"UNKNOWN CONTRACTOR BURYING LEAD PAINT IN REAR OF APARTMENT BUILDING. FIRE DEPARTMENT AND BUILDING DEPARTMENT ON SCENE. LEAD READINGS ARE OFF THE SCALE. REQUESTING DEC RESPONSE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BENTIE REFd TO SOLID WASTE. "

Material Information

OP Unit ID:	1043255	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	556349	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0055A				
Material Name:		paint				

Spiller Information

Spiller Name:
 Spiller Company: UNKNOWN
 Spiller Address:
 Spiller City:
 Spiller State: NY
 Spiller Zip:
 Spiller Country: 999
 Contact Name:
 Contact Phone:
 Contact Ext:
 Latitude: 42.645014360
 Longitude: -73.757266450

41	1 of 1	WSW	0.15 / 806.18	68.53 / 39	CARGILL INCORPORATED-CGD PORT OF ALBANY ALBANY NY 12202	AST
--------------------	--------	-----	---------------	------------	---	-----

Site ID: 35494
 Site Status: Unregulated/Closed
 Program No: 4-086126
 Program Type Code: PBS
 Program Type Desc: Petroleum Bulk Storage Program
 Site Type: Other
 Expiry: N/A
 County: Albany
 UTM X: 601864.00000
 UTM Y: 4722176.00000

Tank Information

Prog No: 4-086126
 Tank ID: 86480
 Tank No: 1
 Tank Status: 3
 Tank Status Desc: Closed - Removed
 Tank Type: 01
 Tank Type Desc: Steel/Carbon Steel/Iron
 Install Date:
 Close Date: 04/01/2002
 Tk Out of Serv Dt:
 Capacity (Gal): 8000
 Registered: True
 Tank Model:
 Pipe Model:
 Tank Location: 2
 Tank Location Desc: Aboveground-contact w/ impervious barrier
 Category: 1
 Category Desc: Category 1 means a tank which was installed before December 27, 1986
 Subpart:
 Subpart Desc:
 Tank Owner Name:
 Tank Owner Address:
 UDC Ind: 1
 Red Tag Start Date:
 Red Tag End Date:
 Tank Last Test:
 Tank Next Test Due:
 Test Method: NN
 Line Last Test Due:
 Next Line Test Due:
 Line Test Method:
 Class A Operator:
 Class B Operator:
 Modified by: MJGRIFFI
 Last Modified: 05/09/2022

Material Information

Material Name: #2 fuel oil (on-site consumption)
 Percent: 100.00

Equipment Information

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
Equipment:		L09				
Code Name:		Exempt Suction Piping				
Type:		Piping Leak Detection				
Equipment:		B00				
Code Name:		None				
Type:		Tank External Protection				
Equipment:		G00				
Code Name:		None				
Type:		Tank Secondary Containment				
Equipment:		F00				
Code Name:		None				
Type:		Pipe External Protection				
Equipment:		C00				
Code Name:		No Piping				
Type:		Pipe Location				
Equipment:		E00				
Code Name:		None				
Type:		Piping Secondary Containment				
Equipment:		I04				
Code Name:		Product Level Gauge (A/G)				
Type:		Overfill				
Equipment:		J02				
Code Name:		Suction Dispenser				
Type:		Dispenser				
Equipment:		K00				
Code Name:		None				
Type:		Spill Prevention				
Equipment:		A00				
Code Name:		None				
Type:		Tank Internal Protection				
Equipment:		H00				
Code Name:		None				
Type:		Tank Leak Detection				
Equipment:		D01				
Code Name:		Steel/Carbon Steel/Iron				
Type:		Pipe Type				

Affiliation Information

Affiliation Type: 07
Affiliation Name: Mail Contact
Affiliation Sub Type: NNN
Company: CARGILL INCORPORATED CGD
Contact Title:
Contact Name: CHRISTOPHER T. GARCIA
Address1: P.O. BOX 1248
Address2: PORT OF ALBANY
City: ALBANY
State: NY
Zip Code: 12202
Country Code: 001
Phone: (518) 465-2120
Phone Ext:
Email:
Fax:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Affiliation Type: 01
Affiliation Name: Facility Owner
Affiliation Sub Type: E
Company: CARGILL INCORPORATED CGD
Contact Title: PLANT SUPERINTENDENT
Contact Name: CHRISTOPHER T. GARCIA
Address1: PORT OF ALBANY
Address2:
City: ALBANY
State: NY
Zip Code: 12202
Country Code: 001
Phone: (518) 465-2120
Phone Ext:
Email:
Fax:

Affiliation Type: 04
Affiliation Name: Facility Operator
Affiliation Sub Type: NNN
Company: CARGILL INCORPORATED-CGD
Contact Title:
Contact Name: CARGILL INCORPORATED/CMD
Address1:
Address2:
City:
State: NY
Zip Code:
Country Code: 001
Phone: (518) 465-2120
Phone Ext:
Email:
Fax:

Affiliation Type: 11
Affiliation Name: Emergency Contact
Affiliation Sub Type: NNN
Company: CARGILL INCORPORATED CGD
Contact Title:
Contact Name: CHRISTOPHER GARCIA
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 999
Phone: (518) 465-2120
Phone Ext:
Email:
Fax:

42	1 of 1	W	0.15 / 806.18	74.29 / 45	APARTMENT BLDG ELM ST 9 ELM ST ALBANY NY	NY SPILLS
--------------------	--------	---	---------------	------------	--	-----------

Spill No:	9801193	UST Trust:	False
Site ID:	265315	Spill Date:	1998-04-24 12:00:00
DER Facility ID:	216198	Received Date:	1998-04-28 10:06:00
CID:	312	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1999-02-05 00:00:00
Water Body:		Create Date:	1998-04-28 00:00:00
Class:	B3	Update Date:	2004-02-24 00:00:00
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Reported by: Affected Persons
Referred to:
Source: Private Dwelling
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"people across the street from caller's apartment are changing over to gas from oil and the product is running in the road"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN NO RESPONSE REPORT RECEIVED 4 DAYS AFTER EVENT"

Material Information

OP Unit ID:	1061895	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	323134	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: J&B CONSTRUCTION
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name: OWNER: FREESCHOOL
Contact Phone: (518) 434-3072
Contact Ext:
Latitude: 42.645870090
Longitude: -73.757286010

43	1 of 1	ENE	0.15 / 813.19	20.42 / -9	Albany Parking Authority - Green Hudson Garage 45 Hudson Ave Albany NY 12207	ALT FUELS
--------------------	--------	------------	----------------------	-------------------	---	------------------

ID:	123113	CNG Dispenser No:	
Fuel Type Code:	ELEC: Electric	CNG Site Renew Src:	
Station Phone:	866-816-7584	CNG Tot Compr Cap:	
Expected Date:		CNG Storage Cap:	
BD Blends:		CNG Fill Type Code:	
NG PSI:		CNG PSI:	
Federal Agency ID:		CNG Vehicle Class:	
Open Date:	2019-04-01	LNG Site Renew Src:	
Hydrogen is Retail:		LNG Vehicle Class:	
Federal Agency:		LPG Nozzle Types:	
Facility Type:		Hydrogen Pressures:	
Dt Last Confirmed:	2023-08-30	Hydrogen Standards:	
Updated at:	2023-08-30 01:12:53 UTC	Latitude:	42.648002
Access Code:	public	Longitude:	-73.752291
Access Detail Code:			
Groups with Access Code:	Public		
Groups with Access Code Fr:	Public		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Fed Agency Name:
Hydrogen Status Link:
E85 Other Ethanol Blends:
NPS Unit Name:
Cards Accepted:
CNG Statn Sells Renewable Na:
LNG Statn Sells Renewable Na:
Maximum Vehicle Class:
RD Blended With Biodiesel:
RD Blends:
RD Blends French:
RD Maximum Biodiesel Level:
Status: Open: The station is open.
Owner Type Desc:
E85 Blender Pump Desc:
NG Fill Type Desc:
NG Vehicle Class Desc:
Geocode Status Desc: The location is from a real GPS readout at the station.
Group with Access Desc: Publicly available to all customers.
LPG Primary Desc:
Intersection Directions:
Access Days Time:
Restricted Access:

44	1 of 1	NNE	0.16 / 831.38	37.03 / 8	NAT GRID TRANSFORMER S. PEARL ST 30 S. PEARL ST PAD 7437 30 SOUTH PEARL ST ALBANY ALBANY NY	NY SPILLS
--------------------	--------	-----	---------------	-----------	--	-----------

Spill No:	1212719	UST Trust:	False
Site ID:	475873	Spill Date:	2012-11-28 13:30:00
DER Facility ID:	431180	Received Date:	2012-11-28 14:24:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2013-01-30 00:00:00
Water Body:		Create Date:	2012-11-28 14:26:00
Class:	C4	Update Date:	2013-01-30 09:28:20.153000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	prnbentie
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Transformer		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CONTAINED , C/U PENDING"

DEC Remark:

"1/7/13 - per e-mail from Barb Scheurer: factory labeled nonPCB, NG clean up complete "

Material Information

OP Unit ID:	1225714	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2223002	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	10.00	Med Surf:	False
Units:	G	Med Subway:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Recovered:					Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0016A				
Material Name:		non PCB oil				

Spiller Information

Spiller Name:	TERRY OBRIEN
Spiller Company:	NAT GRID
Spiller Address:	30 SOUTH PEARL ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	TERRY OBRIEN
Contact Phone:	(518) 356-6471
Contact Ext:	
Latitude:	42.648914338
Longitude:	-73.753374653

45	1 of 1	WSW	0.16 / 846.04	74.60 / 45	99 OR 101 GRAND ST 99 OR 101 GRAND ST ALBANY NY	NY SPILLS
--------------------	--------	-----	---------------	------------	---	-----------

Spill No:	9704374	UST Trust:	False
Site ID:	140529	Spill Date:	1997-07-13 16:23:00
DER Facility ID:	120010	Received Date:	1997-07-13 16:23:00
CID:	282	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1997-07-16 00:00:00
Water Body:		Create Date:	1997-07-13 00:00:00
Class:	C4	Update Date:	1999-01-22 00:00:00
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Deliberate		
Reported by:	Citizen		
Referred to:			
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"IN THE BACK OF THE BUILDING OF EITHER 99 OR 101 GRAND STREET WILBUR IS THE CROSS STREET.SUBJECTS ARE WORKING ON A CAR. THEY ARE THROWING OIL ON THE GROUND AND ON THE WALL OF THE BUILDING "

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN NO DEC RESPONSE"

Material Information

OP Unit ID:	1050242	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	333631	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0015		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Name: motor oil

Spiller Information

Spiller Name: N/A
 Spiller Company: SAME *** 99 OR 101 GRAND ST
 Spiller Address:
 Spiller City:
 Spiller State: NY
 Spiller Zip: 12202-
 Spiller Country: 999
 Contact Name: N/A
 Contact Phone:
 Contact Ext:
 Latitude: 42.645171377
 Longitude: -73.757578519

46	1 of 1	WNW	0.16 / 853.54	74.17 / 45	PARKING LOT PHILLIP ST ALBANY HOUSING AHA PHILLIP @ HAMILTON ST AHA ALBANY NY	NY SPILLS
--------------------	--------	-----	---------------	------------	--	-----------

Spill No:	9802938	UST Trust:	False
Site ID:	258499	Spill Date:	1998-06-04 15:30:00
DER Facility ID:	211544	Received Date:	1998-06-05 10:33:00
CID:	312	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2000-04-21 00:00:00
Water Body:		Create Date:	1998-06-05 00:00:00
Class:	B3	Update Date:	2017-12-15 13:53:47.950000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Other		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"performing excavation work for potential parking garage discovered an old 750 or 1000gal ust - poss contains gasoline - no obvious spill"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 04/21/2000 - Received closure report from Smith & Mahoney, PC for Spill # 98-02938. This report was prepared by Environmental Products & Services. Tank closure report received and analytical results show site meets Starts Memo 1. Disposal receipts for contaminated soil, from ESMI are included with the report."

Material Information

OP Unit ID:	1060810	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	321261	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Information						
Spiller Name:						
Spiller Company:		ALBANY HOUSING AUTH AHA				
Spiller Address:						
Spiller City:						
Spiller State:		ZZ				
Spiller Zip:						
Spiller Country:		001				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:						
Longitude:						

47	1 of 2	NNW	0.16 / 870.98	54.92 / 26	ALBANY COUNTY TIMES UNION GA2 100 Beaver St Albany NY 12207	ALT FUELS
ID:		162174			CNG Dispenser No:	
Fuel Type Code:		ELEC: Electric			CNG Site Renew Src:	
Station Phone:		888-758-4389			CNG Tot Compr Cap:	
Expected Date:					CNG Storage Cap:	
BD Blends:					CNG Fill Type Code:	
NG PSI:					CNG PSI:	
Federal Agency ID:					CNG Vehicle Class:	
Open Date:		2020-06-12			LNG Site Renew Src:	
Hydrogen is Retail:					LNG Vehicle Class:	
Federal Agency:					LPG Nozzle Types:	
Facility Type:					Hydrogen Pressures:	
Dt Last Confirmed:		2023-08-30			Hydrogen Standards:	
Updated at:		2023-08-30 00:15:39 UTC			Latitude: 42.649236	
Access Code:		public			Longitude: -73.756103	
Access Detail Code:						
Groups with Access Code:		Public				
Groups with Access Code Fr:		Public				
Fed Agency Name:						
Hydrogen Status Link:						
E85 Other Ethanol Blends:						
NPS Unit Name:						
Cards Accepted:						
CNG Statn Sells Renewable Na:						
LNG Statn Sells Renewable Na:						
Maximum Vehicle Class:						
RD Blended With Biodiesel:						
RD Blends:						
RD Blends French:						
RD Maximum Biodiesel Level:						
Status:		Open: The station is open.				
Owner Type Desc:						
E85 Blender Pump Desc:						
NG Fill Type Desc:						
NG Vehicle Class Desc:						
Geocode Status Desc:		The location is from a real GPS readout at the station.				
Group with Access Desc:		Publicly available to all customers.				
LPG Primary Desc:						
Intersection Directions:						
Access Days Time:		24 hours daily				
Restricted Access:						

47	2 of 2	NNW	0.16 / 870.98	54.92 / 26	ALBANY COUNTY TIMES UNION GAR 100 Beaver St Albany NY 12207	ALT FUELS
--------------------	--------	-----	---------------	------------	--	-----------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
ID:	180103				CNG Dispenser No:	
Fuel Type Code:	ELEC: Electric				CNG Site Renew Src:	
Station Phone:	888-758-4389				CNG Tot Compr Cap:	
Expected Date:					CNG Storage Cap:	
BD Blends:					CNG Fill Type Code:	
NG PSI:					CNG PSI:	
Federal Agency ID:					CNG Vehicle Class:	
Open Date:	2021-01-27				LNG Site Renew Src:	
Hydrogen is Retail:					LNG Vehicle Class:	
Federal Agency:					LPG Nozzle Types:	
Facility Type:					Hydrogen Pressures:	
Dt Last Confirmed:	2023-08-30				Hydrogen Standards:	
Updated at:	2023-08-30 00:15:39 UTC				Latitude:	42.649224
Access Code:	public				Longitude:	-73.756071
Access Detail Code:						
Groups with Access Code:	Public					
Groups with Access Code Fr:	Public					
Fed Agency Name:						
Hydrogen Status Link:						
E85 Other Ethanol Blends:						
NPS Unit Name:						
Cards Accepted:						
CNG Statn Sells Renewable Na:						
LNG Statn Sells Renewable Na:						
Maximum Vehicle Class:						
RD Blended With Biodiesel:						
RD Blends:						
RD Blends French:						
RD Maximum Biodiesel Level:						
Status:	Open: The station is open.					
Owner Type Desc:						
E85 Blender Pump Desc:						
NG Fill Type Desc:						
NG Vehicle Class Desc:						
Geocode Status Desc:	The location is from a real GPS readout at the station.					
Group with Access Desc:	Publicly available to all customers.					
LPG Primary Desc:						
Intersection Directions:						
Access Days Time:	24 hours daily					
Restricted Access:						

[48](#) 1 of 1 ENE 0.17 / 891.16 15.65 / -13 MEGINNISS ELEC BROADWAY 368 BROADWAY ALBANY NY NY SPILLS

Spill No:	9111051	UST Trust:	False
Site ID:	138726	Spill Date:	1992-01-25 09:15:00
DER Facility ID:	118605	Received Date:	1992-01-25 09:55:00
CID:		CAC Date:	1992-01-25 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1992-01-27 00:00:00
Water Body:		Create Date:	1992-01-27 00:00:00
Class:	C4	Update Date:	2000-08-15 00:00:00
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	PNBENTIE
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"LEAKY FILL PIPE, APPLIED SPEEDIDRY."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BENTIEN "

Material Information

OP Unit ID:	961182	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	416115	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	3.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: MEGINNISS ELECTRIC
Spiller Address: 370 BROADWAY
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.647423994
Longitude: -73.750316000

49	1 of 1	W	0.17 / 921.34	86.96 / 58	NAT GRID TRANSFORMER MADISON AVE 180 MADISON AVE POLE # 17 180 MADISON AVE ALBANY NY	NY SPILLS
--------------------	--------	---	------------------	---------------	--	-----------

Spill No:	1002157	UST Trust:	False
Site ID:	435263	Spill Date:	2010-05-25 21:55:00
DER Facility ID:	390164	Received Date:	2010-05-25 22:29:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2010-06-14 00:00:00
Water Body:		Create Date:	2010-05-25 22:32:00
Class:	C4	Update Date:	2010-06-14 10:01:04.340000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Caller reporting a spill of 2 gallons of transformer oil to concrete. Clean up is pending."

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"06/14/2010 - Factory labeled non-pcb. Closed wtc"

Material Information

OP Unit ID:	1186047	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2180814	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	2.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name: JAMES YATTAW
Spiller Company: NATIONAL GRID NIMO
Spiller Address: 180 MADISON AVE
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: JAMES YATTAW
Contact Phone: (518) 433-5910
Contact Ext:
Latitude: 42.646591374
Longitude: -73.758078529

50	1 of 1	N	0.17 / 923.66	51.59 / 22	NIAGARA MOHAWK A NATIONAL GRID CO 30 WILLIAM ST THIRD AVE & GREEN ST ALBANY NY 12207	RCRA NON GEN
--------------------	--------	---	------------------	---------------	--	-----------------

EPA Handler ID: NYP000973915
Gen Status Universe: No Report
Contact Name: LENNY DELVECCHIO
Contact Address: 300 , ERIE BLVD WEST , , SYRACUSE , NY, 13202 , US
Contact Phone No and Ext: 315-428-6670
Contact Email: LEONARD.DELVECCHIO@NATIONALGRID.COM
Contact Country: US
County Name: RENSSELAER
EPA Region: 02
Land Type:
Receive Date: 20180816
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Onsite Burner Exemption:		No				
Furnace Exemption:		No				
Underground Injection Activity:		No				
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20170927
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Emergency
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE

 Hazardous Waste Code: D002
 Waste Code Description: CORROSIVE WASTE

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20180816
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE

 Hazardous Waste Code: D002
 Waste Code Description: CORROSIVE WASTE

Historical Handler Details

Receive Dt: 20170927
 Generator Code Description: Large Quantity Generator
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO

51	1 of 1	NE	0.18 / 935.29	25.42 / -4	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH 415 & 453 18 GREEN ST. MH 415&453 ALBANY NY 12208	RCRA LQG
--------------------	--------	-----------	--------------------------	-----------------------	--	-----------------

EPA Handler ID: NYP000257113
 Gen Status Universe: Large Quantity Generator
 Contact Name: MATTHEW ROOT
 Contact Address: 1125 , BROADWAY , , ALBANY , NY, 12204 , US

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Contact Phone No and Ext: 518-227-7508
Contact Email: MATTHEW.ROOT@NATIONALGRID.COM
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20230224
Location Latitude: 42.64848
Location Longitude: -73.751724

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20221019
Handler Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Emergency

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20230224
Handler Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH 415 & 453
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: B007
Waste Code Description: Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind: Current Operator **Street No:** 300

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:	Private				Street 1: ERIE BLVD WEST	
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRIS CO				Street 2:	
Dt Became Current:	20000905				City: SYRACUSE	
Dt Ended Current:					State: NY	
Phone:	315-474-1511				Country: US	
Source Type:	Annual/Biennial Report update with Notification				Zip Code: 13202	
Owner/Operator Ind:	Current Owner				Street No: 300	
Type:	Private				Street 1: ERIE BLVD WEST	
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO				Street 2:	
Dt Became Current:	20000905				City: SYRACUSE	
Dt Ended Current:					State: NY	
Phone:	315-474-1511				Country: US	
Source Type:	Annual/Biennial Report update with Notification				Zip Code: 13202	

Historical Handler Details

Receive Dt: 20221019
Generator Code Description: Large Quantity Generator
Handler Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO

52 1 of 1 **SSE** 0.18 / 941.19 16.20 / -13 **NYSDOT BIN 109294A
DUNN MEMORIAL BRG TO I-787
SB
ALBANY NY 12202** **RCRA
NON GEN**

EPA Handler ID: NYD986969731
Gen Status Universe: No Report
Contact Name: CHARLES PAFUNDI
Contact Address: 84 , HOLLAND AVE , , ALBANY , NY, 12208 , US
Contact Phone No and Ext: 518-474-6562
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20070101
Location Latitude: 42.64299
Location Longitude: -73.752052

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19910821
 Handler Name: NYSDOT BIN 109294A
 Source Type: Notification
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D000
 Waste Code Description: DESCRIPTION

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19940304
 Handler Name: NYS DOT BIN109294A
 Source Type: Annual/Biennial Report
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20060101
 Handler Name: NYSDOT BIN 109294A
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20070101
 Handler Name: NYSDOT BIN 109294A
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Owner
 Type: State
 Name: NYSDOT
 Date Became Current:
 Date Ended Current:
 Phone: 518-474-6562
 Source Type: Notification

Street No:
 Street 1: 84 HOLLAND AVE
 Street 2:
 City: ALBANY
 State: NY
 Country:
 Zip Code: 12208

Owner/Operator Ind: Current Owner
 Type: State
 Name: NYSDOT
 Date Became Current:
 Date Ended Current:
 Phone: 518-474-6562
 Source Type: Implementer

Street No:
 Street 1: 84 HOLLAND AVE
 Street 2:
 City: ALBANY
 State: NY
 Country: US
 Zip Code: 12208

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner/Operator Ind:	Current Operator	Street No:	
Type:	State	Street 1:	84 HOLLAND AVE
Name:	NYSDOT	Street 2:	
Date Became Current:		City:	ALBANY
Date Ended Current:		State:	NY
Phone:	518-474-6562	Country:	US
Source Type:	Implementer	Zip Code:	12208

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 109294A

Receive Dt: 19940304
Generator Code Description: Large Quantity Generator
Handler Name: NYS DOT BIN109294A

Receive Dt: 19910821
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 109294A

53	1 of 1	WNW	0.18 / 946.82	89.63 / 60	CALUMET GRILL PHILLIP ST 54 PHILLIP ST ALBANY NY	LST
--------------------	--------	-----	---------------	------------	--	-----

Spill No:	9810927	REM Phase:	0
Site ID:	179503	UST Trust:	False
DER Facility ID:	150641	Spill Date:	1998-12-01 10:15:00
CID:	266	Rcvd Date:	1998-12-01 10:29:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Failure	Close Date:	1998-12-03 00:00:00
Water Body:		Create Date:	1998-12-01 00:00:00
Class:	B3	Update Date:	1999-01-04 00:00:00
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Other		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"LEAK FROM BOTTOM OF TANK IN BASEMENT. TANK EVACUATED. BEING CLEANED UP. TANK TO BE REPLACED."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 12/03/98 - TANK FILLED 11/27 - 1/2 TANK LEFT - OLD CEMENTFLOOR/DIRT - VENTED OUT FUMES - CLEAN UP DONE. SPOKE TO OWNER OF GRILL AND HE IS HAPPY WITH CLEANUP NO ODORS. SEE 8807066. "

Material Information

OP Unit ID:	1071835	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	314786	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	100.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	100.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Code: 0001A
 Material Name: #2 fuel oil

Spiller Information

Spiller Name: BERNARD FLESZAR
 Spiller Company: CALUMET GRILL
 Spiller Address: 54 PHILIP ST
 Spiller City: ALBANY
 Spiller State: NY
 Spiller Zip: 12207-
 Spiller Country: 001
 Contact Name: BERNARD FLESZAR
 Contact Phone: (518) 432-6347
 Contact Ext:
 Latitude: 42.646867760
 Longitude: -73.757937080

54	1 of 1	SSE	0.19 / 999.70	17.33 / -12	DRUM DONGAN AVE BTWN S. FERRY ST & WESTERLO ST DONGAN AVE BTWN S. FERRY ST & WESTERLO ST DONGAN AVE BETWEEN FERRY + WESTERLO ST. ALBANY NY	NY SPILLS
--------------------	--------	-----	---------------	-------------	---	-----------

Spill No:	8601114	UST Trust:	False
Site ID:	321447	Spill Date:	1986-05-15 09:00:00
DER Facility ID:	258951	Received Date:	1986-05-16 12:23:00
CID:		CAC Date:	1987-03-31 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1987-03-31 00:00:00
Water Body:		Create Date:	1986-07-01 00:00:00
Class:	B1	Update Date:	2015-10-20 11:53:16.520000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCDONALD
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Abandoned Drums		
Reported by:	DEC		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"OTH.SPILL LOC-&WESTERLO ST.-ABANDONED DRUM-NO ODOR-BEHIND CHURCH&ADJ.787 See Edocs."

DEC Remark:

""

Material Information

OP Unit ID:	897387	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	477658	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	55.00	Med Surf:	False
Units:	L	Med Subway:	False
Recovered:	55.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Name: diesel

Spiller Information

Spiller Name:
 Spiller Company: UNKNOWN
 Spiller Address:
 Spiller City:
 Spiller State: NY
 Spiller Zip: 999
 Spiller Country:
 Contact Name:
 Contact Phone:
 Contact Ext:
 Latitude: 42.638445994
 Longitude: -73.754848000

55	1 of 1	N	0.19 / 1,011.00	59.96 / 31	ALBANY DEV GROUP HOWARD ST 26-40 HOWARD ST 26-40 HOWARD STREET ALBANY NY	NY SPILLS
--------------------	--------	---	--------------------	---------------	--	-----------

Spill No:	9708459	UST Trust:	False
Site ID:	146917	Spill Date:	1997-10-06 12:00:00
DER Facility ID:	125094	Received Date:	1997-10-20 11:59:00
CID:	266	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1999-10-01 00:00:00
Water Body:		Create Date:	1997-10-20 00:00:00
Class:	B3	Update Date:	2012-07-13 16:25:52.113000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Housekeeping		
Reported by:	Affected Persons		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CALLER'S COMPANY JUST RECENTLY BOUGHT PROPERTY FROM SPILLER. NOTIFIER DID SOIL BORING AND FOUND SOIL CONTAMINATION APPROXIMATELY 1 TO 3 FEET DEEP. CALLER HAS COPY OF REPORT FROM CLOUGH HARBOUR ASSOCIATES. BIDS PUT OUT FOR REMEDIATION."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN SEE 9707976, 9908469. PBS 4-600690 7/1/99 - Received copy of disposal receipts for liquid wastes."

Material Information

OP Unit ID:	1051664	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	330434	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Name: #2 fuel oil

Spiller Information

Spiller Name:
 Spiller Company: ALBANY DEVELOPMENT GROUP
 Spiller Address:
 Spiller City:
 Spiller State: ZZ
 Spiller Zip: 001
 Spiller Country:
 Contact Name:
 Contact Phone:
 Contact Ext:
 Latitude: 42.649502330
 Longitude: -73.754249260

56	1 of 1	ENE	0.19 / 1,017.49	16.66 / -12	R B WING & SON CORP 384 BROADWAY ALBANY NY 12207-2903	RCRA NON GEN
--------------------	--------	-----	--------------------	----------------	---	-----------------

EPA Handler ID: NY0001037589
 Gen Status Universe: No Report
 Contact Name:
 Contact Address: 460 , S PEARL ST , , ALBANY , NY, 12202 , US
 Contact Phone No and Ext:
 Contact Email:
 Contact Country: US
 County Name: ALBANY
 EPA Region: 02
 Land Type: Private
 Receive Date: 20070101
 Location Latitude: 42.647574
 Location Longitude: -73.750803

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
 Mixed Waste Generator: No
 Transporter Activity: No
 Transfer Facility: No
 Onsite Burner Exemption: No
 Furnace Exemption: No
 Underground Injection Activity: No
 Commercial TSD: No
 Used Oil Transporter: No
 Used Oil Transfer Facility: No
 Used Oil Processor: No
 Used Oil Refiner: No
 Used Oil Burner: No
 Used Oil Market Burner: No
 Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19950214
 Handler Name: R B WING & SON CORP

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source Type: Notification
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19990708
Handler Name: R B WING & SON CORP
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20060101
Handler Name: R B WING & SON CORP
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 3
Receive Date: 20070101
Handler Name: R B WING & SON CORP
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No:
Type: Private	Street 1: 460 S PEARL ST
Name: R B WING & SON CORP	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-463-4161	Country:
Source Type: Notification	Zip Code: 12202

Owner/Operator Ind: Current Owner	Street No:
Type: Private	Street 1: 460 S PEARL ST
Name: R B WING & SON CORP	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-463-4161	Country: US
Source Type: Implementer	Zip Code: 12202

Owner/Operator Ind: Current Operator	Street No:
Type: Private	Street 1: 460 S PEARL ST
Name: R B WING & SON CORP	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-463-4161	Country: US
Source Type: Implementer	Zip Code: 12202

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Historical Handler Details

Receive Dt: 20060101
 Generator Code Description: Not a Generator, Verified
 Handler Name: R B WING & SON CORP

Receive Dt: 19990708
 Generator Code Description: Not a Generator, Verified
 Handler Name: R B WING & SON CORP

Receive Dt: 19950214
 Generator Code Description: Small Quantity Generator
 Handler Name: R B WING & SON CORP

57	1 of 1	E	0.19 / 1,021.78	11.02 / -18	NYS DOT BIN 1092951 I-787 SB OVER BROADWAY QUAY ST CONNECTION ALBANY NY 12202	RCRA NON GEN
--------------------	--------	---	--------------------	----------------	--	-----------------

EPA Handler ID: NYD986969707
 Gen Status Universe: No Report
 Contact Name: CHARLES PAFUNDI
 Contact Address: 84 , HOLLAND AVE , , ALBANY , NY, 12208 , US
 Contact Phone No and Ext: 518-474-6562
 Contact Email:
 Contact Country: US
 County Name: ALBANY
 EPA Region: 02
 Land Type: State
 Receive Date: 20070101
 Location Latitude: 42.646423
 Location Longitude: -73.749374

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
 Mixed Waste Generator: No
 Transporter Activity: No
 Transfer Facility: No
 Onsite Burner Exemption: No
 Furnace Exemption: No
 Underground Injection Activity: No
 Commercial TSD: No
 Used Oil Transporter: No
 Used Oil Transfer Facility: No
 Used Oil Processor: No
 Used Oil Refiner: No
 Used Oil Burner: No
 Used Oil Market Burner: No
 Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19910821
 Handler Name: NYS DOT BIN 1092951
 Source Type: Notification
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D000
Waste Code Description: DESCRIPTION

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: NYSDOT BIN 1092951
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: NYSDOT BIN 1092951
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No:
Type: State	Street 1: 84 HOLLAND AVE
Name: NYSDOT	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-474-6562	Country: US
Source Type: Implementer	Zip Code: 12208

Owner/Operator Ind: Current Operator	Street No:
Type: State	Street 1: 84 HOLLAND AVE
Name: NYSDOT	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-474-6562	Country: US
Source Type: Implementer	Zip Code: 12208

Owner/Operator Ind: Current Owner	Street No:
Type: State	Street 1: 84 HOLLAND AVE
Name: NYSDOT	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-474-6562	Country: US
Source Type: Notification	Zip Code: 12208

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 1092951

Receive Dt: 19910821
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 1092951

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
58	1 of 2	NNE	0.19 / 1,027.81	29.56 / 0	HUDSON ARMOR CAR STATE ST 60 STATE ST NEAR KEYBANK ALBANY NY	NY SPILLS

Spill No:	9105734	UST Trust:	False
Site ID:	227012	Spill Date:	1991-08-27 09:00:00
DER Facility ID:	187376	Received Date:	1991-08-27 09:34:00
CID:		CAC Date:	1991-08-27 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1991-08-28 00:00:00
Water Body:		Create Date:	
Class:	C6	Update Date:	2003-12-02 00:00:00
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Citizen		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CALLER COMPLAINS OF REGULAR SPILLAGE FROM ARMORED CARS @ BANK. WTC TELECON W/HUDSON-DRIVERS HAVE BEEN TOLD TO GET GAS AFTER KEYBANK STOP."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	960076	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	421510	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	
Spiller Company:	HUDSON ARMORED CAR
Spiller Address:	157 MONTGOMERY ST.
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.649220994
Longitude:	-73.751957000

58	2 of 2	NNE	0.19 / 1,027.81	29.56 / 0	NATIONAL GRID-60 STATE ST 60 STATE ST ALBANY NY 12206	RCRA LQG
--------------------	--------	-----	--------------------	--------------	---	----------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

EPA Handler ID: NYP000977464
Gen Status Universe: Large Quantity Generator
Contact Name: MATTHEW ROOT
Contact Address: 300 , ERIE BLVD W , , SYRACUSE , NY, 13202 , US
Contact Phone No and Ext: 518-433-3696
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20220225
Location Latitude: 42.649146
Location Longitude: -73.751949

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20210617
Handler Name: NIAGARA MOHAWK A NATIONAL GRID COMPANY
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Emergency

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20211230
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Deactivation

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20220225
Handler Name: NATIONAL GRID-60 STATE ST
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: B007
 Waste Code Description: Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Owner/Operator Ind:	Current Owner	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Historical Handler Details

Receive Dt:	20211230
Generator Code Description:	Not a Generator, Verified
Handler Name:	NIAGARA MOHAWK A NATIONAL GRID CO
Receive Dt:	20210617
Generator Code Description:	Large Quantity Generator
Handler Name:	NIAGARA MOHAWK A NATIONAL GRID COMPANY

59	1 of 1	NNE	0.20 / 1,036.74	39.73 / 11	MCI-DBA VERIZON BUSINESS ALBPNY 80 STATE ST ALBANY NY 12207	AST
--------------------	--------	-----	-----------------	------------	---	-----

Site ID:	38097	Expiry:	N/A
Site Status:	Unregulated/Closed	County:	Albany
Program No:	4-600764	UTM X:	602235.17759
Program Type Code:	PBS	UTM Y:	4722665.39477
Program Type Desc:	Petroleum Bulk Storage Program		
Site Type:	Utility (Other than Municipal)		

Tank Information

Prog No:	4-600764	UDC Ind:	0
Tank ID:	98711	Red Tag Start Date:	
Tank No:	1	Red Tag End Date:	
Tank Status:	1	Tank Last Test:	
Tank Status Desc:	In Service	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Line Last Test Due:	
Install Date:	09/01/1999	Next Line Test Due:	
Close Date:		Line Test Method:	
Tk Out of Serv Dt:		Class A Operator:	
Capacity (Gal):	1000	Class B Operator:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Pipe Model:
Tank Location: 3
Tank Location Desc: Aboveground on saddles, legs, stilts, rack or cradle
Category: 2
Category Desc: Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015
Subpart: 4
Subpart Desc: Subpart 4 contains requirements for ASTs (aboveground storage tanks).
Tank Owner Name:
Tank Owner Address:

60	1 of 1	SW	0.20 / 1,047.66	27.56 / -2	NATIONAL GRID 227 SOUTH PEARL ST ALBANY NY	NY SPILLS
--------------------	--------	----	--------------------	---------------	--	-----------

Spill No:	2300335	UST Trust:	False
Site ID:	650094	Spill Date:	2023-04-13 13:00:00
DER Facility ID:	596069	Received Date:	2023-04-13 13:06:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2023-09-20 00:00:00
Water Body:		Create Date:	2023-04-13 13:07:00
Class:	C4	Update Date:	2023-09-20 09:10:37.457000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	AXODONNE
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Transformer		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CLEANUP STARTED"

DEC Remark:

"4.13.23 - email sent to Matt Root for details. 4.13.23 - per Matt Root - This will be addressed by NRC tonight during schedule outage. 9.20.23 - Approximately 5 drums removed. Pad mount leaked into stone around pole. Crew hand dug small amount of contaminated stone and loaded into drums for disposal. Crew also vacced out oil from unit into drums for disposal. Restoration completed. Closed. aod"

Material Information

OP Unit ID:	1397057	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2413205	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	3.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name: JAIME LADOUCEUR
Spiller Company: NATIONAL GRID
Spiller Address: 227 SOUTH PEARL ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Country:		999				
Contact Name:		JAIME LADOUCEUR				
Contact Phone:		5183) 444-871				
Contact Ext:						
Latitude:						
Longitude:						

61	1 of 4	NNW	0.20 / 1,059.36	69.74 / 41	GALESI GROUP & COLUMBIA DEV 40 HOWARD ST ALBANY NY 12207	RCRA NON GEN
--------------------	--------	------------	----------------------------	-----------------------	---	-------------------------

EPA Handler ID: NYR000050849
Gen Status Universe: No Report
Contact Name: RICHARD ROSEN
Contact Address: 40 , HOWARD ST , , ALBANY , NY, 12207 , US
Contact Phone No and Ext: 518-862-9133
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20070101
Location Latitude: 42.649679
Location Longitude: -73.754788

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19980220
Handler Name: GALESI GROUP & COLUMBIA DEV
Source Type: Notification
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D000
Waste Code Description: DESCRIPTION

Hazardous Waste Code: D027
Waste Code Description: 1,4-DICHLOROBENZENE

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: GALESİ GROUP & COLUMBIA DEV
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: GALESİ GROUP & COLUMBIA DEV
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Operator	Street No:	
Type: Private	Street 1:	52 CORPORATE CIR
Name: COLUMBIA EXECUTIVE IX ASSOCIATES LLC	Street 2:	
Date Became Current:	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-356-4445	Country:	US
Source Type: Implementer	Zip Code:	12212

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	52 CORPORATE CIR
Name: COLUMBIA EXECUTIVE IX ASSOCIATES LLC	Street 2:	
Date Became Current:	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-356-4445	Country:	US
Source Type: Notification	Zip Code:	12212

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	52 CORPORATE CIR
Name: COLUMBIA EXECUTIVE IX ASSOCIATES LLC	Street 2:	
Date Became Current:	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-356-4445	Country:	US
Source Type: Implementer	Zip Code:	12212

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: GALESİ GROUP & COLUMBIA DEV

Receive Dt: 19980220
Generator Code Description: Small Quantity Generator
Handler Name: GALESİ GROUP & COLUMBIA DEV

61	2 of 4	NNW	0.20 / 1,059.36	69.74 / 41	DORMITORY AUTHORITY PARKING GARAGE 40 HOWARD ST	AST
--------------------	--------	-----	--------------------	---------------	---	-----

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

ALBANY NY 12207

Site ID:	38023	Expiry:	N/A
Site Status:	Unregulated/Closed	County:	Albany
Program No:	4-600690	UTM X:	602072.00000
Program Type Code:	PBS	UTM Y:	4722673.00000
Program Type Desc:	Petroleum Bulk Storage Program		
Site Type:	Unknown		

Tank Information

Prog No:	4-600690	UDC Ind:	1
Tank ID:	98131	Red Tag Start Date:	
Tank No:	1	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Line Last Test Due:	
Install Date:		Next Line Test Due:	
Close Date:	10/01/1999	Line Test Method:	
Tk Out of Serv Dt:		Class A Operator:	
Capacity (Gal):	1000	Class B Operator:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	6		
Tank Location Desc:	Aboveground in Subterranean Vault w/ access for inspections		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name:	gasoline
Percent:	100.00

Equipment Information

Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection

Equipment:	B00
Code Name:	None
Type:	Tank External Protection

Equipment:	J00
Code Name:	None
Type:	Dispenser

Equipment:	C00
Code Name:	No Piping
Type:	Pipe Location

Equipment:	F00
Code Name:	None
Type:	Pipe External Protection

Equipment:	I00
Code Name:	None
Type:	Overfill

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Equipment: D00
Code Name: No Piping
Type: Pipe Type

Equipment: G03
Code Name: Vault (w/o access)
Type: Tank Secondary Containment

Equipment: H00
Code Name: None
Type: Tank Leak Detection

Tank Information

Prog No:	4-600690	UDC Ind:	1
Tank ID:	98132	Red Tag Start Date:	
Tank No:	2	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Line Last Test Due:	
Install Date:		Next Line Test Due:	
Close Date:	10/01/1999	Line Test Method:	
Tk Out of Serv Dt:		Class A Operator:	
Capacity (Gal):	1000	Class B Operator:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	6		
Tank Location Desc:	Aboveground in Subterranean Vault w/ access for inspections		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name: gasoline
Percent: 100.00

Equipment Information

Equipment: F00
Code Name: None
Type: Pipe External Protection

Equipment: G03
Code Name: Vault (w/o access)
Type: Tank Secondary Containment

Equipment: H00
Code Name: None
Type: Tank Leak Detection

Equipment: B00
Code Name: None
Type: Tank External Protection

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: D00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Code Name:		No Piping				
Type:		Pipe Type				
Equipment:		I00				
Code Name:		None				
Type:		Overfill				
Equipment:		C00				
Code Name:		No Piping				
Type:		Pipe Location				
Equipment:		J00				
Code Name:		None				
Type:		Dispenser				

Affiliation Information

Affiliation Type: 04
Affiliation Name: Facility Operator
Affiliation Sub Type: NNN
Company: DORMITORY AUTHORITY PARKING GARAGE
Contact Title:
Contact Name: ALBANY CO PARKING GARAGE
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 001
Phone: (518) 257-3000
Phone Ext:
Email:
Fax:

Affiliation Type: 07
Affiliation Name: Mail Contact
Affiliation Sub Type: NNN
Company: DORMITORY AUTHORITY NYS
Contact Title:
Contact Name: JAMES GODFREY
Address1: 515 BROADWAY
Address2:
City: ALBANY
State: NY
Zip Code: 12207
Country Code: 001
Phone: (518) 257-3000
Phone Ext:
Email:
Fax:

Affiliation Type: 11
Affiliation Name: Emergency Contact
Affiliation Sub Type: NNN
Company: NYS DORMITORY AUTHORITY
Contact Title:
Contact Name: ALBANY CO PARKING GARAGE
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 001
Phone: (518) 257-3000
Phone Ext:
Email:
Fax:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Affiliation Type:		01				
Affiliation Name:		Facility Owner				
Affiliation Sub Type:		B09				
Company:		NYS DORMITORY AUTHORITY				
Contact Title:						
Contact Name:						
Address1:		515 BROADWAY				
Address2:						
City:		ALBANY				
State:		NY				
Zip Code:		12207				
Country Code:		001				
Phone:		(518) 257-3000				
Phone Ext:						
Email:						
Fax:						

61	3 of 4	NNW	0.20 / 1,059.36	69.74 / 41	ALBANY COUNTY PARKING GARAGE HOWARD ST 40 HOWARD ST ALBANY COUNTY PARKING GAR 40 HOWARD ST ALBANY NY	NY SPILLS
--------------------	--------	-----	--------------------	---------------	--	-----------

Spill No:	9707976	UST Trust:	False
Site ID:	297025	Spill Date:	1997-10-06 10:00:00
DER Facility ID:	240352	Received Date:	1997-10-07 07:58:00
CID:	312	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1997-10-07 00:00:00
Water Body:		Create Date:	1997-10-07 00:00:00
Class:	D5	Update Date:	2012-07-13 16:26:28.097000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Citizen		
Referred to:			
Source:	Passenger Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"VEH WAS OVERHEATING IN THE GARAGE YESTERDAY - VEHS FLUIDS ALL OVER THE GARAGE - SOME OF THE FLUIDS LEAKING INTO DRAINS - CALL CONCERNED HE MAY LOSE JOB"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN SEE FOLDER (Edocs); 9708459, 9908469. PBS 4-600690 "

Material Information

OP Unit ID:	1054479	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	329963	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0005A		
Material Name:	auto waste fluids		
OP Unit ID:	1054479	Med Ind Air:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OU:	01				Med GW:	False
Material ID:	329964				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Other				Med Sewer:	False
Quantity:	.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0043A				
Material Name:		antifreeze				

Spiller Information

Spiller Name:
Spiller Company: ALBANY COUNTY PARKING GAR
Spiller Address: 40 HOWARD ST
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.649624420
Longitude: -73.754710400

61	4 of 4	NNW	0.20 / 1,059.36	69.74 / 41	COUNTY PARKING GARAGE HOWARD ST 40 HOWARD ST OLD COUNTY PARKING GARAGE 40 HOWARDS ST ALBANY NY	NY SPILLS
--------------------	--------	-----	--------------------	---------------	---	-----------

Spill No:	9908469	UST Trust:	False
Site ID:	297026	Spill Date:	1999-10-12 12:00:00
DER Facility ID:	420798	Received Date:	1999-10-12 16:23:00
CID:	365	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2001-01-16 00:00:00
Water Body:		Create Date:	1999-10-12 00:00:00
Class:	B3	Update Date:	2012-07-13 16:27:46.673000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"THEY PUMPED OUT TANKS & CLEANED THEM & REMOVED THEM - 2 1000 GALLON TANKS CONTAINED INSIDE A CONCRETE VAULT - THERE WAS 839 GALLONS OF MATERIAL COMBINED BETWEEN 2 TANKS & 1 BARREL OF SLUDGE INSIDE THE TANKS - TOMORROW THEY WILL SCREEN SOIL & STOCK PILE IT & HAVE A TESTER ON SITE"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN See Edocs; 9707976, 9708459; PBS 4-600690 Contact person is Joe Styczynski at 452-8200. Called him on 2/4/00 and am waiting a call back. 11/01/99 - Closure report received regarding removal of 2- 1k ust's. 3/14/00 - Project to move forward. I spoke to Mr. Joe Styczynski about site. 01/16/2001 - Closure report shows soil at bottom of excavation meets standards."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1087143	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	297589	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company: OLD COUNTY PARKING GARAGE
Spiller Address: 40 HOWARDS ST [SP]
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.649624420
Longitude: -73.754710400

62	1 of 4	NNE	0.20 / 1,075.39	46.10 / 17	90 STATE STREET BUILDING 90 STATE ST ALBANY NY 12207	AST
--------------------	--------	------------	----------------------------	-----------------------	---	------------

Site ID:	37882	Expiry:	N/A
Site Status:	Unregulated/Closed	County:	Albany
Program No:	4-600548	UTM X:	602227.00000
Program Type Code:	PBS	UTM Y:	4722679.00000
Program Type Desc:	Petroleum Bulk Storage Program		
Site Type:	Other		

Tank Information

Prog No:	4-600548	UDC Ind:	1
Tank ID:	97196	Red Tag Start Date:	
Tank No:	2	Red Tag End Date:	
Tank Status:	4	Tank Last Test:	
Tank Status Desc:	Closed - In Place	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Line Last Test Due:	
Install Date:		Next Line Test Due:	
Close Date:	12/01/1997	Line Test Method:	
Tk Out of Serv Dt:		Class A Operator:	
Capacity (Gal):	5000	Class B Operator:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	6		
Tank Location Desc:	Aboveground in Subterranean Vault w/ access for inspections		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name: #2 fuel oil (on-site consumption)
Percent: 100.00

Equipment Information

Equipment: G03
Code Name: Vault (w/o access)
Type: Tank Secondary Containment

Equipment: B00
Code Name: None
Type: Tank External Protection

Equipment: F00
Code Name: None
Type: Pipe External Protection

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: C01
Code Name: Aboveground
Type: Pipe Location

Equipment: H06
Code Name: Impervious Barrier/Concrete Pad (A/G)
Type: Tank Leak Detection

Equipment: I00
Code Name: None
Type: Overfill

Equipment: D01
Code Name: Steel/Carbon Steel/Iron
Type: Pipe Type

Tank Information

Prog No: 4-600548	UDC Ind: 1
Tank ID: 97195	Red Tag Start Date:
Tank No: 1	Red Tag End Date:
Tank Status: 4	Tank Last Test:
Tank Status Desc: Closed - In Place	Tank Next Test Due:
Tank Type: 01	Test Method: NN
Tank Type Desc: Steel/Carbon Steel/Iron	Line Last Test Due:
Install Date:	Next Line Test Due:
Close Date: 12/01/1997	Line Test Method:
Tk Out of Serv Dt:	Class A Operator:
Capacity (Gal): 5000	Class B Operator:
Registered: True	Modified by: MJGRIFFI
Tank Model:	Last Modified: 05/09/2022
Pipe Model:	
Tank Location: 6	
Tank Location Desc: Aboveground in Subterranean Vault w/ access for inspections	
Category: 1	
Category Desc: Category 1 means a tank which was installed before December 27, 1986	
Subpart:	
Subpart Desc:	
Tank Owner Name:	
Tank Owner Address:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Material Information

Material Name: #2 fuel oil (on-site consumption)
Percent: 100.00

Equipment Information

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: F00
Code Name: None
Type: Pipe External Protection

Equipment: D01
Code Name: Steel/Carbon Steel/Iron
Type: Pipe Type

Equipment: G03
Code Name: Vault (w/o access)
Type: Tank Secondary Containment

Equipment: B00
Code Name: None
Type: Tank External Protection

Equipment: C01
Code Name: Aboveground
Type: Pipe Location

Equipment: H06
Code Name: Impervious Barrier/Concrete Pad (A/G)
Type: Tank Leak Detection

Equipment: I00
Code Name: None
Type: Overfill

Affiliation Information

Affiliation Type: 01
Affiliation Name: Facility Owner
Affiliation Sub Type: E
Company: 90 STATE STREET ASSOCIATES
Contact Title:
Contact Name:
Address1: 90 STATE ST, 5TH FLOOR
Address2:
City: ALBANY
State: NY
Zip Code: 12207
Country Code: 001
Phone: (518) 463-3281
Phone Ext:
Email:
Fax:

Affiliation Type: 07
Affiliation Name: Mail Contact
Affiliation Sub Type: NNN
Company: 90 STATE STREET ASSOCIATES
Contact Title:
Contact Name: MR. JERRY KLEIN
Address1: 90 STATE ST, 5TH FLOOR
Address2:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

City: ALBANY
State: NY
Zip Code: 12207
Country Code: 001
Phone: (518) 463-3281
Phone Ext:
Email:
Fax:

Affiliation Type: 04
Affiliation Name: Facility Operator
Affiliation Sub Type: NNN
Company: 90 STATE STREET BUILDING
Contact Title:
Contact Name: MR. JERRY KLEIN
Address1:
Address2:

City: NN
State: NN
Zip Code:
Country Code: 001
Phone: (518) 463-3281
Phone Ext:
Email:
Fax:

Affiliation Type: 11
Affiliation Name: Emergency Contact
Affiliation Sub Type: NNN
Company: 90 STATE STREET ASSOCIATES
Contact Title:
Contact Name: MR. JERRY KLEIN
Address1:
Address2:

City: NN
State: NN
Zip Code:
Country Code: 001
Phone: (518) 463-3281
Phone Ext:
Email:
Fax:

62	2 of 4	NNE	0.20 / 1,075.39	46.10 / 17	TRW TITLE INS STATE ST 90 STATE ST ALBANY NY	NY SPILLS
--------------------	--------	-----	--------------------	---------------	--	-----------

Spill No:	9004409	UST Trust:	False
Site ID:	166526	Spill Date:	1990-07-20 10:00:00
DER Facility ID:	140306	Received Date:	1990-07-20 16:43:00
CID:		CAC Date:	1990-07-22 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1990-08-01 00:00:00
Water Body:		Create Date:	1990-08-01 00:00:00
Class:	B5	Update Date:	2000-02-01 00:00:00
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCCULLOUGH
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Affected Persons		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"AIR CONDITIONER PROBLEM MAKING PEOPLE SICK, PUDDLE ON FLOOR, MAINTENANCE CAN'T SOLVE PROBLEM. REFERRED TO ACHD."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

DEC Remark:

""

Spiller Information

Spiller Name: JERRY KLINE, LANDLORD
Spiller Company: TRW TITLE INS,JERRY KLINE
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.649914350
Longitude: -73.753216280

62	3 of 4	NNE	0.20 / 1,075.39	46.10 / 17	URI KAUFMANN AND SCHWARTZ 90 STATE ST ALBANY NY	NY SPILLS
--------------------	--------	-----	--------------------	---------------	---	-----------

Spill No:	1909327	UST Trust:	False
Site ID:	599921	Spill Date:	2019-12-27 15:56:00
DER Facility ID:	140306	Received Date:	2019-12-27 15:56:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2020-09-08 00:00:00
Water Body:		Create Date:	2019-12-27 16:07:00
Class:	C4	Update Date:	2020-09-08 17:59:20.487000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	KPSARNOW
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"The caller states there is anywhere from hundreds to 1,000 gallons of oil in the sub/lower basement of location (basement located near the boilers) that has been leaking for approximately 6 months which the owners/management were made aware of by the caller. The names of the responsible parties was provided by the caller and the phone number is a general contact listed online"

DEC Remark:

"12/27/2019 - Arrived at 90 State St. Found red fuel oil in what appears to be a French drain around brick structure boiler box where boiler no 2 use to be. Building has recently been converted to natural gas. There is also a rotted fuel oil drum appears to be about 40 gallons empty and wet at bottom stained concrete where it sat and is by the French drain. Drum could have leaked into drain. Drain is not flowing now going to try and pad up product now. Padded up red oil floating on top of water. Used 4 pads. Speedy dry applied around the rotted drum and stain on floor. There is a pipe cutting tripod set up in area. the drum of oil is probably cutting oil. Left 3 pads in the drain area to absorb any oil that might deep out from under boiler box. Inside boiler box is clean. Oil most likely all from the drum. Floor will need to be cleaned and muck in drain will need to be assessed and possible removed. This is not an emergency did not end up being 100 to 1000 gallons of fuel oil from the boiler. I padded up all the free product that was floating. Building owner or manager is Ed Hoag (518) 322 2016. He is a couple hrs away and may come to the spill tomorrow to begin cleanup of stained area. The drum will be secured into a drip pan tomorrow for removal and apply speedy dry to stained area. Josh can follow up and determine final cleaning of area and assessment of under slab next week. Keith is building maintenance (518) 257 9614. KS 01/06/2020 - Visited the site. still some oil coming out from under the fire box. Will continue to pad up. Safety Kleen delivered an overpack for the rotted drum. KS 09/08/2020 - received the shipping manifest. spill can be closed. KS"

Material Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OP Unit ID:	1347068				Med Ind Air:	False
OU:	01				Med GW:	False
Material ID:	2357468				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:					Med Surf:	False
Units:					Med Subway:	False
Recovered:					Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0001A				
Material Name:		#2 fuel oil				

Spiller Information

Spiller Name: OWNERS
Spiller Company: URI KAUFMANN & IDA SCHARWITZ
Spiller Address: 90 STATE ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: ANONYMOUS
Contact Phone:
Contact Ext:
Latitude:
Longitude:

[62](#) 4 of 4 **NNE** 0.20 / 1,075.39 46.10 / 17 **NATIONAL GRID - STATE ST 90 STATE ST ALBANY NY 12203** **RCRA LQG**

EPA Handler ID: NYP000976852
Gen Status Universe: Large Quantity Generator
Contact Name: MATTHEW ROOT
Contact Address: 300 , ERIE BLVD W , , SYRACUSE , NY, 13202 , US
Contact Phone No and Ext: 518-433-3696
Contact Email: MATTHEW.ROOT@NATIONALGRID.COM
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20220224
Location Latitude: 42.669338
Location Longitude: -73.787544

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20201112
 Handler Name: NIAGARA MOHAWK, A NATIONAL GRID COMPANY
 Federal Waste Generator Code: 3
 Generator Code Description: Very Small Quantity Generator
 Source Type: Emergency

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20210107
 Handler Name: NIAGARA MOHAWK, A NATIONAL GRID COMPANY
 Federal Waste Generator Code: 3
 Generator Code Description: Very Small Quantity Generator
 Source Type: Emergency

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20211214
 Handler Name: NIAGARA MOHAWK, A NATIONAL GRID COMPANY
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified
 Source Type: Deactivation

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20220224
 Handler Name: NATIONAL GRID 90 STATE STREET
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: B002
 Waste Code Description: Petroleum oil or other liquid containing 50 ppm or greater of PCBs, but less than 500 ppm PCBs. This includes oil from electrical equipment whose PCB concentration is unknown, except for circuit breakers, reclosers and cable.

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20220224
 Handler Name: NATIONAL GRID - STATE ST
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Notification

Waste Code Details

Hazardous Waste Code: B002
 Waste Code Description: Petroleum oil or other liquid containing 50 ppm or greater of PCBs, but less than 500 ppm PCBs. This includes oil from electrical equipment whose PCB concentration is unknown, except for circuit breakers, reclosers and cable.

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	300
Type:	Private	Street 1:	ERIE BOULEVARD WEST
Name:	NIAGARA MOHAWK POWER CORP DBA NATIONAL GRID	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Owner/Operator Ind:	Current Owner	Street No:	300
Type:	Private	Street 1:	ERIE BOULEVARD WEST
Name:	NIAGARA MOHAWK POWER CORP DBA NATIONAL GRID	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Owner/Operator Ind:	Current Operator	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Notification	Zip Code:	13202

Owner/Operator Ind:	Current Owner	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Notification	Zip Code:	13202

Historical Handler Details

Receive Dt:	20220224
Generator Code Description:	Large Quantity Generator
Handler Name:	NATIONAL GRID 90 STATE STREET

Receive Dt:	20211214
Generator Code Description:	Not a Generator, Verified
Handler Name:	NIAGARA MOHAWK, A NATIONAL GRID COMPANY

Receive Dt:	20210107
Generator Code Description:	Very Small Quantity Generator
Handler Name:	NIAGARA MOHAWK, A NATIONAL GRID COMPANY

Receive Dt:	20201112
Generator Code Description:	Very Small Quantity Generator
Handler Name:	NIAGARA MOHAWK, A NATIONAL GRID COMPANY

63	1 of 1	ENE	0.20 / 1,075.68	17.68 / -11	CDTA BUS @ SUNY PLAZA BROADWAY @ HUDSON AVE HUDSON AVE @ BROADWAY SUNY PLAZA HUDSON/BROADWAY ALBANY NY 12207	NY SPILLS
-----------	--------	------------	------------------------	--------------------	---	------------------

Spill No:	0605805	UST Trust:	False
Site ID:	369047	Spill Date:	2006-08-19 10:00:00
DER Facility ID:	318931	Received Date:	2006-08-19 10:55:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
CID:	73				CAC Date:	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	2006-08-21 00:00:00
Water Body:					Create Date:	2006-08-20 02:07:00
Class:	C4				Update Date:	2012-01-03 16:38:05.690000000
Meets Std:	False				DEC Region:	4
Penalty:	False				Lead DEC:	WTCHRIST
REM Phase:	0				After Hours:	True
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Commercial Vehicle				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"HOSE BLEW ON A BUS CAUSING RELEASE ONTO PAVEMENT AND INTO SEWER DRAIN. FD AND PD CAME FLUSHED THE SEWER WITH 500 GALLONS OF WATER AT 11:20AM - AND LEFT "

DEC Remark:

"8/21/06 - Minor anti-freeze spill. FD flihed sewer with water. wtc"

Material Information

OP Unit ID:	1126895	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2116463	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	True
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0043A		
Material Name:	antifreeze		

Spiller Information

Spiller Name:	
Spiller Company:	CDTA BUS
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	CDTA DISPATCH
Contact Phone:	(518) 437-8700
Contact Ext:	
Latitude:	
Longitude:	

64	1 of 1	SSE	0.21 / 1,083.31	15.99 / -13	CP RAIL YARD (KENWOOD YARD) 5 CHURCH ST ALBANY NY	NY SPILLS
Spill No:	1703235	UST Trust:	False			
Site ID:	554401	Spill Date:	2017-07-03 08:15:00			
DER Facility ID:	507998	Received Date:	2017-07-03 09:03:00			
CID:		CAC Date:				
Program Type:	ER	Insp Date:				
SWIS Code:	0101	Close Date:	2018-02-28 00:00:00			
Water Body:		Create Date:	2017-07-03 09:05:00			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Class:	C5				Update Date:	2018-02-28 09:28:41.307000000
Meets Std:	False				DEC Region:	4
Penalty:	False				Lead DEC:	JDUTBERG
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Other				
Referred to:						
Source:		Unknown				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"cleanup in progress"

DEC Remark:

"AS per BB: Maintenance vehicle blew hydraulic line, estimated 10 gallons to paved surface, HEPACO on scene cleaning up. No drains, soil, or water impacts. Update - Clem on site now, spill was not to paved area but on compacted crusher run driveway area. Digging up now, penetrated a few inches. No runoff or drainage impacts. Will document with Josh upon disposal. 7/6/17 JDU telecom with Clem. Confirmed report. Hepaco completed cleanup and is scheduled to dispose two drums tomorrow. Clem will forward disposal receipts. 1/10/18 Email sent to Clem requesting disposal receipts. JDU 2/27/18 Disposal receipts received. Spill closed JDU"

Material Information

OP Unit ID:	1302477	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2308862	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	10.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name:	
Spiller Company:	CP RAIL
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	CLEMENS SEEMAKOWSKI
Contact Phone:	(518) 930-1772
Contact Ext:	
Latitude:	
Longitude:	

65	1 of 1	NNW	0.21 / 1,085.03	70.67 / 42	NIAGARA MOHAWK HOWARD ST ALBANY NY 12204	RCRA LQG
-----------	--------	------------	------------------------	-------------------	---	-----------------

EPA Handler ID:	NYP000964908
Gen Status Universe:	Large Quantity Generator
Contact Name:	STEPHEN P HALLER
Contact Address:	
Contact Phone No and Ext:	315-428-5206
Contact Email:	STEPHEN.HALLER@US.NGRID.COM
Contact Country:	
County Name:	ALBANY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
EPA Region:		02				
Land Type:		Private				
Receive Date:		20100301				
Location Latitude:		42.649711				
Location Longitude:		-73.754804				

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20100301
Handler Name: NIAGARA MOHAWK
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: B003
Waste Code Description: Petroleum oil or other liquid containing 500 ppm or greater of PCBs.

Hazardous Waste Code: B007
Waste Code Description: Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NATIONAL GRID	Street 2:	
Dt Became Current:	19791231	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Owner/Operator Ind:	Current Operator	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP	Street 2:	
Dt Became Current:	19791231	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
66	1 of 4	SW	0.21 / 1,087.12	38.66 / 10	TRINITY SUBSTATION NIMO NAT GRID GRAND ST 71 TRINITY PL (BTWN GRAND ST & TRINITY PL) TRINITY SUBSTATION 71 TRINITY PLACE AL ALBANY NY	NY SPILLS

Spill No:	0708865	UST Trust:	
Site ID:	389849	Spill Date:	2007-11-14 13:00:00
DER Facility ID:	339430	Received Date:	2007-11-14 13:49:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2008-08-11 00:00:00
Water Body:		Create Date:	2007-11-14 15:26:00
Class:	C4	Update Date:	2013-07-19 13:27:53.690000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CLEANING UP AT THIS TIME: LEAKING FROM A TRANSFORMER"

DEC Remark:

"11/14/07 - 3:10pm KG called caller, got no answer. Purpose of call was to confirm transformer oil was non-pcb. kg 02/27/08 - Will require analytical data for pcb oil before closure. wtc 08/11/08 - National Grid reports that oil is labeled non-pcb. wtc"

Material Information

OP Unit ID:	1146973	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2137363	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	2.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name:	BARBARASCHEURER [SP]
Spiller Company:	TRINITY SUBSTATION (NAT GRID NIMO)
Spiller Address:	71 TRINITY PLACE
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	BARBARASCHEURER [SP]
Contact Phone:	(518) 433-3696
Contact Ext:	
Latitude:	42.643836554
Longitude:	-73.756893733

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
66	2 of 4	SW	0.21 / 1,087.12	38.66 / 10	NIMO TRINITY SUBSTATION GRAND ST 71 TRINITY PL (BTWN GRAND ST & TRINITY PL) TRINITY SUBSTATION 71 TRINITY PLACE AL ALBANY NY 12202	NY SPILLS

Spill No:	0607124	UST Trust:	False
Site ID:	370603	Spill Date:	2006-09-21 04:38:00
DER Facility ID:	320417	Received Date:	2006-09-21 04:43:00
CID:	27	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-09-21 00:00:00
Water Body:		Create Date:	2006-09-21 04:55:00
Class:	C4	Update Date:	2013-07-19 13:27:09.800000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	wtchrist
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Spill from a circulating pump. Spill onto soil. National Grid will be doing the cleanup."

DEC Remark:

"9/21/06 - National Grid reports it as non-pcb oil. wtc"

Material Information

OP Unit ID:	1128399	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2118013	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name:	
Spiller Company:	NATIONAL GRID (NIMO)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.643836554
Longitude:	-73.756893733

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
66	3 of 4	SW	0.21 / 1,087.12	38.66 / 10	NATIONAL GRID 71 TRINITY PL POWER SUBSTATION ALBANY NY	NY SPILLS

Spill No: 2007610
Site ID: 614511
DER Facility ID: 562517
CID:
Program Type: ER
SWIS Code: 0101
Water Body:
Class: C4
Meets Std: True
Penalty:
REM Phase: 0
County: Albany
Contributing Factor: Equipment Failure
Reported by: Other
Referred to:
Source: Commercial/Industrial
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

UST Trust: False
Spill Date: 2020-11-25 09:00:00
Received Date: 2020-11-25 09:10:00
CAC Date:
Insp Date:
Close Date: 2021-11-23 00:00:00
Create Date: 2020-11-25 09:12:00
Update Date: 2022-03-01 13:54:25.153000000
DEC Region: 4
Lead DEC: AXODONNE
After Hours: False

Caller Remark:

"10 gals of products freed to crushstone- and concrete-clean up pending."

DEC Remark:

"11.25.2020 - Per Matt Root, NRC Responding. Non pcb on stone. Will provide detail and disposal upon completion. aod 11.23.2021 - Equipment failure resulted in tranformer oil spill on concrete base and surrounding stone. Crew hand dug to remove impacted stone and load into drums for disposal. restored. closed. aod 03.01.22 -Foil request W097119-022822"

Material Information

OP Unit ID: 1361622
OU: 01
Material ID: 2373613
CAS No:
Material Family: Petroleum
Quantity: 10.00
Units: G
Recovered:
Med Soil: False
Med Air: False
Material Code: 0020A
Material Name: transformer oil

Med Ind Air: False
Med GW: False
Med SW: False
Med DW: False
Med Sewer: False
Med Surf: False
Med Subway: False
Med Utility: False
Oxygenate:

Spiller Information

Spiller Name: PETE SAVAGE
Spiller Company: NATIONAL GRID
Spiller Address: 71 TRINITY PL
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: PETE SAVAGE
Contact Phone: 5183) 444-871
Contact Ext:
Latitude:
Longitude:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
66	4 of 4	SW	0.21 / 1,087.12	38.66 / 10	NATIONAL GRID 71 TRINITY PL ALBANY NY	NY SPILLS

Spill No: 2306979
Site ID: 659010
DER Facility ID: 604444
CID:
Program Type: ER
SWIS Code: 0101
Water Body:
Class:
Meets Std: False
Penalty: False
REM Phase: 1
County: Albany
Contributing Factor: Equipment Failure
Reported by: Other
Referred to:
Source: Commercial/Industrial
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

UST Trust: False
Spill Date: 2023-11-20 12:08:00
Received Date: 2023-11-20 12:10:00
CAC Date:
Insp Date:
Close Date:
Create Date: 2023-11-20 12:11:00
Update Date: 2023-11-21 07:41:53.730000000
DEC Region: 4
Lead DEC: AXODONNE
After Hours: False

Caller Remark:

"in containment - cleanup pending"

DEC Remark:

"11.20.23 - email sent to Matt Root for detail. aod"

Material Information

OP Unit ID: 1405861
OU: 01
Material ID: 2423182
CAS No:
Material Family: Petroleum
Quantity: 3.00
Units: G
Recovered:
Med Soil: False
Med Air: False
Material Code: 0020A
Material Name: transformer oil

Med Ind Air: False
Med GW: False
Med SW: False
Med DW: False
Med Sewer: False
Med Surf: False
Med Subway: False
Med Utility: False
Oxygenate:

Spiller Information

Spiller Name:
Spiller Company: NAT GRID
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: MATT ROOT
Contact Phone: (518) 433-3696
Contact Ext:
Latitude:
Longitude:

67	1 of 1	NNW	0.21 / 1,098.20	75.30 / 46	WASTE MGT TRUCK WENDELL @ EXCHANGE 32 WENDELL @ EXCHANGE ST TO ROADWAY 32 WENDELL/ EXCHANGE ST ALB	NY SPILLS
--------------------	--------	-----	-----------------	------------	---	-----------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

ALBANY NY

Spill No:	1300516	UST Trust:	False
Site ID:	480844	Spill Date:	2013-04-16 10:32:00
DER Facility ID:	436132	Received Date:	2013-04-16 10:32:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2013-04-18 00:00:00
Water Body:		Create Date:	2013-04-16 10:34:00
Class:	C4	Update Date:	2013-09-27 14:13:00.820000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"lost to pavement, contained, sweeper en route"

DEC Remark:

"4/18/13 - MF telecon w/ Madison. Spill was cleaned up with sweeper. No drains impacted. Closed."

Material Information

OP Unit ID:	1230631	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2229288	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name:	GLEN MADISON
Spiller Company:	WASTE MANAGEMENT
Spiller Address:	32 WENDELL/ EXCHANGE ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	STEVE IRVIN
Contact Phone:	(518) 470-3830
Contact Ext:	
Latitude:	
Longitude:	

68	1 of 1	W	0.21 / 1,109.95	101.97 / 73	ODOR COMPLAINT 42 ELM STREET ALBANY NY	NY SPILLS
--------------------	--------	---	--------------------	----------------	---	------------------

Spill No:	2208353	UST Trust:	False
Site ID:	647667	Spill Date:	2023-01-11 22:50:00
DER Facility ID:	593831	Received Date:	2023-01-11 22:50:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
CID:					CAC Date:	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	2023-01-12 00:00:00
Water Body:					Create Date:	2023-01-11 22:53:00
Class:	D5				Update Date:	2023-01-12 09:29:09.410000000
Meets Std:	False				DEC Region:	4
Penalty:	False				Lead DEC:	JDUTBERG
REM Phase:	0				After Hours:	True
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"caller states there is a chemical smell and is not sure what it is thinks something could have spilled"

DEC Remark:

"As per RP: Tc with Marshall. He and his wife have noticed an intermittent chemical like odor near their home on Elm st in Albany. She stated the odor is similar to burning rubber. While she was walking her dog tonight the odor seemed to concentrate as she walked down hill towards Phillips st. When she headed uphill towards eagle street the smell disappeared. I spoke with Josh he is not aware of a history of anything in that area, so no response necessary tonight. Forwarding to air. Complaint to be handled by Division of Air. Spill Closed JDU"

Material Information

OP Unit ID:	1394635	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2410243	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	True		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	MARSHALL MILLER
Spiller Company:	UNKNOWN
Spiller Address:	42 ELM STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	MARSHALL MILLER
Contact Phone:	(609) 706-2745
Contact Ext:	
Latitude:	
Longitude:	

69	1 of 1	W	0.21 / 1,116.38	104.12 / 75	PHILIP ST VAN 57 PHILIP ST ALBANY NY	NY SPILLS
Spill No:	9104536	UST Trust:	False			
Site ID:	316887	Spill Date:	1991-07-27 15:30:00			
DER Facility ID:	255479	Received Date:	1991-07-27 16:03:00			
CID:		CAC Date:	1991-07-27 00:00:00			
Program Type:	ER	Insp Date:	1991-07-27 00:00:00			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
SWIS Code:	0101				Close Date: 1991-07-27 00:00:00	
Water Body:					Create Date: 1991-07-31 00:00:00	
Class:	C6				Update Date: 1998-01-16 00:00:00	
Meets Std:	True				DEC Region: 4	
Penalty:	False				Lead DEC: HOY	
REM Phase:	0				After Hours: True	
County:		Albany				
Contributing Factor:		Housekeeping				
Reported by:		Citizen				
Referred to:						
Source:		Commercial Vehicle				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"BROWN VAN (HJ4307) LEAKING SHELLAC OR VARNISH, CONTAINS ROOFING & DRIVEWAY SUPPLIES. HOY ON SITE, VEHICLE LOCKED, LEFT NOTE ON WINDSHIELD."

DEC Remark:

""

Spiller Information

Spiller Name:
Spiller Company: VAN
Spiller Address:
Spiller City: ***UPDATE***
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.646163750
Longitude: -73.758622020

70	1 of 2	NE	0.21 / 1,118.00	26.88 / -2	NIAGARA MOHAWK A NATIONAL GRID CO 50 STATE ST & BROADWAY ALBANY NY 12204	RCRA NON GEN
--------------------	--------	----	--------------------	---------------	---	-----------------

EPA Handler ID: NYP000969592
Gen Status Universe: No Report
Contact Name: MARGARET M CARD
Contact Address: 300 , ERIE BLVD W , , SYRACUSE , NY, 13202 , US
Contact Phone No and Ext: 315-428-6670
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type:
Receive Date: 20130618
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Mixed Waste Generator:		No				
Transporter Activity:		No				
Transfer Facility:		No				
Onsite Burner Exemption:		No				
Furnace Exemption:		No				
Underground Injection Activity:		No				
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20130510
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Emergency
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20130618
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Historical Handler Details

Receive Dt: 20130510
 Generator Code Description: Large Quantity Generator
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO

70	2 of 2	NE	0.21 / 1,118.00	26.88 / -2	PLAZA AT FIFTY STATE STREET THE 50 STATE ST ALBANY NY 12207	RCRA VSQG
--------------------	--------	----	--------------------	---------------	--	-----------

EPA Handler ID: NYR000175992
 Gen Status Universe: VSG
 Contact Name: KEVIN A GRENTZER
 Contact Address: FOUR SEASONS PROPERTY SVCS LLC , 50 STATE ST - 6TH FLOOR , ALBANY , NY, 12207 , US
 Contact Phone No and Ext: 518-462-7411
 Contact Email: KGRENTZER@GORDONDEVELOPMENT.NET
 Contact Country: US
 County Name: ALBANY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
EPA Region:		02				
Land Type:		Private				
Receive Date:		20100610				
Location Latitude:		42.650597				
Location Longitude:		-73.754269				

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20100610
Handler Name: PLAZA AT FIFTY STATE STREET THE
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No: 50
Type: Private	Street 1: STATE ST
Name: THE PLAZA AT FIFTY STATE STREET LLC	Street 2:
Date Became Current: 20080930	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-462-7411	Country: US
Source Type: Notification	Zip Code: 12207
Owner/Operator Ind: Current Operator	Street No:
Type: Private	Street 1:
Name: DAVID & JEFFREY GORDON	Street 2:
Date Became Current: 20080930	City:
Date Ended Current:	State:
Phone:	Country: US
Source Type: Notification	Zip Code:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
71	1 of 1	ESE	0.21 / 1,118.23	5.30 / -24	NYSDOT BIN 1093010 PEDESTRIAN WALKWAY QUAY ST ON RAMP TO I-787 NB ALBANY NY 12202	RCRA NON GEN

EPA Handler ID: NYD986969673
Gen Status Universe: No Report
Contact Name: CHARLES PAFUNDI
Contact Address: 84 , HOLLAND AVE , , ALBANY , NY, 12208 , US
Contact Phone No and Ext: 518-474-6562
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20070101
Location Latitude: 42.644739
Location Longitude: -73.748922

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19910821
Handler Name: NYSDOT BIN 1093010
Source Type: Notification
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D000
Waste Code Description: DESCRIPTION

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Handler Name: NYSDOT BIN 1093010
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: NYSDOT BIN 1093010
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Operator	Street No:
Type: State	Street 1: 84 HOLLAND AVE
Name: NYSDOT	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-474-6562	Country: US
Source Type: Implementer	Zip Code: 12208

Owner/Operator Ind: Current Owner	Street No:
Type: State	Street 1: 84 HOLLAND AVE
Name: NYSDOT	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-474-6562	Country: US
Source Type: Notification	Zip Code: 12208

Owner/Operator Ind: Current Owner	Street No:
Type: State	Street 1: 84 HOLLAND AVE
Name: NYSDOT	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-474-6562	Country: US
Source Type: Implementer	Zip Code: 12208

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 1093010

Receive Dt: 19910821
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 1093010

72	1 of 2	NNW	0.21 / 1,126.53	74.64 / 46	JONES PROPERTY HOWARD ST INST FOR HUMANIST STUDI 48 HOWARD ST JONES HOME 48 HOWARD STREET ALBANY NY 12210	NY SPILLS
--------------------	--------	------------	----------------------------	-----------------------	--	------------------

Spill No: 0501507	UST Trust: False
Site ID: 345672	Spill Date: 2005-05-06 12:43:00
DER Facility ID: 291906	Received Date: 2005-05-06 12:43:00
CID: 444	CAC Date:
Program Type: ER	Insp Date:
SWIS Code: 0101	Close Date: 2005-07-19 00:00:00
Water Body:	Create Date: 2005-05-06 13:08:00
Class: B4	Update Date: 2012-07-24 12:01:26.700000000
Meets Std: True	DEC Region: 4

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Penalty:	False				Lead DEC:	WTCHRIST
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:
 "CALLER WILL BE HAVING COMPANY COME TO REMOVE AND CLEAN UP:"

DEC Remark:
 "05/19/2005 - Odor was noticed in March. C. T. Male did a Phase 1 and found ust. Mike craft to dig up and remove. wtc 07/19/05 - Received closure report. Analytical results meet TAGMs 4046. Disposal receipts included in report. Closed, see Edocs. wtc (computer search finds various offices listed at 48 Howard, appears to be office bldg.) 7/18/12 - FOIL 12/260, Edoc CD w/printouts"

Material Information

OP Unit ID:	1103388	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	583600	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	False
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	LARRY JONES
Spiller Company:	JONES HOME
Spiller Address:	48 HOWARD STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	LARRY JONES
Contact Phone:	(518) 432-7820
Contact Ext:	
Latitude:	42.649777000
Longitude:	-73.755130000

72	2 of 2	NNW	0.21 / 1,126.53	74.64 / 46	NATIONAL GRID 48 HOWARD ST 48 HOWARD ST ALBANY NY 12204	RCRA LQG
-----------	---------------	------------	----------------------------	-----------------------	--	-----------------

EPA Handler ID:	NYP000977209
Gen Status Universe:	Large Quantity Generator
Contact Name:	MATTHEW ROOT
Contact Address:	300 , ERIE BOULEVARD W , , SYRACUSE , NY, 13202 , US
Contact Phone No and Ext:	518-433-3696
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	Private
Receive Date:	20220225
Location Latitude:	42.649707

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Location Longitude: -73.755122

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20210427
Handler Name: NIAGARA MOHAWK A NATIONAL GRID COMPANY
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Emergency

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20211228
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Deactivation

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20220225
Handler Name: NATIONAL GRID 48 HOWARD ST
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	300
Type:	Private	Street 1:	ERIE BOULEVARD W

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:				
Dt Became Current:	20000905	City:	SYRACUSE			
Dt Ended Current:		State:	NY			
Phone:		Country:	US			
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202			
Owner/Operator Ind:	Current Owner	Street No:	300			
Type:	Private	Street 1:	ERIE BOULEVARD W			
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:				
Dt Became Current:	20000905	City:	SYRACUSE			
Dt Ended Current:		State:	NY			
Phone:		Country:	US			
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202			

Historical Handler Details

Receive Dt:	20211228
Generator Code Description:	Not a Generator, Verified
Handler Name:	NIAGARA MOHAWK A NATIONAL GRID CO
Receive Dt:	20210427
Generator Code Description:	Large Quantity Generator
Handler Name:	NIAGARA MOHAWK A NATIONAL GRID COMPANY

73	1 of 109	SSE	0.21 / 1,127.46	15.94 / -13	TEXPAR ENERGY INC 50 CHURCH ST - NE SECTION ALBANY NY 12202	RCRA NON GEN
--------------------	----------	------------	----------------------------	------------------------	--	-------------------------

EPA Handler ID:	NYD987036514
Gen Status Universe:	No Report
Contact Name:	
Contact Address:	935 , ALLWOOD RD , , CLIFTON , NY, 07012 , US
Contact Phone No and Ext:	
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	Private
Receive Date:	20070101
Location Latitude:	42.641944
Location Longitude:	-73.752459

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
Commercial TSD:	No
Used Oil Transporter:	No
Used Oil Transfer Facility:	No
Used Oil Processor:	No
Used Oil Refiner:	No
Used Oil Burner:	No
Used Oil Market Burner:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19930628
 Handler Name: TEXPAR ENERGY INC
 Source Type: Notification
 Federal Waste Generator Code: 2
 Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19940329
 Handler Name: TEXPAR ENERGY
 Source Type: Annual/Biennial Report
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19990708
 Handler Name: TEXPAR ENERGY INC
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20060101
 Handler Name: TEXPAR ENERGY INC
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 3
 Receive Date: 20070101
 Handler Name: TEXPAR ENERGY INC
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	50 CHURCH ST
Name:	MOBIL OIL	Street 2:	
Date Became Current:		City:	ALBANY
Date Ended Current:		State:	NY
Phone:	518-436-6565	Country:	US
Source Type:	Implementer	Zip Code:	12202

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner/Operator Ind:	Current Owner	Street No:				
Type:	Private	Street 1:	50 CHURCH ST			
Name:	MOBIL OIL	Street 2:				
Date Became Current:		City:	ALBANY			
Date Ended Current:		State:	NY			
Phone:	518-436-6565	Country:	US			
Source Type:	Implementer	Zip Code:	12202			

Owner/Operator Ind:	Current Owner	Street No:				
Type:	Private	Street 1:	50 CHURCH ST			
Name:	MOBIL OIL	Street 2:				
Date Became Current:		City:	ALBANY			
Date Ended Current:		State:	NY			
Phone:	518-436-6565	Country:				
Source Type:	Notification	Zip Code:	12202			

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: TEXPAR ENERGY INC

Receive Dt: 19990708
Generator Code Description: Not a Generator, Verified
Handler Name: TEXPAR ENERGY INC

Receive Dt: 19940329
Generator Code Description: Large Quantity Generator
Handler Name: TEXPAR ENERGY

Receive Dt: 19930628
Generator Code Description: Small Quantity Generator
Handler Name: TEXPAR ENERGY INC

73	2 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL COMPANIES, LLC ALBANY TERMINAL 50 CHURCH STREET ALBANY NY 12202	CBS
--------------------	----------	-----	-----------------	-------------	---	-----

Site ID:	340688	Tank No:	
Site Status:	Active	Tank Status:	
Program No:	4-000162	Tank Type:	
Program Type Code:	CBS	Install Date:	
Program Type Desc:	Chemical Bulk Storage	Close Date:	
Expiration Date:	05/10/2025	Expiration Dt:	
DEC Region:	4	Expiration:	
County:	Albany	Capacity in Gallons:	
UTM X:	602044.29600	Material Name:	
UTM Y:	4720702.61970	Percent:	
Georeference:			
Tank Location:			
Site Type:	Storage Terminal/Petroleum Distributor		
Details Url:			
More Info:			

73	3 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL COMPANIES ALBANY TERMINAL 50 CHURCH STREET ALBANY NY 12202	CBS
--------------------	----------	-----	-----------------	-------------	--	-----

Site ID:	340689	Tank No:	
Site Status:	Active	Tank Status:	
Program No:	4-000171	Tank Type:	
Program Type Code:	CBS	Install Date:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Program Type Desc: Chemical Bulk Storage
Expiration Date: 11/30/2024
DEC Region: 4
County: Albany
UTM X: 602278.02239
UTM Y: 4721807.82061
Georeference:
Tank Location:
Site Type: Storage Terminal/Petroleum Distributor
Details Url:
More Info:

Close Date:
Expiration Dt:
Expiration:
Capacity in Gallons:
Material Name:
Percent:

73	4 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL COMPANIES LLC ALBANY TERMINAL 50 CHURCH STREET ALBANY NY 12202	MOSF
--------------------	----------	-----	-----------------	-------------	--	------

Site ID: 344650
Site Status: Active
Program No: 4-1200
Program Type Code: MOSF
Program Type Desc: Major Oil Storage Facility Program
Site Type: Storage Terminal/Petroleum Distributor
More Info: <http://www.dec.ny.gov/chemical/287.html>

Expiration Date: 03/31/2025
DEC Region: 4
County: Albany
UTM X: 602017.64301
UTM Y: 4720679.38902

73	5 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	----------	-----	-----------------	-------------	--	-----------

Spill No: 9003511
Site ID: 96917
DER Facility ID: 266803
CID:
Program Type: ER
SWIS Code: 0101
Water Body:
Class: C5
Meets Std: True
Penalty: False
REM Phase: 0
County: Albany
Contributing Factor: Housekeeping
Reported by: Responsible Party
Referred to:
Source: Major Facility (MOSF) > 400,000 gal
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

UST Trust: False
Spill Date: 1989-06-27 12:00:00
Received Date: 1990-06-27 14:10:00
CAC Date: 1990-11-07 00:00:00
Insp Date:
Close Date: 1990-11-09 00:00:00
Create Date: 1990-09-11 00:00:00
Update Date: 2009-09-10 09:52:08.300000000
DEC Region: 4
Lead DEC: MCCULLOUGH
After Hours: False

Caller Remark:

"TANK INSP. SHOWED CONT. SOIL. 6/29,7:30-GPM ON SITE, RIVETED PLATE TANK PASSED BOTTOM TEST W/4' OF WATER BUT GW IS CONT. MW WILL SHOW CONT."

DEC Remark:

""

Material Information

OP Unit ID: 943706
OU: 01
Material ID: 438198
CAS No:
Material Family: Petroleum

Med Ind Air: False
Med GW: False
Med SW: False
Med DW: False
Med Sewer: False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Quantity:	.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0001A				
Material Name:		#2 fuel oil				

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	6 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT BARGE HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY ALBANY NY	NY SPILLS
--------------------	----------	-----	--------------------	----------------	---	-----------

Spill No:	8909468	UST Trust:	False
Site ID:	263749	Spill Date:	1989-12-31 16:00:00
DER Facility ID:	368084	Received Date:	1989-12-31 16:22:00
CID:		CAC Date:	1989-12-31 00:00:00
Program Type:	ER	Insp Date:	1989-12-31 00:00:00
SWIS Code:	0101	Close Date:	1990-01-09 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1990-01-09 00:00:00
Class:	A6	Update Date:	2009-09-10 09:46:23.497000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	AJKOKOCK
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"LEAK IN STARBOARD SIDE OF BARGE MOBIL CHICAGO. 18:10-PER LEE COOKE-STRESS CRACK, VESSEL EMPTY, CKG FOR H2O. 16:45-CALLED TK. 18:50-TK & JW @ SITE, NO QUAN OF PRODUCT FOUND IN RIVER. WATER ENTERING TANK, TO DRYDOCK."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOKOCKI/WHEELER "

Material Information

OP Unit ID:	934394	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	442634	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Recovered:	.00				Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0009				
Material Name:		gasoline				
Spiller Information						
Spiller Name:						
Spiller Company:		MOBIL (LATER GLOBAL) PORT BARGE CHICAGO				
Spiller Address:		150 E. 42ND ST.				
Spiller City:		NY				
Spiller State:		NY				
Spiller Zip:		10017				
Spiller Country:		999				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	7 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN CHURCH ST ALBANY NY	NY SPILLS
--------------------	----------	-----	--------------------	----------------	--	-----------

Spill No:	8809827	UST Trust:	False
Site ID:	263747	Spill Date:	1989-03-22 05:30:00
DER Facility ID:	368088	Received Date:	1989-03-22 06:29:00
CID:		CAC Date:	1989-03-22 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1989-03-22 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1989-03-24 00:00:00
Class:	A6	Update Date:	2010-03-26 11:59:16.153000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	AJKOKOCK
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Federal Government		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
 "RAINBOW SHEEN ON WATER. JOE MCNEIL OF MOBIL SAYS NO MOBIL SPILL. RECURRING PROBLEM, RECURRING SHEEN. SHEEN DISSIPATED. NO FURTHER DEC ACTION REQUIRED."

DEC Remark:
 "Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOKOCKI "

Material Information			
OP Unit ID:	926085	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	451000	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Med Air: False
Material Code: 0066A
Material Name: unknown petroleum

Spiller Information

Spiller Name:
Spiller Company: UNKNOWN @ MOBIL PORT SHEEN (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641906994
Longitude: -73.752399000

73	8 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN PORT OF ALBANY ALBANY NY	NY SPILLS
--------------------	----------	-----	--------------------	----------------	---	-----------

Spill No:	8809235	UST Trust:	False
Site ID:	263746	Spill Date:	1989-02-28 10:55:00
DER Facility ID:	375562	Received Date:	1989-02-28 11:14:00
CID:		CAC Date:	1989-02-28 00:00:00
Program Type:	ER	Insp Date:	1989-02-28 00:00:00
SWIS Code:	0101	Close Date:	1989-02-28 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1989-03-08 00:00:00
Class:	A6	Update Date:	2010-03-26 11:59:32.063000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"OIL 30' OFF DOCK, COMING THRU ICE. BLAIN/HOY @ SITE 1200-UNK AMT #2FO OR DIES DISCHARGED NEAR MOBIL TERMINAL. NO SOURCE IDD, PRODUCT DISSIPATING ON ARRIVAL. CLEANUP NOT FEASIBLE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	925478	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	453994	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Name: #2 fuel oil

Spiller Information

Spiller Name:
 Spiller Company: MOBIL PORT ???? SHEEN (LATER GLOBAL)
 Spiller Address: UNKNOWN
 Spiller City:
 Spiller State: ZZ
 Spiller Zip: 999
 Spiller Country:
 Contact Name:
 Contact Phone:
 Contact Ext:
 Latitude: 42.641906994
 Longitude: -73.752399000

73	9 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT BARGE HUDSON RIVER CHURCH ST 50 CHURCH ST PORT OF ALB HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	----------	-----	--------------------	----------------	---	-----------

Spill No:	8803693	UST Trust:	False
Site ID:	263744	Spill Date:	1988-07-28 12:00:00
DER Facility ID:	368087	Received Date:	1988-07-28 12:41:00
CID:		CAC Date:	1988-07-29 00:00:00
Program Type:	ER	Insp Date:	1988-07-29 00:00:00
SWIS Code:	0101	Close Date:	1988-08-02 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1988-08-03 00:00:00
Class:	B3	Update Date:	2000-05-12 00:00:00
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	ANGEISEN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Responsible Party		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"VESSEL LISTING DURING TRANSFER OF PRODUCT & CAUSED DIESEL SPILLAGE, CLEAN-UP INITIATED W/SORBENT PADS, PETTY OFFICER EVANS USCG 212-668-7920 WOULD LIKE CALL FROM REG."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was GEISENDORFER 07/29/88: 7/29,1610-30-40'SHEEN FROM STERN OF JANET C. MOVING UPRIVER AT INSPECTION, 6-2' WIDE, SOME PADS ON BARGE, NOTHING ON RIVER, DIRECTED PLACEMENT OF BOOM & PADS, CALLED BRANSCOMB, USCG, LEFT SITE 1630. "

Material Information

OP Unit ID:	918851	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	459232	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	20.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Name: diesel

Spiller Information

Spiller Name: POLING OIL TRANSPORT
Spiller Company: POLING BARGE JANET C @ MOBIL PORT (LATER GLOBAL)
Spiller Address: 3145 RICHMOND TERR
Spiller City: STATEN ISLAND
Spiller State: NY
Spiller Zip: 10303
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641906994
Longitude: -73.752399000

73	10 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALB CHURCH ST MACINT 50 CHURCH ST PORT OF ALBANY RIGHT SIDE OF CHURCH AVE ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No: 9604121	UST Trust: False
Site ID: 297753	Spill Date: 1996-06-26 09:00:00
DER Facility ID: 240902	Received Date: 1996-06-26 09:32:00
CID: 297	CAC Date: 1996-06-26 00:00:00
Program Type: ER	Insp Date: 1996-06-26 00:00:00
SWIS Code: 0101	Close Date: 1996-06-26 00:00:00
Water Body:	Create Date: 1996-06-26 00:00:00
Class: B3	Update Date: 2009-09-10 11:11:35.523000000
Meets Std: True	DEC Region: 4
Penalty: False	Lead DEC: PNBENTIE
REM Phase: 0	After Hours: False
County: Albany	
Contributing Factor: Equipment Failure	
Reported by: Affected Persons	
Referred to:	
Source: Commercial Vehicle	
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data	

Caller Remark:

"A HOSE BURST ON AN OIL TRUCK THAT WAS OFFLOADING THE OIL - SPILL IS IN PROCESS OF CLEAN UP BY CLEAN RESOURCES AND SPILL HAS BEEN CONTAINED IN A CONTAINMENT AREA"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BENTIE 10:25-PNB TELECON W/HEALY, CONGRESS TRUCK RECEIVING DELIVERY FROM MACINTYRE TRUCK, HOSE BLEW OFF, MOST ON CONCRETE CONTAINMENT AREA, KR HIRED TO CLEAN, MANHOLES COVERED. 11:50-PNB @ SITE, KR USING SPEEDIDRY, 2 MANHOLES W/STAINS, ALREADY CLEANED OUT, SEE SKETCH FOR EXTENT OF SPILL, CONTINUING PRODUCT TRANSFER, CLEAN-UP SATISFACTORY. "

Material Information

OP Unit ID: 1035249	Med Ind Air: False
OU: 01	Med GW: False
Material ID: 350408	Med SW: False
CAS No:	Med DW: False
Material Family: Petroleum	Med Sewer: False
Quantity: 300.00	Med Surf: False
Units: G	Med Subway: False
Recovered: .00	Med Utility: False
Med Soil: True	Oxygenate:
Med Air: False	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Code: 0013
 Material Name: lube oil

Spiller Information

Spiller Name: KEITH
 Spiller Company: MACINTYRE OIL @MOBIL PORT (LATER GLOBAL)
 Spiller Address: MIDDLEBURY
 Spiller City: VT
 Spiller State: 05753-
 Spiller Zip: 999
 Spiller Country: JAMES COVILLE
 Contact Name: (518) 584-3050
 Contact Phone:
 Contact Ext:
 Latitude: 42.641926116
 Longitude: -73.752410293

73	11 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT BOUCHARD BARGE CHURCH ST HUDSON RIVER 50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY MOBIL TERMINAL NONE GIVEN ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	--	-----------

Spill No:	9805038	UST Trust:	False
Site ID:	263767	Spill Date:	1998-07-22 03:15:00
DER Facility ID:	368096	Received Date:	1998-07-22 16:09:00
CID:	999	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1998-07-23 00:00:00
Water Body:	HUDSON RIVER	Create Date:	1998-07-22 00:00:00
Class:	A3	Update Date:	2010-03-26 11:14:00.847000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	AJKOKOCK
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Other		
Reported by:	Federal Government		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"BARGE GROUNDED AT THE MOBIL TERMINAL PORT OF ALBANY - REGION 4 SPILLS ARE RESPONDING TO SCENE"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOKOCKI 3:35 HARRY YOUNG ADVISES B-45 LOWSULFUR #2. BOOM DEPLOYED AS PRECAUTION. PETTY OFFICER ORTIZ @ 718-354-4136 7/22/98 3:45 CALLED PETTY OFFICER ORTIZ BOUCHARD BARGE RAN AGROUND. HAS BEEN FREED. MOBIL ADVISES NOTHING LEAKING. OFFLOADING. CARRYING #2. CG REQUESTING INSPECTION. NO ACTION ON BELOW WATER LEVEL INSPECTION. MARINE INSPECTOR 718-354-4271 - CALLED LEFT MESSAGE. R4 rec'd rpt from USCG, got spill # from D.C. "

Material Information

OP Unit ID:	1066080	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	319792	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0001A				
Material Name:		#2 fuel oil				

Spiller Information

Spiller Name:	
Spiller Company:	BOUCHARD BARGE@MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	NEW YORK
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	12 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT SHERIDAN TUG CHURCH ST HUDSON RIVER 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	---	-----------

Spill No:	8701842	UST Trust:	False
Site ID:	263739	Spill Date:	1987-06-04 08:20:00
DER Facility ID:	368083	Received Date:	1987-06-04 10:30:00
CID:		CAC Date:	1987-06-04 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1987-06-04 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1988-09-15 00:00:00
Class:	B4	Update Date:	2013-10-10 14:51:49.257000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Federal Government		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"[ALSO ENTERED AS 8701742, CORRECTED 1/12/95 PER ANGELA CHIECO. TUG FOR SHERIDAN BUBBLED OIL INTO RIVER, CLEAN-UP COMPLETE, PHONE RESPONSE ONLY.]"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	906262	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	471733	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Material Code:		0008				
Material Name:		diesel				
<u>Spiller Information</u>						
Spiller Name:		SHERIDAN TRANSPORTATION				
Spiller Company:		SHERIDAN TUG @ MOBIL PORT (LATER GLOBAL)				
Spiller Address:		CHURCH ST				
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		999				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	13 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9304248	UST Trust:	False
Site ID:	96926	Spill Date:	1993-07-05 08:45:00
DER Facility ID:	368091	Received Date:	1993-07-05 10:11:00
CID:		CAC Date:	1993-07-06 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-07-07 00:00:00
Water Body:		Create Date:	1993-07-06 00:00:00
Class:	C4	Update Date:	2009-09-10 10:17:34.997000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
"PINHOLE LINE LEAK, RELIEVED PRESSURE, CLEANING, TO TEST. NO DEC RESPONSE."

DEC Remark:
"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

<u>Material Information</u>			
OP Unit ID:	982700	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	397766	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	14 of 109	SSE	0.21 / 1,127.46	15.94 / -13	EXXON MOBIL PORT OF ALB CHURCH ST (LATER GLOBAL) 50 CHURCH ST PORT EXXON MOBIL 50 CHRUCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	---	-----------

Spill No:	0207228	UST Trust:	False
Site ID:	173478	Spill Date:	2002-10-11 16:45:00
DER Facility ID:	145943	Received Date:	2002-10-11 17:00:00
CID:	398	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2002-10-29 00:00:00
Water Body:		Create Date:	2002-10-11 00:00:00
Class:	B3	Update Date:	2015-11-25 11:52:00.653000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"WHILE DIGGING IN ROADWAY, PAVING COMPANY FOUND HEAVY BLACK OIL SUBSTANCE INSIDE GROUND. NO CALL BACK NEEDED. HISTORIC SPILL. "

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN MOSF 4-1200; CBS 4-000171; SEE 0207112, Etc. 10/29/2002 - No DEC response. Spoke to Tom Jamieson about report. Historic in nature, Road torn up during the installation of new sewers. Closed wtc See also ROUX report dated 1/20/2004 in Mobil West End File (92-14481)"

Material Information

OP Unit ID:	858875	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	571530	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name:
Spiller Company: EXXON MOBIL (LATER GLOBAL)
Spiller Address: SAME ***
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name: TOM JAMIESON
Contact Phone: (518) 365-6560
Contact Ext:
Latitude: 42.641907000
Longitude: -73.752399000

73	15 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	---	-----------

Spill No:	9213480	UST Trust:	False
Site ID:	263754	Spill Date:	1993-03-06 11:30:00
DER Facility ID:	375556	Received Date:	1993-03-06 12:02:00
CID:		CAC Date:	1993-03-06 00:00:00
Program Type:	ER	Insp Date:	1993-03-06 00:00:00
SWIS Code:	0101	Close Date:	1993-03-26 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1993-03-26 00:00:00
Class:	C6	Update Date:	2010-03-26 11:51:44.570000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Affected Persons		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"MOBIL SAW SHEEN ON RIVER. 15:00-BLAIN @ SITE, CAN'T ID SOURCE, SAME AS USUAL (SLIVER BLUE SHEEN-STORM DRAINS, TIMBERS, MACHINE OR CUTTING OIL ???). USCG NOTIFIED."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	980647	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	403264	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Name:						
Spiller Company:		MOBIL PORT ??? SHEEN (LATER GLOBAL)				
Spiller Address:						
Spiller City:						
Spiller State:		ZZ				
Spiller Zip:						
Spiller Country:		999				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	16 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CORP CHURCH ST HUDSON RIVER PORT MOBIL 50 CHURCH ST PORT HUDSON RIVER GLOBAL CORP 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	1104983	UST Trust:	False
Site ID:	452607	Spill Date:	2011-08-01 14:03:00
DER Facility ID:	407197	Received Date:	2011-08-01 14:03:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2011-11-21 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2011-08-01 14:05:00
Class:	B3	Update Date:	2011-11-21 13:21:21.250000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	KDGOERTZ
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Federal Government		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Caller stated construction near river is leaving an unknown petroleum sheen on river."

DEC Remark:

"10/7/2011: On this date I met Tom Keefe (Global) and Ian Reed (Roux) on site. I did not see a sheen during my visit. Tom described the sheen as light wisp of a gray sheen and periodically barely visible during low tides, North of the boat davit. They have been putting together a log and I asked them to submit copies. this sheen is associated with spill #9214484. This spill will be closed, and this shoreline incident will continue to be managed under spill #9214484. (KG) NRC rpt # 984526 NATIONAL RESPONSE CENTER 1-800-424-8802 ***GOVERNMENT USE ONLY***GOVERNMENT USE ONLY*** Information released to a third party shall comply with any applicable federal and/or state Freedom of Information and Privacy Laws Incident Report # 984526 INCIDENT DESCRIPTION *Report taken by: PO2 BRIAN DOVE at 14:02 on 01-AUG-11 Incident Type: FIXED Incident Cause: OTHER Affected Area: HUDSON RIVER Incident occurred on 01-AUG-11 at 13:30 local incident time. Affected Medium: WATER HUDSON RIVER

REPORTING PARTY Name: DARRELL BOEHLKE
Organization: GLOBAL COMPANIES LLC Address: 50 CHURCH ST. ALBANY, NY 12202 PRIMARY Phone: (518)4451300 Type of Organization: PRIVATE ENTERPRISE
SUSPECTED RESPONSIBLE PARTY Name: DARRELL BOEHLKE Organization: GLOBAL COMPANIES LLC Address: 50 CHURCH ST. ALBANY, NY 12202 PRIMARY Phone: (518)4451300 INCIDENT LOCATION 50 CHURCH ST.
County: ALBANY City: ALBANY State: NY Zip: 12202
RELEASED MATERIAL(S) CHRIS Code: OSX Official Material Name: OIL, FUEL: NO. 6 Also Known As: Qty Released: 0 UNKNOWN AMOUNT Qty in Water: 0 UNKNOWN AMOUNT DESCRIPTION OF INCIDENT CALLER REPORTED THERE IS A RELEASE OF MATERIAL FROM A REMEDIATION SITE THAT WAS COMPLETED THIS PAST SPRING. THIS WAS NOTICED DURING ROUTINE INSPECTIONS OF THE SITE. THE MATERIAL COMES UP FROM THE BOTTOM IN DROPS EVERY FEW MINUTES AND CREATES A SMALL SHEEN.
SENSITIVE INFORMATION INCIDENT DETAILS Package: N/A Building ID: Type of Fixed Object: OTHER Power Generating Facility: UNKNOWN Generating Capacity: Type of Fuel: NPDES: NPDES Compliance: UNKNOWN ---SHEEN INFORMATION--- Sheen Color: RAINBOW Sheen Odor Description: Sheen Travel Direction: Sheen Size Length: 7 INCHES Sheen Size Width: ---WATER INFORMATION--- Body of Water: HUDSON RIVER Tributary of: Nearest River Mile Marker: Water Supply Contaminated: NO IMPACT Fire Involved: NO Fire Extinguished: UNKNOWN INJURIES: NO Hospitalized: Empl/Crew: Passenger: FATALITIES: NO Empl/Crew: Passenger: Occupant: EVACUATIONS:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

NO Who Evacuated: Radius/Area: Damages: NO Hours Direction of Closure Type Description of Closure Closed Closure N Air: N Major Road: Artery:N
 N Waterway: N Track: Environmental Impact: NO Media Interest: NONE Community Impact due to Material:

REMEDIAL ACTIONS CONTRACTOR EN ROUTE TO
 DEPLOY ABSORBANT AND HARD BOOMS. Release Secured: NO Release Rate: Estimated Release Duration:
 WEATHER Weather: PARTLY CLOUDY, °F
 ADDITIONAL AGENCIES NOTIFIED Federal: USCG

State/Local: NY DEC State/Local On Scene: NONE State Agency Number: NONE

NOTIFICATIONS BY NRC ATLANTIC STRIKE TEAM (MAIN OFFICE) 01-AUG-11 14:09 (609)7240008 DHS NOC (NOC) 01-AUG-11 14:09 (202)2828114 DOT CRISIS MANAGEMENT CENTER (MAIN OFFICE) 01-AUG-11 14:09 (202)3661863 U.S. EPA II (MAIN OFFICE) (732)3214370 NATIONAL INFRASTRUCTURE COORD CTR (MAIN OFFICE) 01-AUG-11 14:09 (202)2829201 NJ OFC HMLND SECURITY & PREPAREDNES (COMMAND CENTER) 01-AUG-11 14:09 (609)9636817 NJ STATE POLICE (MARINE SERVICES BUREAU) 01-AUG-11 14:09 (609)9636900 NOAA RPTS FOR NY (MAIN OFFICE) 01-AUG-11 14:09 (206)5264911 BUREAU TOXIC SUBSTANCE (MAIN OFFICE) 01-AUG-11 14:09 (518)4027810 NY STATE DEC SPILL HOTLINE (MAIN OFFICE) 01-AUG-11 14:09 (518) 4577362 SECTOR NEW YORK (COMMAND CENTER) (718)3544353 USCG DISTRICT 1 (COMMAND CENTER) 01-AUG-11 14:09 (617)2238555

ADDITIONAL INFORMATION NO ADDITIONAL INFORMATION. *** END INCIDENT REPORT #984526 ***
 Report any problems by calling 1-800-424-8802 PLEASE VISIT OUR WEB SITE AT <http://www.nrc.uscg.mil>

Material Information

OP Unit ID:	1202783	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2199391	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	CALLER
Spiller Company:	GLOBAL (MOBIL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	CALLER
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	17 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	---	-----------

Spill No:	8912444	UST Trust:	False
Site ID:	263750	Spill Date:	1990-03-30 11:30:00
DER Facility ID:	368090	Received Date:	1990-03-30 11:55:00
CID:		CAC Date:	1990-03-30 00:00:00
Program Type:	ER	Insp Date:	1990-03-30 00:00:00
SWIS Code:	0101	Close Date:	1990-04-09 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1990-04-09 00:00:00
Class:	A6	Update Date:	2009-09-10 09:48:29.917000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCCULLOUGH
REM Phase:	0	After Hours:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

County: Albany
Contributing Factor: Unknown
Reported by: Affected Persons
Referred to:
Source: Unknown
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"WHITE SUBSTANCE FROM END OF STATE PIER TO MOBIL COMING IN W/TIDE. EMULSIFIED OIL, NO CLEAN-UP REQ."

DEC Remark:

""

Material Information

OP Unit ID:	938150	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	554572	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company: UNK @ MOBIL PORT (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641906994
Longitude: -73.752399000

73	18 of 109	SSE	0.21 / 1,127.46	15.94 / -13	EXXON MOBIL PORT OF ALB CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	0010824	UST Trust:	False
Site ID:	96908	Spill Date:	2000-12-29 21:15:00
DER Facility ID:	266803	Received Date:	2000-12-29 23:08:00
CID:	398	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2001-06-27 00:00:00
Water Body:		Create Date:	2000-12-29 00:00:00
Class:	B4	Update Date:	2009-09-10 11:24:51.487000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	ELMOORE
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source: Major Facility (MOSF) > 400,000 gal
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"SMALL LEAK IN HOSE OR POSS A FITTING. ACID CONTAINED IN CEMENT TYPE STRUCTURE. CALL BACK REQUESTED."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MOORE MOSF 4-1200; CBS 4-000171; ALSO RPTd AS 0010881; SEE 0001759, 0011469, Etc. TANK EMPTIED WITHIN 24 HOURS, SOME TO TOTES IN TREATMENT BUILDING AND SOME HAULED TO SUPPLIER BY VAC TRUCK. THIS SIZE TANK IS NOT EFFICIENT; MOBIL WILL SWITCH TO TOTES OR DRUMS WHICH MAY BE STORED IN THE TREATMENT BUILDING. TANK TO BE REINSPECTED AFTER THE INSULATION IS PEELED OFF. --- 1/30/2001, ELM. SMALL FITTING AT TANK BOTTOM FAILED DUE TO COLLECTION OF PRODUCT IMPURITIES. NOT SOMETHING DISCOVERABLE AT 5-YEAR INSPECTION DUE TO INSULATION. TANK HAS BEEN REMOVED. OWNER NOW USES DRUMS FOR STORAGE. --- 6/27/2001, ELM."

Material Information

OP Unit ID:	832111	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	544710	Med SW:	False
CAS No:	07664939	Med DW:	False
Material Family:	Hazardous Material	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0039A		
Material Name:	sulfuric acid		

Spiller Information

Spiller Name:
Spiller Company: EXXON MOBIL PLANT (LATER GLOBAL)
Spiller Address: 50 CHRUCH ST [SP]
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name: STEVE ANDRIANI
Contact Phone: (518) 436-6572
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	19 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALB HUDSON RIVER CHURCH ST 50 CHURCH ST PORT OF ALB HUDSON RIVER MOBIL ALBANY - PORT OF AL ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	0510587	UST Trust:	False
Site ID:	356591	Spill Date:	2005-12-08 21:30:00
DER Facility ID:	308038	Received Date:	2005-12-08 22:10:00
CID:	64	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-08-03 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2005-12-09 02:08:00
Class:	A3	Update Date:	2009-09-10 11:35:10.530000000
Meets Std:	False	DEC Region:	4
Penalty:	True	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		

Contributing Factor: Unknown
Reported by: Responsible Party
Referred to:
Source: Vessel
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"Spill is contained with booms and tank is being pumped off. Material is low sulfur diesel. 12/08/05 2344hrs rec'd call from Chief Woods US Coast Guard request to speak to DEC Rep cell 347-728-9118 or 718-354-4138. DEC Rep Region 4 Pam Bentien paged."

DEC Remark:

"MOSF 4-1200; CBS 4-000162; see 0503032, etc. 8/3/06 - Consent order signed on 2/13/06. A civil penalty of \$ 35,000 was paid by K-Sea Operating Partership. wtc"

Material Information

OP Unit ID:	1113889	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2103959	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name: ED ERNY
Spiller Company: K-SEA TRANSPORTATION MOBIL PORT (LATER GLOBAL)
Spiller Address: 3245 RICHMOND TERRACE
Spiller City: STATEN ISLAND
Spiller State: NY
Spiller Zip: 10310
Spiller Country: 999
Contact Name: ED ERNY
Contact Phone: (646) 879-3865
Contact Ext:
Latitude: 42.641907000
Longitude: -73.752399000

73	20 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9306460	UST Trust:	False
Site ID:	96927	Spill Date:	1993-08-25 16:00:00
DER Facility ID:	266803	Received Date:	1993-08-26 11:06:00
CID:		CAC Date:	1994-05-13 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1994-05-13 00:00:00
Water Body:		Create Date:	1993-09-15 00:00:00
Class:	B3	Update Date:	2009-09-10 10:21:28.630000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Referred to:
Source: Major Facility (MOSF) > 400,000 gal
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"APPEARS TO BE HISTORIC TANK LEAK"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN/WL "

Material Information

OP Unit ID:	984617	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	396330	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0003A		
Material Name:	#6 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

<u>73</u>	21 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
-----------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	0010881	UST Trust:	False
Site ID:	96909	Spill Date:	2000-12-29 20:00:00
DER Facility ID:	266803	Received Date:	2001-01-03 11:27:00
CID:	257	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2001-01-04 00:00:00
Water Body:		Create Date:	2001-01-03 00:00:00
Class:	B4	Update Date:	2009-09-10 11:25:25.480000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	ELMOORE
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Federal Government		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Caller Remark:

"leaking storage tank"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MOORE MOSF 4-1200; CBS 4-000171; SAME AS 0010824; SEE 0001759, Etc."

Material Information

OP Unit ID:	832886	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	544763	Med SW:	False
CAS No:	07664939	Med DW:	False
Material Family:	Hazardous Material	Med Sewer:	False
Quantity:	200.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	200.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0039A		
Material Name:	sulfuric acid		

Spiller Information

Spiller Name:
Spiller Company: MOBIL (LATER GLOBAL)
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: -
Spiller Country: 999
Contact Name: STEVE ANDRIANI
Contact Phone: (518) 436-6572
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	22 of 109	SSE	0.21 / 1,127.46	15.94 / -13	EXXON MOBIL PORT OF ALB CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	0011469	UST Trust:	False
Site ID:	96910	Spill Date:	2001-01-23 14:00:00
DER Facility ID:	266803	Received Date:	2001-01-23 15:10:00
CID:	266	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2001-03-07 00:00:00
Water Body:		Create Date:	2001-01-23 00:00:00
Class:	C3	Update Date:	2009-09-10 11:26:02.800000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"FORMER LUBE BUILDING. LEAK FROM FREE-PRODCT RECOVERY SYSTEM. SYSTEM CONTAINS A MIXTURE OF #2 FUEL OIL AND GASOLINE. 5-15 GALLONS SPILLED ONTO SNOW COVERED ASPHALT. PUMP AS BEEN SHUT DOWN. PORDUCT AND SNOW BEING PLACED

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

INTO DRUMS. SYSTEM TO BE REPAIRED. CALLER ALSO SPOKE TO ALLAN GIESENDORFER FROM REGION 4. ALLAN IS OVERSEEING THE SITE REMEDIATION. ALLAN WILL BE SENDING SOMEONE TO THE SCENE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN MOSF 4-1200; CBS 4-000171; SEE 0010824, 0104341, Etc. 03/07/2001 - Cleanup of surface spill completed. No further remediation necessary for this surface spill. wtc"

Material Information

OP Unit ID:	833529	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	555710	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	5.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

OP Unit ID:	833529	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	555709	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	5.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	MICHAEL LAMARRE
Spiller Company:	EXXONMOBIL (LATER GLOBAL)
Spiller Address:	1001 WAMPANOAG TRAIL
Spiller City:	RIVERSIDE
Spiller State:	RI
Spiller Zip:	02915
Spiller Country:	999
Contact Name:	STEVE ANDRIANI
Contact Phone:	(518) 436-6572
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	23 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT ISLAND TRANSP CHURCH ST 50 CHURCH ST PORT OF ALB 30 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9305366	UST Trust:	False
Site ID:	204053	Spill Date:	1993-07-30 14:45:00
DER Facility ID:	169682	Received Date:	1993-07-30 15:03:00
CID:		CAC Date:	1993-07-30 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-08-03 00:00:00
Water Body:		Create Date:	1993-08-03 00:00:00
Class:	C4	Update Date:	2009-09-10 10:18:49.447000000

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	PNBENTIE
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Tank Truck				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"HOSE LEAKED, ON STONE RD, USED SORBENT, SPILLER & MOBIL CLEANING, NO DEC RESPONSE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BENTIE 09/28/95: This is additional information about material spilled from the translation of the old spill file: GAS ADDITIVE"

Material Information

OP Unit ID:	986880	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	556957	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	1027A		
Material Name:	fuel additive		

Spiller Information

Spiller Name:	ISLAND TRANSPORT
Spiller Company:	MOBIL PORT ISLAND TRANSP (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	24 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN 50 CHURCH ST ALBANY NY	NY SPILLS
-----------	------------------	------------	------------------------	--------------------	--	------------------

Spill No:	9003263	UST Trust:	False
Site ID:	263751	Spill Date:	1990-06-21 10:00:00
DER Facility ID:	375556	Received Date:	1990-06-21 10:33:00
CID:		CAC Date:	1990-06-21 00:00:00
Program Type:	ER	Insp Date:	1990-06-21 00:00:00
SWIS Code:	0101	Close Date:	1990-07-02 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1990-07-02 00:00:00
Class:	A6	Update Date:	2010-03-26 11:57:40.657000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCCULLOUGH

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Affected Persons				
Referred to:						
Source:		Unknown				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"2000' SHEEN ON RIVER FROM S TO N. 13:13-CALLER RPTS YELLOW BARREL IN RIVER MAY BE SOURCE OF SHEEN. ** ALSO SEE #9003287 ** NO SOURCE IDD."

DEC Remark:

""

Material Information

OP Unit ID:	941136	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	437970	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT ??? SHEEN (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	25 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVERCO CHURCH ST 50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9309566	UST Trust:	False
Site ID:	96928	Spill Date:	1993-11-08 10:30:00
DER Facility ID:	368086	Received Date:	1993-11-08 10:43:00
CID:		CAC Date:	1993-11-08 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-11-08 00:00:00
Water Body:		Create Date:	1993-11-08 00:00:00
Class:	C4	Update Date:	2009-09-10 10:24:20.020000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Contributing Factor: Equipment Failure
Reported by: Responsible Party
Referred to:
Source: Commercial Vehicle
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"BACKHOE HOSE BLEW, ON PAVING, USED SORBENT. NO DEC RESPONSE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	988644	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	556926	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	10.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name: HUDSON RIVER CONSTRUCTION
Spiller Company: HUDSON RIVER @ MOBIL PORT (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	26 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9310068	UST Trust:	False
Site ID:	96929	Spill Date:	1993-11-18 12:00:00
DER Facility ID:	266803	Received Date:	1993-11-18 14:44:00
CID:		CAC Date:	1995-01-05 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1995-01-23 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1993-11-30 00:00:00
Class:	B3	Update Date:	2009-09-10 10:25:14.813000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"FOUND HISTORICAL SPILL, STOCKPILING SOIL. SEE FILE, PREPG PLAN TO CONTAIN CONT. WHILE RE-DOING PIER."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN/ANG/MD 09/28/95: This is additional information about material spilled from the translation of the old spill file: #6 FO ALSO?. SEE FOLDER. "

Material Information

OP Unit ID:	991776	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	392702	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	27 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	8805667	UST Trust:	False
Site ID:	263745	Spill Date:	1988-10-04 08:20:00
DER Facility ID:	375554	Received Date:	1988-10-04 08:51:00
CID:		CAC Date:	1988-10-04 00:00:00
Program Type:	ER	Insp Date:	1988-10-04 00:00:00
SWIS Code:	0101	Close Date:	1988-10-04 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1988-10-31 00:00:00
Class:	A6	Update Date:	2010-03-26 11:59:48.187000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCDONALD
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Caller Remark:

"REPD SLICK 3'X50', OLD OIL. USCG ALSO CALLED OFC KOSTNER 212-668-7936. MCD SITE 13:00. NO OIL FOUND."

DEC Remark:

""

Material Information

OP Unit ID:	922631	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	457574	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	
Spiller Company:	UNKNOWN MOBIL PORT ??? SHEEN (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	28 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT BARGE HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	9704125	UST Trust:	False
Site ID:	263766	Spill Date:	1997-07-07 14:00:00
DER Facility ID:	368084	Received Date:	1997-07-07 14:50:00
CID:	205	CAC Date:	1997-07-07 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1997-07-07 00:00:00
Water Body:	HUDSON RIVER	Create Date:	1997-07-07 00:00:00
Class:	C4	Update Date:	2009-09-10 11:18:33.977000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	ELMOORE
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CALLER STATED THAT PETRO IN LINE SPILLED TO RIVER(UNKNOWN AMOUNT) POSS 1 GALLON. LINE SHOULD HAVE BEEN EMPTY."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

SHEEN IS ALMOST DISIPATED."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MOORE 15:30-ELM PHONE RESPONSE, CONFIRMED Sm Quan, DISSIPATED. "

Material Information

OP Unit ID:	1047353	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	333384	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	CALLER
Spiller Company:	IROQUOIX BARGE/MOBIL PORT (LATER GLOBAL)
Spiller Address:	STATEN ISLAND
Spiller City:	NEW YORK
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	CALLER
Contact Phone:	(917) 838-2078
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	29 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL EXXON PORT CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	------------------

Spill No:	0104341	UST Trust:	False
Site ID:	96911	Spill Date:	2001-07-24 22:30:00
DER Facility ID:	266803	Received Date:	2001-07-24 00:07:00
CID:	297	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2001-10-09 00:00:00
Water Body:		Create Date:	2001-07-24 00:00:00
Class:	C4	Update Date:	2009-09-10 11:26:53.753000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Railroad Car		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"EMPLOYEE FILLED A RR CAR WITH DIESEL AND SOME OF IT CAME OUT OF THE OVERFLOW TUBE, ALSO LOOKS LIKE THE TUBE MAY HAVE SPLIT - MILLER ENVIROMENTAL [SP] IS ON THE SCENE AND HAS STARTED TO CLEAN UP THE SPILL"

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN/JIM Y MOSF 4-1200; CBS 4-000171; SEE 0011469, 0104753, Etc. 7/31/01 I CALLED STEVE ANDRIANI IMMEDIATELY AFTER RECEIVING THE SPILL REPORT FROM THE HOT LINE. STEVE STATED THAT A RAILROAD CAR HAD BEEN OVERFILLED WITH FUEL AND THAT APPROX. 25 GALS OF DIESEL FUEL WAS RELEASED TO THE SURROUNDING SOIL. THE OVERFILL OCCURRED IN A AREA THAT HAS SECONDARY CONTAINMENT, BUT APPROX. 25-GALS OF THE FUEL HIT THE EDGE OF THE CONTAINED AREA. MILLER ENVIRONMENTAL CALLED TO THE SCEEN. JIM Y. NRC Rpt # 574045"

Material Information

OP Unit ID:	842728	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	532838	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	25.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	STEVE ANDRIANI
Spiller Company:	EXXON TERMINAL [MOBIL] (LATER GLOBAL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	STEVE ANDRIANI
Contact Phone:	(518) 436-6572
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	30 of 109	SSE	0.21 / 1,127.46	15.94 / -13	EXXON MOBIL PORT OF ALB CHURCH ST 50 CHURCH ST PORT MOBIL ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	0207112	UST Trust:	False
Site ID:	305238	Spill Date:	2002-10-09 13:40:00
DER Facility ID:	246570	Received Date:	2002-10-09 14:07:00
CID:	211	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2002-10-29 00:00:00
Water Body:		Create Date:	2002-10-09 00:00:00
Class:	B3	Update Date:	2009-09-10 11:30:42.850000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"caller states during excvaton [SP] petroleum odor was discovered - caller notified region 4 directly - al geisendorfer"

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN MOSF 4-1200; CBS 4-000171; SEE 0206706, 0207228, 0302712, Etc. 10/29/2002 - During sewer installation some soil had an old petroleum odor to it. No remediation is planned. Closed wtc "

Material Information

OP Unit ID:	858824	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	517697	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	MICHAEL LAMARRE
Spiller Company:	EXXON/MOBIL TERMINAL (LATER GLOBAL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	MICHAEL LAMARRE
Contact Phone:	(401) 434-7358
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

<u>73</u>	31 of 109	SSE	0.21 / 1,127.46	15.94 / -13	EXXON MOBIL PORT OF ALB CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
-----------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	0302712	UST Trust:	False
Site ID:	96912	Spill Date:	2003-06-13 11:35:00
DER Facility ID:	266803	Received Date:	2003-06-13 11:57:00
CID:	199	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2003-06-15 00:00:00
Water Body:		Create Date:	2003-06-13 00:00:00
Class:	C3	Update Date:	2009-09-10 11:31:24.463000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"while doing digging near the tank a line was hit by backhoe - line has a 8-10 in crack allowing materal [SP] to leak - materal [SP] is a waste water that may or may not be mixed with hydrocarbans [SP] - there was no visible sheen - a vac truck was on site and cleaned up materal[SP]"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN MOSF 4-1200; SEE 0207112, 0310344, Etc. 06/15/2003 - No DEC response. Spill was a waste water with no sign of petroleum. There was no sheen on the water. Closed wtc"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	870454	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	507171	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	30.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0060A		
Material Name:	wastewater		

Spiller Information

Spiller Name:	THOMAS AUSTERI
Spiller Company:	TANK 130 - PORT OF ALBAN MOBIL (LATER GLOBAL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	THOMAS AUSTERI
Contact Phone:	(518) 365-6561
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	32 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
-----------	------------------	------------	----------------------------	------------------------	--	------------------

Spill No:	0311324	UST Trust:	False
Site ID:	96914	Spill Date:	2004-01-07 07:00:00
DER Facility ID:	266803	Received Date:	2004-01-07 08:15:00
CID:	404	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2004-01-12 00:00:00
Water Body:		Create Date:	2004-01-07 00:00:00
Class:	C4	Update Date:	2009-09-10 11:33:11.217000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Responsible Party		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"ALL BEEN CONTAINED ON DOCKS AND CLEANED UP. NO CONTACT WITH WATER OR SOIL."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN MOSF 4-1200; CBS 4-000162; SEE 0310344, 0503032, Etc. 01/12/2004 - Left message on Tom Austari answering machine. Tom called back and explained that some melting snow and a very small amount of fuel oil mixed in with it had leaked thru a hole in the dock to the river. They boomed it off and the sheen disapated within a half hour. wtc"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	876683	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	500140	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: LOADING DOCKS MOBIL (LATER GLOBAL)
Spiller Address: 50 CHURCH STREET
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name: TOM AUSTARI
Contact Phone: (518) 436-6570
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	33 of 109	SSE	0.21 / 1,127.46	15.94 / -13	EXXON MOBIL PORT OF ALB CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	0310344	UST Trust:	False
Site ID:	96913	Spill Date:	2003-12-05 21:48:00
DER Facility ID:	266803	Received Date:	2003-12-05 22:47:00
CID:	402	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2004-01-12 00:00:00
Water Body:		Create Date:	2003-12-09 00:00:00
Class:	C4	Update Date:	2009-09-10 11:32:10.543000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"taking off pressure on machine . too much pressure and top bleeder valve [SP] let loose and sprayed it in air to ground. on soil"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN MOSF 4-1200; CBS 4-000162; SEE 0302712, 0311324, Etc. 01/12/2004 - No DEC response. Minor release from bleeder valve. Clean up by plant personal. Closed wtc"

Material Information

OP Unit ID:	875436	Med Ind Air:	False
--------------------	--------	---------------------	-------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OU:	01				Med GW:	False
Material ID:	499211				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	3.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0001A				
Material Name:		#2 fuel oil				

Spiller Information

Spiller Name: TOM AUSTARI
Spiller Company: EXXON MOBILE [SP] (LATER GLOBAL)
Spiller Address: 50 CHRUCH [SP] ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202
Spiller Country: 999
Contact Name: TOM AUSTARI
Contact Phone: (518) 365-6561
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	34 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9414678	UST Trust:	False
Site ID:	96933	Spill Date:	1995-02-07 14:00:00
DER Facility ID:	266803	Received Date:	1995-02-07 16:30:00
CID:		CAC Date:	1995-02-07 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1995-03-21 00:00:00
Water Body:		Create Date:	1995-03-21 00:00:00
Class:	C4	Update Date:	2009-09-10 11:05:48.500000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"PRODUCT IN FROZEN FORM. NO DEC RESPONSE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	1012218	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	373411	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Quantity:	2.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0009				
Material Name:		gasoline				

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	35 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9505097	UST Trust:	False
Site ID:	96934	Spill Date:	1995-07-26 14:45:00
DER Facility ID:	266803	Received Date:	1995-07-26 14:50:00
CID:		CAC Date:	1995-07-26 00:00:00
Program Type:	ER	Insp Date:	1995-07-26 00:00:00
SWIS Code:	0101	Close Date:	1995-08-22 00:00:00
Water Body:		Create Date:	1995-07-26 00:00:00
Class:	B3	Update Date:	2009-09-10 11:06:29.390000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
 "RAIN OVERFILLED CONTAINMENT TANKS, BOOM IN PLACE, VAC TRUCK EN ROUTE. 7/26-WTC INSP, CLEAN-UP OK."

DEC Remark:
 "Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	1016012	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	366625	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Med Air:	False					
Material Code:		0009				
Material Name:		gasoline				
<u>Spiller Information</u>						
Spiller Name:						
Spiller Company:		MOBIL PORT (LATER GLOBAL)				
Spiller Address:		50 CHURCH ST				
Spiller City:		ALBANY				
Spiller State:		ZZ				
Spiller Zip:						
Spiller Country:		999				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.641926116				
Longitude:		-73.752410293				

73	36 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9610449	UST Trust:	False
Site ID:	96936	Spill Date:	1996-11-20 14:30:00
DER Facility ID:	266803	Received Date:	1996-11-20 15:02:00
CID:	266	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1996-11-20 00:00:00
Water Body:		Create Date:	1996-11-20 00:00:00
Class:	C4	Update Date:	2009-09-10 11:14:50.407000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CHECK VALVE ON OIL/WATER STUCK IN OPEN POSITION, ALLOWING WATER/OIL MIXTURE TO FLOW OUT WHEN PUMP WAS SHUT OFF. ONTO ASPHALT SURFACE. ENVIRONMENTAL PRODUCTS AND SERVICES ENROUTE FOR CLEAN UP. "

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN COPIED MOORE. "

<u>Material Information</u>			
OP Unit ID:	1038357	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	342662	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	10.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name: HANK MULLER
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address: 50 CHURCH STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202-999
Spiller Country: 999
Contact Name: HANK MULLER
Contact Phone: (518) 436-6570
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	37 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	--	-----------

Spill No: 9613568	UST Trust: False
Site ID: 96937	Spill Date: 1997-02-19 09:30:00
DER Facility ID: 266803	Received Date: 1997-02-19 10:19:00
CID: 266	CAC Date: 1997-02-19 00:00:00
Program Type: ER	Insp Date:
SWIS Code: 0101	Close Date: 1997-02-19 00:00:00
Water Body:	Create Date: 1997-02-19 00:00:00
Class: C4	Update Date: 2009-09-10 11:16:51.187000000
Meets Std: True	DEC Region: 4
Penalty: False	Lead DEC: WTCHRIST
REM Phase: 0	After Hours: False
County: Albany	
Contributing Factor: Equipment Failure	
Reported by: Responsible Party	
Referred to:	
Source: Major Facility (MOSF) > 400,000 gal	
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data	

Caller Remark:

"SPLASH PAN BECAME CLOGGED WITH ICE, CAUSING PAN TO OVERFLOW. ONTO ROCK AND SOIL. BEING CLEANED UP."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN ONLY TOOK 40min FOR HOTLINE TO GET AROUND TO FAXg Rpt, USCG CALLED Reg 4 @ 10:40 SO AT LEAST WE KNEW ABOUT IT THAT WAY. 2/19/97 - USCG INVESTIGATED, NO BIG DEAL, REPAIRED AND CLEANED UP."

Material Information

OP Unit ID: 1041140	Med Ind Air: False
OU: 01	Med GW: False
Material ID: 338677	Med SW: False
CAS No:	Med DW: False
Material Family: Petroleum	Med Sewer: False
Quantity: 2.00	Med Surf: False
Units: G	Med Subway: False
Recovered: 2.00	Med Utility: False
Med Soil: True	Oxygenate:
Med Air: False	
Material Code: 0009	
Material Name: gasoline	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name: STEVE ANDRIANI
Spiller Company: MOBIL PORT TERMINAL (LATER GLOBAL)
Spiller Address: 50 CHURCH STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202-
Spiller Country: 999
Contact Name: STEVE ANDRIANI
Contact Phone: (518) 436-6572
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	38 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9513146	UST Trust:	False
Site ID:	263764	Spill Date:	1996-01-20 14:15:00
DER Facility ID:	368083	Received Date:	1996-01-20 14:33:00
CID:	312	CAC Date:	1996-01-22 00:00:00
Program Type:	ER	Insp Date:	1996-01-21 00:00:00
SWIS Code:	0101	Close Date:	1996-01-22 00:00:00
Water Body:	HUDSON RIVER	Create Date:	1996-01-20 00:00:00
Class:	A3	Update Date:	2009-09-10 11:10:00.633000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"dock area flooded - leak did stop - doesn't believe it was alot of product (gas/oil mix)"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN WTC INSPECTED FACILITY DURING & AFTER FLOOD. MOSF 4/1200 SEE 9506244, 9606541, Etc (OVER 30 RPTs FOR THIS SITE). "

Material Information

OP Unit ID:	1027481	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	356876	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Name:						
Spiller Company:		MOBIL PORT / FLOOD (LATER GLOBAL)				
Spiller Address:		50 CHURCH ST PORT ALBANY				
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		999				
Contact Name:		CALLER				
Contact Phone:						
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	39 of 109	SSE	0.21 / 1,127.46	15.94 / -13	EXXON MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALBANY ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	---	-----------

Spill No:	0503032	UST Trust:	False
Site ID:	347539	Spill Date:	2005-06-13 11:47:00
DER Facility ID:	293866	Received Date:	2005-06-13 11:47:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2005-10-17 00:00:00
Water Body:		Create Date:	2005-06-13 13:36:00
Class:	B6	Update Date:	2009-09-10 11:34:00.250000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	ELMOORE
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"A HOLDING TANK THAT IS NOT SUPPOSE TO HAVE ANYTHING IN IT HAS WASTEWATER IN IT: WILL BE EMPTIENG OUT THE TANK AND WILL BE TREATING: AND WILL BE TAKING THE PRODUCT OFF THE TOP ALSO;"

DEC Remark:

"MOSF 4-1200; CBS 4-000162; see 0311324, 0510587, etc. ExxonMobil letter of October 13, 2005, explains that the water in the tell-tale pipes for tank 130 can be attributed to storm water (heavy rains and wind for several days) getting into the space between tank bottom and impermeable barrier. Lab data confirms that the water had trace contamination, but not concentrations indicative of petroleum contaminated water leaking from the tank. Closed meeting standards. 10/17/05 -- ELM"

Material Information

OP Unit ID:	1105254	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	1502633	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	False
Med Air:	False		
Material Code:	0060A		
Material Name:	wastewater		

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Name:		JIM HESSER				
Spiller Company:		EXXON MOBILE [SP]TERMINAL (LATER GLOBAL)				
Spiller Address:		50 CHURCH STREET				
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		999				
Contact Name:		JIM HESSER				
Contact Phone:		(518) 436-6570				
Contact Ext:						
Latitude:		42.641926116				
Longitude:		-73.752410293				

73	40 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL (FORMER MOBIL) PORT CHURCH ST 50 CHURCH ST PORT UNDERGROUND TANK COLLECTI 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	0703602	UST Trust:	False
Site ID:	383576	Spill Date:	2007-06-27 19:30:00
DER Facility ID:	333027	Received Date:	2007-06-27 20:25:00
CID:	76	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2007-07-27 00:00:00
Water Body:		Create Date:	2007-06-28 02:08:00
Class:	B4	Update Date:	2013-05-03 11:14:52.697000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	wtchrist
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Other		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CALLER REPORTS SPILL OF 10-15 GALLONS OF GASOLINE MIXED WITH AN OIL DISTILLATE. SPILL DUE TO WEATHER/HEAVY RAIN OVERLOADING UNDERGROUND COLLECTION CAUSING MATERIAL TO EMANATE THROUGH A MANHOLE COVER. GPS ENVIRONMENTAL PRODUCTS AND SERVICES IS O/S FOR CLEANUP. 21:25 HRS LT. BAXTER USCG CALLED AND ADV THAT THEY WILL NOT BE RESPONDING BUT ARE AVAILABLE TO HELP. OUT OF USCG ZONE."

DEC Remark:

"See Edocs; MOSF 4-1200; see 0609157, etc. 07/27/07 - No Dec response. Clean up by Global contractor. wtc FOIL 10/238 - Edoc CD"

Material Information

OP Unit ID:	1140916	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2131027	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Name: DARRELL BOEHLKE
Spiller Company: GLOBAL OIL (MOBIL)
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202
Spiller Country: 999
Contact Name: DARRELL BOEHLKE
Contact Phone: (518) 436-6570
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	41 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CO PORT (MOBIL) CHURCH ST 50 CHURCH ST PORT OF ALBANY GLOBAL COMPANIES LLC 50 CHURCH ST ALBANY NY 12202	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	0802123	UST Trust:	
Site ID:	398211	Spill Date:	2008-05-23 19:30:00
DER Facility ID:	347583	Received Date:	2008-05-23 20:31:00
CID:	27	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2008-05-27 00:00:00
Water Body:		Create Date:	2008-05-24 02:07:00
Class:	B3	Update Date:	2013-05-03 11:15:37.040000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	KDGOERTZ
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Callers cell number 518.365.0840. Pipeline at the tank farm had a pin hole in it. Spill is in a containment area onto stone. Callers company is doing the cleanup. Near tank #115. Spill is between 3 and 8 gallons."

DEC Remark:

"5/27/2008: KG and MSF inspected spill area. Pipe containing pin hole was isolated. Darrell Boehlke of Global estimated 5 to 8 gallons. Spill was contained in secondary containment area. Impacted gravel was excavated and removed. Container still collect fuel oil from small drip in line (photo taken). (KG) 08/20/08 - Received final incident report. See Edocs. wtc FOIL 10/238 - Edoc CD"

Material Information

OP Unit ID:	1155104	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2145955	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name: DARRELL BOEHLKE
Spiller Company: GLOBAL COMPANIES LLC (MOBIL)
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202
Spiller Country: 999
Contact Name: DARRELL BOEHLKE
Contact Phone: (518) 436-6570
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	42 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT OF ALB MOBIL 50 CHURCH ST PORT OF ALBANY GLOBAL COMPANY 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	---	-----------

Spill No: 0900407	UST Trust: False
Site ID: 412346	Spill Date: 2009-04-10 20:15:00
DER Facility ID: 361526	Received Date: 2009-04-10 21:08:00
CID:	CAC Date:
Program Type: ER	Insp Date:
SWIS Code: 0101	Close Date: 2009-05-14 00:00:00
Water Body:	Create Date: 2009-04-10 21:12:00
Class: C4	Update Date: 2010-08-04 14:42:10.713000000
Meets Std: False	DEC Region: 4
Penalty: False	Lead DEC: WTCHRIST
REM Phase: 0	After Hours: True
County: Albany	
Contributing Factor: Equipment Failure	
Reported by: Responsible Party	
Referred to:	
Source: Major Facility (MOSF) > 400,000 gal	
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data	

Caller Remark:

"hole in rail tank spilled 5 gallons into concrete containment which is piped into another holding tank"

DEC Remark:

"4/10/09, 21:20 - PNB telecon w/Boehkle, loading tank car string, 2nd car had damage/crease under the a sticker & began to leak sm. quan. of gas, put bucket under drip, emptying car, will detach from string & reassemble line of cars, in containment area so no escape of product, Boehkle notified USCG but wasn't able to get through to NRC & EPA to complete notification procedures. (see Edocs) FOIL 10/238 - Edoc CD"

Material Information

OP Unit ID: 1168818	Med Ind Air: False
OU: 01	Med GW: False
Material ID: 2160442	Med SW: False
CAS No:	Med DW: False
Material Family: Petroleum	Med Sewer: False
Quantity: 5.00	Med Surf: False
Units: G	Med Subway: False
Recovered:	Med Utility: False
Med Soil: True	Oxygenate:
Med Air: False	
Material Code: 0009	
Material Name: gasoline	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name: DARRELL BOEHLKE
Spiller Company: GLOBAL COMPANY MOBIL
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: DARRELL BOEHLKE
Contact Phone: (518) 365-0840
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	43 of 109	SSE	0.21 / 1,127.46	15.94 / -13	WASTE MGT TRUCK CHURCH ST PORT OF ALB@MOBIL/GLOBAL 50 CHURCH ST PORT OF ALBANY WASTE MANAGMENT TRUCK ALBANY NY 12202	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	0609157	UST Trust:	False
Site ID:	373291	Spill Date:	2006-11-09 11:15:00
DER Facility ID:	329167	Received Date:	2006-11-09 12:33:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-11-13 00:00:00
Water Body:		Create Date:	2006-11-09 12:57:00
Class:	C4	Update Date:	2014-04-02 11:13:08.393000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	wtchrist
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"LINE BROKE ON A FLAT SURFACE AND ALL CLEANED UP"

DEC Remark:

"(Mobil MOSF 4-1200)"

Material Information

OP Unit ID:	1131002	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2120692	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	30.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	30.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name: RAYMOND BENDER

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Company:		WASTE MANAGMENT TRUCK (@ MOBIL/GLOBAL)				
Spiller Address:		50 CHURCH STREET				
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		999				
Contact Name:		RAYMOND BENDER				
Contact Phone:		(518) 365-5523				
Contact Ext:						
Latitude:		42.641926116				
Longitude:		-73.752410293				

[73](#) 44 of 109 **SSE** 0.21 / 1,127.46 15.94 / -13 **MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN MOBIL DOCK - SOUTH ALBANY NY** **NY SPILLS**

Spill No:	8908658	UST Trust:	False
Site ID:	263748	Spill Date:	1989-11-27 12:10:00
DER Facility ID:	368089	Received Date:	1989-11-27 12:43:00
CID:		CAC Date:	1989-11-27 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1989-12-05 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1989-12-05 00:00:00
Class:	A4	Update Date:	2010-03-26 11:58:35.030000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCDONALD
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"ACHD-MIKE GANLEY & ANDY DOING INSPECTION, NOTICED SHEEN COMING FROM SOUTH, UNK SOURCE."

DEC Remark:

""

Material Information

OP Unit ID:	935998	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	445391	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company: UNK @ MOBIL PORT SHEEN (LATER GLOBAL)
Spiller Address:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller City:						
Spiller State:		ZZ				
Spiller Zip:						
Spiller Country:		999				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	45 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	------------------

Spill No:	9906453	UST Trust:	False
Site ID:	96939	Spill Date:	1999-08-30 23:00:00
DER Facility ID:	266803	Received Date:	1999-08-31 00:09:00
CID:	390	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1999-09-17 00:00:00
Water Body:		Create Date:	1999-08-31 00:00:00
Class:	A3	Update Date:	2009-09-10 11:23:16.583000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Local Agency		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"2000-3000 gals of diesel - most is in containment dike - some spilled out - only on ground is being cleaned up now valve was left open on tanker - caused spill of product"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN MOSF 4-1200; 9805038, 0001759, Etc. 08/30/99 - Spill at Mobils railroad siding reported to be between 2,000 & 3,000 gallons of diesel fuel. Mobil hired Miller Environmental to clean up spill along tracks. Mobil was loading 8 tankers with car #4 the vent car. This car was outside the containment area that was designed to contain such spills. There was a very similar spill back in 91. The area of the spill was approx. 100 X 10 feet and ran along and between the tracks. On 9/1/99 Miller estimated 90% of the contaminated soil was removed with the remainder under the railroad ties. A closure letter was received from Tom Jamieson of Mobil informing me that the soil was removed to Environmental Soil Management of New York and that the amount of fuel lost was between 750 to 850 gallons based on 515 recovered by Miller with a vac truck and 319 gallons recovered in the spill containment tank at the rail siding. They also compared the meter tickets and comparing them against physical gauging the tanks. Mobil also backfilled the area with clean stone and applied Biosolve to the entire area. "

Material Information

OP Unit ID:	1084892	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	302726	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	3000.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Name:		CALLER				
Spiller Company:		MOBIL PORT (LATER GLOBAL)				
Spiller Address:		625 ELK ST ?				
Spiller City:		BUFFALO ?				
Spiller State:		NY				
Spiller Zip:		999				
Spiller Country:		STEVE ANDRIANI				
Contact Name:		(518) 436-6572				
Contact Phone:						
Contact Ext:						
Latitude:		42.641926116				
Longitude:		-73.752410293				

73 46 of 109 **SSE** 0.21 / 1,127.46 15.94 / -13 **SEWAGE HUDSON RIVER PORT CHURCH ST** **NY SPILLS**
50 CHURCH ST PORT HUDSON RIVER SEWAGE 50 CHURCH ST ALBANY NY

Spill No:	9313660	UST Trust:	False
Site ID:	263758	Spill Date:	1994-02-21 10:57:00
DER Facility ID:	407104	Received Date:	1994-02-21 11:51:00
CID:		CAC Date:	1994-02-21 00:00:00
Program Type:	ER	Insp Date:	1994-02-21 00:00:00
SWIS Code:	0101	Close Date:	1994-03-03 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1994-03-03 00:00:00
Class:	C6	Update Date:	2011-07-29 11:37:42.080000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCCULLOUGH
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"MOBIL RPTD SHEEN TO USCG. GPM & MD @ SITE, FOUND SEWAGE, UPDATED USCG."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was MCCULLOUGH/MD 09/28/95: This is additional information about material spilled from the translation of the old spill file: ACTUALLY SEWAGE"

Material Information

OP Unit ID:	995703	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	389033	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0062A		
Material Name:	raw sewage		

Spiller Information

Spiller Name:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Company:		UNKNOWN,RPT BY MOBIL PORT				
Spiller Address:						
Spiller City:						
Spiller State:		ZZ				
Spiller Zip:						
Spiller Country:		001				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73 47 of 109 SSE 0.21 / 1,127.46 15.94 / -13 MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB CHURCH ST ALBANY NY NY SPILLS

Spill No:	9201673	UST Trust:	True
Site ID:	96921	Spill Date:	1992-05-11 15:30:00
DER Facility ID:	368086	Received Date:	1992-05-11 15:57:00
CID:		CAC Date:	1993-04-05 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-04-05 00:00:00
Water Body:		Create Date:	1992-05-12 00:00:00
Class:	B3	Update Date:	2009-09-10 10:03:35.173000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"FOUND CONT. SOIL WHILE REMOVING 6YR OLD 4K FRP UGT, POSSIBLE LEAKAGE FROM OLD PRODUCT LINES, STOCKPILING ON POLY PENDING RESULTS.8/3/92-T-1 MINOR CONTAM<50PPM.ALL TANKS OUT. SOIL REMOVED."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN SEE FOLDER. "

Material Information

OP Unit ID:	968939	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	567485	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller City: Spiller State: ZZ Spiller Zip: Spiller Country: 999 Contact Name: Contact Phone: Contact Ext: Latitude: 42.641926116 Longitude: -73.752410293						

73	48 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	--	-----------

Spill No:	9213501	UST Trust:	False
Site ID:	263755	Spill Date:	1993-03-08 10:15:00
DER Facility ID:	375554	Received Date:	1993-03-08 11:03:00
CID:		CAC Date:	1993-03-08 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-03-26 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1993-03-26 00:00:00
Class:	D6	Update Date:	2010-03-26 11:51:26.240000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Affected Persons		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
"25'X10' SHEEN ON RIVER"

DEC Remark:
"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	977689	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	403284	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT ??? SHEEN (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Country:		999				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	49 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9203444	UST Trust:	False
Site ID:	96922	Spill Date:	1992-06-22 16:30:00
DER Facility ID:	368091	Received Date:	1992-06-22 16:50:00
CID:		CAC Date:	1993-04-05 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-04-05 00:00:00
Water Body:		Create Date:	1992-06-23 00:00:00
Class:	B3	Update Date:	2009-09-10 10:07:24.590000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCCULLOUGH
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
 "FOUND CONT. SOIL DURING TANK PULL, STOCKPILING SOIL. 18:30-HOY CALLED PRETTO, GONE FOR DAY.WILL BE HANDLED UNDER ONE SPILL CLOSED. SEE OTHER SPILL."

DEC Remark:
 ""

Material Information

OP Unit ID:	967252	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	567463	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Contact Phone:
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	50 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER PORT OF ALBANY ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	8701886	UST Trust:	False
Site ID:	263740	Spill Date:	1987-06-04 13:00:00
DER Facility ID:	368084	Received Date:	1987-06-04 14:00:00
CID:		CAC Date:	1987-06-04 00:00:00
Program Type:	ER	Insp Date:	1987-06-04 00:00:00
SWIS Code:	0101	Close Date:	1987-06-04 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1987-06-05 00:00:00
Class:	A4	Update Date:	2009-09-10 09:19:04.900000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"WHILE TESTING TANK, PLUG CAME OUT CAUSING OIL TO ESCAPE INTO THE RIVER. USCG ENROUTE. NO FURTHER DEC ACTION"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	906281	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	471775	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	2.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address: PORT OF ALBANY
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641906994

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Longitude:		-73.752399000				

73	51 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL/MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB MOBIL - WEST END PORT OF ALBANY TERMINA ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	9214481	UST Trust:	False
Site ID:	96923	Spill Date:	1992-10-29 12:00:00
DER Facility ID:	433939	Received Date:	1992-10-29 12:00:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	2011-10-07 00:00:00
SWIS Code:	0101	Close Date:	
Water Body:		Create Date:	1993-03-31 00:00:00
Class:	B2	Update Date:	2023-12-21 11:20:23.673000000
Meets Std:	False	DEC Region:	4
Penalty:	True	Lead DEC:	DJWEHN
REM Phase:	5	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
"INVESTIGATION TANK OVERFILL, FOUND LARGER OLDER SPILL, SEE RPT."

DEC Remark:
"Large file combined w/9214484, see EDOCs for additional Information. 09/28/95: This is additional information about material spilled from the translation of the old spill file: GAS,#2,#4,#6,ETC12 SEE FOLDER. 12/04/96 Precision onsite to install offsite wells on CP property. To use CTM. 3/11/97 Reviewed Precision Report. Minimal contamination.Mobil identified as spiller.ISR completed. Mobil will continue with sitewide activities. 12/02/97 Approved proposal for additional investigation around two recovery wells. 06/20/2001 review OF 11//03/200 Report prepared by ROUX. Two distinct free product plumes ,one west of Rail Car Loading Rack and a second at the Cooper shop/east of Rail Car Loading Rack. Bailing only. 1742 gallons recovered. Automated product recovery plan to be submitted in December. 6/20/2001 REVIEW OF 2/21/2001 Recovery Plan. 2406.75 gallons recovered 8/23/01 REVIEW OF ROUX REPORT DATED 7/10/2000 containing plans for additional investigation of seep area and west end. Roux believes that the seep area is localized and not connected to West End spill or location. Investigation of truck loading rack is also proposed. MW 324 contains 8.68 ft of product on 6/9/2000. Seep area is Spill 92-14484. 9/18/2001 Reviewed three reports prepared by Roux for ExxonMobil -Hudson River supplemental Assessment Report dated 4/03/2001 -Site Monitoring Report July/September2000 dated 10/30/2000 -Site Monitoring Report October/May 2001 dated 8/02/2001 Site assessment shows contamination existing from east of West End to Hudson River. Source not identified. Higher volatile concentrations at West End and also more vadose zone contamination. Free product at seep area appears limited in areal extent. A remedial plan not included. Contamination exceeds cleanup standards in STARS and TAGM. Low level groundwater contamination. Site monitoring reports indicate 520.5 and 532 gallons bailed at West End and 1212 gallons recovered by automated system. Seaboard recovery at 2.2 and 25 gallons. Product thicknesses 4 feet at west end. Letter drafted requesting response to comments by 10/26. JUNE/DECEMBER 2001: 4,536 GALLONS RECOVERED 3/12/2003 First qt 2002 report indicates 4941.5 gallons recovered. Product thickness of 1 to two feet. 9/15/2003 May/October 2002 report indicates 6460 gallons recovered. Reports on trench excavation in Church Road showing contamination. Reports product thicknesses of one to three feet. Letter dated 9/18/2003 requesting additional recovery units. 10/01/2003 NOV/April report indicates 6636 gallons recovered. No info on spill 94-03518 1/21/2004 May/October 2003 report indicates 7560 gallons recovered. Additional well east of trench on church street to be installed. Recovery tanks emptied and disposed. Mobil evaluating additional spill buster installation. 7/08/2004 Drafted letter commenting on last two reports as well as Seep area reports. Advised I was proceeding with spill buster installation. 7/13/2004 Reviewed NOV/April 2004 report. Appears to indicate installation of one additional spill buster and describes results of additional well MW-335 installation. Some operational problems during winter.130 gallons recovered by automated totaling 5372 gallons for West End. Total West End recovery 7783 gallons 5/25/05 Reviewed May/October 2004 Report. 120 gallons recovered manually. 4 spill busters operational. Recovered 337 gallons. Total recovered 8240 gallons. 8/22/05 Reviewed November/May 2005 report 85 gallons recovered manually. 689 gallons recovered with spill buster. 9015 gallons recovered. 10/26/06 Reviewed June 2005/May 2006 report 156.5 gallons recovered manually 663 gallons recovered with four spillbusters . 9835 gallons recovered. Product thicknesses range up to 2.78 ft (MW 324) 11/10/06 Ian Reed (ROUX) advises well and additional spillbuster will be installed by next month in response to DEC request 11/07/07 Reviewed Status Report for period June 06 to June 07. Fifth spillbuster added. 143 gallons recovered from manual bailing 388 gallons recovered by spillbuster. 10407 gallons total. Product thicknesses range up to 4.18 feet. Next report July 08. Approval letter will request status of spillbuster operational status by 12/01/07. 3/25/08: KG met on site with Global personnel, consultants and attorney. Site is on an annual reporting program. There is also bi-monthly hand bailing of wells without spill busters and annual dissolved sampling. The next report is due in August. (KG) 9/10/08: Goertz reviewed 8/08 annual report. Free product recovery continuing at a good clip. Just short of 11,000 gallons have been recovered since the startup of this project. A total of just over 450 gallons were removed over the last year. Annual analysis shows minimal to ND for dissolved constituents of concern. (KG) 2/11/13: Reviewed annual report dated September 6, 2012. The biggest difference this past year was that 3 of the 5 spill buster systems were relocated to the Tank 64 area (spill #1110257) for product recovery of that spill. The spill busters were moved back in April, 2012. Otherwise, the site is status quo. Just over 200 gallons of free product were recovered during this annual reporting period. The highest dissolved concentrations total in the triple digit part per billion range. (KG)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

7/1/13: Approved switch from spill buster technology to passive skimmers. (KG) 12/17/2013: Requiring the reactivation of spill busters in two of the MW's. (KG) 1/31/17 - FOIL W016097-122116, selected EDOCS from 9214481, 9214484, 1110257, 1504084 via WebQA. 3/13/17 - FOIL W018746-030217, no new EDOCS from 9214481, 9214484, 1110257, 1504084 - nothing sent. 1/23/2020 - Spill # 9214484 closed. Monitoring for this site will be managed under Spill #9214481. Project manager changed to Dan Wehn. - JAF 03/19/2020 - DJW approved removal of MW209 from sampling plan in WEST END. -DJW 04/23/2021 - Approved the installation of Spill Buster on MW - 301 - DJW 05/11/2021 - Approved the decommissioning of MW 204, 205, 206, and 208. -DJW 09/29/2021 - Received annual monitoring report. Recovered approximately 334 gallons of separate phase hydrocarbons (SPH) from the Site wells through manual recovery (bailing and passive skimmers) in the West End Area. 09/14/2022 - Received annual status report. As of June 30, 2022, approximately 523 gallons of SPH had been recovered during this reporting period from the West End Area and Seaboard Carwash Area wells. - DJW 12/21/2023 - Approved request to reduce monitoring frequency of passive skimmers from weekly to biweekly. -DJW"

Material Information

OP Unit ID:	981772	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2137044	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Oxygenates	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	True
Med Air:	False		
Material Code:	2645A		
Material Name:	BTEX		

OP Unit ID:	981772	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	400685	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	10407.00	Med Utility:	False
Med Soil:	True	Oxygenate:	True
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

OP Unit ID:	981772	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2096689	Med SW:	False
CAS No:	01634044	Med DW:	False
Material Family:	Hazardous Material	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	True
Med Air:	False		
Material Code:	1213A		
Material Name:	MTBE (methyl-tert-butyl ether)		

Spiller Information

Spiller Name:	TOM KEEFE
Spiller Company:	GLOBAL COMPANIES LLC MOBIL
Spiller Address:	P.O. BOX 9161
Spiller City:	WALTHAM
Spiller State:	MA
Spiller Zip:	02454-9161
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641918994
Longitude:	-73.752405000

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
73	52 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL TUG PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS

Spill No:	8706650	UST Trust:	False
Site ID:	263741	Spill Date:	1987-10-26 11:45:00
DER Facility ID:	368083	Received Date:	1987-10-26 12:00:00
CID:		CAC Date:	1987-10-26 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1987-10-26 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1987-11-06 00:00:00
Class:	A4	Update Date:	2000-05-11 00:00:00
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"BUNKERING TUG BECAME AIRLOCKED - SPLASHED OUT ONTO DOCK, SOME IN RIVER. COAST GUARD ON SCENE. PLACED SORBENTS IN RIVER & DOCK."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN // : COMPLETELY CLEANED. "

Material Information

OP Unit ID:	912533	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	465656	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT TUG (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
73	53 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL TUG PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS

Spill No: 8708203 **UST Trust:** False
Site ID: 263743 **Spill Date:** 1987-10-26 11:25:00
DER Facility ID: 368083 **Received Date:** 1987-12-22 09:00:00
CID: **CAC Date:** 1987-12-22 00:00:00
Program Type: ER **Insp Date:**
SWIS Code: 0101 **Close Date:** 1987-12-22 00:00:00
Water Body: HUDSON RIVER \$ **Create Date:** 1987-12-23 00:00:00
Class: C4 **Update Date:** 2009-09-10 09:33:04.923000000
Meets Std: True **DEC Region:** 4
Penalty: False **Lead DEC:** WEBLAIN
REM Phase: 0 **After Hours:** False
County: Albany
Contributing Factor: Human Error
Reported by: Other
Referred to:
Source: Vessel
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"DURING REFUELING TUG OVERFILLED - SOME RELEASED THROUGH VENT."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN / / : NO DEC ACTION. - OLD SPILL."

Material Information

OP Unit ID: 912696 **Med Ind Air:** False
OU: 01 **Med GW:** False
Material ID: 463596 **Med SW:** True
CAS No: **Med DW:** False
Material Family: Petroleum **Med Sewer:** False
Quantity: 20.00 **Med Surf:** False
Units: G **Med Subway:** False
Recovered: .00 **Med Utility:** False
Med Soil: False **Oxygenate:**
Med Air: False
Material Code: 0008
Material Name: diesel

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT TUG (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641906994
Longitude: -73.752399000

73	54 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

**CHURCH ST
ALBANY NY**

Spill No:	8708444	UST Trust:	False
Site ID:	96916	Spill Date:	1988-01-01 12:15:00
DER Facility ID:	368086	Received Date:	1988-01-01 14:24:00
CID:		CAC Date:	1988-01-01 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1988-11-23 00:00:00
Water Body:		Create Date:	1988-01-22 00:00:00
Class:	B3	Update Date:	2009-09-10 09:33:48.220000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"BLOWN GASKET ON VAC. TRUCK, GASKET REPAIRED, DOMERMUTH HIRED TO CLEANUP BY MOBIL. CLEANUP COMPLETE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	913115	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	463833	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	100.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	55 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL TUG PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER 150 EAST 42ND ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spill No:	8707222				UST Trust:	False
Site ID:	263742				Spill Date:	1987-11-21 17:50:00
DER Facility ID:	368085				Received Date:	1987-11-21 18:38:00
CID:					CAC Date:	1987-11-21 00:00:00
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	1987-11-21 00:00:00
Water Body:	HUDSON RIVER \$				Create Date:	1987-11-25 00:00:00
Class:	A3				Update Date:	2010-03-26 11:32:55.583000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	TESPERBE
REM Phase:	0				After Hours:	True
County:		Albany				
Contributing Factor:		Human Error				
Reported by:		Responsible Party				
Referred to:						
Source:		Vessel				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"NO ACTION. 11/21 1920 HRS. SPERBECK CALLED MOBIL. NO ANSWER. GOAST GUARD SENT TO SCENE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SPERBECK 03/21/88: CLOSED, NO ISR. "

Material Information

OP Unit ID:	912952			Med Ind Air:	False
OU:	01			Med GW:	False
Material ID:	466189			Med SW:	True
CAS No:				Med DW:	False
Material Family:	Petroleum			Med Sewer:	False
Quantity:	35.00			Med Surf:	False
Units:	G			Med Subway:	False
Recovered:	.00			Med Utility:	False
Med Soil:	False			Oxygenate:	
Med Air:	False				
Material Code:		0008			
Material Name:		diesel			

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT - TUG 8 (LATER GLOBAL)
Spiller Address:	SAME
Spiller City:	VESSEL
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	56 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT BARGE HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9606541			UST Trust:	False
Site ID:	263765			Spill Date:	1996-08-21 13:45:00
DER Facility ID:	368083			Received Date:	1996-08-21 13:59:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
CID:	349				CAC Date: 1996-08-21 00:00:00	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date: 1996-08-21 00:00:00	
Water Body:	HUDSON RIVER				Create Date: 1996-08-21 00:00:00	
Class:	A4				Update Date: 2010-11-19 10:46:04.217000000	
Meets Std:	True				DEC Region: 4	
Penalty:	False				Lead DEC: MSFRANKL	
REM Phase:	0				After Hours: False	
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Affected Persons				
Referred to:						
Source:		Vessel				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"LINE BROKE ON VESSEL WHILE LEAVING PORT - CALLER STATES VERY SMALL AMOUNT"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was FRANKLIN TELECON W/MOBIL, USCG BOOMED SITE & USED SORBENTS, SLIGHT SHEEN, ~10gal RELEASED, NO DEC RESPONSE REQUIRED. ALSO RPTd AS 9606547. "

Material Information

OP Unit ID:	1037675	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	345807	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name:	
Spiller Company:	BOUCHARD BARGE@MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	-
Spiller Country:	999
Contact Name:	TIM SALES
Contact Phone:	(518) 436-6566
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	57 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
-----------	------------------	------------	------------------------	--------------------	--	------------------

Spill No:	9708272	UST Trust:	False
Site ID:	96938	Spill Date:	1997-10-14 17:23:00
DER Facility ID:	266803	Received Date:	1997-10-14 17:33:00
CID:	297	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1997-10-15 00:00:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Water Body:				Create Date:	1997-10-14 00:00:00	
Class:	C3			Update Date:	2009-09-10 11:19:17.777000000	
Meets Std:	False			DEC Region:	4	
Penalty:	False			Lead DEC:	WTCHRIST	
REM Phase:	0			After Hours:	False	
County:		Albany				
Contributing Factor:		Human Error				
Reported by:		Responsible Party				
Referred to:						
Source:		Major Facility (MOSF) > 400,000 gal				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"OIL COMPNAY WAS PERFORMING A FOAM TEST AND THE FOAM WATER MIXTURE BACKED UP INTO THE COLLECTION TANK AND OVERFLOWED THE FUELS IN THE TANK ONTO THE GROUND - ENVIROMENTAL PRODUCTS & SERVICES ON SCENE FOR CLEAN UP"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 10/14/97 - COMPANY TESTING FOAM SYSTEM AND FAILED TO TURN PUMP TO HOLDING TANK ON. THIS CAUSED A MIXTURE OF FOAM, WATER & PETROLEUM TO FLOW ON GROUND BUT NOTHING REACHED RIVER."

Material Information

OP Unit ID:	1051506	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	330254	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

OP Unit ID:	1051506	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	330253	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	TIM SAYLES
Spiller Company:	MOBIL PORT TANK FARM (LATER GLOBAL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	10309-
Spiller Country:	999
Contact Name:	TIM SAYLES
Contact Phone:	(518) 436-6566
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
73	58 of 109	SSE	0.21 / 1,127.46	15.94 / -13	KENWOOD YARD GLOBAL (MOBIL) CHURCH ST PORT TANKCAR 50 CHURCH ST PORT KENWOOD YARD 50 CHURCH ST GLOBAL ALBANY NY	NY SPILLS

Spill No:	1109354	UST Trust:	False
Site ID:	457123	Spill Date:	2011-10-25 16:00:00
DER Facility ID:	411607	Received Date:	2011-10-25 17:42:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2011-10-26 00:00:00
Water Body:		Create Date:	2011-10-25 17:50:00
Class:	B4	Update Date:	2015-03-05 14:23:42.243000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Railroad Car		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Railroad tank car found with it's top access hatch unsecure and the oil inside had been splashing out between North Dakota & here in NY. Overspill was on the sides of the tank car but none on the ground at the final location is detected."

DEC Remark:

"No DER response required. Spilled from ND to NY. 10/25/11 - TC with Chris D'Onlfrio (EPA Region 2). Discussed spill. DP 10/26/11 - TC with Darryl Boehlke (Global). No spill at their site. They just noted stain on side of railroad tank car. Amount spilled was determined by taking the loading amount and subtracting the amount from sticking the tank at their site. DP Closed"

Material Information

OP Unit ID:	1207252	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2204488	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	236.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	DARRYL BOEHLKE
Spiller Company:	GLOBAL COS LLC (MOBIL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	DARRYL BOEHLKE
Contact Phone:	(518) 445-1302
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
73	59 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT HUDSON RIVER (MOBIL) 50 CHURCH ST PORT HUDSON RIVER GLOBAL COMPANIES LLC 50 CHURCH ST ALBANY NY	NY SPILLS

Spill No:	1200687	UST Trust:	False
Site ID:	463339	Spill Date:	2012-04-23 02:00:00
DER Facility ID:	423064	Received Date:	2012-04-23 02:48:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2012-06-27 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2012-04-23 02:52:00
Class:	B3	Update Date:	2015-02-11 10:10:33.873000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"20 gallons of gasoline/fuel oil/water mix spilled to soil from overflow of spcc line. Spill believed to be from a blockage in the line. contained in a pool of water. Soil affected is minimal."

DEC Remark:

"5/10 - Update - This another file where the original notes were somehow deleted. So, to recap - During a heavy rain, the piping to the facility's SPCC tank became plugged which caused the underground piping system and storm drains to overflow onto the pavement. Any petro that was in those lines ran down the parking lot. Upon further inspection, it was obvious that some made it into the river. Booms were deployed by Global and were maintained through several rain event. Clean Harbors was retained to clean the lines, the pavement, and to excavate the contaminated soil near the river. There was no sheen noted during the last inspection. Global left the boom in for a bit longer after my last inspection. Darryl Boehlke called to let me know that there had been no sheen in the river since I was last there. This spill can be closed once disposal receipts are received. 6/27/12 - Contacted Bohelke regarding disposal rect's. 6/27 - Disposal receipts (BOL's) received. Closed"

Material Information

OP Unit ID:	1213436	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2211384	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

OP Unit ID:	1213436	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2211383	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Material Name:		gasoline				
Spiller Information						
Spiller Name:		DARRELL BOEHLKE				
Spiller Company:		GLOBAL COMPANIES LLC (MOBIL)				
Spiller Address:		50 CHURCH ST				
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:		999				
Spiller Country:		999				
Contact Name:		DARRELL BOEHLKE				
Contact Phone:		5183650840				
Contact Ext:						
Latitude:		42.641926116				
Longitude:		-73.752410293				

73	60 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL TANK 64 CHURCH ST PORT (MOBIL) 50 CHURCH ST PORT GLOBAL 50 CHURCH STREET ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	1110257	UST Trust:	False
Site ID:	458067	Spill Date:	2011-11-17 16:00:00
DER Facility ID:	412646	Received Date:	2011-11-17 17:00:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	
Water Body:		Create Date:	2011-11-17 17:04:00
Class:	A3	Update Date:	2022-01-03 11:17:14.990000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	DJWEHN
REM Phase:	1	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"APPROX. 450 GALLONS MISSING FROM TANK AT THIS TIME, DESCRIBED AS #1 LOW-SULFUR DIESEL, NON-DYED."

DEC Remark:

"See Edocs; 1110260. 11/17 - MF telecon with Bohelke. Tank was isolated yesterday/today and they confirmed a loss. Loss est to be ~450 gallons. They have checked river, storm water collection, and o/w sep and did not see a sheen. They plan on emptying the tank. 11/18 - MF on site. Met with Bohelke, Tom (environmental guy) and another Global rep. They indicated that they noticed inventory problem on Monday, Tue, and Wed. They isolated the tank and noticed appx 1/4 inch loss (450 g). Waited for another 3 hrs and did not see another loss. Waited a bit longer and noticed another 1/4 inch loss. They then began to empty tank. Plans are to put in some test pits to try to delineate plume. Advised them that they will need to get to GW with test pits. MF back on site around 4:30. Only shallow test pits have been installed. 1 pit has some product in it, but it is now dry. They advised that drillers would be there on Monday. I suggested and encouraged them to do more tomorrow. They agreed and will have a bigger backhoe in here in the AM. Inventory loss confirmed at appx 28,000 gallons. 11/19 - MF back on site. 1 test pit installed. They guess that they are in appx 2 feet water. Appx 6 product on water table. I again advised them of the urgency to get more of the plume delineated, but they are going to wait to get a drill rig in to the site on Monday. I did suggest that at a minimum they maintain a vac truck on the recovery well through the night. They agreed to that. I spoke to Bohelke around 6:30 PM and he indicated that the well was recarging with appx 1.5 or product after vacing, so they sent the vac truck back. They plan on vacing all day tomorrow. 11/20 - MF spoke to Bohelke. Vac truck only vac'd well twice on Sunday. Well recharging between 1.3 and 9 of product. Unaware if/when drill rig will be on site. 10/15/13 - Another site where the notes vanished. To update, there are wells in and the spill busted systems are being maintained. Most recent report indicates site is status quo. MF sent inquiry about wells to Roux. Their response ..Matt - Thank you for your review of the report. In response to your questions about RX-16: The area of free product around RX-16 is defined by RX-09 and RX-29 as well as RX-17 and RX-30. We will continue to watch the recovery from this well and other wells in that area of the site, and evaluate if more delineation is required. In February 2012, Roux performed a tidal analysis on RX-6 (located approximately 100-feet southeast of RX-16). The water level in that well averaged 2.3' feet of tidal influence, compared to the river's average influence of 5.6' over the same 7-day timeframe. The groundwater flow direction has been monitored by Roux at the site for the past several years. I am including a copy of the groundwater contours from April 2013's annual monitoring event. These contours are consistent with previous year's groundwater elevations and flow direction. We will be performing the annual monitoring event for 2014 in the next couple of weeks. I can forward along the newest contours once they are completed. In addition, RX-16 has shown increased levels of

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

free-product over the winter months. Roux is planning on moving a spill buster to this location, however, this well is located on the other side of an access road. In order to run the associated tubing and wires for the spill buster, we will need to dig a small trench under the access road. Due to the frozen ground, we have had to delay these activities until the ground has thawed. This is something we would like to accomplish as soon as possible to maximize the recovery from that well. Please let me know if you have any additional questions. 5/14/14 - Report received. Spill busters were shut down in Jan to check for rebound. Wells 7,14,31 showed some rebound, the rest did not. Spill busters were re-started. Site remains status-quo. 9/2/14 - Status report received and reviewed. Site was checked for product rebound. Most rebound noted in RX 6,14,22,31. Spill busters are operational at site and still providing product recovery. Site is otherwise status-quo. 12/9 -0 December 2014 report received. Covers from 7/13/14 - 9/12/14. Basically, status quo. 2/5/15 - Report received. Status quo. 5/27/15 - Report received. Status quo. They are going to submit quarterly reports from now on. 8/13/15 - Report received. Status quo. They are going to evaluate the effectiveness of the recovery system. RX5, 6, 8, 10, 12, 13, 14, 16, 18, 19, 20, 21, 22, 27, 30, 31, 32, 33, sumps 1 - 6 routinely have product in them. RX 25 and 26 just recently showed product. RX 10, 16, 27, 31, 33 have had the most product in them. 25 and 26 appear to be sentinel type wells and there are no wells beyond them in that direction. If free product continues to show up in them, additional wells may be required. 3/11/16 - Report received. Status quo. Effectiveness of spill busters still being reviewed. 5/10/16 - Report reviewed. Mainly status quo. It appears that it might be worth moving a spill buster to RX 10 and 33. Will send email to consultant. Spill being reassigned to UTBERG. 9/29/16 Proposal received to conduct an air sweep pilot test on select wells impacted throughout the site. Test to be conducted in November and based on the results of the test the technique may be used for further remediation. Test will consist of injecting air into the soil slightly about the free phase product layer and then pumping air out of the existing recovery wells using them as an SVE system. The extracted air will travel through a moisture extractor and be discharged through Carbon drums. 12/6/16 Status report received for last quarter. Spill busters are still operating and recovering product. Pilot test for air sweep to augment the spill buster system was completed and will be submitted in the next status report. Report in DECdocs. JDU 1/31/17 - FOIL W016097-122116, selected EDOCS from 9214481, 9214484, 1110257, 1504084 via WebQA. 3/9/17 - FOIL W017806-020617, uploaded most recent rpt. 3/13/17 - FOIL W018746-030217, no new EDOCS from 9214481, 9214484, 1110257, 1504084 - nothing sent. 11/02/2018 - Received Status Report # 23. SPH in wells: RX(1,5,6,8,10,12,13,14,15,16,18,19,20,21,22,25,26,27,30,31,32,33) No sheen in Hudson noted- DJW 03/04/2019 - Received Status Report #24. SPH in well (past 3 months): RX (5,6,8,10,12,13,14,15,16,18,20,21,22,25,27,29,30,31,32) 08/21/2019 - Received report from Roux. Spill busters operated on RX-6, RX-14, and RX-32 yielding approximately 86 gallons of recovered SPH. Air sweep/SVE system was operated on the following seven wells: RX-25, RX-26, RX-27, RX-31 and RX-33. Approximately 94 pounds of hydrocarbons were recovered via the air sweep/SVE system, or approximately 14 gallons of SPH. - DJW 11/04/2019 - Received quarterly report. Gauging of recovery/monitoring wells RX-1 through RX-34 and recovery sumps Sump-1 through Sump-6; Gauging of existing Site perimeter monitoring wells (MW-119, MW-120, MW-121, MOSF-8, and MOSF-9) and inspections of the Hudson River for sheen continues. 01/23/2020 - Met with Brian Klaus - Global, and Andrew Fleck to discuss 4 Global spills including 1110257. Two 92 spills will be combined. Requested sampling of MW 1,2, and 3 related to 2015 spill. Requested boring logs from 2016 well installations and refusals. 2011-Tank 64 spill to continue as is. - DJW 04/22/2021 Received first quarter status report. Product still showing in RX 20, RX 21, RX 25, RX 27, RX 31, and RX 33 during this quarters gauging. All product .1 inches or less. -DJW 12/17/2021 - Approved proposal for a lengthened rebound test and a potential transmissivity test to help quantify recoverability of the SPH. - DJW"

Material Information

OP Unit ID:	1208179	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2205509	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	28000.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0012A		
Material Name:	kerosene		

Spiller Information

Spiller Name:	DARRYL
Spiller Company:	GLOBAL (MOBIL)
Spiller Address:	50 CHURCH STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	DARRYL
Contact Phone:	
Contact Ext:	
Latitude:	42.641926117
Longitude:	-73.752410294

73	61 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL HUDSON RIVER CHURCH ST PORT (MOBIL) 50 CHURCH ST PORT HUDSON RIVER 300-400FEET FROM THE	NY SPILLS
-----------	------------------	------------	------------------------	--------------------	---	------------------

**HUDSON R 50 CHURCH
ALBANY NY**

Spill No:	1110260	UST Trust:	False
Site ID:	458070	Spill Date:	2011-11-17 17:49:00
DER Facility ID:	423065	Received Date:	2011-11-17 17:49:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2011-11-20 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2011-11-17 17:53:00
Class:	B3	Update Date:	2016-06-03 13:56:09.420000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Federal Government		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"3 million Gallon tank is leaking. Vac is in progress. Spill is to containment. Soil. 995845 NRC Report #"

DEC Remark:

"See 1110257. Being handled under that #. close."

Material Information

OP Unit ID:	1208182	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2205512	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	450.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0012A		
Material Name:	kerosene		

Spiller Information

Spiller Name:	DARRELL BOEHLKE
Spiller Company:	GLOBAL COMAPNIES LCC (MOBIL)
Spiller Address:	50 CHURCH STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	MIKE GOGLIA
Contact Phone:	(610) 517-2318
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	62 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL (MOBIL) CHURCH ST PORT 50 CHURCH ST PORT GLOBAL CO LLC 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spill No:	1205415				UST Trust: False	
Site ID:	468367				Spill Date: 2012-08-29 10:05:00	
DER Facility ID:	423063				Received Date: 2012-08-29 10:05:00	
CID:					CAC Date:	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date: 2012-08-29 00:00:00	
Water Body:					Create Date: 2012-08-29 10:07:00	
Class:	C4				Update Date: 2013-02-06 13:58:49.987000000	
Meets Std:	False				DEC Region: 4	
Penalty:	False				Lead DEC: MSFRANKL	
REM Phase:	0				After Hours: False	
County:		Albany				
Contributing Factor:		Human Error				
Reported by:		Responsible Party				
Referred to:						
Source:		Railroad Car				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"equip was not shut completely, c/u ccomplete"

DEC Remark:

"MF telecon with Darrel. Spill from loose bolts on manway of tank car. Some product ran down side of car and a few drops hit the ground. Spill was cleaned up. Closed, no DER response."

Material Information

OP Unit ID:	1218288	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2216663	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.25	Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0006		
Material Name:	crude oil		

Spiller Information

Spiller Name:	DARREL BOEHKE
Spiller Company:	GLOBAL CO LLC (MOBIL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	DARREL BOEHKE
Contact Phone:	518445-1300
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	63 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT (MOBIL) 50 CHURCH ST PORT GLOBAL 50 CHURCH ST DISCOVERED PETRO FAC ALBANY NY 12202	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	0906610	UST Trust:	False
------------------	---------	-------------------	-------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Site ID:	418958				Spill Date:	2009-09-09 16:15:00
DER Facility ID:	368071				Received Date:	2009-09-09 17:11:00
CID:					CAC Date:	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	2010-11-09 00:00:00
Water Body:					Create Date:	2009-09-09 17:17:00
Class:	B4				Update Date:	2013-05-03 11:16:35.333000000
Meets Std:	False				DEC Region:	4
Penalty:	False				Lead DEC:	KDGOERTZ
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Abandoned Drums				
Reported by:		Responsible Party				
Referred to:						
Source:		Major Facility (MOSF) > 400,000 gal				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"Discovered while conducting a project to run gray water line. 10 to 12 ft. below surface. Soil smelled of petroleum. Soil samples will be conducted. Drum was removed and is currently sitting on plastic."

DEC Remark:

"9/10/09: Spoke with Tom Keefe of Global (781-983-0365). About 15 yards of material was excavated. I asked for post-ex sampling to verify all contamination was removed. Tom will get back to me with details on the field instrumentation used and how they determined they excavated out all of the contaminated material. (KG) (see Edocs for notes) NRC Rpt # 917340 FOIL 10/238 - Edoc CD 11/9/10: Based on surrounding use of properties and relatively low concentrations in the soil, this spill will be closed - does not meet standards. (KG)"

Material Information

OP Unit ID:	1175111	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2167626	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	DARRELL BOEHLKE
Spiller Company:	GLOBAL TERMINAL (MOBIL) DISCOVERED SPILL UNKNOWN
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	12202
Spiller Country:	999
Contact Name:	DARRELL BOEHLKE
Contact Phone:	(518) 436-6570
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	64 of 109	SSE	0.21 / 1,127.46	15.94 / -13	HUDSON RIVER GLOBAL/MOBIL CHURCH ST PORT 50 CHURCH ST PORT HUDSON RIVER BEHIND 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spill No:	1008836				UST Trust:	False
Site ID:	442356				Spill Date:	2010-11-23 11:30:00
DER Facility ID:	397405				Received Date:	2010-11-23 11:59:00
CID:					CAC Date:	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	2011-02-16 00:00:00
Water Body:	HUDSON RIVER				Create Date:	2010-11-23 12:01:00
Class:	B3				Update Date:	2011-06-15 16:05:27.527000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	KDGOERTZ
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Unknown				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"sheen on hudson river - caller will send boat out to investigate per request Keith Goertz - no cleanup noted"

DEC Remark:

"11/23/10 - Stopped at Global and spoke with Darrell Boehlke (Global) and Kate Hewett (Roux). Walked along Global shoreline with Kate Hewett. Sheens associated with Global dredging product appear to be contained. Downstream appr. 300' from dredging noted sheens in an area next to shore which is where the parking lot run off enters the river. No sheen noted on the puddle at edge of parking lot prior to entering river. Noted spotty sheens in the vicinity (both upstream and downstream) of the Global loading dock. The sheens appear to be coming up from the bottom of the river near the shore starting as a point then spreading out to a sheen. Noted sheens at the corner where the blue building (Port of Albany) starts and around two tugs next to the ble building where the water was calm. Downstream of the blue building the spotty sheen/sheen slowly dissipates to the point where it no longer exists. Just downstream of the blue building a barge is being worked on but nothing noted around it as a source. Between blue building and barge noted some small spotty sheens appearing but not like around Global loading dock. DP NRC rpt # 960593 2/16/2011: Received no additional complaints, this spill can be closed. (KG)"

Material Information

OP Unit ID:	1192865	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2188208	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	
Spiller Company:	UNKNOWN GLOBAL/MOBIL
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	DARROL BOEHLKE
Contact Phone:	(518) 436-6570
Contact Ext:	
Latitude:	42.642404000
Longitude:	-73.752314000

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
73	65 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS

Spill No: 9506244
Site ID: 96935
DER Facility ID: 266803
CID:
Program Type: ER
SWIS Code: 0101
Water Body:
Class: B3
Meets Std: False
Penalty: False
REM Phase: 0
County: Albany
Contributing Factor: Equipment Failure
Reported by: Federal Government
Referred to:
Source: Major Facility (MOSF) > 400,000 gal
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

UST Trust: False
Spill Date: 1995-08-19 11:00:00
Received Date: 1995-08-21 12:47:00
CAC Date:
Insp Date:
Close Date: 1995-10-18 00:00:00
Create Date: 1995-08-21 00:00:00
Update Date: 2009-09-10 11:07:20.043000000
DEC Region: 4
Lead DEC: WTCHRIST
After Hours: False

Caller Remark:

"HOSE CAME LOOSE ON PUMP. SEE 9506223?"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 2/23/96-(FILE REVIEW) NO FOLLOW-UP REQUIRED. ACTUALLY 9506223 (SEE FOLDER), 9415286, 9511218. "

Material Information

OP Unit ID: 1021059
OU: 01
Material ID: 364216
CAS No:
Material Family: Petroleum
Quantity: 15.00
Units: G
Recovered: .00
Med Soil: True
Med Air: False
Material Code: 0001A
Material Name: #2 fuel oil

Med Ind Air: False
Med GW: False
Med SW: False
Med DW: False
Med Sewer: False
Med Surf: False
Med Subway: False
Med Utility: False
Oxygenate:

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	66 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	---	-----------

**CHURCH ST
ALBANY NY**

Spill No:	9005534	UST Trust:	False
Site ID:	96918	Spill Date:	1990-08-17 14:00:00
DER Facility ID:	368086	Received Date:	1990-08-17 14:30:00
CID:		CAC Date:	1990-09-10 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1990-11-30 00:00:00
Water Body:		Create Date:	1990-08-27 00:00:00
Class:	C3	Update Date:	2009-09-10 09:56:25.263000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	KLOTZ
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"HOLE IN VENT LINE IN VAPOR RECOVERY KNOCKOUT TANK, SOME VAPORS ESCAPED TO SOIL & CONDENSED, VALLEY EQ. EXCAVATING SOIL. COMPLETE."

DEC Remark:

""

Material Information

OP Unit ID:	943083	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	433029	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	67 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spill No:	9106322				UST Trust:	False
Site ID:	96919				Spill Date:	1991-09-11 21:00:00
DER Facility ID:	368091				Received Date:	1991-09-11 22:33:00
CID:					CAC Date:	1991-09-12 00:00:00
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	1991-09-23 00:00:00
Water Body:					Create Date:	1991-09-23 00:00:00
Class:	C3				Update Date:	2009-09-10 09:57:46.387000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	WTCHRIST
REM Phase:	0				After Hours:	True
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Major Facility (MOSF) > 400,000 gal				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"FOUND LEAK IN TANK DRAIN HOSE, WILL PICK UP CONT. SOIL & DISPOSE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	960666	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	422040	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	10.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	68 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9407727	UST Trust:	False
Site ID:	96932	Spill Date:	1994-09-09 13:00:00
DER Facility ID:	266803	Received Date:	1994-09-09 15:09:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

CID:					CAC Date:	1994-09-09 00:00:00
Program Type:	ER				Insp Date:	1994-09-09 00:00:00
SWIS Code:	0101				Close Date:	1994-09-19 00:00:00
Water Body:					Create Date:	1994-09-19 00:00:00
Class:	B3				Update Date:	2009-09-10 11:04:44.457000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	WEBLAIN
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Major Facility (MOSF) > 400,000 gal				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"TRUCK VALVE BLEW WHILE LOADING, 100GAL IN DIKED LOADING AREA, DRAINED TO TP HOLDING TANK, OVERAGE CLEANED SATISFACTORILY."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	1001975	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	380725	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	69 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
-----------	------------------	------------	------------------------	--------------------	--	------------------

Spill No:	8401060	UST Trust:	False
Site ID:	96915	Spill Date:	1984-07-18 10:30:00
DER Facility ID:	266803	Received Date:	1984-07-18 12:00:00
CID:		CAC Date:	1984-07-18 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-01-27 00:00:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Water Body:					Create Date:	1993-01-27 00:00:00
Class:	B3				Update Date:	2009-09-10 09:13:40.14000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	MCDONALD
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Responsible Party				
Referred to:						
Source:		Major Facility (MOSF) > 400,000 gal				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:
 "FOUND CONT. SOIL, HERZOG & HOPKINS REMOVED TO COLONIE LF."

DEC Remark:
 ""

Material Information

OP Unit ID:	895188	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	481881	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1000.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	70 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	--	-----------

Spill No:	9314241	UST Trust:	False
Site ID:	96930	Spill Date:	1994-03-06 12:22:00
DER Facility ID:	266803	Received Date:	1994-03-06 13:22:00
CID:		CAC Date:	1994-03-06 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1994-03-07 00:00:00
Water Body:		Create Date:	1994-03-07 00:00:00
Class:	C4	Update Date:	2009-09-10 10:28:25.05700000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
REM Phase:	0				After Hours:	True
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Affected Persons				
Referred to:						
Source:		Unknown				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"FOUND PATCH OF STAINED SNOW, USED PADS, TO MOVE TRAIN & REMOVE CONT. SOIL."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN/DOB "

Material Information

OP Unit ID:	992535	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	389577	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	71 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	--	-----------

Spill No:	9407447	UST Trust:	False
Site ID:	263762	Spill Date:	1994-09-02 07:20:00
DER Facility ID:	375554	Received Date:	1994-09-02 08:00:00
CID:		CAC Date:	1994-09-02 00:00:00
Program Type:	ER	Insp Date:	1994-09-02 00:00:00
SWIS Code:	0101	Close Date:	1994-09-19 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1994-09-19 00:00:00
Class:	B5	Update Date:	2010-03-26 11:48:28.650000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Reported by: Affected Persons
Referred to:
Source: Unknown
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"SHEEN ON RIVER, NOTIFYING USCG. 9:40-BLAIN @ SITE, SAME OLD SHEEN, MOST FROM NEW MOBIL PILINGS. SEE 9407448, SAME."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	1001696	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	380455	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT ??? SHEEN (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641906994
Longitude: -73.752399000

73	72 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9407448	UST Trust:	False
Site ID:	263763	Spill Date:	1994-09-02 07:20:00
DER Facility ID:	375554	Received Date:	1994-09-02 08:09:00
CID:		CAC Date:	1994-09-02 00:00:00
Program Type:	ER	Insp Date:	1994-09-02 00:00:00
SWIS Code:	0101	Close Date:	1994-09-19 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1994-09-19 00:00:00
Class:	B5	Update Date:	2010-03-26 11:48:10.883000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Federal Government		
Referred to:			
Source:	Unknown		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"SHEEN ON RIVER. SAME AS 9407447. 9:40-BLAIN @ SITE, SAME OLD SHEEN."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	1001698	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	556799	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT ??? SHEEN (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	73 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	NY SPILLS
-----------	------------------	------------	----------------------------	------------------------	---	------------------

Spill No:	9406775	UST Trust:	False
Site ID:	263761	Spill Date:	1994-08-18 14:00:00
DER Facility ID:	375554	Received Date:	1994-08-18 16:14:00
CID:		CAC Date:	1994-08-18 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1994-09-15 00:00:00
Water Body:	HUDSON RIVER	Create Date:	1994-09-15 00:00:00
Class:	C4	Update Date:	2010-03-26 11:48:43.977000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Housekeeping		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"SHEEN FROM NEW TIMBER PILINGS, BOOM IN PLACE. ONGOING DURING CONSTRUCTION."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	1004187	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	379805	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT SHEEN (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	74 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9401620	UST Trust:	False
Site ID:	263759	Spill Date:	1994-05-04 08:00:00
DER Facility ID:	375554	Received Date:	1994-05-04 08:32:00
CID:		CAC Date:	1994-08-10 00:00:00
Program Type:	ER	Insp Date:	1994-08-10 00:00:00
SWIS Code:	0101	Close Date:	1994-09-27 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1994-06-30 00:00:00
Class:	B3	Update Date:	2010-03-26 11:49:53.663000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"SHEEN FROM ONGOING DOCK DEMOLITION, BOOM IN PLACE. SEE RPT FOR LONG LIST OF UN-ID'D SHEENS & MOBIL SPILLS. 8/10-ANG @ SITE, SEE RPT."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 09/28/95: This is additional information about material spilled from the translation of the old spill file: WEATHERED OIL"

Material Information

OP Unit ID:	995300	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	385370	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT SHEEN (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

73	75 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER SHEEN CHURCH ST 50 CHURCH ST PORT HUDSON RIVER SHEEN ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9404709	UST Trust:	False
Site ID:	263760	Spill Date:	1994-07-06 10:30:00
DER Facility ID:	375554	Received Date:	1994-07-06 13:44:00
CID:		CAC Date:	1994-07-06 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1994-07-07 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1994-07-07 00:00:00
Class:	B4	Update Date:	2010-03-26 11:49:14.163000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CONTINUING DOCK WORK, SHEEN, BOOMED, SEE OTHER RPTS."

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	1001778	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	381310	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0003A		
Material Name:	#6 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT SHEEN (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641906994
Longitude:	-73.752399000

<u>73</u>	76 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY 12202	NY SPILLS
-----------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9403518	UST Trust:	False
Site ID:	96931	Spill Date:	1994-06-13 11:45:00
DER Facility ID:	306156	Received Date:	1994-06-13 12:48:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2007-11-07 00:00:00
Water Body:		Create Date:	1994-06-28 00:00:00
Class:	B3	Update Date:	2009-09-10 10:56:59.513000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	ANGEISEN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"FOUND CONT. SOIL @ TANK PULL, HNU=120PPM, RPT TO FOLLOW."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN/WL See Mobil-Port of Albany 9/23/2003 ROUX report indicates no info. Further work to investigate. Requested site investigation in July letter. 1/24/05 Mobil submits investigation plan. 7/29/05 report identifies residual soil and water contamination. MW-124 results ~ 10,000 ppb BTEX but relatively low level soil concentrations beneath TAGM. 8/25/05 Letter requesting

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

additional well installation by 9/30. 10/26 /06 Unaware of response 11/07/07Additional well(MW-125) and two additional resamples of MW-124 indicate low gw contamination. Close doesn't meet standards."

Material Information

OP Unit ID:	997276	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	383694	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	True
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

OP Unit ID:	997276	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2137045	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Oxygenates	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	True
Med Air:	False		
Material Code:	2645A		
Material Name:	BTEX		

OP Unit ID:	997276	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2099228	Med SW:	False
CAS No:	01634044	Med DW:	False
Material Family:	Hazardous Material	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	True
Med Air:	False		
Material Code:	1213A		
Material Name:	MTBE (methyl-tert-butyl ether)		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641918994
Longitude:	-73.752405000

73	77 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spill No:	9311126				UST Trust:	False
Site ID:	263757				Spill Date:	1993-12-14 11:45:00
DER Facility ID:	368083				Received Date:	1993-12-14 12:30:00
CID:					CAC Date:	
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	2005-11-25 00:00:00
Water Body:	HUDSON RIVER \$				Create Date:	1993-12-28 00:00:00
Class:	B3				Update Date:	2009-09-10 10:26:22.607000000
Meets Std:	False				DEC Region:	4
Penalty:	False				Lead DEC:	ANGEISEN
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Major Facility (MOSF) > 400,000 gal				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"BARGE DOCK FELL IN RIVER 7/93, DISTURBED CONT. SOIL DURING REMOVAL. REPOSITION BOOM TO INCLUDE ENTIRE WOEK AREA."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was GEISENDORFER 09/28/95: This is additional information about material spilled from the translation of the old spill file: SHEEN ON RIVER 11/25/05 No response. See also 9214484"

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641918994
Longitude:	-73.752405000

73	78 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9106893				UST Trust:	False
Site ID:	96920				Spill Date:	1991-09-26 14:15:00
DER Facility ID:	266803				Received Date:	1991-09-26 14:30:00
CID:					CAC Date:	1994-05-09 00:00:00
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	1994-05-09 00:00:00
Water Body:					Create Date:	1991-10-03 00:00:00
Class:	B3				Update Date:	2009-09-10 09:59:07.917000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	ANGEISEN
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Railroad Car				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"TANK TRAIN VENTED LG QUAN ON 2 TRACKS. EPS HIRED TO CLEAN, FOUND EXTENSIVE CONTAMINATION. CASE RPT, SEE FILE. SEE 92-14481."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was GEISENDORFER "

Material Information

OP Unit ID:	961127	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	570489	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	70.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	700.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	79 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST HUDSON RIVER PORT OF ALB (MOBIL) 50 CHURCH ST HUDSON RIVER PORT OF ALB GLOBAL MOSF 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	1008701	UST Trust:	False
Site ID:	442205	Spill Date:	2010-11-18 14:02:00
DER Facility ID:	397243	Received Date:	2010-11-18 14:02:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2010-11-22 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2010-11-18 14:04:00
Class:	B3	Update Date:	2011-06-15 16:04:15.687000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	KDGOERTZ
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"sheen noted in the water/ soil during project work"

DEC Remark:

"11/19/2010: This spill occurred while dredging the Hudson River as part of the remedial plan for spill #9214484. The dredging activity is generating a significant petroleum sheen on the river and this spill was reported because the sheen escaped the containment booms deployed to contain any sheen generated by the dredging activities. (KG) 11/19/2010 - Visited the site. North wind pushing free product to accumulate in the southern corner of the boom. Appears it may have escaped from there. More absorbent boom has been deployed inside the hard boom, between the hard booms and immediately adjacent to the shoreline where they are excavating. Vac truck will be used to recover product and store it onsite frac tanks. MCT NRC rpt # 960216 11/22/2010: Received a call from Tom Keefe, they had sent a diver into the Hudson to inspect the silt curtain and he found that one of the anchors holding the silt curtain in place had come out which was the reason the sheen had escaped. The anchor was resecured and the sheen is now contained again. This spill can be closed. (KG)"

Material Information

OP Unit ID:	1192730	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2188064	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:
Spiller Company: GLOBAL COMPANIES LLC (MOBIL)
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: DARYL BOEHLKE
Contact Phone: (518) 436-6570
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	80 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	------------------

Spill No:	8604538	UST Trust:	False
Site ID:	263738	Spill Date:	1986-10-09 11:45:00
DER Facility ID:	368083	Received Date:	1986-10-15 10:00:00
CID:		CAC Date:	1986-10-10 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1995-02-14 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1986-10-22 00:00:00
Class:	B4	Update Date:	2009-09-10 09:16:28.84000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	TESPERBE
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Vessel		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"COAST GUARD@SCENE 10/9/86-MOBIL #33 VESSEL HAD SMALL LEAK DURING TRANSFER"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SPERBECK // : SPERBECK TALKED TO SAL, VESSEL EMPTIED&WILL BE REPAIRED BEFORE GOING BACK INTO SERVICE-NO REGIONAL RESPONSE. "

Material Information

OP Unit ID:	901646	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	477337	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT VESSEL (LATER GLOBAL)
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641906994
Longitude: -73.752399000

73	81 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL/MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB PORT OF ALBANY - MOBIL TERMINAL ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	9214484	UST Trust:	False
Site ID:	96924	Spill Date:	1932-01-01 03:06:00
DER Facility ID:	368092	Received Date:	1992-11-07 11:38:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	2011-10-07 00:00:00
SWIS Code:	0101	Close Date:	2020-01-23 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1993-03-31 00:00:00
Class:	B3	Update Date:	2020-01-23 12:16:38.153000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	AXFLECK
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"MOBIL SUBMITTED RPT ON INITIAL INVESTIGATION OF SITE & PREVIOUS ACTIVITIES."

DEC Remark:

"09/28/95: This is additional information about material spilled from the translation of the old spill file: #2,#4,#6 2/12/98 APPROVED EXTENSION OF REPORT SUBMITTAL TO 3/2/98. MOSF 4-1200; SEE FILE (Edocs). SEE also 92-14481 2/27/2002 letter containing ROUX feasibility study. Exxon Mobil proposes continuation of status quo. 1/24/2004 watch log indicates routine annual boom deployment. Intermittent sheens observed. 7/08/04 Requested ADDITIONAL COPIES FOR internal review. 7/13/04 Routed copies to Belmore, Schick and Harrington for review by 10/01 9/02/04 Comments received from Hausamann and Helmeset 5/31/2005 Comment letter to Mobil 8/12/2005 Response from Mobil 10/14/2005 Draft response 3/13/2007 Reviewed Sediment Sample Investigation & Conceptual Remedial Action Report dated 9/28/2006 prepared by Roux. Confirms limited sediment contamination adjacent to upland source area and extending north of immediate area. Proposes remedial plan including excavation and dredging , a GAC barrier trench and phytoremediation. Awaiting comments from fisheries since analytical results exceed sediment screening criteria. 7/20/2007 Received fisheries comments. 3/27/08: KG met on site with Global, their consultants, and attorney (Dean Sommer). KG also reviewed Roux report referenced above along with the Focused Feasibility Study for the Hudson River Area , dated 1/29/02. Issues of contention are, extent of sediment dredging and chosen technology (phytoremediation) for source area remediation. Will approve proposed extent of sediment excavation as areas outside of the proposed area of dredging, with elevated PAH contamination in the sediment does not chemically match the contamination on the Golbal facility and is not contributing to the intermittent sheen. Will request how Global will monitor the effectiveness of the phyto and what they will consider doing should effectiveness be limited. (KG) 11/22/2010: During dredging activities, the petroleum sheen generated by the dredging escaped the containment which generated spill #1008701. The problem was resolved and the spill was closed. (KG) 10/7/2011: Stopped at site and met with Tom Keefe and Ian Reed. They observe an extremely light sheen periodically north of the boat davit and only at low tide. Spill #1104983 was generated as a result. They are keeping a log and will provide me with same. New spill number was closed and referred back to this one. (KG) 6/29/12: Received table from Roux documenting sheen observations from 7/2011 to 4/2012. Table placed in EDOCS. (KG) 5/13/2013: Reviewed the semi-annual site status report dated 5/9/13. A light sheen is still observed during low tide just north of the work zone . The phyto plot seems to be thriving. (KG) 1/31/17 - FOIL W016097-122116, selected EDOCS from 9214481, 9214484, 1110257, 1504084 via WebQA. 3/13/17 - FOIL W018746-030217, no new EDOCS from 9214481, 9214484, 1110257, 1504084 - nothing sent. 1/23/2020 Spill closed. Will continue to managed under Spill #9214481. See annual Site Status Report-JAF"

Material Information

OP Unit ID:	981778	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	400688	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		
OP Unit ID:	981778	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	400689	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0002A		
Material Name:	#4 fuel oil		
OP Unit ID:	981778	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	400690	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Code: 0003A
 Material Name: #6 fuel oil

Spiller Information

Spiller Name: TOM KEEFE
 Spiller Company: GLOBAL COMPANIES LLC MOBIL
 Spiller Address: P.O. BOX 9161
 Spiller City: WALTHAM
 Spiller State: MA
 Spiller Zip: 02454-9161
 Spiller Country: 999
 Contact Name:
 Contact Phone:
 Contact Ext:
 Latitude: 42.641918994
 Longitude: -73.752405000

73	82 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER @ THE DOCK 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	9303171	UST Trust:	False
Site ID:	263756	Spill Date:	1993-06-09 19:30:00
DER Facility ID:	368093	Received Date:	1993-06-09 19:47:00
CID:		CAC Date:	1993-06-09 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-06-09 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1993-06-14 00:00:00
Class:	A4	Update Date:	2009-09-10 10:16:21.797000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	HOY
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Affected Persons		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"SPILLER WORKING @ DOCK, HYD LINE BROKE, USED BOOM & PADS, NO CALL-BACK REQUESTED, NO DEC RESPONSE."

DEC Remark:

""

Material Information

OP Unit ID:	985137	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	396765	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	4.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name:
Spiller Company: COTOH @ MOBIL PORT (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641906994
Longitude: -73.752399000

73	83 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9301115	UST Trust:	False
Site ID:	96925	Spill Date:	1993-04-23 08:15:00
DER Facility ID:	368091	Received Date:	1993-04-23 09:43:00
CID:		CAC Date:	1993-04-23 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1993-04-23 00:00:00
Water Body:		Create Date:	1993-05-03 00:00:00
Class:	C4	Update Date:	2009-09-10 10:15:20.453000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"UG 4 LINE BROKE, MOST ON PAVING, LINE STOPPED, CLEANING. PART OF SEPARATOR SYS, CONT. WATER THRU BLACKTOP UNDER PRESSURE, MINOR PROBLEM."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	979713	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	401844	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	100.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Information

Spiller Name:
Spiller Company: MOBIL PORT (LATER GLOBAL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	84 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST HUDSON RIVER 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	9106905	UST Trust:	False
Site ID:	263753	Spill Date:	1991-09-26 19:30:00
DER Facility ID:	368083	Received Date:	1991-09-26 20:54:00
CID:		CAC Date:	1991-09-27 00:00:00
Program Type:	ER	Insp Date:	1991-09-27 00:00:00
SWIS Code:	0101	Close Date:	1991-10-03 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1991-10-03 00:00:00
Class:	B3	Update Date:	2013-10-10 14:43:59.537000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	PNBENTIE
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"FUELING TUG, HOSE SLIPPED, EPS ON SITE(*SEE 9106893), BOOMED. 9/27,8:15-PNB & BLAIN ON SITE, SPILLED MORE THAN RPTD, CLEANING DOCK, RIVER CLEAR."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BENTIE/BLAIN "

Material Information

OP Unit ID:	961141	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	564793	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	10.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	35.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Name: Spiller Company: MOBIL PORT (LATER GLOBAL) Spiller Address: Spiller City: Spiller State: ZZ Spiller Zip: Spiller Country: 999 Contact Name: Contact Phone: Contact Ext: Latitude: 42.641906994 Longitude: -73.752399000						

73	85 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT BARGE HUDSON RIVER CHURCH ST 50 CHURCH ST PORT HUDSON RIVER ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	--	-----------

Spill No:	9005170	UST Trust:	False
Site ID:	263752	Spill Date:	1990-08-09 14:00:00
DER Facility ID:	368083	Received Date:	1990-08-09 14:04:00
CID:		CAC Date:	1990-08-09 00:00:00
Program Type:	ER	Insp Date:	1990-08-09 00:00:00
SWIS Code:	0101	Close Date:	1991-04-10 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1990-08-20 00:00:00
Class:	D6	Update Date:	2009-09-10 09:55:17.373000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WXOBRIEN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Vessel		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"BARGE LEAKING #2 FUEL TO RIVER. UNABLE TO ID SOURCE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'BRIEN "

Material Information

OP Unit ID:	945681	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	436227	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT BARGE (LATER GLOBAL)
Spiller Address:	50 CHURCH ST PORT

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller City:		ALBANY				
Spiller State:		ZZ				
Spiller Zip:						
Spiller Country:		999				
Contact Name:						
Contact Phone:						
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	86 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALB LONG CHURCH ST 50 CHURCH ST PORT MOBIL MOBIL TERMIAL PORT OF ALBANY ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	0104753	UST Trust:	False
Site ID:	305236	Spill Date:	2001-08-02 13:30:00
DER Facility ID:	368098	Received Date:	2001-08-02 14:16:00
CID:	211	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2001-08-02 00:00:00
Water Body:		Create Date:	2001-08-02 00:00:00
Class:	C4	Update Date:	2009-09-10 11:28:20.760000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Responsible Party		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"DRIVER AS HE LEFT TERMINAL HAD PRODUCT SPILL FROM TRUCK DUE TO OVERFILL - SPILL CLEANED UP"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN No DEC response. Long Oil did there on cleanup. MOSF 4-1200; CBS 4-000171; SEE 0104341, 0206706, Etc."

Material Information

OP Unit ID:	841497	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	533235	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	LONG OIL @ MOBIL (LATER GLOBAL)
Spiller Address:	170 MYRTLE MOBIL TERM
Spiller City:	ALBANY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		999				
Contact Name:		JERYY [SP] SALVO				
Contact Phone:		(518) 465-6647				
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	87 of 109	SSE	0.21 / 1,127.46	15.94 / -13	MOBIL PORT OF ALBANY CHURCH ST 50 CHURCH ST PORT OF ALB ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	0001759	UST Trust:	False
Site ID:	96907	Spill Date:	2000-05-11 04:00:00
DER Facility ID:	266803	Received Date:	2000-05-11 09:28:00
CID:	257	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2000-07-28 00:00:00
Water Body:		Create Date:	2000-05-11 00:00:00
Class:	B3	Update Date:	2009-09-10 11:23:54.657000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
"DO [SP] TO HEAVEY [SP] RAINS WASTE WATER TANK OVERFLOWED - AREA THAT SPILL TOOK PLACE IS CONTAINED"

DEC Remark:
"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN MOSF 4-1200; SEE 9906453, 0010824, Etc. 5/11/00 - Tank involved is tank #65. Cap. 1,000,000. Wastewater was down the side of tank and onto stone in containment area. Report vto follow. No high level alarm on this tank."

Material Information

OP Unit ID:	823554	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	289975	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0060A		
Material Name:	wastewater		

Spiller Information

Spiller Name:	
Spiller Company:	MOBIL PORT (LATER GLOBAL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	-

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Country:		999				
Contact Name:		STEVE ANDRIANI				
Contact Phone:		(518) 436-6572				
Contact Ext:						
Latitude:		42.641926116				
Longitude:		-73.752410293				

73	88 of 109	SSE	0.21 / 1,127.46	15.94 / -13	EXXON MOBIL PORT OF ALB CHURCH ST 50 CHURCH ST PORT MOBIL CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	0206706	UST Trust:	False
Site ID:	305237	Spill Date:	2002-09-28 09:45:00
DER Facility ID:	368099	Received Date:	2002-09-28 10:44:00
CID:	396	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2002-09-30 00:00:00
Water Body:		Create Date:	2002-09-28 00:00:00
Class:	B6	Update Date:	2009-09-10 11:30:12.897000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"while doing road construction old pipes were hit and material came out...unk what material might be in line at this time."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 09/30/02 - Spoke to Tom Jamieson of Mobil. There was no petroleum spill. Line that was broken contained water. Line has been repaired. Closed wtc MOSF 4-1200; CBS 4-000171; SEE 0104753, 0207112, Etc. [ORIGINAL Rpt GAVE SOURCE AS Comm/Ind, SHOULD BE MOSF]"

Material Information

OP Unit ID:	858449	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	517304	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	
Spiller Company:	EXXON MOBIL (LATER GLOBAL)
Spiller Address:	CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Contact Name:		TOM JAMIESON				
Contact Phone:		(518) 365-6560				
Contact Ext:						
Latitude:		42.641906994				
Longitude:		-73.752399000				

73	89 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL DOCK HUDSON RIVER CHURCH ST PORT (MOBIL) 50 CHURCH ST PORT HUDSON RIVER GLOBAL TERMINAL 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	1404089	UST Trust:	False
Site ID:	497472	Spill Date:	2014-07-15 21:40:00
DER Facility ID:	459426	Received Date:	2014-07-15 22:44:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2014-07-16 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2014-07-15 22:47:00
Class:	C5	Update Date:	2015-02-11 10:02:56.243000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"3 qts to the hudson river - rick burton(person who slipped)on the dock -"

DEC Remark:

"An employee of the SGS Company (gauging company) slipped on the dock and dropped three sample jars into the Hudson River. MF followed up with Furman. 3 - 1 qt jars broke and fell into river when employee slipped on dock. Global called non-emergency FD phone #, NRC, and DEC. Closed."

Material Information

OP Unit ID:	1246935	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2248141	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0006		
Material Name:	crude oil		

Spiller Information

Spiller Name:	
Spiller Company:	SGS (GAUGING COMPANY) GLOBAL (MOBIL)
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	CHUCK FURMAN

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Contact Phone:		(518) 365-0187				
Contact Ext:						
Latitude:		42.641926116				
Longitude:		-73.752410293				

73	90 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL TANK FARM CHURCH ST PORT OF ALB (MOBIL) 50 CHURCH ST PORT OF ALB TANK FARM 50 CHURCH STREET ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	1405509	UST Trust:	False
Site ID:	498938	Spill Date:	2014-08-20 15:40:00
DER Facility ID:	412561	Received Date:	2014-08-20 15:46:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2014-09-16 00:00:00
Water Body:		Create Date:	2014-08-20 15:49:00
Class:	B3	Update Date:	2015-02-11 10:02:29.883000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"clean up is pending"

DEC Remark:

"Another file where the notes went missing. So to recap - Global had a gasket failure in their crude oil line. As a result, the oil spilled onto the ground in their former tank area. They are unsure if that area has secondary containment. The failure also caused a metering device to leak at another spot in the line. Both areas were excavated over the next day and sampled. Post ex samples meet commercial/industrial numbers. Currently awaiting report and disposal info. 9/16 - disposal info received. Closed."

Material Information

OP Unit ID:	1248373	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2249805	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	100.00	Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0006		
Material Name:	crude oil		

Spiller Information

Spiller Name:	DARREN
Spiller Company:	GLOBAL (MOBIL)
Spiller Address:	50 CHURCH STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	DARREN

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Contact Phone:		(518) 322-8403				
Contact Ext:						
Latitude:		42.641926116				
Longitude:		-73.752410293				

73	91 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT (MOBIL) 50 CHURCH ST PORT GLOBAL 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	1402029	UST Trust:	False
Site ID:	495335	Spill Date:	2014-05-27 11:45:00
DER Facility ID:	417740	Received Date:	2014-05-27 11:54:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2014-07-10 00:00:00
Water Body:		Create Date:	2014-05-27 12:05:00
Class:	B3	Update Date:	2015-02-11 10:06:29.560000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"clean up underway"

DEC Remark:

"MF spoke to Chuck Furman about this. They were loading a car at their Burlington Line (This is the line that is perpendicular to the road; it is not where they unload crude). They think the operator overloaded the car. Based on their calculations, they spilled appx 1411 gallons, nearly all of which went into the secondary containment/spill pans under the cars. They are estimating only 5 gallons or so spilled onto the ground. They are in the process of cleaning it up now. MF on site. Obvious spill from car. Some of the spillage made its way between the spill pans and the track. The spill pans will be removed and that soil excavated. The spill appears to be more than 5 gallons. They have no way of knowing how much they recovered from teh spill pans because they did not meter it when they pumped it out of the containment tank. They have excavated some soil from the area next to the tracks, but there are still strong odors and will need to excavate more. 5/29 - MF back on site. They have removed the spill pans and excavated some soil. Still heavy odors in soil. They will excavate more. They have cotacted with an envirospec to come and screen soils. I later spoke with envirospec and advised them to take a soil sample for 8260/8270. 6/26 - Update. Sample results rec'd. Most result meet Commercial/Industrial SCOS with the exception of 2 compounds. There are wells in the area that are monitored and sampled under the nextdoor spill # (the one with the building that Global took from Mobil that Keith G is working on). Those wells should catch any other problems that may arise. This spill can be closed - DNMS with disposal info. Soil disposal info received."

Material Information

OP Unit ID:	1244839	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2245718	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Company:		GLOBAL (MOBIL)				
Spiller Address:						
Spiller City:						
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		999				
Contact Name:		CHUCK				
Contact Phone:						
Contact Ext:						
Latitude:		42.641926117				
Longitude:		-73.752410294				

73	92 of 109	SSE	0.21 / 1,127.46	15.94 / -13	KENWOOD YARD GLOBAL CHURCH ST PORT TANKCAR OVERFL 50 CHURCH ST PORT KENWOOD TRAINYARD 50 CHURCH ST GOLBAL C ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	------------------

Spill No:	1403390	UST Trust:	False
Site ID:	496745	Spill Date:	2014-06-29 13:30:00
DER Facility ID:	451742	Received Date:	2014-06-29 14:11:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2014-08-11 00:00:00
Water Body:		Create Date:	2014-06-29 14:14:00
Class:	B3	Update Date:	2015-03-05 14:21:33.650000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Oil spilled to containment. Clean up is pending Clean harbors arrival."

DEC Remark:

"MF on site. The pressure relief valve opened on the car. They are unsure why right now. It is possible that the car might have been filled to the max or possibly over filled when it was filled at the point of origin, and the product heated and expanded while it was sitting here. At this point, that is only an assumption on my end based on what I have seen and my knowledge of the cars. (For whatever it is worth, it appeared to be the older style 111 car and it was built on 6-2008). They are getting the BOL for that car so we can look at it. I will see that tomorrow. The 100 g estimate appears accurate. The majority (95%+) of the material sprayed into the asphalt secondary containment area. Clean Harbors is here now with equipment and men. They are going to clean up the material that was spilled in the containment. Some did spray on to and over the fence and stained the ballast on the CP rail. CP has been here and will work with Global to get that part taken care of. The DOT is here following up as well. 7/2 - Update. MF telecon with Darren from Global. BOL from car - wt - 191,079 bbls - 681.37 (681.73 8 42 g/bbl = 28617.54 g) Tot cap of car - 30,310 They usually do 2% outage in car. 30,310 - 28617.54 = 1682.46 which is roughly 5.5% outage. Based on that, the car does not seem to have been overfilled. Global has asked for the actual measurement of the car and the outage. The secondary containment is having a bit more clean up done as there is still some oil in the blacktop. Also the clean up of CP rail is being done by Scott Croone and CP rail. He was unsure if that has been taken care of yet. Inquired about 911 notification. He was not sure if they were contacted. He contacted Clean Harbors, and the DEC, then called the QI. They are trying to figure out who called who and when. 7/8/14 - Note from EnviroSpec - ..As discussed yesterday the spill area has been cleaned up and all impacted asphalt has been removed. We milled the area down 3-inches and the underlying asphalt was very solid. 3-inches of new asphalt was also placed yesterday. We also removed about a yard of stone from the CP rail property outside the fence. Impacts below the stone were not noted. All millings and impacted asphalt will be disposed of through ESMI in the next couple of days. Once I get the paper work for that I will submit a letter to you for closure. 8/11/14 - Disposal info received. Closed."

Material Information

OP Unit ID:	1246226	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2247357	Med SW:	False
CAS No:		Med DW:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Material Family:	Petroleum				Med Sewer:	False
Quantity:	100.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:					Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0006				
Material Name:		crude oil				
OP Unit ID:	1246226				Med Ind Air:	False
OU:	01				Med GW:	False
Material ID:	2247356				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	100.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:					Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0006				
Material Name:		crude oil				

Spiller Information

Spiller Name: ANGELO VENTURA
Spiller Company: GLOBAL COMPANIES (FORMER MOBIL)
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: ANGELO VENTURA
Contact Phone: (518) 848-9043
Contact Ext:
Latitude: 42.641926116
Longitude: -73.752410293

73	93 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT OF ALBANY DRILL (MOBIL) 50 CHURCH ST PORT ALBANY 50 CHURCH ST DRILL ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	1406284	UST Trust:	False
Site ID:	499745	Spill Date:	2014-09-12 07:21:00
DER Facility ID:	455216	Received Date:	2014-09-12 07:21:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2014-09-12 00:00:00
Water Body:		Create Date:	2014-09-12 07:24:00
Class:	B6	Update Date:	2015-02-11 10:04:00.837000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"test test test"

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"MF contacted Global. Unannounced drill. They are testing notifications and ETA's. Advised them of probable ETA. Closed."

Material Information

OP Unit ID:	1249157	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2250717	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	BILL
Spiller Company:	GLOBAL DRILL (MOBIL)
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	BILL
Contact Phone:	(518) 445-1300
Contact Ext:	
Latitude:	42.641926116
Longitude:	-73.752410293

73	94 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT (MOBIL) 50 CHURCH ST PORT GLOBAL COMPANIES - RACK AREA 50 CHURCH ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	1410735	UST Trust:	False
Site ID:	504441	Spill Date:	2015-02-06 09:30:00
DER Facility ID:	459424	Received Date:	2015-02-06 09:37:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2015-04-08 00:00:00
Water Body:		Create Date:	2015-02-06 09:41:00
Class:	B3	Update Date:	2015-04-08 15:15:30.470000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Truck leaked onto concrete in loading rack area. Cleanup is underway. FD on scene containing.****update Albany FD advises truck is now at 787 South Exit 2. ----- ECO Willson sent also per DLE Capt Jacoby. CFS # 15-001818."

DEC Remark:

"MF on site. Leak from truck. Clean Harbors on site dealing with spillage in terminal, on road, and near truck. In the end, it appears that the drain line in

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

the back compartment was broken internally and was plugged at the bottom, and fuel came out the top of the vent line. The last compartment of the truck was vacced out and the truck was moved to Global and offloaded. MF spoke to the truck owner and the truck will be repaired before it is placed back in service. Owner - Al. 718-877-6957 Driver - Derrick. Clean up complete. Can close with disposal receipts. 4/8/15 - Disposal info received. Closed."

Material Information

OP Unit ID:	1253789	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2256098	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	RENEE COLEMAN
Spiller Company:	STAR TRANSPORTATION TRACTOR TRAILER @ GLOBAL (MOBIL)
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	RENEE COLEMAN
Contact Phone:	(518) 445-1309
Contact Ext:	
Latitude:	
Longitude:	

73	95 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT (MOBIL) 50 CHURCH ST GLOBAL - RAILSIDE 50 CHURCH ST PORT ALBANY NY	NY SPILLS
--------------------	-----------	-----	-----------------	-------------	---	-----------

Spill No:	1500801	UST Trust:	False
Site ID:	506969	Spill Date:	2015-04-23 08:50:00
DER Facility ID:	471704	Received Date:	2015-04-23 09:06:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2015-04-23 00:00:00
Water Body:		Create Date:	2015-04-23 09:09:00
Class:	C4	Update Date:	2015-11-25 11:45:28.803000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Railroad Car		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"coming out of top of railcar - very minimal - cleanup pending -car outside of yard bringing it in now"

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"A car came into the CP yard. Someone spotted some ethanol down the side of the car. The leak and spillage is minimal. They are unsure where or why it leaked. They will be bringing it into the yard where Global staff can take a better look at it and determine why it is leaking. MF notified DEC Mgmt staff. Follow up with C. Furman - When they brought the car into the yard, it was dry (which means that no more product was leaking out after it stopped). They stuck the car and it was full (so no appreciable loss of product). They are still investigating the cause, but they will be tagging the car so it will be repaired. Closed"

Material Information

OP Unit ID:	1256309	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2259135	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	9999		
Material Name:	other - ethanol		

Spiller Information

Spiller Name:	
Spiller Company:	GLOBAL COMPANY (MOBIL)
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	RENE COLEMAN
Contact Phone:	(518) 445-1309
Contact Ext:	
Latitude:	
Longitude:	

73	96 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT TANK 39 (MOBIL) 50 CHURCH ST TANK 39 50 CHURCH ST PORT ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	--	-----------

Spill No:	1501819	UST Trust:	False
Site ID:	508054	Spill Date:	2015-05-19 10:15:00
DER Facility ID:	471705	Received Date:	2015-05-19 10:20:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2015-06-22 00:00:00
Water Body:		Create Date:	2015-05-19 10:23:00
Class:	B3	Update Date:	2015-11-25 11:45:39.300000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"A frack tank is leaking, spilling oil to soil. Clean up is in progress."

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"MF on site. Miller noticed a spill from a valve on a frac tank that was spilling crude oil tank bottoms. Spill appears to be about 40 feet x 20 feet, est 400 g's. When they were scrambling around to stop spill, they had another small spill from a hose inside the secondary containment. Est that spill to be 20 g's or so. The spill is well under control and the leak has stopped. Miller and Global resources are on site pumping out of frac tanks so they can be moved. Once they are moved, the clean up of the majority of the material can start. They are going to start cleaning the material that is accessible. They also have started removing the spillage in the secondary containment. 5/20 - MF on site. AM. Still in the process of emptying frac tanks. Spill seems to only have penetrated appx 1-2 inches. Clean up in secondary containment complete. Plans for today are to continue emptying frac tanks and continue with clean up. MF on site appx 5 PM. Clean up proceeding as planned. Later received note from Miller that the expect to be done by tomorrow. DER/Exec staff notified and update. Also spoke to K. Bieter, DLE. Press on site. Weather - 65 F Wind S @ 9 MPH 80 % RH 2400 ppb PID in truck. Downwind-ish Jerome - 21.83 ppb downwind from spill @ 50 yds (also downwind from diesel compressor) 3.04/3.33 - 30 yds from spill (between spill and compressor) 0 0 10 yds from spill 3.22 - 3 feet 0 - directly downwind from spill in containment 0 - 4 feet above spill 0 - 30 yds downwind 20.23 - 10 yds downwind from compressor (diesel odor) 3.01 - between compressor and frac tank between 3-4 ppm outside walking with PID. 5/22 - Update. Soil has been removed. MF spoke to Envirospec (Matt Root) on 5/21 and advised him on where to get samples. This spill can be closed with disposal info and sample results. 6/22/15 - Envirospec closure report received. Disposal info and sample results in report. Sample results meet Industrial SCO's and also appear to meet unrestricted SCO's. Based on info, this spill can be closed."

Material Information

OP Unit ID:	1257376	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2260373	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0006		
Material Name:	crude oil		

Spiller Information

Spiller Name: RENEE COLEMAN
Spiller Company: GLOBAL COMPANIES (MOBIL)
Spiller Address: 50 CHURCH ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: RENEE COLEMAN
Contact Phone: (518) 445-1309
Contact Ext:
Latitude:
Longitude:

73	97 of 109	SSE	0.21 / 1,127.46	15.94 / -13	STAR ENERGY TRANSPORT 50 CHURCH ST DEC SPILL 1410735 ALBANY NY 12202	RCRA NON GEN
--------------------	-----------	-----	--------------------	----------------	---	-----------------

EPA Handler ID: NYP000971424
Gen Status Universe: No Report
Contact Name: ALBERT CIRINO
Contact Address: 1 , NORTH 12TH ST , , BROOKLYN , NY, 11249 , US
Contact Phone No and Ext: 718-388-6014
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type:
Receive Date: 20150629
Location Latitude:
Location Longitude:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20150206
Handler Name: STAR ENERGY TRANSPORT
Source Type: Emergency
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20150629
Handler Name: STAR ENERGY TRANSPORT
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Historical Handler Details

Receive Dt: 20150206
Generator Code Description: Small Quantity Generator
Handler Name: STAR ENERGY TRANSPORT

73	98 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST PORT (MOBIL) 50 CHURCH ST GLOBAL 50 CHURCH ST PORT ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	1504084	UST Trust:	False
Site ID:	510413	Spill Date:	2015-07-16 12:30:00
DER Facility ID:	452461	Received Date:	2015-07-16 12:30:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2021-09-29 00:00:00
Water Body:		Create Date:	2015-07-16 12:34:00
Class:	B3	Update Date:	2021-09-29 12:19:21.613000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	DJWEHN

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Other				
Referred to:						
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"oil water mix leaked to soil from underground pipeline/clean up and repairs underway/clean harbor on site"

DEC Remark:

"8/19 - Add this to the list of sites that have lost out notes. So to recap - Global noticed fuel coming up through the pavement near the SPCC tank. The tank and piping were eventually uncovered, and it was discovered that a fitting had broken in the subsurface. As a truck was unloading in to the SPCC tank, it was leaking out the fitting. Based on the visual inspection and odors of the soil, it appears that this has been leaking for some time. A small amount of contamination was removed and Global is preparing to install wells to determine the levels and extent of the contamination. A diagram of the system and how those tanks function is in DDoc. 10/20 - MF left msg for Matt Root, EnviroSpec, regarding report. 265-4533 11/13 - Exchange with EnviroSpec. Suggested that they do vac truck extractions on wells and additional sampling. See Ddoc for info. 5/2/16 - Alas, another spill where the notes have gone missing. To recap, Global removed some soil in the area and placed wells near the tank. DEC has received and approved their plan for additional investigation. Currently awaiting report. 5/31/16 - Note from Roux ..Matt, We are scheduled to complete this well installation between June 7-8, 2016. Please let me know if you have any questions. Thanks, Katie.. 6/13 - MF spoke to Katie @ Roux. No new wells were installed during most recent drilling event due to various refusals. Katie has asked that this site be monitored and then incorporated into the entire long term site. I advised her that we will need some short term monitoring of the site and a map that shows the existing active wells in the area. I also advised that if product continues to show up in the wells, active remediation would be required. She is going to gather up the well data and supply it to me. 1/31/17 - FOIL W016097-122116, selected EDOCS from 9214481, 9214484, 1110257, 1504084 via WebQA. 2/27/17 - FOIL W017339-012617, EDOCS VIA FTS w/9011772, 1605027, 1604870, 1504084, 8910698 3/13/17 - FOIL W018746-030217, no new EDOCS from 9214481, 9214484, 1110257, 1504084 - nothing sent. 01/23/2020 - Met with Brian Klaus - Global, and Andrew Fleck to discuss 4 Global spills including 1504084. Two 92 spills will be combined. Requested sampling of MW 1,2, and 3 related to 2015 spill. Requested boring logs from 2016 well installations and refusals. 2011-Tank 64 spill to continue as is. - DJW 09/29/2021 - Received annual status report. Activities related to the Tank 130 release (Spill Number 1504084) include gauging depth to groundwater, depth to SPH (if present), and depth to bottom in monitoring wells MW-1 through MW- 3. These gauging results are included in Table 1. These existing monitoring wells will continue to be monitored on a routine basis. Additionally, Roux collected groundwater samples from these wells on February 4, 2020. The analytical results were provided to the NYSDEC via email on February 18, 2020; to date, Roux has not received comment from NYSDEC on these results. Reviewed February 2020 sampling results: Total BTEX detected ranged from 257.2 ug/L in MW-1 to 0 ug/L in MW-2, and total VOCs ranged from 340.4 ug/L in MW-1 to 0 ug/L in MW-2 09/29/2021 - After review, the gw contamination present in MW 1, 2, 3 in the U12 tank field appear to be consistent with sitewide contamination. Monitoring of the site will continue under Spill #9214481. Spill #1504084 can be closed not meeting standards. -DJW"

Material Information

OP Unit ID:	1259679	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2263015	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	
Spiller Company:	GLOBAL (MOBIL)
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	COLEMAN
Contact Phone:	
Contact Ext:	
Latitude:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Longitude:

73	99 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL CHURCH ST DRILL PORT OF ALB (MOBIL) 50 CHURCH ST PORT OF ALB COMMERCIAL 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	-----------	-----	--------------------	----------------	---	-----------

Spill No:	1510557	UST Trust:	False
Site ID:	522244	Spill Date:	2016-01-29 09:19:00
DER Facility ID:	462758	Received Date:	2016-01-29 09:19:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2016-02-01 00:00:00
Water Body:		Create Date:	2016-01-29 09:22:00
Class:	B5	Update Date:	2016-07-11 12:12:28.167000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Major Facility (MOSF) > 400,000 gal		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"This was a drill"

DEC Remark:

"Coast Guard unannounced drill."

Material Information

OP Unit ID:	1271264	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2275453	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	600.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	DRILL @ GLOBAL (FORMER MOBIL)
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	RENE
Contact Phone:	5184451309
Contact Ext:	
Latitude:	
Longitude:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
73	100 of 109	SSE	0.21 / 1,127.46	15.94 / -13	OUTSIDE 50 CHURCH STREET ALBANY NY 12211	NY SPILLS

Spill No: 1803849
Site ID: 572526
DER Facility ID: 525564
CID:
Program Type: ER
SWIS Code: 0101
Water Body:
Class: E6
Meets Std: False
Penalty: False
REM Phase: 0
County: Albany
Contributing Factor: Equipment Failure
Reported by: Other
Referred to:
Source: Gasoline Station or other PBS Facility
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

UST Trust: False
Spill Date: 2018-07-10 13:40:00
Received Date: 2018-07-10 13:40:00
CAC Date:
Insp Date:
Close Date: 2018-07-10 00:00:00
Create Date: 2018-07-10 13:43:00
Update Date: 2018-07-10 15:26:23.813000000
DEC Region: 4
Lead DEC: JDUTBERG
After Hours: False

Caller Remark:

"Test test test (active leak 20 gal per minute 4000 gallons on truck]"

DEC Remark:

"Report is a test. No spill. Closed. "

Material Information

OP Unit ID: 1320332
OU: 01
Material ID: 2328391
CAS No:
Material Family: Petroleum
Quantity:
Units:
Recovered:
Med Soil: True
Med Air: False
Material Code: 0008
Material Name: diesel

Med Ind Air: False
Med GW: False
Med SW: False
Med DW: False
Med Sewer: False
Med Surf: False
Med Subway: False
Med Utility: False
Oxygenate:

Spiller Information

Spiller Name: JENNIFER POLLICINO
Spiller Company: TEST TEST TEST
Spiller Address: 50 CHURCH STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12211
Spiller Country: 999
Contact Name: JENNIFER POLLICINO
Contact Phone: (518/4451-307
Contact Ext:
Latitude:
Longitude:

73	101 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL COMPANIES LLC ALBANY TERMINAL 50 CHURCH STREET ALBANY NY 12202	REC MANIFEST
--------------------	------------	-----	-----------------	-------------	--	-----------------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
RCRA ID:	NYD093248698				Mailing State:	NY
District Name:	GLOBAL COMPANIES LLC ALBANY TERMINAL				Mailing Zip:	12202
Contact Name:	TOM KEEFE				Mailing Zip Extension:	1082
Business Phone No:	7813984132				Mailing Country:	USA
Mailing Street 1:	50 CHURCH ST				Location Zip Ext:	
Mailing Street 2:					Location Country:	USA
Mailing City:	ALBANY				Location County:	ALBANY

Manifest Information

Waste Code(s):

F001: (Generic) The following spent halogenated solvents used in degreasing: tetrachloroethylene, trichloroethylene, methylene chloride, 1,1, 1-trichloroethane, carbon tetrachloride, and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing containing, before use, total of 10 percent or more (by volume) of one or more of the above halogenated solvents or those solvents listed in F002, F004 and F005; and still bottoms from the recovery of these spent solvents and spent solvent mixtures. (T)

Waste Received By Year:

2003: 110 Gallons

Manifest Information

Waste Code(s):

D001: IGNITABLE WASTE (Waste Code Description from EPA Hazardous Waste Identification)

Waste Received By Year:

1995: 220 Gallons; 110 Gallons; 55 Gallons; 5180 Gallons; 2826 Gallons; 330 Gallons; 185 Gallons; 2700 Gallons; 2875 Gallons; 2874 Gallons; 55 Gallons; 55 Gallons; 110 Gallons; 55 Gallons; 110 Gallons; 55 Gallons; 55 Gallons; 110 Gallons; 55 Gallons; 55 Gallons; 110 Gallons; 55 Gallons; 110 Gallons; 55 Gallons; 165 Gallons; 110 Gallons; 55 Gallons; 15 Gallons; 165 Gallons; 55 Gallons; 55 Gallons; 2995 Gallons; 3010 Gallons; 422 Gallons; 110 Gallons; 150 Gallons; 55 Gallons; 275 Gallons; 110 Gallons; 110 Gallons; 55 Gallons; 55 Gallons; 55 Gallons; 2420 Gallons; 55 Gallons; 110 Gallons; 55 Gallons; 55 Gallons; 110 Gallons; 55 Gallons; 55 Gallons; 55 Gallons; 55 Gallons; 100 Gallons; 35 Gallons; 55 Gallons; 55 Gallons; 110 Gallons; 110 Gallons; 165 Gallons; 110 Gallons; 165 Gallons; 2920 Gallons
1996: 110 Gallons; 2940 Gallons; 5050 Gallons; 3000 Gallons; 3000 Gallons; 2860 Gallons; 1865 Gallons; 1840 Gallons; 3050 Gallons; 2850 Gallons; 50 Gallons; 2850 Gallons; 2816 Gallons
1997: 266 Gallons
1998: 204 Gallons
2000: 50 Gallons; 200 Gallons
2002: 1900 Gallons; 18 Gallons; 1700 Gallons
2003: 60 Gallons
2010: 1800 Gallons

Manifest Information

Waste Code(s):

D001: IGNITABLE WASTE (Waste Code Description from EPA Hazardous Waste Identification)
D018: BENZENE (Waste Code Description from EPA Hazardous Waste Identification)

Waste Received By Year:

2014: 1567 Gallons

Manifest Information

Waste Code(s):

D008: LEAD (Waste Code Description from EPA Hazardous Waste Identification)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Waste Received By Year:

1995: 4850 Gallons

Manifest Information

Waste Code(s):

D018: BENZENE (Waste Code Description from EPA Hazardous Waste Identification)

Waste Received By Year:

1994: 55 Gallons; 3000 Gallons; 5100 Gallons
 1995: 5000 Gallons; 2950 Gallons; 55 Gallons; 928 Gallons; 222 Gallons; 2863 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 330 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 110 Gallons; 5075 Gallons; 5000 Gallons; 5075 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 4600 Gallons; 5000 Gallons; 5000 Gallons; 4902 Gallons; 4872 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5074 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 55 Gallons; 3000 Gallons; 150 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 2900 Gallons; 4500 Gallons; 5067 Gallons; 5000 Gallons; 5000 Gallons; 5000 Gallons; 4945 Gallons; 5180 Gallons; 5000 Gallons
 1997: 50 Gallons; 204 Gallons
 1998: 230 Gallons
 2000: 1957 Gallons
 2011: 600 Gallons

73	102 of 109	SSE	0.21 / 1,127.46	15.94 / -13	Global Companies, LLC - Albany 50 Church St Albany NY	PFAS
--------------------	------------	-----	--------------------	----------------	---	------

Facility ID: BSF0375 **County:** Albany

Survey Complete: YES

Survey: Class B Fire Suppression Foam Usage Survey - New York State Bulk Storage Facilities

Q. 6: YES
Q. 7: YES
Q. 8: NO
Q. 9: YES
Q. 10: NO
Q. 11: NO
Q. 12:
Q. 13:

Reference: If a respondent indicated that the facility used/stored/disposed PFOA/PFOS substances, it does not necessarily mean that there is an environmental/public health concern associated with that facility. Also, if a respondent indicated that they currently/formerly used, stored, disposed of, or released Class B firefighting foam it does not necessarily mean that the foam contains/contained PFOA/PFOS since many Class B foams do not contain these substances. DEC is in the process of reviewing/evaluating the returned surveys to determine if additional follow-up or study is needed.

Return rate: 91 surveys were sent to facilities; 90 were returned completed as of June 1, 2017.
 Questions 1 & 2 relate to name and address; questions 3-5 relate to facility ownership.
 Q. 6: Is any Class B fire suppression foam currently stored and/or used at the facility?
 Q. 7: Has any Class B fire suppression foam ever been stored and/or used at the facility?
 Q. 8: Has Class B fire suppression foam ever been used for training purposes at the facility?
 Q. 9: Has Class B fire suppression foam ever been used for firefighting or other emergency response purposes at the facility?
 Q. 10: Has the facility ever experienced a spill or leak of Class B fire suppression foam?
 Q. 11: Has your facility ever been responsible for the use of Class B fire suppression foam at a location other than the facility (i.e. offsite training, emergency response, or spill)?

73	103 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL COMPANIES FACILITY 50 CHURCH ST ALBANY NY	NY SPILLS
--------------------	------------	-----	--------------------	----------------	--	-----------

Spill No: 1905787 **UST Trust:** False

Site ID: 593832 **Spill Date:** 2019-09-03 10:00:00

DER Facility ID: 543796 **Received Date:** 2019-09-03 20:07:00

CID: **CAC Date:**

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Program Type:	ER			Insp Date:		
SWIS Code:	0101			Close Date:	2019-12-23 00:00:00	
Water Body:				Create Date:	2019-09-03 20:11:00	
Class:	C4			Update Date:	2019-12-23 15:12:11.243000000	
Meets Std:	False			DEC Region:	4	
Penalty:	False			Lead DEC:	JDUTBERG	
REM Phase:	0			After Hours:	True	
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Responsible Party				
Referred to:						
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"Material found between wall layers. Repair & cleanup is pending."

DEC Remark:

"09/03/20190 - TC with chuck. Interstitial failure red dye additive found between double wall 500 gallon tank. Cleanup is pending. New tank is on order. No response needed. Josh or Tom will follow up JDU Telecom with Chuck at Global. Tank for BK-50 red dye which is additive for diesel fuel had product show up in interstitial space. Product level is higher in tank then interstitial space so he believes it is just a weap. Tank in in a containment basin of concrete as well. No release into environment at this point. A new replacement tank is on order and Global will continue to check the tank until it can be replaced. Tank is registered under CBS. JDU JDU on site for another spill. Tank has been replaced. Spill can be closed. "

Material Information

OP Unit ID:	1341410	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2351316	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	9999		
Material Name:	other - red dye		

Spiller Information

Spiller Name:	CHUCK FURMAN
Spiller Company:	GLOBAL COMPANIES LLC
Spiller Address:	50 CHURCH ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	CHUCK FURMAN
Contact Phone:	(518) 365-0187
Contact Ext:	
Latitude:	
Longitude:	

73	104 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL COMPANIES 50 CHURCH ST ALBANY NY	NY SPILLS
-----------	------------	-----	--------------------	----------------	---	-----------

Spill No:	1908062	UST Trust:	False
Site ID:	596228	Spill Date:	2019-11-10 05:50:00
DER Facility ID:	543796	Received Date:	2019-11-10 06:05:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
SWIS Code:	0101				Close Date: 2020-05-19 00:00:00	
Water Body:					Create Date: 2019-11-10 07:11:00	
Class:	C3				Update Date: 2020-05-19 10:07:38.910000000	
Meets Std:	False				DEC Region: 4	
Penalty:	False				Lead DEC: JDUTBERG	
REM Phase:	0				After Hours: True	
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Railroad Car				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"Spilled while loading rail car; Clean Harbors is responding for clean up with unknown ETA Temp SPILL#T-1110-0605 Requesting call from Josh Utberg"

DEC Remark:

"11/10/19 - TC with Chuck (518)365-0187. While filling train car w/ kerosene, loading arm was removed with valve open. Loss to containment and surrounding ballast. Could not estimate amount, but no drains in area and no way to migrate to river. Clean Harbors was contacted for cleanup but has not given an ETA yet. Josh is planning to head out, not emergency but also copying Matt Franklin. Also reported as NRC#1263571. MJR 11/10/19 JDU on site with Chuck Furman and Clean Harbors. While loading tank car the wrong vent line was used which caused the car to over pressurize and begin to leak. Worker disconnected to loading arm without shutting valves and kerosene prayed out onto car tracks and gravel. No drains in the area and no potential for impacts offsite. Clean harbors to Clean off tank car vac product out of track pan and excavate impacted gravel. 11/11/19 JDU telecom with Scoot at clean harbors. Excavated down 3' and have low level PID readings in the hard pack gravel. PID readings range from 0-7 ppm. Sample to be taken and area to be backfilled. 12/23/19 Email sent to Clean Harbors and Global requesting closure information. JDU 5/13/20. End point sample results received along with CH spill cleanup report. Samples met standards. Spill can be closed when disposal receipts are received. JDU 5/14 Disposal manifests received. Spill closed. JDU"

Material Information

OP Unit ID:	1343747	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2353954	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0012A		
Material Name:	kerosene		

Spiller Information

Spiller Name:	
Spiller Company:	GLOBAL COMPANIES
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	CHUCK FURMAN
Contact Phone:	5183) 650-187
Contact Ext:	
Latitude:	
Longitude:	

73	105 of 109	SSE	0.21 / 1,127.46	15.94 / -13	Global Albany Terminal 50 Church Street Port of Albany Albany NY 12202	SWF/LF
--------------------	------------	-----	--------------------	----------------	--	--------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
FRS No:		110007153864				
FRP ID:		200005				
NAIC Sector Code:		424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710				
Harm Category:		Significant & Substantial				
Address Type:						
FRS No:		110007153864				
FRP ID:		200005				
NAIC Sector Code:		424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710				
Harm Category:		Significant & Substantial				
Address Type:						
FRS No:		110007153864				
FRP ID:		200005				
NAIC Sector Code:		424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710				
Harm Category:		Significant & Substantial				
Address Type:		Physical				
FRS No:		110007153864				
FRP ID:		200005				
NAIC Sector Code:		424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710; 454310; 424710				
Harm Category:		Significant & Substantial				
Address Type:		Mailing				

REST Detail

Registry ID:	110007153864	FIPS Code:	36001
Interest Type:	FRP	HUC8 Code:	02020006
PGM Sys Acronym:	OIL	Public Ind:	Y
PGM Report:	no data yet	Program Ur:	
Active Sta:	Y	X:	-8210406.1128
Accuracy V:	5	Y:	5256049.5346
Collect Mt:	INTERPOLATION-MAP		
Ref Point :	CENTER OF A FACILITY OR STATION		
Fac URL:	http://oaspub.epa.gov/enviro/fac_gateway.main?p_regid=110007153864		

73 **107 of 109** **SSE** **0.21 / 1,127.46** **15.94 / -13** **GLOBAL OIL TERMINAL 50 CHURCH ST ALBANY NY** **NY SPILLS**

Spill No:	2205276	UST Trust:	False
Site ID:	642464	Spill Date:	2022-09-16 11:45:00
DER Facility ID:	543796	Received Date:	2022-09-16 12:08:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2022-09-29 00:00:00
Water Body:		Create Date:	2022-09-16 12:11:00
Class:	C4	Update Date:	2022-09-29 08:26:21.653000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"product foamed when loaded into trailer and came out of trailer - cleanup done"

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"JDU telecom with Chuck Ferman. he called to see if spill should be reported. Slight overfill to concrete. No impacts to resources. Cleaned up within 2 hours with minimal waste generated. Chuck is reporting just to be safe. Cleanup is complete. Spill can be closed. JDU"

Material Information

OP Unit ID:	1389485	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2404496	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	9999		
Material Name:	other - b-50		

Spiller Information

Spiller Name:	
Spiller Company:	GLOBAL
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	CHUCK FURMAN
Contact Phone:	(518) 365-0187
Contact Ext:	
Latitude:	
Longitude:	

73	108 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL PARTNERS LP 50 CHURCH STREET ALBANY NY	BULK TERMINAL
--------------------	------------	-----	--------------------	----------------	---	--------------------------

PADD:		Crude Oil:	NO
FID:		Jetfuel:	NO
Term ID:	ANLTK36001	Gasoline:	NO
Site:		Distillate:	YES
Facility Type:	MARINE TERMINAL	Avgas:	NOT AVAILABLE
Station Type:		Period:	
Status:	IN SERVICE	Truck In:	YES
Handling:		Truck Out:	YES
Telephone:	(518) 436-6570	Pipe In:	NO
Population:	-999	Pipe Out:	NO
Source Date:	2015/07/27 00:00:00+00	Marine In:	YES
Val Method:	OTHER	Marine Out:	YES
Val Date:	2018/11/12 00:00:00+00	Rail In:	YES
Exstars I:	T-14-NY-1403	Rail Out:	YES
Posrel:	WITHIN 40 FEET	County Fips:	36001
Capacity:	610040	County:	ALBANY
Asphalt:	YES	Zip:	12202
Chemicals:	YES	Zip4:	NOT AVAILABLE
Propane:	NO	Country:	USA
Butane:	NO	Latitude:	42.629788
Refined:	YES	Longitude:	-73.756702
Ethanol:	NOT AVAILABLE	X:	-73.756702
Biodiesel:	NOT AVAILABLE	Y:	42.6297880000001
Owner:	NOT AVAILABLE		
Operator:	NOT AVAILABLE		
Address:	50 CHURCH STREET		
Commodity:	REFINED, ASPHALT, CHEMICALS		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
NAICS Code:		424710				
NAICS Desc:		PETROLEUM BULK STATIONS AND TERMINALS				
Source:		EIA				
Website:		www.globalp.com				
Data Source:		Homeland Infrastructure Foundation-Level Data (HIFLD) Geoplatform Petroleum Terminals (as of Jul 2020) (GIS)				

73	109 of 109	SSE	0.21 / 1,127.46	15.94 / -13	GLOBAL COMPANIES LLC ALBANY TERM 50 CHURCH ST ALBANY NY 12202	RCRA LQG
--------------------	------------	-----	--------------------	----------------	--	----------

EPA Handler ID: NYD093248698
Gen Status Universe: Large Quantity Generator
Contact Name: CHUCK FURMAN
Contact Address: 50 , CHURCH ST , , ALBANY , NY, 12202 , US
Contact Phone No and Ext: 518-445-1302
Contact Email: CFURMAN@GLOBALP.COM
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20230908
Location Latitude: 42.64233
Location Longitude: -73.752326

Violation/Evaluation Summary

Note: VIOLATION or UNDETERMINED: There are VIOLATION or UNDETERMINED details or records associated with this facility (EPA ID) in the Compliance Monitoring and Enforcement table dated Jan, 2024.

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Generators - Pre-transport
Violation Type: 262.C
Violation Determined Date: 20111206
Scheduled Compliance Date:
Return to Compliance: Documented
Actual Return to Compl: 20111215
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 20111215
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Universal Waste - Small Quantity Handlers
Violation Type: 273.B
Violation Determined Date: 20111206
Scheduled Compliance Date:

Return to Compliance: Documented
 Actual Return to Compl: 20111215
 Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
 Enforcement Type Description: WRITTEN INFORMAL
 Enforcement Action Date: 20111215
 Enf Disposition Status:
 Disposition Status Date:
 Enforcement Lead Agency: State
 Proposed Penalty Amount:
 Final Amount:
 Paid Amount:

Violation Details

Found Violation: Yes
 Citation: SR - 373-3.4(e)
 Violation Short Description: Generators - General
 Violation Type: 262.A
 Violation Determined Date: 20041005
 Scheduled Compliance Date:
 Return to Compliance: Observed
 Actual Return to Compl: 20041005
 Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
 Enforcement Type Description: WRITTEN INFORMAL
 Enforcement Action Date: 20041005
 Enf Disposition Status:
 Disposition Status Date:
 Enforcement Lead Agency: State
 Proposed Penalty Amount:
 Final Amount:
 Paid Amount:

Violation Details

Found Violation: Yes
 Citation: SR - 372.2(b)(1) & (ii)
 Violation Short Description: Generators - General
 Violation Type: 262.A
 Violation Determined Date: 20041005
 Scheduled Compliance Date:
 Return to Compliance: Documented
 Actual Return to Compl: 20041014
 Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
 Enforcement Type Description: WRITTEN INFORMAL
 Enforcement Action Date: 20041005
 Enf Disposition Status:
 Disposition Status Date:
 Enforcement Lead Agency: State
 Proposed Penalty Amount:
 Final Amount:
 Paid Amount:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Violation Details

Found Violation: Yes
Citation: SR - 374-3.2
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 20030321
Scheduled Compliance Date:
Return to Compliance: Documented
Actual Return to Compl: 20030429
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 20030402
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation: SR - 373-3.4(c)
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 20030321
Scheduled Compliance Date:
Return to Compliance: Documented
Actual Return to Compl: 20030429
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 20030402
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 20000428
Scheduled Compliance Date: 20000617
Return to Compliance: Observed
Actual Return to Compl: 20000623
Violation Responsible Agency: State

Enforcement Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Enforcement Type:			120			
Enforcement Type Description:			WRITTEN INFORMAL			
Enforcement Action Date:			20000517			
Enf Disposition Status:						
Disposition Status Date:						
Enforcement Lead Agency:		State				
Proposed Penalty Amount:						
Final Amount:						
Paid Amount:						
<u>Evaluation Details</u>						
Evaluation Start Date:			20140124			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:			20111206			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:			Universal Waste - Small Quantity Handlers			
Return to Compliance Date:			20111215			
Evaluation Agency:		State				
Evaluation Start Date:			20111206			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:			Generators - Pre-transport			
Return to Compliance Date:			20111215			
Evaluation Agency:		State				
Evaluation Start Date:			20080917			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:			20041005			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:			Generators - General			
Return to Compliance Date:			20041005			
Evaluation Agency:		State				
Evaluation Start Date:			20041005			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:			Generators - General			
Return to Compliance Date:			20041014			
Evaluation Agency:		State				
Evaluation Start Date:			20030321			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:			Generators - General			
Return to Compliance Date:			20030429			
Evaluation Agency:		State				
Evaluation Start Date:			20000428			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:			Generators - General			
Return to Compliance Date:			20000623			
Evaluation Agency:		State				
Evaluation Start Date:			19930513			
Evaluation Type Description:			COMPLIANCE EVALUATION INSPECTION			
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:			19890510			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: State

Evaluation Start Date: 19840926
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: State

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19800818
Handler Name: EXXONMOBIL ALBANY TERMINAL
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator
Source Type: Notification

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19920214
Handler Name: MOBIL OIL
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 19980227
Handler Name: MOBIL/ALBANY TERMINAL
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19990721
Handler Name: EXXONMOBIL ALBANY TERMINAL
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 3
 Receive Date: 20010101
 Handler Name: ALBANY TERMINAL
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20010510
 Handler Name: EXXONMOBIL ALBANY TERMINAL
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Notification

Hazardous Waste Handler Details

Sequence No: 3
 Receive Date: 20010829
 Handler Name: EXXONMOBIL ALBANY TERMINAL
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Notification

Waste Code Details

Hazardous Waste Code: D000
 Waste Code Description: DESCRIPTION

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Hazardous Waste Code: D018
 Waste Code Description: BENZENE

Hazardous Waste Code: D039
 Waste Code Description: TETRACHLOROETHYLENE

Hazardous Waste Handler Details

Sequence No: 4
 Receive Date: 20020704
 Handler Name: EXXON MOBIL OIL CORP
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 5
 Receive Date: 20040615
 Handler Name: EXXONMOBIL ALBANY TERMINAL
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Source Type: Annual/Biennial Report

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D018
Waste Code Description: BENZENE

Hazardous Waste Code: D039
Waste Code Description: TETRACHLOROETHYLENE

Hazardous Waste Handler Details

Sequence No: 4
Receive Date: 20040825
Handler Name: EXXONMOBIL ALBANY TERMINAL
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: D003
Waste Code Description: REACTIVE WASTE

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Code: D009
Waste Code Description: MERCURY

Hazardous Waste Code: D018
Waste Code Description: BENZENE

Hazardous Waste Code: F003
Waste Code Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: F005
Waste Code Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: U002
Waste Code Description: 2-PROPANONE (I) (OR) ACETONE (I)

Hazardous Waste Code: U122
Waste Code Description: FORMALDEHYDE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Hazardous Waste Code:		U151				
Waste Code Description:		MERCURY				
Hazardous Waste Code:		U154				
Waste Code Description:		METHANOL (I) (OR) METHYL ALCOHOL (I)				
Hazardous Waste Code:		U220				
Waste Code Description:		BENZENE, METHYL- (OR) TOLUENE				
Hazardous Waste Code:		U239				
Waste Code Description:		BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)				

Hazardous Waste Handler Details

Sequence No:	6
Receive Date:	20060118
Handler Name:	EXXON MOBIL ALBANY TERMINAL
Federal Waste Generator Code:	1
Generator Code Description:	Large Quantity Generator
Source Type:	Annual/Biennial Report

Waste Code Details

Hazardous Waste Code:	D001
Waste Code Description:	IGNITABLE WASTE
Hazardous Waste Code:	D002
Waste Code Description:	CORROSIVE WASTE
Hazardous Waste Code:	D018
Waste Code Description:	BENZENE

Hazardous Waste Handler Details

Sequence No:	2
Receive Date:	20070410
Handler Name:	GLOBAL CO LLC - ALBANY TERMINAL
Federal Waste Generator Code:	1
Generator Code Description:	Large Quantity Generator
Source Type:	Implementer

Hazardous Waste Handler Details

Sequence No:	3
Receive Date:	20070410
Handler Name:	GLOBAL CO LLC - ALBANY TERMINAL
Federal Waste Generator Code:	2
Generator Code Description:	Small Quantity Generator
Source Type:	Implementer

Hazardous Waste Handler Details

Sequence No:	5
Receive Date:	20070411
Handler Name:	GLOBAL CO LLC - ALBANY TERMINAL
Federal Waste Generator Code:	1
Generator Code Description:	Large Quantity Generator
Source Type:	Notification

Waste Code Details

Hazardous Waste Code:	D001
------------------------------	------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D002				
Waste Code Description:		CORROSIVE WASTE				
Hazardous Waste Code:		D018				
Waste Code Description:		BENZENE				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		7				
Receive Date:		20080225				
Handler Name:		GLOBAL COMPANIES LLC - ALBANY TERMINAL (FORMER EXXON MOBIL ALBANY TERMINAL)				
Federal Waste Generator Code:		1				
Generator Code Description:		Large Quantity Generator				
Source Type:		Annual/Biennial Report				
<u>Waste Code Details</u>						
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D002				
Waste Code Description:		CORROSIVE WASTE				
Hazardous Waste Code:		D018				
Waste Code Description:		BENZENE				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		1				
Receive Date:		20120223				
Handler Name:		GLOBAL COMPANIES - ALBANY TERMINAL				
Federal Waste Generator Code:		1				
Generator Code Description:		Large Quantity Generator				
Source Type:		Annual/Biennial Report update with Notification				
<u>Waste Code Details</u>						
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D018				
Waste Code Description:		BENZENE				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		2				
Receive Date:		20160301				
Handler Name:		GLOBAL COMPANIES - ALBANY TERMINAL				
Federal Waste Generator Code:		1				
Generator Code Description:		Large Quantity Generator				
Source Type:		Annual/Biennial Report update with Notification				
<u>Waste Code Details</u>						
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D008				
Waste Code Description:		LEAD				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Hazardous Waste Code:		D018				
Waste Code Description:		BENZENE				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		3				
Receive Date:		20200304				
Handler Name:		GLOBAL COMPANIES LLC ALBANY TERMINAL				
Federal Waste Generator Code:		1				
Generator Code Description:		Large Quantity Generator				
Source Type:		Annual/Biennial Report update with Notification				
<u>Waste Code Details</u>						
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D008				
Waste Code Description:		LEAD				
Hazardous Waste Code:		D018				
Waste Code Description:		BENZENE				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		4				
Receive Date:		20210226				
Handler Name:		GLOBAL COMPANIES LLC ALBANY TERMINAL				
Federal Waste Generator Code:		1				
Generator Code Description:		Large Quantity Generator				
Source Type:		Annual/Biennial Report update with Notification				
<u>Waste Code Details</u>						
Hazardous Waste Code:		B				
Waste Code Description:		Incineration, heat recovery, burning. Waste management method code to be used on e-manifests only.				
Hazardous Waste Code:		D001				
Waste Code Description:		IGNITABLE WASTE				
Hazardous Waste Code:		D008				
Waste Code Description:		LEAD				
Hazardous Waste Code:		D018				
Waste Code Description:		BENZENE				
Hazardous Waste Code:		T				
Waste Code Description:		Chemical, physical or biological treatment. Waste management method code to be used on e-manifests only.				
<u>Hazardous Waste Handler Details</u>						
Sequence No:		6				
Receive Date:		20220110				
Handler Name:		GLOBAL COMPANIES LLC ALBANY TERM				
Federal Waste Generator Code:		2				
Generator Code Description:		Small Quantity Generator				
Source Type:		Notification				
<u>Waste Code Details</u>						
Hazardous Waste Code:		B				
Waste Code Description:		Incineration, heat recovery, burning. Waste management method code to be used on e-manifests only.				

Hazardous Waste Code:	D001
Waste Code Description:	IGNITABLE WASTE
Hazardous Waste Code:	D008
Waste Code Description:	LEAD
Hazardous Waste Code:	D018
Waste Code Description:	BENZENE
Hazardous Waste Code:	T
Waste Code Description:	Chemical, physical or biological treatment. Waste management method code to be used on e-manifests only.

Hazardous Waste Handler Details

Sequence No:	5
Receive Date:	20220215
Handler Name:	GLOBAL COMPANIES LLC ALBANY TERM
Federal Waste Generator Code:	2
Generator Code Description:	Small Quantity Generator
Source Type:	Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code:	B
Waste Code Description:	Incineration, heat recovery, burning. Waste management method code to be used on e-manifests only.
Hazardous Waste Code:	D001
Waste Code Description:	IGNITABLE WASTE
Hazardous Waste Code:	D008
Waste Code Description:	LEAD
Hazardous Waste Code:	D018
Waste Code Description:	BENZENE
Hazardous Waste Code:	T
Waste Code Description:	Chemical, physical or biological treatment. Waste management method code to be used on e-manifests only.

Hazardous Waste Handler Details

Sequence No:	6
Receive Date:	20230221
Handler Name:	GLOBAL COMPANIES LLC ALBANY TERM
Federal Waste Generator Code:	2
Generator Code Description:	Small Quantity Generator
Source Type:	Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code:	B
Waste Code Description:	Incineration, heat recovery, burning. Waste management method code to be used on e-manifests only.
Hazardous Waste Code:	D001
Waste Code Description:	IGNITABLE WASTE
Hazardous Waste Code:	D008
Waste Code Description:	LEAD
Hazardous Waste Code:	D018
Waste Code Description:	BENZENE
Hazardous Waste Code:	T
Waste Code Description:	Chemical, physical or biological treatment. Waste management method code to be used on e-manifests only.

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 7
Receive Date: 20230908
Handler Name: GLOBAL COMPANIES LLC ALBANY TERM
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: B
Waste Code Description: Incineration, heat recovery, burning. Waste management method code to be used on e-manifests only.

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Code: D018
Waste Code Description: BENZENE

Hazardous Waste Code: T
Waste Code Description: Chemical, physical or biological treatment. Waste management method code to be used on e-manifests only.

Owner/Operator Details

Owner/Operator Ind: Current Owner Type: Private Name: GLOBAL COMPANIES LLC Dt Became Current: 20070507 Dt Ended Current: Phone: 781-398-4132 Source Type: Annual/Biennial Report update with Notification	Street No: 800 Street 1: SOUTH STREET Street 2: SUITE 500 City: WALTHAM State: MA Country: US Zip Code: 02454
Owner/Operator Ind: Current Owner Type: Private Name: EXXON MOBIL OIL CORP Dt Became Current: Dt Ended Current: Phone: 518-436-6570 Source Type: Notification	Street No: Street 1: 50 CHURCH ST Street 2: City: ALBANY State: NY Country: Zip Code: 12202
Owner/Operator Ind: Current Operator Type: Private Name: EXXONMOBIL OIL CORP Dt Became Current: 19240101 Dt Ended Current: Phone: Source Type: Notification	Street No: Street 1: Street 2: City: State: Country: US Zip Code:
Owner/Operator Ind: Current Owner Type: Private Name: EXXON MOBIL OIL CORP Dt Became Current: 19240101 Dt Ended Current: Phone: Source Type: Annual/Biennial Report	Street No: Street 1: CHURCH ST Street 2: City: ALBANY State: NY Country: US Zip Code: 12202
Owner/Operator Ind: Current Owner Type: Private Name: GLOBAL COMPANIES LLC Dt Became Current: 20070507	Street No: 800 Street 1: SOUTH STREET, SUITE 500 Street 2: City: WALTHAM

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Dt Ended Current:					State:	MA
Phone:	781-786-6320				Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	02454
Owner/Operator Ind:	Current Owner				Street No:	800
Type:	Private				Street 1:	SOUTH ST STE 500
Name:	GLOBAL COMPANIES LLC				Street 2:	
Dt Became Current:	20070507				City:	WALTHAM
Dt Ended Current:					State:	MA
Phone:	781-786-6320				Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	02454
Owner/Operator Ind:	Current Operator				Street No:	800
Type:	Private				Street 1:	SOUTH ST STE 500
Name:	GLOBAL COMPANIES LLC				Street 2:	
Dt Became Current:	20070507				City:	WALTHAM
Dt Ended Current:					State:	MA
Phone:	781-786-6320				Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	02454
Owner/Operator Ind:	Current Owner				Street No:	
Type:	Private				Street 1:	LAS COLINAS BLVD
Name:	EXXONMOBIL OIL CORP				Street 2:	
Dt Became Current:	19791231				City:	IRVING
Dt Ended Current:					State:	TX
Phone:					Country:	US
Source Type:	Annual/Biennial Report				Zip Code:	73039-2298
Owner/Operator Ind:	Current Owner				Street No:	800
Type:	Private				Street 1:	SOUTH STREET
Name:	GLOBAL COMPANIES LLC				Street 2:	PO BOX 9161
Dt Became Current:	20070509				City:	WALTHAM
Dt Ended Current:					State:	MA
Phone:					Country:	US
Source Type:	Annual/Biennial Report				Zip Code:	02454-9161
Owner/Operator Ind:	Current Owner				Street No:	800
Type:	Private				Street 1:	SOUTH STREET
Name:	GLOBAL COMPANIES LLC				Street 2:	PO BOX 9161
Dt Became Current:	20070509				City:	WALTHAM
Dt Ended Current:					State:	MA
Phone:	781-398-4132				Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	02454-9161
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	
Name:	GLOBAL COMPANIES LLC				Street 2:	
Dt Became Current:	20070509				City:	
Dt Ended Current:					State:	
Phone:					Country:	
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	
Owner/Operator Ind:	Current Owner				Street No:	800
Type:	Private				Street 1:	SOUTH ST STE 500
Name:	GLOBAL COMPANIES LLC				Street 2:	
Dt Became Current:	20070507				City:	WALTHAM
Dt Ended Current:					State:	MA
Phone:	781-786-6320				Country:	US
Source Type:	Notification				Zip Code:	02454
Owner/Operator Ind:	Current Owner				Street No:	800
Type:	Private				Street 1:	SOUTH ST WATERMILL PLAZA
Name:	GLOBAL CO LLC				Street 2:	
Dt Became Current:	20070509				City:	WALTHAM
Dt Ended Current:					State:	MA
Phone:					Country:	US
Source Type:	Notification				Zip Code:	02453
Owner/Operator Ind:	Current Operator				Street No:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:	Private				Street 1: LAS COLINAS BLVD	
Name:	EXXON MOBIL CORP				Street 2:	
Dt Became Current:	19791231				City: IRVING	
Dt Ended Current:					State: TX	
Phone:					Country: US	
Source Type:	Annual/Biennial Report				Zip Code: 73039-2298	
Owner/Operator Ind:	Current Operator				Street No: 800	
Type:	Private				Street 1: SOUTH STREET, SUITE 500	
Name:	GLOBAL COMPANIES LLC				Street 2:	
Dt Became Current:	20070509				City: WALTHAM	
Dt Ended Current:					State: MA	
Phone:					Country: US	
Source Type:	Annual/Biennial Report update with Notification				Zip Code: 02454	
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	
Name:	EXXON MOBIL OIL CORP				Street 2:	
Dt Became Current:	19240101				City:	
Dt Ended Current:					State:	
Phone:					Country: US	
Source Type:	Annual/Biennial Report				Zip Code:	
Owner/Operator Ind:	Current Operator				Street No: 800	
Type:	Private				Street 1: SOUTH ST	
Name:	GLOBAL COMPANIES LLC				Street 2:	
Dt Became Current:	20070507				City: WALTHAM	
Dt Ended Current:					State: MA	
Phone:					Country: US	
Source Type:	Annual/Biennial Report update with Notification				Zip Code: 02454	
Owner/Operator Ind:	Current Owner				Street No: 50	
Type:	Private				Street 1: CHURCH ST	
Name:	EXXONMOBIL OIL CORP				Street 2:	
Dt Became Current:	19240101				City: ALBANY	
Dt Ended Current:					State: NY	
Phone:	518-436-6570				Country: US	
Source Type:	Notification				Zip Code: 12202	
Owner/Operator Ind:	Current Operator				Street No: 800	
Type:	Private				Street 1: SOUTH ST STE 500	
Name:	GLOBAL COMPANIES LLC				Street 2:	
Dt Became Current:	20070507				City: WALTHAM	
Dt Ended Current:					State: MA	
Phone:	781-786-6320				Country: US	
Source Type:	Notification				Zip Code: 02454	
Owner/Operator Ind:	Current Operator				Street No: 800	
Type:	Private				Street 1: SOUTH STREET	
Name:	GLOBAL COMPANIES LLC				Street 2: PO BOX 9161	
Dt Became Current:	20070509				City: WALTHAM	
Dt Ended Current:					State: MA	
Phone:					Country: US	
Source Type:	Annual/Biennial Report				Zip Code: 02454-9161	
Owner/Operator Ind:	Current Owner				Street No: 800	
Type:	Private				Street 1: SOUTH STREET, SUITE 500	
Name:	GLOBAL COMPANIES LLC				Street 2:	
Dt Became Current:	20070507				City: WALTHAM	
Dt Ended Current:					State: MA	
Phone:					Country: US	
Source Type:	Annual/Biennial Report update with Notification				Zip Code: 02454	
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	
Name:	GLOBAL CO LLC				Street 2:	
Dt Became Current:	20070509				City:	
Dt Ended Current:					State:	
Phone:					Country:	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Source Type: Notification Zip Code:

Historical Handler Details

Receive Dt:	20230221
Generator Code Description:	Small Quantity Generator
Handler Name:	GLOBAL COMPANIES LLC ALBANY TERM
Receive Dt:	20220215
Generator Code Description:	Small Quantity Generator
Handler Name:	GLOBAL COMPANIES LLC ALBANY TERM
Receive Dt:	20220110
Generator Code Description:	Small Quantity Generator
Handler Name:	GLOBAL COMPANIES LLC ALBANY TERM
Receive Dt:	20210226
Generator Code Description:	Large Quantity Generator
Handler Name:	GLOBAL COMPANIES LLC ALBANY TERMINAL
Receive Dt:	20200304
Generator Code Description:	Large Quantity Generator
Handler Name:	GLOBAL COMPANIES LLC ALBANY TERMINAL
Receive Dt:	20160301
Generator Code Description:	Large Quantity Generator
Handler Name:	GLOBAL COMPANIES - ALBANY TERMINAL
Receive Dt:	20120223
Generator Code Description:	Large Quantity Generator
Handler Name:	GLOBAL COMPANIES - ALBANY TERMINAL
Receive Dt:	20080225
Generator Code Description:	Large Quantity Generator
Handler Name:	GLOBAL COMPANIES LLC - ALBANY TERMINAL (FORMER EXXON MOBIL ALBANY TERMINAL)
Receive Dt:	20070411
Generator Code Description:	Large Quantity Generator
Handler Name:	GLOBAL CO LLC - ALBANY TERMINAL
Receive Dt:	20070410
Generator Code Description:	Large Quantity Generator
Handler Name:	GLOBAL CO LLC - ALBANY TERMINAL
Receive Dt:	20070410
Generator Code Description:	Small Quantity Generator
Handler Name:	GLOBAL CO LLC - ALBANY TERMINAL
Receive Dt:	20060118
Generator Code Description:	Large Quantity Generator
Handler Name:	EXXON MOBIL ALBANY TERMINAL
Receive Dt:	20040825
Generator Code Description:	Large Quantity Generator
Handler Name:	EXXONMOBIL ALBANY TERMINAL
Receive Dt:	20040615
Generator Code Description:	Large Quantity Generator
Handler Name:	EXXONMOBIL ALBANY TERMINAL
Receive Dt:	20020704
Generator Code Description:	Large Quantity Generator
Handler Name:	EXXON MOBIL OIL CORP
Receive Dt:	20010829
Generator Code Description:	Large Quantity Generator
Handler Name:	EXXONMOBIL ALBANY TERMINAL

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Receive Dt:		20010510				
Generator Code Description:		Large Quantity Generator				
Handler Name:		EXXONMOBIL ALBANY TERMINAL				
Receive Dt:		20010101				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ALBANY TERMINAL				
Receive Dt:		19990721				
Generator Code Description:		Large Quantity Generator				
Handler Name:		EXXONMOBIL ALBANY TERMINAL				
Receive Dt:		19980227				
Generator Code Description:		Large Quantity Generator				
Handler Name:		MOBIL/ALBANY TERMINAL				
Receive Dt:		19920214				
Generator Code Description:		Large Quantity Generator				
Handler Name:		MOBIL OIL				
Receive Dt:		19800818				
Generator Code Description:		Small Quantity Generator				
Handler Name:		EXXONMOBIL ALBANY TERMINAL				

74 1 of 1 **NNE** **0.21 / 1,131.88** **35.79 / 7** **NAT GRID TRANSFORMER STATE ST 70 STATE ST VAULT 2125 70 STATE ST ALBANY NY** **NY SPILLS**

Spill No:	1201464	UST Trust:	False
Site ID:	464174	Spill Date:	2012-05-15 13:45:00
DER Facility ID:	418576	Received Date:	2012-05-15 14:01:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2012-06-04 00:00:00
Water Body:		Create Date:	2012-05-15 14:03:00
Class:	B4	Update Date:	2012-10-31 16:34:17.52000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	pnbentie
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Transformer		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
"water and 500 gallons mixed lost to soil.c/u pending fd on scene"

DEC Remark:
"6/4/12 - per e-mail from Barb S.: non-PCB; complete, cleaned by EPS "

Material Information

OP Unit ID:	1214239	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2212270	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	50.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0020A				
Material Name:		transformer oil				
OP Unit ID:	1214239				Med Ind Air:	False
OU:	01				Med GW:	False
Material ID:	2212271				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Other				Med Sewer:	False
Quantity:					Med Surf:	False
Units:					Med Subway:	False
Recovered:					Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		9999				
Material Name:		other - other				

Spiller Information

Spiller Name: BARBARA SCHUERER
Spiller Company: NAT GRID NIMO
Spiller Address: 70 STATE ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: BARBARA SCHUERER
Contact Phone: 518433-3696
Contact Ext:
Latitude: 42.649364478
Longitude: -73.752167518

75	1 of 1	ESE	0.22 / 1,135.77	3.79 / -25	HUDSON RIVER PCBS NO STREET APPLICABLE HUDSON RIVER NY 12871-2834	NPL
-----------	--------	------------	----------------------------	-----------------------	--	------------

EPA ID: NYD980763841
Site ID:
Street Addr Txt (SEMS): NO STREET APPLICABLE
City Name (SEMS): HUDSON RIVER
State Code (SEMS): NY
Zip Code (SEMS): 12871-2834
County (SEMS): WASHINGTON
County (Export): Rensselaer, Saratoga, Washington
Data Source: U.S. EPA Site Boundaries Shapefile Download; U.S. EPA SUPERFUND PROGRAM. Source: SEMS Superfund Public User Database. FOIA4 All Final NPL Sites. Retrieved on 26-OCT-2023.

NPL (SEMS FOIA 004)

Federal Facility:	No	County:	WASHINGTON
NPL Status Dt:	09/21/84	Latitude:	+43.110200
NAI:	No	Longitude:	-073.576500
NA Entity (NAI Status):			
SAA (Superfund Alt):			

NPL (Superfund Sites List)

SEMS ID:	202229	Proposed Date:	09/08/1983
Status:	NPL Site	Listing Date:	09/21/1984
Site Score:	54.66	NOID Date:	
SITS ID:	196	Deletion Date:	
Constr Complete No:	0	Latitude:	43.1102
Constr Complete Dt:		Longitude:	-73.5765
Partial Deletion:	No		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Proposed Fr Notice:					09/08/1983 (PDF)	
Final Fr Notice:					09/21/1984 (PDF)	
NOID Fr Notice:						
Deletion Fr Notice:						
Restoration Fr Notice:						
Notice of Data Availability:						
Site Listing Narrative:					NYD980763841 (PDF)	
Site Progress Profile:					Hudson River PCBs	

NPL (EPA Boundaries)

EPA Program:	Superfund Remedial	Primary Telephone:	(518) 407-0400
NPL Status:	F	Public Release:	
Fed Facility:	No	Original C:	01-FEB-07 12.00.00.000000 AM
GIS Area:	88234.0544963	Region Code:	2
GIS Area Unit:	Acres	Tier Accur:	
Last Changed:	19-AUG-21 12.00.00.000000 AM		
Site Contact:	Gary Klawinski		
Site Contact 1:	klawinski.gary@epa.gov		
Feature In:	https://www.epa.gov/hudson		
Feature 1:	Site Profile Pages		
Site Feature:	5		
Site Feature 1:	Site Boundary		
Site Feature 2:	Site Boundary		
Site Feature 3:	Overall Site Boundary		
Site Feature 4:	RPM Supplied Shapefile		
Site Feature 5:			
Site Feature 6:			
Projection:	R2_Contiguous_Albers_Equal_Area_Conic, SR-ORG:8974		
SF Geospat:	The Agency is providing this geospatial information as a public service and does not vouch for the accuracy, completeness, or currency of data. Data provided by external parties is not independently verified by EPA. This data is made available to the pub		
Url Alias:	www.epa.gov/superfund/hudson		

76	1 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY SERVICE STATION 222 S PEARL ALBANY NY 12202-1809	RCRA NON GEN
--------------------	---------	-----------	----------------------------	-----------------------	---	-------------------------

EPA Handler ID:	NYD986929255
Gen Status Universe:	No Report
Contact Name:	
Contact Address:	49 , RIVERSIDE AVE , , RENSSELAER , NY, 12144 , US
Contact Phone No and Ext:	
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	
Receive Date:	20070101
Location Latitude:	42.642771
Location Longitude:	-73.75594

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility:	No
Onsite Burner Exemption:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Furnace Exemption:		No				
Underground Injection Activity:		No				
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19901031
Handler Name: GETTY SERVICE STATION
Source Type: Notification
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19990708
Handler Name: GETTY SERVICE STATION
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20060101
Handler Name: GETTY SERVICE STATION
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 3
Receive Date: 20070101
Handler Name: GETTY SERVICE STATION
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	NOT REQUIRED
Name: GETTY PETROLEUM CORP	Street 2:	
Date Became Current:	City:	NOT REQUIRED
Date Ended Current:	State:	WY
Phone: 212-555-1212	Country:	US
Source Type: Implementer	Zip Code:	99999

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	NOT REQUIRED
Name:	GETTY PETROLEUM CORP	Street 2:	
Date Became Current:		City:	NOT REQUIRED
Date Ended Current:		State:	WY
Phone:	212-555-1212	Country:	
Source Type:	Notification	Zip Code:	99999

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	NOT REQUIRED
Name:	GETTY PETROLEUM CORP	Street 2:	
Date Became Current:		City:	NOT REQUIRED
Date Ended Current:		State:	WY
Phone:	212-555-1212	Country:	US
Source Type:	Implementer	Zip Code:	99999

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: GETTY SERVICE STATION

Receive Dt: 19990708
Generator Code Description: Not a Generator, Verified
Handler Name: GETTY SERVICE STATION

Receive Dt: 19901031
Generator Code Description: Small Quantity Generator
Handler Name: GETTY SERVICE STATION

76	2 of 23	SW	0.22 / 1,138.16	26.87 / -2	CITGO 222 SOUTH PEARL STREET PEARL & FERRY STREETS Albany NY 12202	AST
--------------------	---------	----	--------------------	---------------	---	-----

Site ID:	37280	Expiry:	04/01/2028
Site Status:	Active	County:	Albany
Program No:	4-485780	UTM X:	601996.86043
Program Type Code:	PBS	UTM Y:	4721893.64444
Program Type Desc:	Petroleum Bulk Storage Program		
Site Type:	Retail Gasoline Sales		

Tank Information

Prog No:	4-485780	UDC Ind:	1
Tank ID:	99990	Red Tag Start Date:	
Tank No:	7	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Line Last Test Due:	
Install Date:	01/01/1998	Next Line Test Due:	
Close Date:	05/23/2006	Line Test Method:	
Tk Out of Serv Dt:		Class A Operator:	
Capacity (Gal):	240	Class B Operator:	
Registered:	True	Modified by:	MJRICE
Tank Model:		Last Modified:	04/18/2023
Pipe Model:			
Tank Location:	1		
Tank Location Desc:	Aboveground-contact w/ soil		
Category:	2		
Category Desc:	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015		
Subpart:			
Subpart Desc:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name: #2 fuel oil (on-site consumption)
Percent: 100.00

Equipment Information

Equipment: L09
Code Name: Exempt Suction Piping
Type: Piping Leak Detection

Equipment: H01
Code Name: Interstitial - Electronic Monitoring
Type: Tank Leak Detection

Equipment: C01
Code Name: Aboveground
Type: Pipe Location

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: K01
Code Name: Catch Basin
Type: Spill Prevention

Equipment: I05
Code Name: Vent Whistle
Type: Overfill

Equipment: F00
Code Name: None
Type: Pipe External Protection

Equipment: G00
Code Name: None
Type: Tank Secondary Containment

Equipment: J02
Code Name: Suction Dispenser
Type: Dispenser

Equipment: E00
Code Name: None
Type: Piping Secondary Containment

Equipment: B01
Code Name: Painted/Asphalt Coating
Type: Tank External Protection

Equipment: D10
Code Name: Copper
Type: Pipe Type

Affiliation Information

Affiliation Type: 04
Affiliation Name: Facility Operator
Affiliation Sub Type: NNN
Company: CITGO
Contact Title:
Contact Name: AHSAN FAROOQ
Address 1:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Address2:						
City:						
State:		NN				
Zip Code:						
Country Code:		001				
Phone:		(518) 598-0875				
Phone Ext:						
Email:						
Fax:						
Affiliation Type:						
		11				
Affiliation Name:						
Emergency Contact						
Affiliation Sub Type:						
NNN						
Company:						
PINNACLE BUSINESS VENTURE LLC						
Contact Title:						
Contact Name:						
AHSAN FAROOQ						
Address1:						
Address2:						
City:						
State:		NN				
Zip Code:						
Country Code:		999				
Phone:		(518) 669-2878				
Phone Ext:						
Email:						
Fax:						
Affiliation Type:						
		07				
Affiliation Name:						
Mail Contact						
Affiliation Sub Type:						
NNN						
Company:						
PINNACLE BUSINESS VENTURE LLC						
Contact Title:						
PRESIDENT						
Contact Name:						
AHSAN FAROOQ						
Address1:						
1 PEACHTREE LANE						
Address2:						
City:						
State:		ALBANY				
State:		NY				
Zip Code:						
		12205				
Country Code:		001				
Phone:		(518) 669-2878				
Phone Ext:						
Email:						
AFAROOQNY@GMAIL.COM						
Fax:						
Affiliation Type:						
		01				
Affiliation Name:						
Facility Owner						
Affiliation Sub Type:						
E						
Company:						
PINNACLE BUSINESS VENTURE LLC						
Contact Title:						
PRESIDENT						
Contact Name:						
AHSAN FAROOQ						
Address1:						
1 PEACHTREE LANE						
Address2:						
City:						
State:		ALBANY				
State:		NY				
Zip Code:						
		12205				
Country Code:		001				
Phone:		(518) 669-2878				
Phone Ext:						
Email:						
AFAROOQNY@GMAIL.COM						
Fax:						

76	3 of 23	SW	0.22 / 1,138.16	26.87 / -2	CITGO 222 SOUTH PEARL STREET PEARL & FERRY STREETS Albany NY 12202	UST
--------------------	---------	----	--------------------	---------------	---	-----

Site ID:	37280	Expiry:	04/01/2028
Site Status:	Active	County:	Albany

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Program No:	4-485780			UTM X:	601996.86043	
Program Type Code:	PBS			UTM Y:	4721893.64444	
Program Type Desc:	Petroleum Bulk Storage Program					
Site Type:	Retail Gasoline Sales					

Tank Information

Prog No:	4-485780	UDC Ind:	1
Tank ID:	92561	Red Tag Start Date:	
Tank No:	4	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	02/17/2004
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	06	Test Method:	21
Tank Type Desc:	Fiberglass Reinforced Plastic (FRP)	Date Tested:	
Install Date:	09/01/1990	Next Test:	
Close Date:	01/02/2008	Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	10000	Line Test Method:	
Registered:	True	Modified by:	MJRICE
Tank Model:		Last Modified:	04/18/2023
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	2		
Category Desc:	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015		
Subpart:			
Subpart Desc:			
Class A Operator:			
Class B Operator:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name:	gasoline
Percent:	100.00

Equipment Information

Equipment:	H01
Code Name:	Interstitial - Electronic Monitoring
Type:	Tank Leak Detection
Equipment:	C02
Code Name:	Underground/On-ground
Type:	Pipe Location
Equipment:	G04
Code Name:	Double-Walled (Underground)
Type:	Tank Secondary Containment
Equipment:	E00
Code Name:	None
Type:	Piping Secondary Containment
Equipment:	H99
Code Name:	Other
Type:	Tank Leak Detection
Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection
Equipment:	K01
Code Name:	Catch Basin

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<i>Type:</i>		Spill Prevention				
<i>Equipment:</i>		B04				
<i>Code Name:</i>		Fiberglass				
<i>Type:</i>		Tank External Protection				
<i>Equipment:</i>		L07				
<i>Code Name:</i>		Pressurized Piping Leak Detector				
<i>Type:</i>		Piping Leak Detection				
<i>Equipment:</i>		D06				
<i>Code Name:</i>		Fiberglass Reinforced Plastic (FRP)				
<i>Type:</i>		Pipe Type				
<i>Equipment:</i>		J01				
<i>Code Name:</i>		Pressurized Dispenser				
<i>Type:</i>		Dispenser				
<i>Equipment:</i>		F04				
<i>Code Name:</i>		Fiberglass				
<i>Type:</i>		Pipe External Protection				
<i>Equipment:</i>		L99				
<i>Code Name:</i>		Other				
<i>Type:</i>		Piping Leak Detection				
<i>Equipment:</i>		I03				
<i>Code Name:</i>		Automatic Shut-Off				
<i>Type:</i>		Overfill				

Tank Information

<i>Prog No:</i>	4-485780	<i>UDC Ind:</i>	1
<i>Tank ID:</i>	92563	<i>Red Tag Start Date:</i>	
<i>Tank No:</i>	6	<i>Red Tag End Date:</i>	
<i>Tank Status:</i>	3	<i>Tank Last Test:</i>	02/17/2004
<i>Tank Status Desc:</i>	Closed - Removed	<i>Tank Next Test Due:</i>	
<i>Tank Type:</i>	06	<i>Test Method:</i>	21
<i>Tank Type Desc:</i>	Fiberglass Reinforced Plastic (FRP)	<i>Date Tested:</i>	
<i>Install Date:</i>	09/01/1990	<i>Next Test:</i>	
<i>Close Date:</i>	01/03/2008	<i>Line Last Test Due:</i>	
<i>Tk Out of Serv Dt:</i>		<i>Next Line Test Due:</i>	
<i>Capacity (Gal):</i>	6000	<i>Line Test Method:</i>	
<i>Registered:</i>	True	<i>Modified by:</i>	MJRICE
<i>Tank Model:</i>		<i>Last Modified:</i>	04/18/2023
<i>Pipe Model:</i>			
<i>Tank Location:</i>	5		
<i>Tank Location Desc:</i>	Underground		
<i>Category:</i>	2		
<i>Category Desc:</i>	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015		
<i>Subpart:</i>			
<i>Subpart Desc:</i>			
<i>Class A Operator:</i>			
<i>Class B Operator:</i>			
<i>Tank Owner Name:</i>			
<i>Tank Owner Address:</i>			

Material Information

<i>Material Name:</i>	diesel
<i>Percent:</i>	100.00

Equipment Information

<i>Equipment:</i>	L99
-------------------	-----

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Code Name: Type:		Other	Piping Leak Detection			
Equipment: Code Name: Type:		H01	Interstitial - Electronic Monitoring Tank Leak Detection			
Equipment: Code Name: Type:		G04	Double-Walled (Underground) Tank Secondary Containment			
Equipment: Code Name: Type:		I01	Float Vent Valve Overfill			
Equipment: Code Name: Type:		L07	Pressurized Piping Leak Detector Piping Leak Detection			
Equipment: Code Name: Type:		C02	Underground/On-ground Pipe Location			
Equipment: Code Name: Type:		E00	None Piping Secondary Containment			
Equipment: Code Name: Type:		D06	Fiberglass Reinforced Plastic (FRP) Pipe Type			
Equipment: Code Name: Type:		K01	Catch Basin Spill Prevention			
Equipment: Code Name: Type:		H99	Other Tank Leak Detection			
Equipment: Code Name: Type:		B04	Fiberglass Tank External Protection			
Equipment: Code Name: Type:		A00	None Tank Internal Protection			
Equipment: Code Name: Type:		F04	Fiberglass Pipe External Protection			
Equipment: Code Name: Type:		J01	Pressurized Dispenser Dispenser			

Tank Information

Prog No:	4-485780	UDC Ind:	1
Tank ID:	92560	Red Tag Start Date:	
Tank No:	3	Red Tag End Date:	
Tank Status:	6	Tank Last Test:	
Tank Status Desc:	Closed Prior to 03/1991	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Date Tested:	
Install Date:	01/01/1974	Next Test:	
Close Date:		Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	2000	Line Test Method:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Registered:	True				Modified by: MJRICE	
Tank Model:					Last Modified: 04/18/2023	
Pipe Model:						
Tank Location:	5					
Tank Location Desc:	Underground					
Category:	1					
Category Desc:	Category 1 means a tank which was installed before December 27, 1986					
Subpart:						
Subpart Desc:						
Class A Operator:						
Class B Operator:						
Tank Owner Name:						
Tank Owner Address:						

Material Information

Material Name: gasoline
Percent: 100.00

Equipment Information

Equipment: G00
Code Name: None
Type: Tank Secondary Containment

Equipment: B00
Code Name: None
Type: Tank External Protection

Equipment: I00
Code Name: None
Type: Overfill

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: J02
Code Name: Suction Dispenser
Type: Dispenser

Equipment: D02
Code Name: Galvanized Steel
Type: Pipe Type

Equipment: H00
Code Name: None
Type: Tank Leak Detection

Equipment: F00
Code Name: None
Type: Pipe External Protection

Equipment: C00
Code Name: No Piping
Type: Pipe Location

Tank Information

Prog No:	4-485780	UDC Ind:	1
Tank ID:	92559	Red Tag Start Date:	
Tank No:	2	Red Tag End Date:	
Tank Status:	6	Tank Last Test:	
Tank Status Desc:	Closed Prior to 03/1991	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tank Type Desc:	Steel/Carbon Steel/Iron				Date Tested:	
Install Date:	01/01/1974				Next Test:	
Close Date:					Line Last Test Due:	
Tk Out of Serv Dt:					Next Line Test Due:	
Capacity (Gal):	5000				Line Test Method:	
Registered:	True				Modified by:	MJRICE
Tank Model:					Last Modified:	04/18/2023
Pipe Model:						
Tank Location:	5					
Tank Location Desc:	Underground					
Category:	1					
Category Desc:	Category 1 means a tank which was installed before December 27, 1986					
Subpart:						
Subpart Desc:						
Class A Operator:						
Class B Operator:						
Tank Owner Name:						
Tank Owner Address:						

Material Information

Material Name:	gasoline
Percent:	100.00

Equipment Information

Equipment:	B00
Code Name:	None
Type:	Tank External Protection
Equipment:	G00
Code Name:	None
Type:	Tank Secondary Containment
Equipment:	D02
Code Name:	Galvanized Steel
Type:	Pipe Type
Equipment:	H00
Code Name:	None
Type:	Tank Leak Detection
Equipment:	J02
Code Name:	Suction Dispenser
Type:	Dispenser
Equipment:	I00
Code Name:	None
Type:	Overfill
Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection
Equipment:	F00
Code Name:	None
Type:	Pipe External Protection
Equipment:	C00
Code Name:	No Piping
Type:	Pipe Location

Tank Information

Prog No:	4-485780	UDC Ind:	1
-----------------	----------	-----------------	---

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Tank ID:	298360				Red Tag Start Date:	
Tank No:	11				Red Tag End Date:	
Tank Status:	1				Tank Last Test:	
Tank Status Desc:	In Service				Tank Next Test Due:	
Tank Type:	06				Test Method:	-
Tank Type Desc:	Fiberglass Reinforced Plastic (FRP)				Date Tested:	
Install Date:	04/01/2023				Next Test:	
Close Date:					Line Last Test Due:	
Tk Out of Serv Dt:					Next Line Test Due:	
Capacity (Gal):	5000				Line Test Method:	-
Registered:	True				Modified by:	MJRICE
Tank Model:					Last Modified:	04/18/2023
Pipe Model:						
Tank Location:	5					
Tank Location Desc:	Underground					
Category:	3					
Category Desc:	Category 3 means a tank which was installed after October 11, 2015					
Subpart:	2					
Subpart Desc:	Subpart 2 contains requirements for USTs (underground storage tanks) subject to EPA UST regulations and DEC requirements.					
Class A Operator:	AHSAN FAROOQ					
Class B Operator:	AHSAN FAROOQ					
Tank Owner Name:	AHSAN FAROOQ					
Tank Owner Address:	1 PEACHTREE LANE ALBANY, NY. 12205					

Material Information

Material Name: gasoline/ethanol
Percent: 10.00

Equipment Information

Equipment: L07
Code Name: Pressurized Piping Leak Detector
Type: Piping Leak Detection

Equipment: J01
Code Name: Pressurized Dispenser
Type: Dispenser

Equipment: E04
Code Name: Double walled UG
Type: Piping Secondary Containment

Equipment: I03
Code Name: Automatic Shut-Off
Type: Overfill

Equipment: H01
Code Name: Interstitial - Electronic Monitoring
Type: Tank Leak Detection

Equipment: L01
Code Name: Interstitial - Electronic Monitoring
Type: Piping Leak Detection

Equipment: D11
Code Name: Flexible Piping
Type: Pipe Type

Equipment: K01
Code Name: Catch Basin
Type: Spill Prevention

Equipment: G04
Code Name: Double-Walled (Underground)
Type: Tank Secondary Containment

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Equipment: F09
Code Name: Urethane
Type: Pipe External Protection

Equipment: I02
Code Name: High Level Alarm
Type: Overfill

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: C02
Code Name: Underground/On-ground
Type: Pipe Location

Equipment: B04
Code Name: Fiberglass
Type: Tank External Protection

Equipment: H05
Code Name: In-Tank System (ATG)
Type: Tank Leak Detection

Tank Information

Prog No:	4-485780	UDC Ind:	1
Tank ID:	214676	Red Tag Start Date:	
Tank No:	8	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	06	Test Method:	NN
Tank Type Desc:	Fiberglass Reinforced Plastic (FRP)	Date Tested:	
Install Date:	09/01/1990	Next Test:	
Close Date:	08/01/2006	Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	550	Line Test Method:	
Registered:	True	Modified by:	MJRICE
Tank Model:		Last Modified:	04/18/2023
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	2		
Category Desc:	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015		
Subpart:			
Subpart Desc:			
Class A Operator:			
Class B Operator:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name: #2 fuel oil (on-site consumption)
Percent: 100.00

Equipment Information

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: D00
Code Name: No Piping

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:			Pipe Type			
Equipment:			E00			
Code Name:			None			
Type:			Piping Secondary Containment			
Equipment:			F00			
Code Name:			None			
Type:			Pipe External Protection			
Equipment:			B04			
Code Name:			Fiberglass			
Type:			Tank External Protection			
Equipment:			I00			
Code Name:			None			
Type:			Overfill			
Equipment:			J00			
Code Name:			None			
Type:			Dispenser			
Equipment:			H00			
Code Name:			None			
Type:			Tank Leak Detection			
Equipment:			G04			
Code Name:			Double-Walled (Underground)			
Type:			Tank Secondary Containment			
Equipment:			L00			
Code Name:			None			
Type:			Piping Leak Detection			
Equipment:			K00			
Code Name:			None			
Type:			Spill Prevention			
Equipment:			C00			
Code Name:			No Piping			
Type:			Pipe Location			

Tank Information

Prog No:	4-485780	UDC Ind:	1
Tank ID:	92562	Red Tag Start Date:	
Tank No:	5	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	02/17/2004
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	06	Test Method:	21
Tank Type Desc:	Fiberglass Reinforced Plastic (FRP)	Date Tested:	
Install Date:	09/01/1990	Next Test:	
Close Date:	01/02/2008	Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	8000	Line Test Method:	
Registered:	True	Modified by:	MJRICE
Tank Model:		Last Modified:	04/18/2023
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	2		
Category Desc:	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015		
Subpart:			
Subpart Desc:			
Class A Operator:			
Class B Operator:			
Tank Owner Name:			
Tank Owner Address:			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Material Information

Material Name: gasoline
Percent: 100.00

Equipment Information

Equipment: D06
Code Name: Fiberglass Reinforced Plastic (FRP)
Type: Pipe Type

Equipment: K01
Code Name: Catch Basin
Type: Spill Prevention

Equipment: H99
Code Name: Other
Type: Tank Leak Detection

Equipment: I03
Code Name: Automatic Shut-Off
Type: Overfill

Equipment: H01
Code Name: Interstitial - Electronic Monitoring
Type: Tank Leak Detection

Equipment: L99
Code Name: Other
Type: Piping Leak Detection

Equipment: G04
Code Name: Double-Walled (Underground)
Type: Tank Secondary Containment

Equipment: F04
Code Name: Fiberglass
Type: Pipe External Protection

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: L07
Code Name: Pressurized Piping Leak Detector
Type: Piping Leak Detection

Equipment: C02
Code Name: Underground/On-ground
Type: Pipe Location

Equipment: B04
Code Name: Fiberglass
Type: Tank External Protection

Equipment: E00
Code Name: None
Type: Piping Secondary Containment

Equipment: J01
Code Name: Pressurized Dispenser
Type: Dispenser

Tank Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Prog No:	4-485780				UDC Ind:	1
Tank ID:	298359				Red Tag Start Date:	
Tank No:	10				Red Tag End Date:	
Tank Status:	1				Tank Last Test:	
Tank Status Desc:	In Service				Tank Next Test Due:	
Tank Type:	06				Test Method:	-
Tank Type Desc:	Fiberglass Reinforced Plastic (FRP)				Date Tested:	
Install Date:	04/01/2023				Next Test:	
Close Date:					Line Last Test Due:	
Tk Out of Serv Dt:					Next Line Test Due:	
Capacity (Gal):	12000				Line Test Method:	-
Registered:	True				Modified by:	MJRICE
Tank Model:					Last Modified:	04/18/2023
Pipe Model:						
Tank Location:	5					
Tank Location Desc:	Underground					
Category:	3					
Category Desc:	Category 3 means a tank which was installed after October 11, 2015					
Subpart:	2					
Subpart Desc:	Subpart 2 contains requirements for USTs (underground storage tanks) subject to EPA UST regulations and DEC requirements.					
Class A Operator:	AHSAN FAROOQ					
Class B Operator:	AHSAN FAROOQ					
Tank Owner Name:	AHSAN FAROOQ					
Tank Owner Address:	1 PEACHTREE LANE ALBANY, NY. 12205					

Material Information

Material Name:	gasoline/ethanol
Percent:	10.00

Equipment Information

Equipment:	H01
Code Name:	Interstitial - Electronic Monitoring
Type:	Tank Leak Detection

Equipment:	E04
Code Name:	Double walled UG
Type:	Piping Secondary Containment

Equipment:	C02
Code Name:	Underground/On-ground
Type:	Pipe Location

Equipment:	I03
Code Name:	Automatic Shut-Off
Type:	Overfill

Equipment:	F09
Code Name:	Urethane
Type:	Pipe External Protection

Equipment:	L07
Code Name:	Pressurized Piping Leak Detector
Type:	Piping Leak Detection

Equipment:	B04
Code Name:	Fiberglass
Type:	Tank External Protection

Equipment:	L01
Code Name:	Interstitial - Electronic Monitoring
Type:	Piping Leak Detection

Equipment:	J01
-------------------	-----

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Code Name: Type:			Pressurized Dispenser Dispenser			
Equipment: Code Name: Type:			I02 High Level Alarm Overfill			
Equipment: Code Name: Type:			H05 In-Tank System (ATG) Tank Leak Detection			
Equipment: Code Name: Type:			G04 Double-Walled (Underground) Tank Secondary Containment			
Equipment: Code Name: Type:			K01 Catch Basin Spill Prevention			
Equipment: Code Name: Type:			A00 None Tank Internal Protection			
Equipment: Code Name: Type:			D11 Flexible Piping Pipe Type			

Tank Information

Prog No:	4-485780	UDC Ind:	1
Tank ID:	92558	Red Tag Start Date:	
Tank No:	1	Red Tag End Date:	
Tank Status:	6	Tank Last Test:	
Tank Status Desc:	Closed Prior to 03/1991	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Date Tested:	
Install Date:	01/01/1974	Next Test:	
Close Date:		Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	5000	Line Test Method:	
Registered:	True	Modified by:	MJRICE
Tank Model:		Last Modified:	04/18/2023
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Class A Operator:			
Class B Operator:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name:	gasoline
Percent:	100.00

Equipment Information

Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Equipment:		G00				
Code Name:		None				
Type:		Tank Secondary Containment				
Equipment:		C00				
Code Name:		No Piping				
Type:		Pipe Location				
Equipment:		B00				
Code Name:		None				
Type:		Tank External Protection				
Equipment:		I00				
Code Name:		None				
Type:		Overfill				
Equipment:		J02				
Code Name:		Suction Dispenser				
Type:		Dispenser				
Equipment:		D02				
Code Name:		Galvanized Steel				
Type:		Pipe Type				
Equipment:		F00				
Code Name:		None				
Type:		Pipe External Protection				
Equipment:		H00				
Code Name:		None				
Type:		Tank Leak Detection				

Affiliation Information

Affiliation Type: 01
Affiliation Name: Facility Owner
Affiliation Sub Type: E
Company: PINNACLE BUSINESS VENTURE LLC
Contact Title: PRESIDENT
Contact Name: AHSAN FAROOQ
Address1: 1 PEACHTREE LANE
Address2:
City: ALBANY
State: NY
Zip Code: 12205
Country Code: 001
Phone: (518) 669-2878
Phone Ext:
Email: AFAROOQNY@GMAIL.COM
Fax:

Affiliation Type: 11
Affiliation Name: Emergency Contact
Affiliation Sub Type: NNN
Company: PINNACLE BUSINESS VENTURE LLC
Contact Title:
Contact Name: AHSAN FAROOQ
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 999
Phone: (518) 669-2878
Phone Ext:
Email:
Fax:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Affiliation Type:		04				
Affiliation Name:		Facility Operator				
Affiliation Sub Type:		NNN				
Company:		CITGO				
Contact Title:						
Contact Name:		AHSAN FAROOQ				
Address1:						
Address2:						
City:						
State:		NN				
Zip Code:						
Country Code:		001				
Phone:		(518) 598-0875				
Phone Ext:						
Email:						
Fax:						
Affiliation Type:		07				
Affiliation Name:		Mail Contact				
Affiliation Sub Type:		NNN				
Company:		PINNACLE BUSINESS VENTURE LLC				
Contact Title:		PRESIDENT				
Contact Name:		AHSAN FAROOQ				
Address1:		1 PEACHTREE LANE				
Address2:						
City:		ALBANY				
State:		NY				
Zip Code:		12205				
Country Code:		001				
Phone:		(518) 669-2878				
Phone Ext:						
Email:		AFAROOQNY@GMAIL.COM				
Fax:						

76 4 of 23 SW 0.22 / 1,138.16 26.87 / -2 GETTY #58745 S. PEARL ST
222 S. PEARL ST GETTY #58745
222 SOUTH PEARL STREET
ALBANY NY 12202 NY SPILLS

Spill No:	0500798	UST Trust:	False
Site ID:	343878	Spill Date:	2005-04-19 16:40:00
DER Facility ID:	345078	Received Date:	2005-04-19 16:44:00
CID:	406	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2005-04-20 00:00:00
Water Body:		Create Date:	2005-04-19 17:10:00
Class:	C4	Update Date:	2013-10-24 14:02:49.513000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	wtchrist
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Other		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Customer drive off caused the spill. Caller is unsure if there was an actual release. Cailyn will call back with details."

DEC Remark:

"04/20/05 - No DEC response. wtc PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1102544	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	582760	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	CAILYN DINAN
Spiller Company:	GETTY #58745
Spiller Address:	222 SOUTH PEARL ST.
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	CAILYN DINAN
Contact Phone:	(518) 786-3200
Contact Ext:	
Latitude:	42.642845000
Longitude:	-73.756150000

76	5 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY #58745 S. PEARL ST 222 S. PEARL ST GETTY #58745 222 SOUTH PEARL STREET ALBANY NY 12202	NY SPILLS
--------------------	---------	----	--------------------	---------------	---	-----------

Spill No:	0510664	UST Trust:	True
Site ID:	356682	Spill Date:	2005-12-12 12:45:00
DER Facility ID:	443362	Received Date:	2005-12-12 14:26:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-11-08 00:00:00
Water Body:		Create Date:	2005-12-12 14:42:00
Class:	C4	Update Date:	2013-10-24 14:01:25.310000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"1 OUNCE FROM A LEAKING SWIVEL, SHUT DOWN PENDING REPAIR"

DEC Remark:

"See Edocs; PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034. 2/22/06 Sent email to Mike Carr requesting info. on the spill and repairs made. 11/08/06 Spill will be handled under Spill #0602849. JY 11/14/06 According to the Tyree Spill Report Form, the spill was caused by a bad swivel. Repairs have been made, minor spill, spill closed, JY"

Material Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OP Unit ID:	1113979				Med Ind Air:	False
OU:	01				Med GW:	False
Material ID:	2104053				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0009				
Material Name:		gasoline				

Spiller Information

Spiller Name: MIKE CARRIER
Spiller Company: GETTY #58745
Spiller Address: 222 SOUTH PEARL STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name: MIKE CARR
Contact Phone: (518) 786-3200
Contact Ext:
Latitude: 42.642845000
Longitude: -73.756150000

76	6 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY # 58745 S. PEARL ST 222 S. PEARL ST GETTY # 58745 242 SOUTH PEARL ST ALBANY NY 12202	NY SPILLS
--------------------	---------	----	--------------------	---------------	---	-----------

Spill No:	0608343	UST Trust:	False
Site ID:	372299	Spill Date:	2006-10-20 17:30:00
DER Facility ID:	322031	Received Date:	2006-10-20 17:43:00
CID:	410	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-11-13 00:00:00
Water Body:		Create Date:	2006-10-20 17:54:00
Class:	C4	Update Date:	2013-10-24 13:53:30.450000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	wtchrist
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Traffic Accident		
Reported by:	Other		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"TWO DISPENSERS WERE KNOCKED OFF ISLAND BY CUSTOMER VEHICLE: MAINTENANCE IN ROUTE TO INVESTIGATE."

DEC Remark:

"11/13/06 - Spoke with Mike Carr. Minor spillage from accident. Repair crew on way. Spill was of 1-2 gallons and cleaned up with speedi-dri. wtc PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034."

Material Information

OP Unit ID:	1130042	Med Ind Air:	False
--------------------	---------	---------------------	-------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OU:	01				Med GW:	False
Material ID:	2119709				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:					Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0009				
Material Name:		gasoline				

Spiller Information

Spiller Name: MIKE CARR
Spiller Company: GETTY # 58745
Spiller Address: 242 SOUTH PEARL ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name: MIKE CARR
Contact Phone: (518) 369-7822
Contact Ext:
Latitude: 42.642751399
Longitude: -73.755938545

76	7 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY #58745 S. PEARL ST 222 S. PEARL ST GETTY # 58745 222 SOUTH PEARL STREET ALBANY NY 12202	NY SPILLS
--------------------	---------	----	--------------------	---------------	--	-----------

Spill No:	0514489	UST Trust:	True
Site ID:	361224	Spill Date:	2006-03-18 13:00:00
DER Facility ID:	443359	Received Date:	2006-03-18 13:50:00
CID:	64	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-11-08 00:00:00
Water Body:		Create Date:	2006-03-18 14:00:00
Class:	C4	Update Date:	2013-10-24 13:58:28.583000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Beneath dispenser # 6 - No containment - soil is effected."

DEC Remark:

"PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034. 11/08/06 Spill will be handled under Spill #0602849. JY"

Material Information

OP Unit ID:	1118301	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2108817	Med SW:	False
CAS No:		Med DW:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Material Family:	Petroleum				Med Sewer:	False
Quantity:	1.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	1.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0009				
Material Name:		gasoline				

Spiller Information

Spiller Name: MIKE CARR
Spiller Company: GETTY # 58745
Spiller Address: 222 SOUTH PEARL STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202
Spiller Country: 001
Contact Name: MIKE CARR
Contact Phone: (518) 369-7822
Contact Ext:
Latitude: 42.642845000
Longitude: -73.756150000

76	8 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY S. PEARL @ FERRY ST 222 S. PEARL ST @ S. FERRY ST GETTY STA. S. PEARL + FERRY ST. ALBANY NY	NY SPILLS
--------------------	---------	----	--------------------	---------------	--	-----------

Spill No:	9312890	UST Trust:	False
Site ID:	159551	Spill Date:	1994-02-01 10:45:00
DER Facility ID:	443363	Received Date:	1994-02-01 15:24:00
CID:		CAC Date:	1994-02-01 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1994-02-09 00:00:00
Water Body:		Create Date:	1994-02-09 00:00:00
Class:	D5	Update Date:	2015-10-20 11:52:25.643000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	wtchrist
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Deliberate		
Reported by:	Citizen		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"ATTENDENT TOLD CALLER HE DIDN'T CARE IF RPT CALLED TO DEC. 9001154, 9002922,9106400,9206073,9206196."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034."

Material Information

OP Unit ID:	994789	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	388298	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	True

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Quantity:	2.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0022				
Material Name:		waste oil/used oil				

Spiller Information

Spiller Name:
Spiller Company: GETTY
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.642992448
Longitude: -73.756090610

76	9 of23	SW	0.22 / 1,138.16	26.87 / -2	GETTY S. PEARL @ S. FERRY 222 S. PEARL ST @ S. FERRY GETTY SVC. STA. SO. PEARL ST + SO. FERRY ALBANY NY	NY SPILLS
--------------------	--------	----	--------------------	---------------	---	-----------

Spill No:	9106400			UST Trust:	False
Site ID:	145033			Spill Date:	1991-09-13 13:45:00
DER Facility ID:	134774			Received Date:	1991-09-13 14:28:00
CID:				CAC Date:	1991-09-13 00:00:00
Program Type:	ER			Insp Date:	
SWIS Code:	0101			Close Date:	1991-09-27 00:00:00
Water Body:	HUDSON RIVER			Create Date:	1991-09-27 00:00:00
Class:	E6			Update Date:	2013-10-24 14:17:22.640000000
Meets Std:	True			DEC Region:	4
Penalty:	False			Lead DEC:	wtchrist
REM Phase:	0			After Hours:	False
County:		Albany			
Contributing Factor:		Deliberate			
Reported by:		Citizen			
Referred to:					
Source:		Gasoline Station or other PBS Facility			
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data			

Caller Remark:
 "DUMPING ANTIFREEZE TO ST, FLOWING TO STORM DRAIN. NO DEC RESP PER WTC. 9001154, 9002922, 9206073, 9206196, 9312890."

DEC Remark:
 "Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034."

Material Information

OP Unit ID:	956825	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	422107	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0043A				
Material Name:		antifreeze				

Spiller Information

Spiller Name:	
Spiller Company:	GETTY
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.642844994
Longitude:	-73.756150000

76	10 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY #58745 S. PEARL ST 222 S. PEARL ST GETTYMART #58745 222 SOUTH PEARL STREET ALBANY NY	NY SPILLS
--------------------	----------	----	--------------------	---------------	--	-----------

Spill No:	0612880	UST Trust:	
Site ID:	377822	Spill Date:	2007-02-28 20:27:00
DER Facility ID:	327378	Received Date:	2007-02-28 20:45:00
CID:	76	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2008-02-22 00:00:00
Water Body:		Create Date:	2007-03-01 08:23:00
Class:	A3	Update Date:	2015-06-29 11:36:59.567000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Other		
Reported by:	Other		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CALLER REPORTS SPILL DID INFILTRATE STORM SEWER SYSTEM. ALBANY FD HAZMAT ON SCENE. CALLER REQ CALL BACK FROM DEC. WHEN REPORTING SPILL TO DEC REP, WRITER WAS ADVISED THAT SPILL WAS PREVIOUSLY REPORTED EARLIER IN THE DAY. REF #0612870. 23:08 rec'd call from Patrick Wycko inquiring if DEC was on scene or responding 347-582-8257. On call DEC Rep paged given contact info."

DEC Remark:

"See Edocs; PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880 (Edocs), 0612912, 0700034. 3/3 - 8:45 MF on site. Odors still obvious in sewers. Manager from Housing Auth indicates strong odors back in building. Tyree checked building, odors similar to yesterday. Housing Auth plans to get a fire restoration company to being venting the building. There is another sump in the rear corner of the building. We dye tested this sump and saw no evidence of dye in either storm sewer. I did not notice any petro odors coming from that sump. We began to flush the storm sewers again. At approximately 11:30, Tyree indicated that a sheen was evident in the river. Clean Harbors is en route to boom the outfall. The sheen is obvious for appx 3/4 - 1 mile. There is also some signs of free product in the ice/snow along the bank. We stopped flushing the sewers and a large slug of free product appeared in the sewer. That material was vacced out. When we stopped flusing the sewer in front of the housing authority building, the odors were immedietly obvious and strong from the sewer. Several truck loads of contaminated soil have been removed from the site. There is a few pipes obvious leaving the site and heading to the storm drains. Some free product is accumulating in the bottom of the excavation. 15-18 truck loads of soil were removed by 5:30. This soil is being stockpiled at the Getty terminal in Rens Co. 3/10 - MF on site. Removing more soil in the direction of the former tank graves. Obvious free product entering excavation from S. Pearl street side. PID readings rising in sanitary sewer, in the range of 200 or so. Monitoring of sanitary and storm to continue and flushing will be conducted if necessary. Advised Tyree to have boom changed in river. Plans for the day are to excavate as many truck loads of soil as possible and stage at the terminal. Expect 20 or so loads to be removed. Bottom of excavation is same hard

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

type till that is throughout excavation. Side walls in the direction of the station are not clean, but excavation is limited in that direction due to structural concerns. Spoke to maintenance person at housing authority (Ralph). They are planning on shutting of venting system Monday morning. I suggested they wait until Friday in case odors come back into building. He indicated they were going to shut it off Monday morning; I again suggested to wait until Friday, but at a minimum Monday afternoon. He is going to talk to the supervisor and make a decision. I advised them that Tyree was around if they needed anything and that Tyree should be contacted before they shut the system down so they can do continuous air monitoring in the building. 3/12 - MF on site. Checked river, possible faint odor, no obvious sheen. New booms in place. Stopped by site. No pid readings were conducted in sanitary sewer. Elevated readings (100's) in storm and VES system. Advised Tyree to begin getting measurements from sanitary sewer. Plan to excavate more soil, apparently they can not transport to disposal facility today. Advised Jim Y of status over weekend and today. 2007-12-20. See Spill #0612912. 2008-02-21. Based on the information provided by the Feb. 12, 2008 UST Closure report and the November 6, 2007 SSI report, this spill will be closed does not meet standards. Please note - The Feb. 12, 2008 UST Closure Report makes reference to an incorrect spill number. The report makes reference to spill #0700636. This number is associated with Getty at 409 Central Ave., Albany. The report should have referenced Spill #0612880."

Material Information

OP Unit ID:	1135341	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2125241	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	2600.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	
Spiller Company:	GETTY
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	DISP COMMISSO
Contact Phone:	(518) 458-5617
Contact Ext:	
Latitude:	42.642751399
Longitude:	-73.755938545

<u>76</u>	11 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY #58745 S. PEARL ST 222 S. PEARL ST GETTY#58745 222 SOUTH PEARL STREET ALBANY NY	NY SPILLS
-----------	----------	----	--------------------	---------------	--	-----------

Spill No:	0700034	UST Trust:	False
Site ID:	379272	Spill Date:	2007-04-02 13:04:00
DER Facility ID:	443355	Received Date:	2007-04-02 13:04:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2008-01-10 00:00:00
Water Body:		Create Date:	2007-04-02 13:24:00
Class:	C4	Update Date:	2013-10-24 13:31:54.960000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Deliberate		
Reported by:	Other		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Caller Remark:

"APPARENT DUMPING IN STORM WATER CATCH BASIN BETWEEN GETTY AND STREET: TYREE INVESTIGATING AND WILL TAKE APPROPRIATE MEASURES"

DEC Remark:

"PBS 4-485780; see 8300267?, 8904015?, 9002922 (Edocs), 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664 (Edocs), 0512453 (Edocs), 0514489, 0602849 (Edocs), 0605475, 0608343, 0609655, 0612870, 0612880 (Edocs), 0612912, 0700034. 2008-01-10. Spill will be closed out and managed under Spill No. 0612880. JY"

Material Information

OP Unit ID:	1136760	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2126715	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0022		
Material Name:	waste oil/used oil		

OP Unit ID:	1136760	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2126714	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name: MIKE CARR
Spiller Company: GETTY#58745
Spiller Address: 222 SOUTH PEARL STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name: MIKE CARR
Contact Phone: (518) 369-7822
Contact Ext:
Latitude: 42.642751399
Longitude: -73.755938545

76	12 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY #58745 S. PEARL ST 222 S. PEARL ST GETTY 58745 222 SOUTH PEARL STREET ALBANY NY 12202	NY SPILLS
-----------	-----------------	-----------	----------------------------	-----------------------	--	------------------

Spill No:	0605475	UST Trust:	True
Site ID:	368642	Spill Date:	2006-08-10 14:10:00
DER Facility ID:	443358	Received Date:	2006-08-10 14:13:00
CID:	409	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-08-21 00:00:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Water Body:					Create Date:	2006-08-10 14:38:00
Class:	C4				Update Date:	2013-10-24 13:55:02.777000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	wtchrist
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Equipment Failure				
Reported by:		Other				
Referred to:						
Source:		Gasoline Station or other PBS Facility				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"LESS THAN A GAL AND CLEAN UP IN PROCESS"

DEC Remark:

"8/21/06 - Customer overfill. wtc PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034."

Material Information

OP Unit ID:	1126509	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2116049	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	MIKE CARR
Spiller Company:	GETTY 58745
Spiller Address:	222 SOUTH PEARL STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	MIKE CARR
Contact Phone:	(518) 369-7822
Contact Ext:	
Latitude:	42.642751399
Longitude:	-73.755938545

76	13 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY S. PEARL ST 222 S. PEARL ST GETTY STA. 222 SO. PEARL ST. ALBANY NY	NY SPILLS
Spill No:	9206196	UST Trust:	True			
Site ID:	140515	Spill Date:	1992-08-27 12:00:00			
DER Facility ID:	443364	Received Date:	1992-08-28 11:18:00			
CID:		CAC Date:	1992-08-28 00:00:00			
Program Type:	ER	Insp Date:				
SWIS Code:	0101	Close Date:	1992-10-08 00:00:00			
Water Body:		Create Date:	1992-09-02 00:00:00			
Class:	B3	Update Date:	2013-10-24 14:07:44.003000000			
Meets Std:	True	DEC Region:	4			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Penalty:	False				Lead DEC:	wtchrist
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Gasoline Station or other PBS Facility				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"SUSPECT LINE LEAK, PRODUCT IN OB WELLS, TO VAC OUT & TEST. ALREADY REMEDIATING OTHER SPILLS, SEE 9001154,9002922,9106400,9206073,9312890."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034."

Material Information

OP Unit ID:	973447	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	410369	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	
Spiller Company:	GETTY
Spiller Address:	222 S. PEARL ST
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	
Contact Phone:	(518) 465-2752
Contact Ext:	
Latitude:	42.642850070
Longitude:	-73.756162910

76	14 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY #58745 S. PEARL ST 222 S. PEARL ST GETTY#58745 222 SOUTH PEARL STREET ALBANY NY	NY SPILLS
--------------------	----------	----	--------------------	---------------	--	-----------

Spill No:	0609655	UST Trust:	True
Site ID:	373945	Spill Date:	2006-11-22 12:20:00
DER Facility ID:	443355	Received Date:	2006-11-22 12:20:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2007-04-20 00:00:00
Water Body:		Create Date:	2006-11-22 12:43:00
Class:	C4	Update Date:	2013-10-24 13:51:15.380000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Gasoline Station or other PBS Facility				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"ALL CLEANED UP LESS THEN 1 GALLON"

DEC Remark:

"PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034. 4/20/07 Spill Project Closed, Spill will be managed under Spill #0612880. JY"

Material Information

OP Unit ID:	1131634	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2121347	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	MIKE CARR
Spiller Company:	GETTY#58745
Spiller Address:	222 SOUTH PEARL STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	MIKE CARR
Contact Phone:	(518) 369-7822
Contact Ext:	
Latitude:	42.642751399
Longitude:	-73.755938545

76	15 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY # 58745 S. PEARL ST 222 S. PEARL ST GETTY # 58745 222 SOUTH PEARL STREET ALBANY NY 12202	NY SPILLS
--------------------	----------	----	--------------------	---------------	---	-----------

Spill No:	0602849	UST Trust:	False
Site ID:	365419	Spill Date:	2006-06-14 11:15:00
DER Facility ID:	443359	Received Date:	2006-06-14 11:15:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2007-04-20 00:00:00
Water Body:		Create Date:	2006-06-14 11:25:00
Class:	C4	Update Date:	2013-10-24 13:57:09.117000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni
REM Phase:	0	After Hours:	False
County:	Albany		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Contributing Factor:		Other				
Reported by:		Other				
Referred to:						
Source:		Gasoline Station or other PBS Facility				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"PBS No: 4-485780 during inspection found contamination:"

DEC Remark:

"See Edocs; PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034. 01/09/07 This office has received the August 31, 2006-Groundwater Monitoring Well Sampling Report from C2G. The site is a former Getty spill/remedial project. CAP involved the use of a Total Fluids System. A letter will be drafted to Getty requiring them to complete the conclusions recommended by C2G. If C2G's CAP is not effective (and it's probably will not be effective), the Total Fluid System will need to be brought back to the site. jy 4/20/07 Spill Project Closed, will be managed under Spill #0612880. JY"

Material Information

OP Unit ID:	1123439	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2112899	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	JOSEPH GAVIN
Spiller Company:	GETTY # 58745
Spiller Address:	222 SOUTH PEARL STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	JOSEPH GAVIN
Contact Phone:	(631) 694-9696
Contact Ext:	
Latitude:	42.642751399
Longitude:	-73.755938545

<u>76</u>	16 of 23	SW	0.22 / 1,138.16	26.87 / -2	HECTOR (GAS STA) S.FERRY @ S. PEARL (LATER GETTY) 222 S. PEARL ST @ S. FERRY S. PEARL ST. + S. FERRY ST. SEWER ALBANY NY	NY SPILLS
-----------	----------	----	--------------------	---------------	---	-----------

Spill No:	8300267	UST Trust:	False
Site ID:	100020	Spill Date:	1983-05-05 14:15:00
DER Facility ID:	88853	Received Date:	1983-05-05 14:15:00
CID:		CAC Date:	1983-05-05 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1983-06-28 00:00:00
Water Body:	HUDSON RIVER	Create Date:	1988-08-16 00:00:00
Class:	B2	Update Date:	2013-10-24 14:25:12.750000000
Meets Std:	True	DEC Region:	4

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Penalty:	False				Lead DEC:	KING
REM Phase:	0				After Hours:	False
County:		Albany				
Contributing Factor:		Housekeeping				
Reported by:		Health Department				
Referred to:						
Source:		Gasoline Station or other PBS Facility				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"OIL EXPELLED FROM PIPE TO SURFACE. POTENTIAL FOR DISCHARGE TO STORM SEWER & HUDSON RIVER. DOMERMUTH HIRED TO PUMP OUT TANK & APPLY ABSORBENTS SINCE OWNER COULD NOT BE IMMEDIATELY FOUND."

DEC Remark:

"See Edocs; PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034."

Material Information

OP Unit ID:	894365	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	481174	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0022		
Material Name:	waste oil/used oil		

Spiller Information

Spiller Name:	
Spiller Company:	MRS. HECTOR (LATER GETTY?) HECKER?
Spiller Address:	
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	999
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.642992448
Longitude:	-73.756090610

76	17 of 23	SW	0.22 / 1,138.16	26.87 / -2	MNZ MART S. PEARL ST (FORMER GETTY) 222 S. PEARL ST MNZ MART 222 SOUTH PEARL ST ALBANY NY	NY SPILLS
Spill No:	1307045	UST Trust:	False			
Site ID:	487697	Spill Date:	2013-10-07 08:09:00			
DER Facility ID:	442809	Received Date:	2013-10-07 08:09:00			
CID:		CAC Date:				
Program Type:	ER	Insp Date:				
SWIS Code:	0101	Close Date:	2016-03-18 00:00:00			
Water Body:		Create Date:	2013-10-07 08:10:00			
Class:	B4	Update Date:	2016-05-09 12:36:58.727000000			
Meets Std:	False	DEC Region:	4			
Penalty:	False	Lead DEC:	MSFRANKL			

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
REM Phase:	0				After Hours:	True
County:		Albany				
Contributing Factor:		Unknown				
Reported by:		Other				
Referred to:						
Source:		Gasoline Station or other PBS Facility				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"soil borings confirm loss, tanks were removed residual loss probable"

DEC Remark:

"12/3 - Update. Another spill where the notes have gone missing. So.... A potential buyer had an investigation done at this site. Report was received (Edocs), and contamination was detected in a boring near the previously un-remove line. I suggested to the consultant (LCS) that they come up with a plan to deal with that hot spot. Currently awaiting a reply from them. Also discussed site with Jim Y, who was involved in the previous excavation at the site. The site was essentially dug nearly completely out in the past. 1/7/13 - Update. MF received a note from current owners consultant. They are planning of going back and excavating the area of contamination that they discovered during their investigation. 3/20/14 - MF note to consultant regarding updates. She replied and indicated that actions are expected during the second week of April. 7/18/14 - Update. Another spill where the notes are missing. So to recap - NETC was retained by MNZ to do some more work at the site. NETC recently sent in the proposal. There is still a hot spot in two areas, one of which NETC is proposing to address. They are unwilling to address the other area as it was previously left behind by Getty. I suggested that they address that area as well since the numbers are almost 5 fold higher than they were when Getty last sampled it, but they are not going to do that. I did tell them they could move ahead with their plan. This may not however, get the site to the closure status they desired. 4/9/15 - Update. Site was sampled again. Contamination remains in 2 wells. Well near road (MW-1) has historic levels of contamination in it. Well on property (MW-4) has moderate levels of contamination that they are trying to treat with injections. I advised NETC that if levels of contamination in MW-1 remain or decrease, no additional remediation would be required at that location. However, additional sampling and/or remediation will be required at MW-4. 6/15/15 - Update. 5/12/15 NETC report reviewed. MW1 MW2 MW3 MW4 MW7 5/12/14 101.2/5.46 338,370/3000 5.2/1.89 9/25/14 86,400/443 23/5.95 1/23/15 12680/520 28/ND 38.1/1.19 40,850/510 ND/1.84 4/22/15 7488/214 31/ND 7,343/116 NETC Requested to sample MW1 and 4 quarterly. Agreed. 6/30/15 - MF met with Wink, current owner, and potential buyer. It was agreed to sample MW1 and MW4 one more time for VOC's and SVOC's (in July 2015). Then base the following sampling round (Oct 2015) and requirements on the July results (ie: may be able to sample in Oct for VOC's only). It is possible that a 3rd sample will be required, based on overall trends. All of this is based on the assumption that the numbers will decline due to the activities at the site. If the numbers do not decline and additional work is necessary, the current owner would like the DEC to contact Getty for the additional work. 7/20 - MF spoke to J Wink. The site was sampled during the first week of August. The will be submitting info. 10/16/15 - Report reviewed. Advised Wink that MW-4 needs to be sampled again for VOC's only. If the numbers are similar to past events, this spill can be closed. 11/16/15 - Note to Wink inquiring about sampling. 12/14 - MF sent Wink a note to summarize data so DEC can review for closure. 3/18/16 - Jim Y reviewed site with owners and consultants. He closed the site on 3/18."

Material Information

OP Unit ID:	1237330	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2236977	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	ALLEN RACINE
Spiller Company:	MNZ MART (FORMER GETTY)
Spiller Address:	222 SOUTH PEARL ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	ALLEN RACINE
Contact Phone:	(518) 320-9103
Contact Ext:	
Latitude:	42.642751399
Longitude:	-73.755938545

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
76	18 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY #58745 S. PEARL ST 222 S. PEARL ST GETTY # 58745 221 SOUTH PEARL STREET ALBANY NY	NY SPILLS

Spill No:	0612870	UST Trust:	True
Site ID:	377811	Spill Date:	2007-02-28 14:30:00
DER Facility ID:	443356	Received Date:	2007-02-28 16:09:00
CID:	410	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2008-08-06 00:00:00
Water Body:		Create Date:	2007-02-28 16:25:00
Class:	B3	Update Date:	2022-03-01 14:27:27.727000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JEYUCHNI
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Local Agency		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"INSPECTION OF DIPSENER # 6, PREMIUM, REVEALED POTENTIAL LINE LEAK BENEATH DISPENSER, FACILITY SHUT DOWN, PENDING FUTHER INVESTIGATION, REQUEST CALL BACK FROM DEC"

DEC Remark:

"See Edocs; PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034. 2008-08-06. Spill closed. Remediation completed under several other spill numbers. Station is nolonger sells gas. USTs, piping, dispenser removed. Contaminated soil has been excavated. UST Closure report submitted to this office under an incorrect spill number (#0700636). DEC decided to edoc the report under this spill number. There is a C2G UST spill report for the 550-gal. UST as well. 03.01.22 - Freedom of Information Law Request # W097143-022822"

Material Information

OP Unit ID:	1135330	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2125230	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	MIKE CARR
Spiller Company:	GETTY # 58745
Spiller Address:	221 SOUTH PEARL STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	12202
Spiller Country:	001
Contact Name:	MIKE CARR
Contact Phone:	(518) 369-7822
Contact Ext:	
Latitude:	42.642751399

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Longitude:		-73.755938545				

76 19 of 23 SW 0.22 / 1,138.16 26.87 / -2 **GETTY #58745 S. PEARL ST
222 S. PEARL ST GETTY# 58745
222 SOUTH PEARL STREET
ALBANY NY 12202** **NY SPILLS**

Spill No:	0512453	UST Trust:	True
Site ID:	358771	Spill Date:	2006-01-26 17:40:00
DER Facility ID:	443361	Received Date:	2006-01-26 18:10:00
CID:	406	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-11-08 00:00:00
Water Body:		Create Date:	2006-01-26 18:32:00
Class:	C4	Update Date:	2013-10-24 13:59:49.393000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Five dispensers [sp] that are leaking on the inside. Combined material leakage is less than one gallon for all dispensers [sp]. There is some diesel staining by that dispenser[sp]. Dispensers[sp] are shut down ... clean up pending repairs."

DEC Remark:

"See Edocs; PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034. 2/22/06 This is an old Getty facility with a history of significant spills (ie., likely contaminated soil still on site). This spill may have released more than the reported one-gallon. I have requested a PBS inspection from Ed Moore and may require another SSI. The SSI may find contamination associated with historical spills. 11/08/06 Spill will be closed and handle under Spill #0602849. JY"

Material Information

OP Unit ID:	1115998	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2106111	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name: MIKE CARR
Spiller Company: GETTY# 58745
Spiller Address: 222 SOUTH PEARL STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name: MIKE CARR
Contact Phone: (518) 369-7822
Contact Ext:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Latitude:		42.642845000				
Longitude:		-73.756150000				

76	20 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY #58745 S. PEARL ST 222 S. PEARL ST GETTY #58745 222 SOUTH PEARL ALBANY NY	LST
--------------------	----------	----	--------------------	---------------	--	-----

Spill No:	0612912	REM Phase:	0
Site ID:	377865	UST Trust:	True
DER Facility ID:	331773	Spill Date:	2007-03-01 14:30:00
CID:	406	Rcvd Date:	2007-03-01 14:54:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	2007-12-20 00:00:00
Water Body:		Create Date:	2007-03-01 15:38:00
Class:	B3	Update Date:	2013-10-24 13:34:26.473000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Tank Tester		
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"When Krompco arrived there was no product in the lines or the tank. Did an air test on all grades of gasoline only the premium failed the air test. Line #2 was tested with nitrogen which was the only way the line could be tested when it has no product in it. No reportable spill at this time."

Dec Remark:

"PBS 4-485780; see 8300267?[Edoc], 8904015?, 9002922 [Edoc], 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664 [Edoc], 0512453 [Edoc], 0514489, 0602849 [Edoc], 0605475, 0608343, 0609655, 0612870 [Edoc], 0612880 [Edoc], 0612912, 0700034. This rpt was result of followup work for 0612870. 2007-12. Based on info. provided by the Tyree letter dated 12-18-2007 (see edoc Spill #0612880) this spill will be closed. JY"

Material Information

OP Unit ID:	1135382	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	2125287	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	MIKE BROWN
Spiller Company:	GETTY #58745
Spiller Address:	222 SOUTH PEARL
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	12203
Spiller Country:	001
Contact Name:	MIKE BROWN
Contact Phone:	(610) 721-3574
Contact Ext:	
Latitude:	42.642751399

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Longitude: -73.755938545

Tank Test Information

Spill Tank ID:	1550670	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0009	Modified by:	Watchdog
EPA UST:		Last Modified:	2007-03-01 15:38:25
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

76	21 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY S. PEARL ST 222 S. PEARL ST GETTY 222 S. PEARL ST. ALBANY NY	LST
--------------------	----------	----	--------------------	---------------	---	-----

Spill No:	9002922	REM Phase:	0
Site ID:	140513	UST Trust:	True
DER Facility ID:	345077	Spill Date:	1990-06-13 18:00:00
CID:		Rcvd Date:	1990-06-13 21:00:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	1998-07-09 00:00:00
Contribute Factor:	Tank Test Failure	Close Date:	2003-08-04 00:00:00
Water Body:		Create Date:	1990-07-02 00:00:00
Class:	B4	Update Date:	2015-06-29 14:24:04.053000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	jeyuchni
County:	Albany	After Hours:	True
Referred to:			
Reported by:	Tank Tester		
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"2K & 5K UGTS FAILED PETROTITE @ UNDETERMINED RATE, WILL RETEST. SEE 9001154,9106400,9206073,9206196,9312890."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was YUCHNIEWICZ See EDOCs PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034. 11/1/2001 RECEIVED 2ND AND 3RD QUARTER SAMPLING RESULTS. GW CONCENTRATION STILL HIGH IN THE PLUME AREA (VP-4 AND GT-4 AREAS). AIR SPARGE SYSTEM IS DOWN, NOTIFIED OCT. 19TH. TRANSFER PUMP DOWN. RECEIVED LETTER FROM TYREE INDICATING THAT IT WILL BE BACK THE FIRST WEEK OF NOVEMBER. MAJOR CONSITUTENT ON-SITE IS MTBE. 12K PPB IN GT-4. REMAINING BETX COMPONETS BELOW 1000. 10/27/08 - 08/349"

Material Information

OP Unit ID:	940815	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	437647	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		
OP Unit ID:	940815	Med in Air:	False
OU:	01	Med GW:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Material ID:	2096565				Med SW: False	
CAS No:	01634044				Med DW: False	
Material Family:	Hazardous Material				Med Sewer: False	
Quantity:					Med Surf: False	
Units:					Med Subway: False	
Recovered:					Med Utility: False	
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		1213A				
Material Name:		MTBE (methyl-tert-butyl ether)				

Spiller Information

Spiller Name: SCOTT HANLEY
Spiller Company: GETTY REALTY CORP.
Spiller Address: 125 JERICO TPKE.
Spiller City: JERICO
Spiller State: NY
Spiller Zip: 11753-001
Spiller Country:
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.642850070
Longitude: -73.756162910

Tank Test Information

Spill Tank ID: 1537181
Tank No:
Tank Size: 0
Material: 1213A
EPA UST:
UST:
Cause:
Alt Test Method: Unknown

Source:
Leak Rate: .00
Gross Fail:
Modified by: Spills
Last Modified: 2004-10-01 04:00:45.140000000
Test Method: 00

76	22 of 23	SW	0.22 / 1,138.16	26.87 / -2	GETTY S. PEARL ST 222 S. PEARL ST GETTY GAS STA 222 SO. PEARL ST. ALBANY NY	LST
--------------------	----------	----	--------------------	---------------	--	-----

Spill No: 9206073
Site ID: 140514
DER Facility ID: 443365
CID:
Program Type: ER
SWIS Code: 0101
Contribute Factor: Tank Test Failure
Water Body:
Class: B3
Meets Std: True
Penalty: False
County: Albany
Referred to:
Reported by: Tank Tester
Source: Gasoline Station or other PBS Facility
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

REM Phase: 0
UST Trust: True
Spill Date: 1992-08-26 09:00:00
Rcvd Date: 1992-08-26 09:26:00
CAC Date: 1992-10-01 00:00:00
Insp Date:
Close Date: 1992-10-08 00:00:00
Create Date: 1992-09-01 00:00:00
Update Date: 2013-10-24 14:26:32.230000000
DEC Region: 4
Lead DEC: tesperbe
After Hours: False

Caller Remark:

"LINE TEST FAILURE, REPAIRING LINES. ALREADY REMEDIATING OTHER SPILLS, SEE 9001154,9002922,9106400,9206196,9312890."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SPERBECK PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400,

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034."

Material Information

OP Unit ID:	969830	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	410255	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	
Spiller Company:	GETTY
Spiller Address:	222 S. PEARL ST
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	
Contact Phone:	(518) 465-2752
Contact Ext:	
Latitude:	42.642850070
Longitude:	-73.756162910

Tank Test Information

Spill Tank ID:	1540456	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0009	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.140000000
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

76	23 of 23	SW	0.22 / 1,138.16	26.87 / -2	CONSTRUCTION SITE AT GAS STATION 222 SOUTH PEARL ST ALBANY NY	NY SPILLS
--------------------	----------	----	--------------------	---------------	---	-----------

Spill No:	2205166	UST Trust:	False
Site ID:	642352	Spill Date:	2022-09-14 07:00:00
DER Facility ID:	588796	Received Date:	2022-09-14 07:52:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2023-02-28 00:00:00
Water Body:		Create Date:	2022-09-14 07:54:00
Class:	C4	Update Date:	2023-02-28 11:34:18.790000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"old spill site - residual"

DEC Remark:

"9/14/22 - TC with George. Historical contamination found during excavation at old gas station. No immediate response needed, Josh will discuss remediation plan with him. MJR JDU telecom with George Longworth. They are excavating for a new tank grave and hit impacted soil on wall near building. They will dig out as much as possible and sample. remaining walls and bottom are stone backfill from previous tank grave and remedial projects. Remedial report received. Soil from SE wall excavated, and an end point sample taken. sample meets Residential SCO's. Some GW showed up in tank grave that had no odors or sheen. Previous spill had GW impacts and was closed not meeting standards. Report in D2. Spill can be closed not meeting standards. JDU"

Material Information

OP Unit ID:	1389366	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2404375	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
Spiller Company: PINNACLE BUSINESS VENTURE
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: GEORGE LONGWORTH
Contact Phone: (518) 882-1080
Contact Ext:
Latitude:
Longitude:

77	1 of 2	NE	0.22 / 1,139.53	21.25 / -8	FRANKLINS TOWER BROADWAY 414 BROADWAY ALBANY NY	NY SPILLS
--------------------	--------	----	--------------------	---------------	---	-----------

Spill No:	0610130	UST Trust:	False
Site ID:	374511	Spill Date:	2006-12-06 11:45:00
DER Facility ID:	324190	Received Date:	2006-12-06 12:12:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2007-01-04 00:00:00
Water Body:		Create Date:	2006-12-06 12:25:00
Class:	C4	Update Date:	2008-11-25 15:41:37.440000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	wtchrist
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"VENT PROBLEM- AND IS CLEANING UP AT THIS TIME"

DEC Remark:

"01/04/07 - No Dec response. Main Care did clean up. wtc see 0514545"

Material Information

OP Unit ID:	1132185	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2121906	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	2.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	GARY BLAUVELT
Spiller Company:	FRANKLINS TOWER
Spiller Address:	414 BROADWAY
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	GARY BLAUVELT
Contact Phone:	(518) 436-9704
Contact Ext:	
Latitude:	42.648341369
Longitude:	-73.751028584

<u>77</u>	2 of 2	NE	0.22 / 1,139.53	21.25 / -8	FRANKLIN TOWERS BROADWAY 414 BROADWAY ALBANY NY 12210	NY SPILLS
-----------	--------	----	--------------------	---------------	---	-----------

Spill No:	0514545	UST Trust:	False
Site ID:	361287	Spill Date:	2006-03-20 15:40:00
DER Facility ID:	311477	Received Date:	2006-03-20 15:52:00
CID:	409	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-03-21 00:00:00
Water Body:		Create Date:	2006-03-20 16:06:00
Class:	C4	Update Date:	2007-05-01 15:34:23.577000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CLEAN UP IN PROCESS."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

DEC Remark:

"03/21/06 - Left message for Joe Hitt to call me with more information on this release. wtc 03/21/06 - Joe Hitt called back and spill was about 2-3 gallons out the outside vent. Clean up by Main Care. He is sending pictures by e-mail. wtc aww 0610130 (similar problem)"

Material Information

OP Unit ID:	1119451	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2108875	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	3.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name: JOE BLANCHETT
Spiller Company: FRANKLIN TOWERS
Spiller Address: 414 BROADWAY
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name: JOE BLANCHETT
Contact Phone: (518) 810-6386
Contact Ext:
Latitude: 42.648341369
Longitude: -73.751028584

78	1 of 1	SE	0.22 / 1,140.32	11.88 / -17	NYS DOT BIN 109299B RAMP AD OVER BROADWAY ET AL ALBANY NY 12202	RCRA NON GEN
--------------------	--------	----	--------------------	----------------	--	-------------------------

EPA Handler ID: NYD987022977
Gen Status Universe: No Report
Contact Name: ROBERT CRAVER
Contact Address: 84 , HOLLAND AVE , , ALBANY , NY, 12208 , US
Contact Phone No and Ext: 518-474-6562
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20070101
Location Latitude: 42.6428
Location Longitude: -73.750778

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Mixed Waste Generator:		No				
Transporter Activity:		No				
Transfer Facility:		No				
Onsite Burner Exemption:		No				
Furnace Exemption:		No				
Underground Injection Activity:		No				
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19921119
 Handler Name: NYSDOT BIN 109299B
 Source Type: Notification
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D000
 Waste Code Description: DESCRIPTION

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20060101
 Handler Name: NYSDOT BIN 109299B
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20070101
 Handler Name: NYSDOT BIN 109299B
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	State	Street 1:	84 HOLLAND AVE
Name:	NYSDOT	Street 2:	
Date Became Current:		City:	ALBANY
Date Ended Current:		State:	NY
Phone:	518-474-6562	Country:	
Source Type:	Notification	Zip Code:	12208

Owner/Operator Ind:	Current Operator	Street No:	
Type:	State	Street 1:	84 HOLLAND AVE
Name:	NYSDOT	Street 2:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Date Became Current:					City:	ALBANY
Date Ended Current:					State:	NY
Phone:	518-474-6562				Country:	US
Source Type:	Implementer				Zip Code:	12208
Owner/Operator Ind:		Current Owner			Street No:	
Type:	State				Street 1:	84 HOLLAND AVE
Name:	NYSDOT				Street 2:	
Date Became Current:					City:	ALBANY
Date Ended Current:					State:	NY
Phone:	518-474-6562				Country:	US
Source Type:	Implementer				Zip Code:	12208

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 109299B

Receive Dt: 19921119
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 109299B

79	1 of 1	NE	0.22 / 1,142.32	28.89 / 0	NATIONAL GRID 54 STATE ST ALBANY NY 12207	RCRA NON GEN
--------------------	--------	-----------	----------------------------	----------------------	--	-------------------------

EPA Handler ID: NYP000978183
Gen Status Universe: No Report
Contact Name: MATTHEW ROOT
Contact Address: 1125 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext: 518-433-3696
Contact Email:
Contact Country: US
County Name: SCHENECTADY
EPA Region: 02
Land Type: Private
Receive Date: 20220512
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20211210
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Emergency
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20220225
 Handler Name: NATIONAL GRID 54 STATE ST
 Source Type: Annual/Biennial Report update with Notification
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20220512
 Handler Name: NATIONAL GRID
 Source Type: Deactivation
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	1125
Type:	Private	Street 1:	BROADWAY
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Date Became Current:	20000905	City:	ALBANY
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	12204

Owner/Operator Ind:	Current Operator	Street No:	1125
Type:	Private	Street 1:	BROADWAY
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Date Became Current:	20000905	City:	ALBANY
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	12204

Owner/Operator Ind:	Current Operator	Street No:	1125
Type:	Private	Street 1:	BROADWAY
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Date Became Current:	20000905	City:	ALBANY
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Deactivation	Zip Code:	12204

Owner/Operator Ind:	Current Owner	Street No:	1125
Type:	Private	Street 1:	BROADWAY
Name:	NIAGARA MOHAWK POWER CORP A	Street 2:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Date Became Current:	NATIONAL GRID CO 20000905				City: ALBANY	
Date Ended Current:					State: NY	
Phone:					Country: US	
Source Type:	Deactivation				Zip Code: 12204	

Historical Handler Details

Receive Dt:	20220225
Generator Code Description:	Large Quantity Generator
Handler Name:	NATIONAL GRID 54 STATE ST
Receive Dt:	20211210
Generator Code Description:	Large Quantity Generator
Handler Name:	NIAGARA MOHAWK A NATIONAL GRID CO

80	1 of 1	NE	0.22 / 1,148.49	28.06 / -1	NAT GRID TRANSFORMER STATE @ GREEN STATE ST @ GREEN ST VAULT 6 VAULT 6 STATE ST & GREEN ST ALBANY NY	NY SPILLS
-----------	---------------	-----------	----------------------------	-----------------------	---	------------------

Spill No:	0813415	UST Trust:	False
Site ID:	411104	Spill Date:	2009-03-11 10:00:00
DER Facility ID:	360325	Received Date:	2009-03-12 13:56:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2009-03-27 00:00:00
Water Body:		Create Date:	2009-03-12 13:58:00
Class:	C4	Update Date:	2009-03-27 09:31:41.053000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Caller states a transformer failure caused oil to spill onto the concrete sidewalk. Cleanup was done."

DEC Remark:

"03/27/09 - Clean up by National Grid. wtc"

Material Information

OP Unit ID:	1167571	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2159151	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	2.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Name: BARB SCHUERER BARBARA SCHEURER
Spiller Company: NATIONAL GRID NIMO
Spiller Address: STATE ST & GREEN ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: BARB SCHUERER BARBARA SCHEURER
Contact Phone: (518) 577-6712
Contact Ext:
Latitude:
Longitude:

81	1 of 1	NNE	0.22 / 1,153.89	37.52 / 8	R F C PROPERTY INC 74-76 STATE ST ALBANY NY 12207	RCRA NON GEN
--------------------	--------	-----	--------------------	--------------	---	-----------------

EPA Handler ID: NYR000089839
Gen Status Universe: No Report
Contact Name: RON AUSBURN
Contact Address: PO BOX 2256A , , DENVER , NY, 80222 , US
Contact Phone No and Ext: 518-899-7496
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20070101
Location Latitude: 42.649454
Location Longitude: -73.752248

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20000907
Handler Name: R F C PROPERTY INC
Source Type: Notification
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: R F C PROPERTY INC
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: R F C PROPERTY INC
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Operator
Type: Private
Name: 74 STATE STREET ASSOCIATES
Date Became Current: 20010101
Date Ended Current:
Phone: 212-555-1212
Source Type: Implementer

Street No:
Street 1: 112 STATE ST SUITE 1320
Street 2:
City: ALBANY
State: NY
Country: US
Zip Code: 12207

Owner/Operator Ind: Current Owner
Type: Private
Name: 74 STATE STREET ASSOCIATES
Date Became Current: 20010101
Date Ended Current:
Phone: 212-555-1212
Source Type: Implementer

Street No:
Street 1: 112 STATE ST SUITE 1320
Street 2:
City: ALBANY
State: NY
Country: US
Zip Code: 12207

Owner/Operator Ind: Current Owner
Type: Private
Name: 74 STATE STREET ASSOCIATES
Date Became Current:
Date Ended Current:
Phone: 212-555-1212
Source Type: Notification

Street No:
Street 1: 112 STATE ST SUITE 1320
Street 2:
City: ALBANY
State: NY
Country: US
Zip Code: 12207

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: R F C PROPERTY INC

Receive Dt: 20000907
Generator Code Description: Small Quantity Generator
Handler Name: R F C PROPERTY INC

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
82	1 of 2	NE	0.22 / 1,156.13	24.96 / -4	HAMPTON PLAZA 38 STATE ST ALBANY NY 12242	RCRA VSQG

EPA Handler ID: NYR000168963
Gen Status Universe: VSG
Contact Name: BRUCE C DAPPRICH
Contact Address: 171 , GASS RD , C/O HAWK LOGISTICS , PITTSBURGH , PA, 15229 , US
Contact Phone No and Ext: 412-364-7823
Contact Email: BDAPPRICH@HOTMAIL.COM
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20090922
Location Latitude: 42.650597
Location Longitude: -73.754269

Violation/Evaluation Summary

Note: NO VIOLATIONS: All of the compliance records associated with this facility (EPA ID) indicate NO VIOLATIONS; Compliance Monitoring and Enforcement table dated Jan, 2024.

Evaluation Details

Evaluation Start Date: 20101025
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: State

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20090922
Handler Name: HAMPTON PLAZA
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	21
Type:	Municipal	Street 1:	LODGE ST
Name:	CITY OF ALBANY INDUSTRIAL DEVELOP AUTH	Street 2:	
Date Became Current:	19930322	City:	ALBANY
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Notification	Zip Code:	12207

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Municipal	Street 1:	
Name:	CITY OF ALBANY INDUSTRIAL DEVELOP AUTH	Street 2:	
Date Became Current:	19930322	City:	
Date Ended Current:		State:	
Phone:		Country:	
Source Type:	Notification	Zip Code:	

82	2 of 2	NE	0.22 / 1,156.13	24.96 / -4	NIAGARA MOHAWK A NATIONAL GRID CO 40 STATE ST ALBANY NY 12207	RCRA NON GEN
--------------------	--------	----	--------------------	---------------	--	-----------------

EPA Handler ID:	NYP000969907
Gen Status Universe:	No Report
Contact Name:	BARBARA SCHEURER
Contact Address:	1125 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext:	
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	
Receive Date:	20140529
Location Latitude:	
Location Longitude:	

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
Commercial TSD:	No
Used Oil Transporter:	No
Used Oil Transfer Facility:	No
Used Oil Processor:	No
Used Oil Refiner:	No
Used Oil Burner:	No
Used Oil Market Burner:	No
Used Oil Spec Marketer:	No

Hazardous Waste Handler Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Sequence No: 1
Receive Date: 20130904
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Source Type: Emergency
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20140529
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Historical Handler Details

Receive Dt: 20130904
Generator Code Description: Very Small Quantity Generator
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO

83	1 of 1	S	0.22 / 1,159.45	19.37 / -10	SALVATION ARMY 40 SOUTH FERRY ST ALBANY NY	NY SPILLS
--------------------	--------	---	--------------------	----------------	--	-----------

Spill No:	2006985	UST Trust:	False
Site ID:	612858	Spill Date:	2020-11-02 15:11:00
DER Facility ID:	560903	Received Date:	2020-11-02 15:11:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2023-03-03 00:00:00
Water Body:		Create Date:	2020-11-02 15:13:00
Class:	C3	Update Date:	2023-03-03 08:02:31.800000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"samples confirm petro in soil"

DEC Remark:

"11/02/2020 - Left message with Kim Baines at Alpine Environmental requesting a call back. -DJW 11/02/2020 - TC with Kim Baines. He left a message for Josh already. Alpine is working for Salvation Army who are receiving the neighboring property as a donation. Several borings were advanced and 2 came back with petro hits. One was above soil clean up objectives and the other was above groundwater standards. Building was an old industrial building with a variety of uses. Kim will send Josh and I the report for review. Salvation Army is hoping to have a meeting on site to discuss what will need to be done this Friday. Josh can follow up with Kim and if he can't make it Friday, I will run down. - DJW JDU telecom with Kim, Will meet on site Friday morning to go over remedial options and requirements. 11/2/20 Phase II received. See D2. Freedom of Information Law Request # W097215-030122 Due to elevated results in soil and GW identified in the Phase II Alpine is going to do a spill investigation and dig test pits on site to remove any potential abandoned tanks and contamination. 12/10/21 Spill investigation report received. Test pit dug in areas of soil and groundwater impacts. Utilities and a large bolder limited the extent of the excavation. No further contamination found. Requested that further investigation be completed in the area to continue to delineate spill. 1/6/23 Supplemental SSI report received. See d2 borings and wells installed in area where contamination was found and downgradient to monitor for migration. All soil results met SCO's and only slight GW exceedances in the area where contamination was identified. It appears that groundwater contamination is localized to a small area and not migrating. Due to site conditions limiting remedial actions spill can be closed not meeting standards. JDU"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1359981	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2371659	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:	KIM BANES
Spiller Company:	COMMERCIAL
Spiller Address:	40 SOUTH FERRY ST
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	KIM BANES
Contact Phone:	(518) 588-2104
Contact Ext:	
Latitude:	
Longitude:	

84	1 of 2	NNE	0.22 / 1,160.43	34.88 / 6	NAT GRID JAMES ST @ STATE ST (VAULT 55) JAMES ST @ STATE ST ROADWAY JAMES AND STATE ST ALBANY NY	NY SPILLS
--------------------	--------	------------	----------------------------	----------------------	---	------------------

Spill No:	1700043	UST Trust:	False
Site ID:	544634	Spill Date:	2017-04-03 10:15:00
DER Facility ID:	498317	Received Date:	2017-04-03 12:09:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2017-08-15 00:00:00
Water Body:		Create Date:	2017-04-03 12:11:00
Class:	C4	Update Date:	2017-11-15 16:24:18.283000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	PNBENTIE
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Transformer		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Non pcb unknown failure clean up pending contained vault"

DEC Remark:

"8/15/17 – per 4/4/17 e-mail from Matthew Root (NG): nonPCB, 10gal, OpTech cleaned See 1700339"

Material Information

OP Unit ID:	1293181	Med Ind Air:	False
--------------------	---------	---------------------	-------

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OU:	01				Med GW:	False
Material ID:	2299088				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	10.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:					Med Utility:	False
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0020A				
Material Name:		transformer oil				

Spiller Information

Spiller Name: TERRY
Spiller Company: NATIONAL GRID
Spiller Address: JAMES AND STATE ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: TERRY
Contact Phone: (518) 356-6471
Contact Ext:
Latitude:
Longitude:

84	2 of 2	NNE	0.22 / 1,160.43	34.88 / 6	NAT GRID TRANSFORMER JAMES ST @ STATE ST JAMES ST @ STATE ST ROADWAY JAMES ST AND STATE ST ALBANY NY	NY SPILLS
--------------------	--------	------------	------------------------	------------------	---	------------------

Spill No:	1700339	UST Trust:	False
Site ID:	545332	Spill Date:	2017-04-11 09:20:00
DER Facility ID:	499013	Received Date:	2017-04-11 09:20:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2017-04-11 00:00:00
Water Body:		Create Date:	2017-04-11 09:23:00
Class:	C5	Update Date:	2017-08-14 15:16:24.160000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Transformer		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"caller reports transformer being removed from in ground vault and loaded onto service truck is leaking oil...caller states that no effort being made on clean up"

DEC Remark:

"Reported as 1700043. Will be handled under that spill. "

Material Information

OP Unit ID:	1293497	Med Ind Air:	False
OU:	01	Med GW:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Material ID:	2299412				Med SW: False	
CAS No:					Med DW: False	
Material Family:	Petroleum				Med Sewer: False	
Quantity:					Med Surf: False	
Units:	G				Med Subway: False	
Recovered:					Med Utility: False	
Med Soil:	False				Oxygenate:	
Med Air:	False					
Material Code:		0020A				
Material Name:		transformer oil				

Spiller Information

Spiller Name:

Spiller Company: NAT GRID

Spiller Address:

Spiller City:

Spiller State: NY

Spiller Zip:

Spiller Country: 999

Contact Name: N/A

Contact Phone:

Contact Ext:

Latitude:

Longitude:

85	1 of 2	SSE	0.22 / 1,162.30	15.63 / -14	GLOBAL COMPANIES LLC - ALBANY TERMINAL 50 CHURCH ST - PORT OF ALBANY ALBANY NY 12202	AIR PERMITS
--------------------	--------	-----	--------------------	----------------	--	-------------

Permit ID: 401010011200029

County:

Source: Air Title V

Title V Details

Permit Type:	ATV	Modification No:	3
Status:	SAPA Extended	Issue Date:	7/22/2009
Renewal No:	1	Exp Date:	6/19/2010
Url Permit:	https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html		
Permit Type:	ATV	Modification No:	1
Status:	SAPA Extended	Issue Date:	8/10/2011
Renewal No:	2	Exp Date:	3/2/2016
Url Permit:	https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html		
Permit Type:	ATV	Modification No:	1
Status:	SAPA Extended	Issue Date:	3/24/1999
Renewal No:	0	Exp Date:	
Url Permit:	https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html		
Permit Type:	ATV	Modification No:	1
Status:	SAPA Extended	Issue Date:	12/5/2005
Renewal No:	1	Exp Date:	6/19/2010
Url Permit:	https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html		
Permit Type:	ATV	Modification No:	2
Status:	SAPA Extended	Issue Date:	8/25/2011
Renewal No:	2	Exp Date:	3/2/2016
Url Permit:	https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html		
Permit Type:	ATV	Modification No:	3
Status:	SAPA Extended	Issue Date:	11/1/2011
Renewal No:	2	Exp Date:	3/2/2016

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
<hr/>						
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html						
Permit Type:	ATV				Modification No:	0
Status:	SAPA Extended				Issue Date:	4/6/1999
Renewal No:	0				Exp Date:	4/6/2004
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html						
Permit Type:	ATV				Modification No:	0
Status:	SAPA Extended				Issue Date:	3/3/2011
Renewal No:	2				Exp Date:	3/2/2016
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html						
Permit Type:	ATV				Modification No:	4
Status:	SAPA Extended				Issue Date:	11/5/2012
Renewal No:	2				Exp Date:	3/2/2016
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html						
Permit Type:	ATV				Modification No:	2
Status:	Expired				Issue Date:	5/4/2007
Renewal No:	1				Exp Date:	6/19/2010
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html						
Permit Type:	ATV				Modification No:	0
Status:	SAPA Extended				Issue Date:	6/20/2005
Renewal No:	1				Exp Date:	6/19/2010
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_atv.html						
<hr/>						
85	2 of 2	SSE	0.22 / 1,162.30	15.63 / -14	GLOBAL COMPANIES LLC - ALBANY TERMINAL 50 CHURCH ST - PORT OF ALBANY ALBANY NY 12202	AIR PERMITS
Permit ID: 401010011200036						
County:						
Source: Air Permitted Facilities						
Facility Details						
Permit Type:	ASF				Modification No:	0
Status:	Expired				Issue Date:	6/2/2010
Renewal No:	0				Exp Date:	3/3/2011
Url Permit:						
Permit Type:	ASF				Modification No:	1
Status:	Expired				Issue Date:	3/3/2011
Renewal No:	0				Exp Date:	
Url Permit:						
<hr/>						
86	1 of 1	E	0.22 / 1,162.44	5.55 / -24	NYS DOT BIN 1092952 I-787 NB OVER BROADWAY QUAY ST CONNECTION ALBANY NY 12202	RCRA NON GEN
EPA Handler ID: NYD986969715						
Gen Status Universe: No Report						
Contact Name: CHARLES PAFUNDI						
Contact Address: 84 , HOLLAND AVE , , ALBANY , NY, 12208 , US						
Contact Phone No and Ext: 518-474-6562						
Contact Email:						
Contact Country: US						
County Name: ALBANY						
EPA Region: 02						
Land Type: State						
Receive Date: 20070101						
Location Latitude: 42.646309						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Location Longitude: -73.748779

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19910821
Handler Name: NYSDOT BIN 1092952
Source Type: Notification
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D000
Waste Code Description: DESCRIPTION

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: NYSDOT BIN 1092952
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: NYSDOT BIN 1092952
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner/Operator Ind:	Current Owner	Street No:				
Type:	State	Street 1:	84 HOLLAND AVE			
Name:	NYSDOT	Street 2:				
Date Became Current:		City:	ALBANY			
Date Ended Current:		State:	NY			
Phone:	518-474-6522	Country:	US			
Source Type:	Implementer	Zip Code:	12208			

Owner/Operator Ind:	Current Owner	Street No:				
Type:	State	Street 1:	84 HOLLAND AVE			
Name:	NYSDOT	Street 2:				
Date Became Current:		City:	ALBANY			
Date Ended Current:		State:	NY			
Phone:	518-474-6522	Country:				
Source Type:	Notification	Zip Code:	12208			

Owner/Operator Ind:	Current Operator	Street No:				
Type:	State	Street 1:	84 HOLLAND AVE			
Name:	NYSDOT	Street 2:				
Date Became Current:		City:	ALBANY			
Date Ended Current:		State:	NY			
Phone:	518-474-6522	Country:	US			
Source Type:	Implementer	Zip Code:	12208			

Historical Handler Details

Receive Dt:	20060101
Generator Code Description:	Not a Generator, Verified
Handler Name:	NYSDOT BIN 1092952

Receive Dt:	19910821
Generator Code Description:	Not a Generator, Verified
Handler Name:	NYSDOT BIN 1092952

87	1 of 2	NE	0.22 / 1,165.66	25.70 / -3	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH193 35 STATE ST ALBANY NY 12207	RCRA LQG
--------------------	--------	----	--------------------	---------------	--	----------

EPA Handler ID:	NYP000978381
Gen Status Universe:	Large Quantity Generator
Contact Name:	MATTHEW ROOT
Contact Address:	1225 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext:	518-227-7508
Contact Email:	MATTHEW.ROOT2@NATIONALGRID.COM
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	Private
Receive Date:	20230225
Location Latitude:	42.649236
Location Longitude:	-73.751089

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Transfer Facility:		No				
Onsite Burner Exemption:		No				
Furnace Exemption:		No				
Underground Injection Activity:		No				
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20220303
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Emergency

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20230224
Handler Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH193
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report update with Notification

Waste Code Details

Hazardous Waste Code: B007
Waste Code Description: Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20230225
Handler Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH193
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Implementer

Waste Code Details

Hazardous Waste Code: B007
Waste Code Description: Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO	Street 2:	
Dt Became Current:	20000905	City:	SYRACUSE
Dt Ended Current:		State:	NY
Phone:	315-474-1511	Country:	US
Source Type:	Implementer	Zip Code:	13202
Owner/Operator Ind:	Current Operator	Street No:	300

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:	Private				Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO				Street 2:	
Dt Became Current:	20000905				City:	SYRACUSE
Dt Ended Current:					State:	NY
Phone:	315-474-1511				Country:	US
Source Type:	Implementer				Zip Code:	13202
Owner/Operator Ind:	Current Owner				Street No:	300
Type:	Private				Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO				Street 2:	
Dt Became Current:	20000905				City:	SYRACUSE
Dt Ended Current:					State:	NY
Phone:	315-474-1511				Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	13202
Owner/Operator Ind:	Current Operator				Street No:	300
Type:	Private				Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO				Street 2:	
Dt Became Current:	20000905				City:	SYRACUSE
Dt Ended Current:					State:	NY
Phone:	315-474-1511				Country:	US
Source Type:	Annual/Biennial Report update with Notification				Zip Code:	13202

Historical Handler Details

Receive Dt: 20230224
Generator Code Description: Large Quantity Generator
Handler Name: NIAGARA MOHAWK POWER CORP A NATIONAL GRID CO MH193

Receive Dt: 20220303
Generator Code Description: Large Quantity Generator
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO

87 2 of 2 **NE** 0.22 / 1,165.66 25.70 / -3 **SUNY RESEARCH FOUNDATION**
35 STATE ST
ALBANY NY 12207 **RCRA VSQG**

EPA Handler ID: NYR000264309
Gen Status Universe: VSG
Contact Name: RAHEEM SHAND
Contact Address: 35 , STATE ST , , ALBANY , NY, 12207 , US
Contact Phone No and Ext: 518-434-7058
Contact Email: RAHEEM.SHAND@RFSUNY.ORG
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20230919
Location Latitude: 42.649236
Location Longitude: -73.751089

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Onsite Burner Exemption:		No				
Furnace Exemption:		No				
Underground Injection Activity:		No				
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20230919
 Handler Name: SUNY RESEARCH FOUNDATION
 Federal Waste Generator Code: 3
 Generator Code Description: Very Small Quantity Generator
 Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	35
Type:	Private	Street 1:	STATE ST
Name:	LAUREL MCADOO	Street 2:	
Date Became Current:		City:	ALBANY
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Notification	Zip Code:	12207
Owner/Operator Ind:	Current Owner	Street No:	35
Type:	Private	Street 1:	STATE ST
Name:	LAUREL MCADOO	Street 2:	
Date Became Current:		City:	ALBANY
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Notification	Zip Code:	12207

88	1 of 1	SSE	0.22 / 1,166.69	15.58 / -14	GLOBAL COMPANIES LLC ALBANY NY	BULK TERMINAL
--------------------	--------	-----	--------------------	----------------	-----------------------------------	--------------------------

PADD:	1	Crude Oil:	
FID:		Jetfuel:	
Term ID:		Gasoline:	
Site:	ALBANY	Distillate:	
Facility Type:		Avgas:	
Station Type:		Period:	June 2023
Status:		Truck In:	
Handling:		Truck Out:	
Telephone:		Pipe In:	
Population:		Pipe Out:	
Source Date:		Marine In:	
Val Method:		Marine Out:	
Val Date:		Rail In:	
Exstars I:		Rail Out:	
Posrel:		County Fips:	
Capacity:		County:	
Asphalt:		Zip:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Chemicals:					Zip4:	
Propane:					Country:	
Butane:					Latitude:	42.64231
Refined:					Longitude:	-73.7524
Ethanol:					X:	-73.7524
Biodiesel:					Y:	42.6423100000001
Owner:						
Operator:						
Address:						
Commodity:						
NAICS Code:						
NAICS Desc:						
Source:			Form EIA-815, Monthly Terminal Blenders Report			
Website:						
Data Source:			U.S. Energy Information Administration (EIA) Petroleum Product Terminals (GIS)			

89	1 of 1	NNE	0.22 / 1,167.74	33.89 / 5	MANUFACTURERS HANOVER STATE ST 63 STATE ST ALBANY NY	NY SPILLS
Spill No:	8904912				UST Trust:	False
Site ID:	120512				Spill Date:	1989-08-17 09:00:00
DER Facility ID:	104633				Received Date:	1989-08-17 12:14:00
CID:					CAC Date:	1989-09-20 00:00:00
Program Type:	ER				Insp Date:	
SWIS Code:	0101				Close Date:	1989-11-20 00:00:00
Water Body:					Create Date:	1989-08-17 00:00:00
Class:	B3				Update Date:	2009-03-16 10:50:32.960000000
Meets Std:	True				DEC Region:	4
Penalty:	False				Lead DEC:	MCDONALD
REM Phase:	0				After Hours:	False
County:	Albany					
Contributing Factor:	Equipment Failure					
Reported by:	Other					
Referred to:						
Source:	Commercial/Industrial					
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data					

Caller Remark:

"3K TANK IN BASEMENT LEAKING. DOMERMUTH CREW ON SITE. MAJOR HOLE IN TANK, PUMPED OUT, CONT. SOIL REMOVED. COMPLETE."

DEC Remark:

""

Material Information

OP Unit ID:	930173	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	448937	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	100.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spiller Name:
Spiller Company: MANUFACTURERS HANOVER
Spiller Address: 63 STATE ST.
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.649568200
Longitude: -73.752027660

<u>90</u>	1 of 1	WSW	0.22 / 1,168.96	66.39 / 37	NISH CONTRACTING 135 GRAND ST ALBANY NY 12202	RCRA NON GEN
-----------	--------	-----	--------------------	---------------	---	-----------------

EPA Handler ID: NYR000034454
Gen Status Universe: No Report
Contact Name: STOJAN MILENKOVIC
Contact Address: 135 , GRAND ST , , ALBANY , NY, 12202 , US
Contact Phone No and Ext: 518-462-0965
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20070101
Location Latitude: 42.644154
Location Longitude: -73.758268

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19970113
Handler Name: NISH CONTRACTING
Source Type: Notification
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: NISH CONTRACTING
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: NISH CONTRACTING
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No:
Type: Private	Street 1: 135 GRAND ST
Name: STOJAN MILENKOVIC	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-462-0965	Country:
Source Type: Notification	Zip Code: 12202

Owner/Operator Ind: Current Operator	Street No:
Type: Private	Street 1: 135 GRAND ST
Name: STOJAN MILENKOVIC	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-462-0965	Country: US
Source Type: Implementer	Zip Code: 12202

Owner/Operator Ind: Current Owner	Street No:
Type: Private	Street 1: 135 GRAND ST
Name: STOJAN MILENKOVIC	Street 2:
Date Became Current:	City: ALBANY
Date Ended Current:	State: NY
Phone: 518-462-0965	Country: US
Source Type: Implementer	Zip Code: 12202

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: NISH CONTRACTING

Receive Dt: 19970113
Generator Code Description: Very Small Quantity Generator
Handler Name: NISH CONTRACTING

91	1 of 1	NE	0.22 / 1,172.03	23.79 / -5	NYS OGS FLEET ADMINISTRATION BLDG 18 STATE CAMPUS ALBANY NY 12226	UST
--------------------	--------	----	--------------------	---------------	--	-----

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Site ID:	36441	Expiry:	06/30/2022
Site Status:	Active	County:	Albany
Program No:	4-388246	UTM X:	597156.59607
Program Type Code:	PBS	UTM Y:	4712696.32276
Program Type Desc:	Petroleum Bulk Storage Program		
Site Type:	Trucking/Transportation/Fleet Operation		

Tank Information

Prog No:	4-388246	UDC Ind:	1
Tank ID:	209644	Red Tag Start Date:	
Tank No:	3	Red Tag End Date:	
Tank Status:	1	Tank Last Test:	
Tank Status Desc:	In Service	Tank Next Test Due:	
Tank Type:	10	Test Method:	-
Tank Type Desc:	Urethane Clad Steel	Date Tested:	
Install Date:	12/01/2005	Next Test:	
Close Date:		Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	10000	Line Test Method:	-
Registered:	True	Modified by:	MJGRIFFI
Tank Model:	108	Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	2		
Category Desc:	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015		
Subpart:	2		
Subpart Desc:	Subpart 2 contains requirements for USTs (underground storage tanks) subject to EPA UST regulations and DEC requirements.		
Class A Operator:	ALAN WESCOTT		
Class B Operator:	ALAN WESCOTT		
Tank Owner Name:	MICHAEL J MATTHEWS		
Tank Owner Address:	BLDG 18 STATE CAMPUS ALBANY, NY. 12226		

Material Information

Material Name:	gasoline/ethanol
Percent:	10.00

Equipment Information

Equipment:	D11
Code Name:	Flexible Piping
Type:	Pipe Type
Equipment:	I02
Code Name:	High Level Alarm
Type:	Overfill
Equipment:	C02
Code Name:	Underground/On-ground
Type:	Pipe Location
Equipment:	E04
Code Name:	Double walled UG
Type:	Piping Secondary Containment
Equipment:	L07
Code Name:	Pressurized Piping Leak Detector
Type:	Piping Leak Detection
Equipment:	F05
Code Name:	Jacketed
Type:	Pipe External Protection

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Equipment:		J01				
Code Name:		Pressurized Dispenser				
Type:		Dispenser				
Equipment:		H01				
Code Name:		Interstitial - Electronic Monitoring				
Type:		Tank Leak Detection				
Equipment:		K01				
Code Name:		Catch Basin				
Type:		Spill Prevention				
Equipment:		L01				
Code Name:		Interstitial - Electronic Monitoring				
Type:		Piping Leak Detection				
Equipment:		A03				
Code Name:		Fiberglass Liner (FRP)				
Type:		Tank Internal Protection				
Equipment:		G04				
Code Name:		Double-Walled (Underground)				
Type:		Tank Secondary Containment				
Equipment:		B05				
Code Name:		Jacketed				
Type:		Tank External Protection				

Tank Information

Prog No:	4-388246	UDC Ind:	1
Tank ID:	76034	Red Tag Start Date:	
Tank No:	2	Red Tag End Date:	
Tank Status:	1	Tank Last Test:	
Tank Status Desc:	In Service	Tank Next Test Due:	
Tank Type:	04	Test Method:	-
Tank Type Desc:	Fiberglass Coated Steel	Date Tested:	
Install Date:	04/01/1998	Next Test:	
Close Date:		Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	10000	Line Test Method:	-
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	2		
Category Desc:	Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015		
Subpart:	2		
Subpart Desc:	Subpart 2 contains requirements for USTs (underground storage tanks) subject to EPA UST regulations and DEC requirements.		
Class A Operator:	ALAN WESCOTT		
Class B Operator:	ALAN WESCOTT		
Tank Owner Name:	MICHAEL J MATTHEWS		
Tank Owner Address:	BLDG 18 STATE CAMPUS ALBANY, NY. 12226		

Material Information

Material Name:	gasoline/ethanol
Percent:	10.00

Equipment Information

Equipment:	B04
Code Name:	Fiberglass

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:					Tank External Protection	
Equipment:					H01	
Code Name:					Interstitial - Electronic Monitoring	
Type:					Tank Leak Detection	
Equipment:					C02	
Code Name:					Underground/On-ground	
Type:					Pipe Location	
Equipment:					L01	
Code Name:					Interstitial - Electronic Monitoring	
Type:					Piping Leak Detection	
Equipment:					J01	
Code Name:					Pressurized Dispenser	
Type:					Dispenser	
Equipment:					G04	
Code Name:					Double-Walled (Underground)	
Type:					Tank Secondary Containment	
Equipment:					K01	
Code Name:					Catch Basin	
Type:					Spill Prevention	
Equipment:					E04	
Code Name:					Double walled UG	
Type:					Piping Secondary Containment	
Equipment:					F04	
Code Name:					Fiberglass	
Type:					Pipe External Protection	
Equipment:					D06	
Code Name:					Fiberglass Reinforced Plastic (FRP)	
Type:					Pipe Type	
Equipment:					A00	
Code Name:					None	
Type:					Tank Internal Protection	
Equipment:					L07	
Code Name:					Pressurized Piping Leak Detector	
Type:					Piping Leak Detection	
Equipment:					I02	
Code Name:					High Level Alarm	
Type:					Overfill	

Tank Information

Prog No:	4-388246	UDC Ind:	1
Tank ID:	75997	Red Tag Start Date:	
Tank No:	1	Red Tag End Date:	
Tank Status:	1	Tank Last Test:	
Tank Status Desc:	In Service	Tank Next Test Due:	
Tank Type:	04	Test Method:	-
Tank Type Desc:	Fiberglass Coated Steel	Date Tested:	
Install Date:	04/01/1998	Next Test:	
Close Date:		Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	4000	Line Test Method:	-
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
Category:		2				
Category Desc:		Category 2 means a tank which was installed from December 27, 1986 through October 11, 2015				
Subpart:		2				
Subpart Desc:		Subpart 2 contains requirements for USTs (underground storage tanks) subject to EPA UST regulations and DEC requirements.				
Class A Operator:		ALAN WESCOTT				
Class B Operator:		ALAN WESCOTT				
Tank Owner Name:		MICHAEL J MATTHEWS				
Tank Owner Address:		BLDG 18 STATE CAMPUS ALBANY, NY. 12226				

Material Information

Material Name: biodiesel (motor fuel)
Percent: 5.00

Equipment Information

Equipment: L01
Code Name: Interstitial - Electronic Monitoring
Type: Piping Leak Detection

Equipment: I02
Code Name: High Level Alarm
Type: Overfill

Equipment: G04
Code Name: Double-Walled (Underground)
Type: Tank Secondary Containment

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: J01
Code Name: Pressurized Dispenser
Type: Dispenser

Equipment: D06
Code Name: Fiberglass Reinforced Plastic (FRP)
Type: Pipe Type

Equipment: F04
Code Name: Fiberglass
Type: Pipe External Protection

Equipment: L07
Code Name: Pressurized Piping Leak Detector
Type: Piping Leak Detection

Equipment: B04
Code Name: Fiberglass
Type: Tank External Protection

Equipment: H01
Code Name: Interstitial - Electronic Monitoring
Type: Tank Leak Detection

Equipment: C02
Code Name: Underground/On-ground
Type: Pipe Location

Equipment: K01
Code Name: Catch Basin
Type: Spill Prevention

Equipment: E04
Code Name: Double walled UG

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Type: Piping Secondary Containment

Tank Information

Prog No:	4-388246	UDC Ind:	1
Tank ID:	76000	Red Tag Start Date:	
Tank No:	1-A	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	01/01/1993
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	01	Test Method:	01
Tank Type Desc:	Steel/Carbon Steel/Iron	Date Tested:	
Install Date:	07/01/1972	Next Test:	
Close Date:		Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	5000	Line Test Method:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Class A Operator:			
Class B Operator:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name: gasoline
Percent: 100.00

Equipment Information

Equipment:	C02
Code Name:	Underground/On-ground
Type:	Pipe Location
Equipment:	H04
Code Name:	Groundwater Well
Type:	Tank Leak Detection
Equipment:	B00
Code Name:	None
Type:	Tank External Protection
Equipment:	J02
Code Name:	Suction Dispenser
Type:	Dispenser
Equipment:	I00
Code Name:	None
Type:	Overfill
Equipment:	G00
Code Name:	None
Type:	Tank Secondary Containment
Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection
Equipment:	F00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Code Name: None
 Type: Pipe External Protection

Equipment: D02
 Code Name: Galvanized Steel
 Type: Pipe Type

Tank Information

Prog No:	4-388246	UDC Ind:	1
Tank ID:	54868	Red Tag Start Date:	
Tank No:	2-A	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	01/01/1993
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	01	Test Method:	01
Tank Type Desc:	Steel/Carbon Steel/Iron	Date Tested:	
Install Date:	07/01/1972	Next Test:	
Close Date:		Line Last Test Due:	
Tk Out of Serv Dt:		Next Line Test Due:	
Capacity (Gal):	2008	Line Test Method:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	5		
Tank Location Desc:	Underground		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Class A Operator:			
Class B Operator:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name: diesel
 Percent: 100.00

Equipment Information

Equipment: A00
 Code Name: None
 Type: Tank Internal Protection

Equipment: J02
 Code Name: Suction Dispenser
 Type: Dispenser

Equipment: H04
 Code Name: Groundwater Well
 Type: Tank Leak Detection

Equipment: D02
 Code Name: Galvanized Steel
 Type: Pipe Type

Equipment: G00
 Code Name: None
 Type: Tank Secondary Containment

Equipment: C02
 Code Name: Underground/On-ground
 Type: Pipe Location

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<i>Equipment:</i>		I00				
<i>Code Name:</i>		None				
<i>Type:</i>		Overfill				
<i>Equipment:</i>		B00				
<i>Code Name:</i>		None				
<i>Type:</i>		Tank External Protection				
<i>Equipment:</i>		F00				
<i>Code Name:</i>		None				
<i>Type:</i>		Pipe External Protection				

Tank Information

<i>Prog No:</i>	4-388246	<i>UDC Ind:</i>	1
<i>Tank ID:</i>	89785	<i>Red Tag Start Date:</i>	
<i>Tank No:</i>	3-A	<i>Red Tag End Date:</i>	
<i>Tank Status:</i>	3	<i>Tank Last Test:</i>	01/01/1993
<i>Tank Status Desc:</i>	Closed - Removed	<i>Tank Next Test Due:</i>	
<i>Tank Type:</i>	06	<i>Test Method:</i>	01
<i>Tank Type Desc:</i>	Fiberglass Reinforced Plastic (FRP)	<i>Date Tested:</i>	
<i>Install Date:</i>	12/01/1985	<i>Next Test:</i>	
<i>Close Date:</i>		<i>Line Last Test Due:</i>	
<i>Tk Out of Serv Dt:</i>		<i>Next Line Test Due:</i>	
<i>Capacity (Gal):</i>	10000	<i>Line Test Method:</i>	
<i>Registered:</i>	True	<i>Modified by:</i>	MJGRIFFI
<i>Tank Model:</i>		<i>Last Modified:</i>	05/09/2022
<i>Pipe Model:</i>			
<i>Tank Location:</i>	5		
<i>Tank Location Desc:</i>	Underground		
<i>Category:</i>	1		
<i>Category Desc:</i>	Category 1 means a tank which was installed before December 27, 1986		
<i>Subpart:</i>			
<i>Subpart Desc:</i>			
<i>Class A Operator:</i>			
<i>Class B Operator:</i>			
<i>Tank Owner Name:</i>			
<i>Tank Owner Address:</i>			

Material Information

<i>Material Name:</i>	gasoline
<i>Percent:</i>	100.00

Equipment Information

<i>Equipment:</i>	I04
<i>Code Name:</i>	Product Level Gauge (A/G)
<i>Type:</i>	Overfill
<i>Equipment:</i>	F00
<i>Code Name:</i>	None
<i>Type:</i>	Pipe External Protection
<i>Equipment:</i>	B00
<i>Code Name:</i>	None
<i>Type:</i>	Tank External Protection
<i>Equipment:</i>	A00
<i>Code Name:</i>	None
<i>Type:</i>	Tank Internal Protection
<i>Equipment:</i>	H05
<i>Code Name:</i>	In-Tank System (ATG)
<i>Type:</i>	Tank Leak Detection

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Equipment:		C02				
Code Name:		Underground/On-ground				
Type:		Pipe Location				
Equipment:		D02				
Code Name:		Galvanized Steel				
Type:		Pipe Type				
Equipment:		G04				
Code Name:		Double-Walled (Underground)				
Type:		Tank Secondary Containment				
Equipment:		J01				
Code Name:		Pressurized Dispenser				
Type:		Dispenser				

Affiliation Information

Affiliation Type:	11
Affiliation Name:	Emergency Contact
Affiliation Sub Type:	NNN
Company:	NYS OGS
Contact Title:	
Contact Name:	STATE POLICE CAMPUS
Address1:	
Address2:	
City:	
State:	NN
Zip Code:	
Country Code:	999
Phone:	(518) 457-5330
Phone Ext:	
Email:	
Fax:	

Affiliation Type:	07
Affiliation Name:	Mail Contact
Affiliation Sub Type:	NNN
Company:	NYS OGS FLEET MANAGEMENT
Contact Title:	
Contact Name:	MICHAEL J MATTHEWS
Address1:	BLDG 18 STATE CAMPUS
Address2:	1220 WASHINGTON AVE
City:	ALBANY
State:	NY
Zip Code:	12226-1854
Country Code:	001
Phone:	(518) 457-1744
Phone Ext:	
Email:	MICHAEL.MATTHEWS@OGS.NY.GOV
Fax:	

Affiliation Type:	01
Affiliation Name:	Facility Owner
Affiliation Sub Type:	B05
Company:	NYS OGS
Contact Title:	DIRECTOR
Contact Name:	MICHAEL J MATTHEWS
Address1:	BLDG 18 STATE CAMPUS
Address2:	
City:	ALBANY
State:	NY
Zip Code:	12226
Country Code:	001
Phone:	(518) 457-1745
Phone Ext:	
Email:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Fax:

Affiliation Type: 04
Affiliation Name: Facility Operator
Affiliation Sub Type: NNN
Company: NYS OGS FLEET ADMINISTRATION
Contact Title:
Contact Name: SAMANTHA HOEN
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 001
Phone: (518) 457-1744
Phone Ext:
Email:
Fax:

92	1 of 4	N	0.22 / 1,175.80	73.66 / 45	ALBANY COUNTY DEPT OF GENERAL SERVICES 112 STATE ST ALBANY NY 11207	RCRA VSQG
--------------------	--------	---	--------------------	---------------	--	-----------

EPA Handler ID: NYN008019852
Gen Status Universe: VSG
Contact Name:
Contact Address: 112 , STATE ST , , ALBANY , NY, 11207 , US
Contact Phone No and Ext:
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: County
Receive Date: 20080828
Location Latitude: 42.650597
Location Longitude: -73.754269

Violation/Evaluation Summary

Note: NO VIOLATIONS: All of the compliance records associated with this facility (EPA ID) indicate NO VIOLATIONS; Compliance Monitoring and Enforcement table dated Jan, 2024.

Evaluation Details

Evaluation Start Date: 20080827
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: EPA

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20080828
Handler Name: ALBANY COUNTY DEPT OF GENERAL SERVICES
Federal Waste Generator Code: 3
Generator Code Description: Very Small Quantity Generator
Source Type: Implementer

92	2 of 4	N	0.22 / 1,175.80	73.66 / 45	ALBANY COUNTY OFFICE BUILDING 112 STATE STREET ALBANY NY 12207	AST
--------------------	--------	---	--------------------	---------------	---	-----

Site ID: 37647
Site Status: Unregulated/Closed
Program No: 4-600313
Program Type Code: PBS
Program Type Desc: Petroleum Bulk Storage Program
Site Type: Other

Expiry: N/A
County: Albany
UTM X: 602141.00000
UTM Y: 4722745.00000

Tank Information

Prog No: 4-600313
Tank ID: 95461
Tank No: 1
Tank Status: 4
Tank Status Desc: Closed - In Place
Tank Type: 01
Tank Type Desc: Steel/Carbon Steel/Iron
Install Date:
Close Date: 09/01/1994
Tk Out of Serv Dt:
Capacity (Gal): 15000
Registered: True
Tank Model:
Pipe Model:
Tank Location: 6
Tank Location Desc: Aboveground in Subterranean Vault w/ access for inspections
Category: 1
Category Desc: Category 1 means a tank which was installed before December 27, 1986
Subpart:
Subpart Desc:
Tank Owner Name:
Tank Owner Address:

UDC Ind: 1
Red Tag Start Date:
Red Tag End Date:
Tank Last Test:
Tank Next Test Due:
Test Method: NN
Line Last Test Due:
Next Line Test Due:
Line Test Method:
Class A Operator:
Class B Operator:
Modified by: MJGRIFFI
Last Modified: 05/09/2022

Material Information

Material Name: #6 fuel oil (on-site consumption)
Percent: 100.00

Equipment Information

Equipment: A00
Code Name: None
Type: Tank Internal Protection

Equipment: G03
Code Name: Vault (w/o access)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:		Tank Secondary Containment				
Equipment:		J02				
Code Name:		Suction Dispenser				
Type:		Dispenser				
Equipment:		D01				
Code Name:		Steel/Carbon Steel/Iron				
Type:		Pipe Type				
Equipment:		I04				
Code Name:		Product Level Gauge (A/G)				
Type:		Overfill				
Equipment:		H00				
Code Name:		None				
Type:		Tank Leak Detection				
Equipment:		F00				
Code Name:		None				
Type:		Pipe External Protection				
Equipment:		C01				
Code Name:		Aboveground				
Type:		Pipe Location				
Equipment:		B00				
Code Name:		None				
Type:		Tank External Protection				
Equipment:		G01				
Code Name:		Diking (Aboveground)				
Type:		Tank Secondary Containment				

Tank Information

Prog No:	4-600313	UDC Ind:	1
Tank ID:	95462	Red Tag Start Date:	
Tank No:	2	Red Tag End Date:	
Tank Status:	4	Tank Last Test:	
Tank Status Desc:	Closed - In Place	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Line Last Test Due:	
Install Date:		Next Line Test Due:	
Close Date:	09/01/1994	Line Test Method:	
Tk Out of Serv Dt:		Class A Operator:	
Capacity (Gal):	10000	Class B Operator:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	6		
Tank Location Desc:	Aboveground in Subterranean Vault w/ access for inspections		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name:	#6 fuel oil (on-site consumption)
Percent:	100.00

Equipment Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Equipment:		I04				
Code Name:		Product Level Gauge (A/G)				
Type:		Overfill				
Equipment:		B00				
Code Name:		None				
Type:		Tank External Protection				
Equipment:		C01				
Code Name:		Aboveground				
Type:		Pipe Location				
Equipment:		A00				
Code Name:		None				
Type:		Tank Internal Protection				
Equipment:		D01				
Code Name:		Steel/Carbon Steel/Iron				
Type:		Pipe Type				
Equipment:		H00				
Code Name:		None				
Type:		Tank Leak Detection				
Equipment:		G01				
Code Name:		Diking (Aboveground)				
Type:		Tank Secondary Containment				
Equipment:		F00				
Code Name:		None				
Type:		Pipe External Protection				
Equipment:		J02				
Code Name:		Suction Dispenser				
Type:		Dispenser				
Equipment:		G03				
Code Name:		Vault (w/o access)				
Type:		Tank Secondary Containment				

Affiliation Information

Affiliation Type:	11
Affiliation Name:	Emergency Contact
Affiliation Sub Type:	NNN
Company:	ALBANY COUNTY
Contact Title:	
Contact Name:	ANTHONY STELLATO
Address1:	
Address2:	
City:	
State:	NN
Zip Code:	
Country Code:	001
Phone:	(518) 447-7396
Phone Ext:	
Email:	
Fax:	
Affiliation Type:	04
Affiliation Name:	Facility Operator
Affiliation Sub Type:	NNN
Company:	ALBANY COUNTY OFFICE BUILDING
Contact Title:	
Contact Name:	GEORGE SHEFFIELD
Address1:	
Address2:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

City:
State: NN
Zip Code:
Country Code: 001
Phone: (518) 447-7090
Phone Ext:
Email:
Fax:

Affiliation Type: 07
Affiliation Name: Mail Contact
Affiliation Sub Type: NNN
Company: ALBANY COUNTY DEPT OF BLDGS
Contact Title:
Contact Name: ANTHONY P. STELLATO
Address1: 112 STATE STREET - RM 260
Address2:
City: ALBANY
State: NY
Zip Code: 12207
Country Code: 001
Phone: (518) 447-7763
Phone Ext:
Email:
Fax:

Affiliation Type: 01
Affiliation Name: Facility Owner
Affiliation Sub Type: C01
Company: ALBANY COUNTY
Contact Title:
Contact Name:
Address1: 112 STATE STREET
Address2:
City: ALBANY
State: NY
Zip Code: 12207
Country Code: 001
Phone: (518) 447-7763
Phone Ext:
Email:
Fax:

92	3 of 4	N	0.22 / 1,175.80	73.66 / 45	EQ FAIL STATE ST 112 STATE STREET ON STREET ALBANY NY 12207	NY SPILLS
--------------------	--------	---	-----------------	------------	---	-----------

Spill No: 0504054	UST Trust: False
Site ID: 348787	Spill Date: 2005-07-06 12:01:00
DER Facility ID: 305699	Received Date: 2005-07-06 12:01:00
CID: 444	CAC Date:
Program Type: ER	Insp Date:
SWIS Code: 0101	Close Date: 2005-07-07 00:00:00
Water Body:	Create Date: 2005-07-06 12:12:00
Class: C4	Update Date: 2005-11-16 16:10:26.077000000
Meets Std: True	DEC Region: 4
Penalty: False	Lead DEC: WTCHRIST
REM Phase: 0	After Hours: False
County: Albany	
Contributing Factor: Equipment Failure	
Reported by: Fire Department	
Referred to:	
Source: Commercial Vehicle	
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data	

Caller Remark:
"a piece of heavy equipment broke while in the air, had to get a ladder to get operator out : would like dec to respond:"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

DEC Remark:

"07/07/05 - Spoke to Chief Burns. Clean up with Speedie-Dry and street sweeper. Closed wtc (112 St. is registered as Albany County Office Bldg. 4-600313) 9408117"

Material Information

OP Unit ID:	1106435	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	1971357	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	50.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name:
Spiller Company: HEAVY EQUIPMENT
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name: DISPATCHER SAIA
Contact Phone: (518) 438-4000
Contact Ext:
Latitude: 42.650342000
Longitude: -73.754028000

92	4 of 4	N	0.22 / 1,175.80	73.66 / 45	COUNTY OFF BLDG 112 STATE 112 STATE ST COUNTY OFFIC ALBANY NY	LST
--------------------	--------	---	--------------------	---------------	---	-----

Spill No:	9408117	REM Phase:	0
Site ID:	308571	UST Trust:	True
DER Facility ID:	249182	Spill Date:	1994-09-19 11:00:00
CID:		Rcvd Date:	1994-09-19 13:30:00
Program Type:	ER	CAC Date:	1994-10-07 00:00:00
SWIS Code:	0101	Insp Date:	1994-09-20 00:00:00
Contribute Factor:	Tank Failure	Close Date:	1994-10-13 00:00:00
Water Body:		Create Date:	1994-09-21 00:00:00
Class:	B3	Update Date:	2005-11-16 16:11:10.607000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
County:	Albany	After Hours:	False

Referred to:
Reported by: Responsible Party
Source: Institutional, Educational, Gov., Other
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"FOUND OIL SEEPING FROM CONTAINMENT. OLD VAULTED TANKS NOT USED SINCE C ONVERSION TO GAS '85, SEE RPT. 9/20,10:30-CH EMPTIED 10K & 15K TANKS, ~10-12KGAL, TO CLOSE PER PBS, NO RELEASE TO ENVIRONMENT."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 0504054"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1005769	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	377562	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0011		
Material Name:	jet fuel		

Spiller Information

Spiller Name:	
Spiller Company:	ALBANY COUNTY OFFICE BLDG
Spiller Address:	SAME
Spiller City:	
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.650346540
Longitude:	-73.754037220

93	1 of 1	NE	0.22 / 1,185.23	27.27 / -2	FIRST ALBANY CORP 41 STATE ST ALBANY NY 12207-3294	RCRA NON GEN
--------------------	--------	-----------	----------------------------	-----------------------	---	-------------------------

EPA Handler ID:	NYD002088607
Gen Status Universe:	No Report
Contact Name:	
Contact Address:	41 , STATE ST - PO BOX 52 , , ALBANY , NY, 12201 , US
Contact Phone No and Ext:	
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	
Receive Date:	20070101
Location Latitude:	42.649241
Location Longitude:	-73.751569

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Commercial TSD:		No				
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19880822
 Handler Name: FIRST ALBANY CORP
 Source Type: Notification
 Federal Waste Generator Code: 2
 Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE
 Hazardous Waste Code: D002
 Waste Code Description: CORROSIVE WASTE

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19990708
 Handler Name: FIRST ALBANY CORP
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20060101
 Handler Name: FIRST ALBANY CORP
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 3
 Receive Date: 20070101
 Handler Name: FIRST ALBANY CORP
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	NOT REQUIRED
Name:	FIRST ALBANY CORP	Street 2:	
Date Became Current:		City:	NOT REQUIRED
Date Ended Current:		State:	WY
Phone:	212-555-1212	Country:	
Source Type:	Notification	Zip Code:	99999

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner/Operator Ind:	Current Owner	Street No:	
Type:	Private	Street 1:	NOT REQUIRED
Name:	FIRST ALBANY CORP	Street 2:	
Date Became Current:		City:	NOT REQUIRED
Date Ended Current:		State:	WY
Phone:	212-555-1212	Country:	US
Source Type:	Implementer	Zip Code:	99999

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	NOT REQUIRED
Name:	FIRST ALBANY CORP	Street 2:	
Date Became Current:		City:	NOT REQUIRED
Date Ended Current:		State:	WY
Phone:	212-555-1212	Country:	US
Source Type:	Implementer	Zip Code:	99999

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: FIRST ALBANY CORP

Receive Dt: 19990708
Generator Code Description: Not a Generator, Verified
Handler Name: FIRST ALBANY CORP

Receive Dt: 19880822
Generator Code Description: Small Quantity Generator
Handler Name: FIRST ALBANY CORP

94	1 of 1	NE	0.23 / 1,189.97	23.79 / -5	NYS DOT LAB BLDG #7 STATE OFFICE CAMPUS RM.216 BLDG #7 STATE OFFICE CAMPUS ALBANY NY 12222	NY SPILLS
--------------------	--------	----	--------------------	---------------	---	-----------

Spill No:	0806831	UST Trust:	False
Site ID:	404130	Spill Date:	2008-09-17 12:12:00
DER Facility ID:	353362	Received Date:	2008-09-17 12:11:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2009-02-23 00:00:00
Water Body:		Create Date:	2008-09-17 12:18:00
Class:	B5	Update Date:	2013-07-26 15:36:02.973000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Affected Persons		
Referred to:			
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CALLER STATES THAT THE CONTRACTORS BROKE SIX LAB THERMOMETERS (BIG ONES) SOME MERCURY REMAINED IN THE THERMOMETERS. CALLER STATES THAT IT HAS NOT BEEN CLEANED DUE TO CONTAMINATION."

DEC Remark:

"9/17/08: KG spoke with Rosemary Mahoney. Clean Harbors was hired by OGS to perform the cleanup. The area was cordoned off and the vents were closed to isolate the area. KG notified Tom Brady of Albany County Health. Ms. Mahoney said several thermometers were broken as well as another mercury containing instrument located in a water bath . The water had been drained so mercury contamination entered that drain. (KG) 02/23/09 - Spoke to Rose Mary Mahoney about closure report. She e-mailed me a copy of the report. Clean up complete. Closed wtc"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1160804	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2151981	Med SW:	False
CAS No:	07439976	Med DW:	False
Material Family:	Hazardous Material	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0031A		
Material Name:	mercury		

Spiller Information

Spiller Name:	ANDY PAPALE
Spiller Company:	OASIS CONTRACTORS/OGS @ DOT
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	12222
Spiller Country:	999
Contact Name:	ROSE MARY MAHONEY
Contact Phone:	(518) 485-5038
Contact Ext:	
Latitude:	
Longitude:	

<u>95</u>	1 of 1	NE	0.23 / 1,190.58	22.85 / -6	NIAGARA MOHAWK A NATIONAL GRID CO 429 BROADWAY ALBANY NY 12207	RCRA NON GEN
-----------	--------	----	--------------------	---------------	---	-----------------

EPA Handler ID:	NYP000972414
Gen Status Universe:	No Report
Contact Name:	BARBARA SCHEURER
Contact Address:	1125 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext:	518-433-3696
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	
Receive Date:	20160411
Location Latitude:	
Location Longitude:	

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
Commercial TSD:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20151209
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Emergency
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20160224
 Handler Name: NATIONAL GRID MH 420 BROADWAY ALBANY
 Source Type: Annual/Biennial Report update with Notification
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20160411
 Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NATIONAL GRID	Street 2:	
Date Became Current:	19000101	City:	SYRACUSE
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Owner/Operator Ind:	Current Operator	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP	Street 2:	
Date Became Current:	19000101	City:	SYRACUSE
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Historical Handler Details

Receive Dt: 20160224
 Generator Code Description: Large Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Handler Name:		NATIONAL GRID MH 420 BROADWAY ALBANY				
Receive Dt:		20151209				
Generator Code Description:		Large Quantity Generator				
Handler Name:		NIAGARA MOHAWK A NATIONAL GRID CO				

96	1 of 1	N	0.23 / 1,197.72	67.42 / 38	NYS Comptroller Office Garage 110 State St Albany NY 12207	ALT FUELS
--------------------	--------	---	--------------------	---------------	--	-----------

ID:	252716	CNG Dispenser No:	
Fuel Type Code:	ELEC: Electric	CNG Site Renew Src:	
Station Phone:		CNG Tot Compr Cap:	
Expected Date:		CNG Storage Cap:	
BD Blends:		CNG Fill Type Code:	
NG PSI:		CNG PSI:	
Federal Agency ID:		CNG Vehicle Class:	
Open Date:	2022-12-09	LNG Site Renew Src:	
Hydrogen is Retail:		LNG Vehicle Class:	
Federal Agency:		LPG Nozzle Types:	
Facility Type:	PARKING_GARAGE	Hydrogen Pressures:	
Dt Last Confirmed:	2023-02-13	Hydrogen Standards:	
Updated at:	2023-02-14 15:54:11 UTC	Latitude:	42.64936
Access Code:	private	Longitude:	-73.75435
Access Detail Code:			
Groups with Access Code:	Private		
Groups with Access Code Fr:	Privé		
Fed Agency Name:			
Hydrogen Status Link:			
E85 Other Ethanol Blends:			
NPS Unit Name:			
Cards Accepted:	A CREDIT D M V		
CNG Statn Sells Renewable Na:			
LNG Statn Sells Renewable Na:			
Maximum Vehicle Class:	LD		
RD Blended With Biodiesel:			
RD Blends:			
RD Blends French:			
RD Maximum Biodiesel Level:			
Status:	Open: The station is open.		
Owner Type Desc:	State government owned		
E85 Blender Pump Desc:			
NG Fill Type Desc:			
NG Vehicle Class Desc:			
Geocode Status Desc:	The location is from a real GPS readout at the station.		
Group with Access Desc:	Private Station		
LPG Primary Desc:			
Intersection Directions:			
Access Days Time:	24 hours daily		
Restricted Access:			

97	1 of 1	WSW	0.23 / 1,197.72	64.48 / 35	RESIDENCE GRAND ST 140 GRAND ST ALBANY NY 12202	NY SPILLS
--------------------	--------	-----	--------------------	---------------	---	-----------

Spill No:	0111594	UST Trust:	False
Site ID:	245832	Spill Date:	2002-03-08 12:06:00
DER Facility ID:	201871	Received Date:	2002-03-08 12:07:00
CID:	405	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2002-07-29 00:00:00
Water Body:		Create Date:	2002-03-08 00:00:00
Class:	B3	Update Date:	2013-08-19 15:17:37.887000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

County: Albany
Contributing Factor: Other
Reported by: Other
Referred to:
Source: Private Dwelling
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"caller states he was removing a tank and took soil samples and it comes back positive for fuel oil"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 07/29/2002 - Analytical results show does not meet TAGMs 4046. Tank was closed in place do to inaccessibility of the tank and no way to get equipment into the backyard. Closed wtc"

Material Information

OP Unit ID:	850235	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	525614	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name: PAUL SHAANON
Spiller Company: 140 GRAND ST
Spiller Address: 140 GRAND ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12207-
Spiller Country: 999
Contact Name: PAUL SHAANON
Contact Phone: (518) 458-9203
Contact Ext: 33
Latitude: 42.643887980
Longitude: -73.758032960

98	1 of 4	NNE	0.23 / 1,205.86	43.90 / 15	NYS DOT BIN 1092840 STATE HWY 85 SB OVER PATROON CREEK ALBANY NY 12205	RCRA LQG
--------------------	--------	------------	----------------------------	-----------------------	---	-----------------

EPA Handler ID: NYR000146282
Gen Status Universe: Large Quantity Generator
Contact Name: CARL R KOCHERSBERGER
Contact Address: 328 , STATE ST , DOT REGION 1 CONSTR OFFICE , SCHENECTADY , NY, 12305 , US
Contact Phone No and Ext: 518-485-9161
Contact Email: CKOCHERSBERGER@DOT.STATE.NY.US
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20070422
Location Latitude: 42.649846
Location Longitude: -73.752694

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20070422
Handler Name: NYSDOT BIN 1092840
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20070423
Handler Name: NYSDOT BIN 1092840
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No: 50
Type: State	Street 1: WOLF RD
Name: STATE OF NY C/O NYSDOT COMMISSIONER	Street 2:
Dt Became Current: 20070423	City: ALBANY
Dt Ended Current:	State: NY
Phone:	Country: US
Source Type: Notification	Zip Code: 12232
Owner/Operator Ind: Current Operator	Street No:
Type: State	Street 1:
Name: OFFICE OF CONSTRUCTION NYSDOT REGION 1	Street 2:
Dt Became Current: 20070423	City:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Dt Ended Current:
Phone:
Source Type: Notification

State:
Country:
Zip Code:

Historical Handler Details

Receive Dt: 20070423
Generator Code Description: Large Quantity Generator
Handler Name: NYSDOT BIN 1092840

98	2 of 4	NNE	0.23 / 1,205.86	43.90 / 15	NYSDOT BIN 1092850 STATE HWY 85 NB OVER PATROON CREEK ALBANY NY 12205	RCRA LQG
--------------------	--------	-----	--------------------	---------------	--	----------

EPA Handler ID: NYR000146290
Gen Status Universe: Large Quantity Generator
Contact Name: CARL R KOCHERSBERGER
Contact Address: 328 , STATE ST , DOT REGION 1 CONSTR OFFICE , SCHENECTADY , NY, 12305 , US
Contact Phone No and Ext: 518-485-9161
Contact Email: CKOCHERSBERGER@DOT.STATE.NY.US
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20070422
Location Latitude: 42.649846
Location Longitude: -73.752694

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20070422
Handler Name: NYSDOT BIN 1092850
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Implementer

Hazardous Waste Handler Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Sequence No: 1
Receive Date: 20070423
Handler Name: NYSDOT BIN 1092850
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	50
Type:	State	Street 1:	WOLF RD
Name:	STATE OF NY C/O NYSDOT COMMISSIONER	Street 2:	
Dt Became Current:	20070423	City:	ALBANY
Dt Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Notification	Zip Code:	12232

Owner/Operator Ind:	Current Operator	Street No:	
Type:	State	Street 1:	
Name:	OFFICE OF CONSTRUCTION NYSDOT REGION 1	Street 2:	
Dt Became Current:	20070423	City:	
Dt Ended Current:		State:	
Phone:		Country:	
Source Type:	Notification	Zip Code:	

Historical Handler Details

Receive Dt: 20070423
Generator Code Description: Large Quantity Generator
Handler Name: NYSDOT BIN 1092850

98	3 of 4	NNE	0.23 / 1,205.86	43.90 / 15	NYSDOT BIN 1092860 STATE HWY 85 NB TO I-90 WB OVER PATROON CREEK ALBANY NY 12205	RCRA LQG
--------------------	--------	-----	-----------------	------------	---	----------

EPA Handler ID: NYR000146308
Gen Status Universe: Large Quantity Generator
Contact Name: CARL R KOCHERSBERGER
Contact Address: 328 , STATE ST , DOT REGION 1 CONSTR OFFICE , SCHENECTADY , NY, 12305 , US
Contact Phone No and Ext: 518-485-9161
Contact Email: CKOCHERSBERGER@DOT.STATE.NY.US
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20070422
Location Latitude: 42.649846
Location Longitude: -73.752694

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20070422
Handler Name: NYSDOT BIN 1092860
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20070423
Handler Name: NYSDOT BIN 1092860
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind: Current Owner	Street No: 50
Type: State	Street 1: WOLF RD
Name: STATE OF NY C/O NYSDOT COMMISSIONER	Street 2:
Dt Became Current: 20070423	City: ALBANY
Dt Ended Current:	State: NY
Phone:	Country: US
Source Type: Notification	Zip Code: 12232

Owner/Operator Ind: Current Operator	Street No:
Type: State	Street 1:
Name: OFFICE OF CONSTRUCTION NYSDOT REGION 1	Street 2:
Dt Became Current: 20070423	City:
Dt Ended Current:	State:
Phone:	Country:
Source Type: Notification	Zip Code:

Historical Handler Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Receive Dt: 20070423 Generator Code Description: Large Quantity Generator Handler Name: NYSDOT BIN 1092860						

98	4 of 4	NNE	0.23 / 1,205.86	43.90 / 15	NYSDOT BIN 1092870 I-90 WB TO STATE HWY 85 SB OVER PATROON CREEK ALBANY NY 12205	RCRA LQG
--------------------	--------	-----	--------------------	---------------	---	----------

EPA Handler ID: NYR000146316
Gen Status Universe: Large Quantity Generator
Contact Name: CARL R KOCHERSBERGER
Contact Address: 328 , STATE ST , DOT REGION 1 CONSTR OFFICE , SCHENECTADY , NY, 12305 , US
Contact Phone No and Ext: 518-485-9161
Contact Email: CKOCHERSBERGER@DOT.STATE.NY.US
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20070422
Location Latitude: 42.649846
Location Longitude: -73.752694

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20070422
Handler Name: NYSDOT BIN 1092870
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20070423
Handler Name: NYSDOT BIN 1092870
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Notification

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind: Current Operator
Type: State
Name: OFFICE OF CONSTRUCTION NYSDOT REGION 1
Dt Became Current: 20070423
Dt Ended Current:
Phone:
Source Type: Notification

Street No:
Street 1:
Street 2:

City:
State:
Country:
Zip Code:

Owner/Operator Ind: Current Owner
Type: State
Name: STATE OF NY C/O NYSDOT COMMISSIONER
Dt Became Current: 20070423
Dt Ended Current:
Phone:
Source Type: Notification

Street No: 50
Street 1: WOLF RD
Street 2:

City: ALBANY
State: NY
Country: US
Zip Code: 12232

Historical Handler Details

Receive Dt: 20070423
Generator Code Description: Large Quantity Generator
Handler Name: NYSDOT BIN 1092870

99	1 of 1	NE	0.23 / 1,206.05	23.19 / -6	NIMO EXCAVATION STATE @ BROADWAY BROADWAY @ STATE ST ALBANY NY	NY SPILLS
--------------------	--------	----	-----------------	------------	--	-----------

Spill No: 9912801
Site ID: 75889
DER Facility ID: 71007
CID: 257
Program Type: ER
SWIS Code: 0101
Water Body:
Class: D5
Meets Std: True
Penalty: False
REM Phase: 0
County: Albany
Contributing Factor: Housekeeping
Reported by: Citizen
Referred to:
Source: Commercial/Industrial
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

UST Trust: False
Spill Date: 2000-02-09 12:00:00
Received Date: 2000-02-10 07:26:00
CAC Date:
Insp Date:
Close Date: 2000-02-10 00:00:00
Create Date: 2000-02-10 00:00:00
Update Date: 2008-11-25 15:35:13.153000000
DEC Region: 4
Lead DEC: WTCHRIST
After Hours: True

Caller Remark:

"caller says yesterday while walking she saw nimo working at the above location and there was some type of oil and other materials on the ground next to the hole they were working at"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN No DEC response. ADDITINAL REMARKS FROM D.C. - CALLER DIDN'T THINK NIMO WAS CLEANING PROPERLY, FOUL ODOR, CONCERNED ABOUT EXPOSURE AS SHE IS A NURSING MOTHER."

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1087338	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	294669	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:	
Spiller Company:	NIMO "STATE ST & BROADWAY"
Spiller Address:	
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	-
Spiller Country:	001
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	
Longitude:	

100	1 of 1	SSE	0.23 / 1,220.62	15.84 / -13	COMMERCIAL 90 CHURCH ST ALBANY NY	NY SPILLS
---------------------	--------	-----	-----------------	-------------	---	-----------

Spill No:	2010309	UST Trust:	False
Site ID:	617349	Spill Date:	2021-03-23 09:30:00
DER Facility ID:	565114	Received Date:	2021-03-23 10:54:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	
Water Body:		Create Date:	2021-03-23 10:57:00
Class:	C3	Update Date:	2021-03-24 10:39:48.660000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	1	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"1000g tank failure, pumped out. Spill to soil. Clean up pending crew"

DEC Remark:

"Jdu telecom with Bob long. They were delivering to ast on site and found staining underneath. Long energy pumped out remaining 300 gal in tank. Property is owned by Global but leased by trucking co. On site with Global and rep from trucking company. Trucking company has hired NRC to excavate spill and clean out tank. Tank is in rough shape with paint flaking and a lot of rust. Told trucking company rep that the other tanks on site in the same shape should be closed and replaced. He is having NRC pump them out too. 3/24 Telecom with Jim at NRC. They have excavated down 3' and PID Readings are 1 ppm. They will finish excavating closer to building and take 2 bottom samples. JDU"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1364483	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2376916	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	JONATHAN PEREZ
Spiller Company:	PROPERTY OWNER- FORT EDWARD EXPRESS
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	BOB LONG JR
Contact Phone:	(518) 469-7881
Contact Ext:	
Latitude:	
Longitude:	

<u>101</u>	1 of 3	SSE	0.23 / 1,231.77	15.60 / -14	ALBANY HOUSING AUTHO 159 CHURCH ST ALBANY NY 12202-1919	RCRA NON GEN
----------------------------	--------	------------	----------------------------	------------------------	--	-------------------------

EPA Handler ID:	NYD987011459
Gen Status Universe:	No Report
Contact Name:	
Contact Address:	20 , WARREN ST , , ALBANY , NY, 12202 , US
Contact Phone No and Ext:	
Contact Email:	
Contact Country:	US
County Name:	ALBANY
EPA Region:	02
Land Type:	Municipal
Receive Date:	20070101
Location Latitude:	42.640344
Location Longitude:	-73.753164

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility:	No
Onsite Burner Exemption:	No
Furnace Exemption:	No
Underground Injection Activity:	No
Commercial TSD:	No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19940412
Handler Name: ALBANY HOUSING AUTHO
Source Type: Notification
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D000
Waste Code Description: DESCRIPTION

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: D003
Waste Code Description: REACTIVE WASTE

Hazardous Waste Code: D018
Waste Code Description: BENZENE

Hazardous Waste Code: D035
Waste Code Description: METHYL ETHYL KETONE

Hazardous Waste Code: F003
Waste Code Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19990708
Handler Name: ALBANY HOUSING AUTHO
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20060101
Handler Name: ALBANY HOUSING AUTHO
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 3
Receive Date: 20070101
Handler Name: ALBANY HOUSING AUTHO
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Operator	Street No:	
Type: Private	Street 1:	20 WARREN ST
Name: STEVEN T LONGO	Street 2:	
Date Became Current:	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-445-0711	Country:	US
Source Type: Implementer	Zip Code:	12202

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	20 WARREN ST
Name: STEVEN T LONGO	Street 2:	
Date Became Current:	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-445-0711	Country:	US
Source Type: Implementer	Zip Code:	12202

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	20 WARREN ST
Name: STEVEN T LONGO	Street 2:	
Date Became Current:	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-445-0711	Country:	US
Source Type: Notification	Zip Code:	12202

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: ALBANY HOUSING AUTHO

Receive Dt: 19990708
Generator Code Description: Not a Generator, Verified
Handler Name: ALBANY HOUSING AUTHO

Receive Dt: 19940412
Generator Code Description: Large Quantity Generator
Handler Name: ALBANY HOUSING AUTHO

101	2 of 3	SSE	0.23 / 1,231.77	15.60 / -14	ALBANY HOUSING STEAMBOAT SQUARE CHURCH ST AHA 159 CHURCH ST AHA ALBANY NY	LST
---------------------	--------	-----	--------------------	----------------	--	-----

Spill No: 8709135	REM Phase: 0
Site ID: 167952	UST Trust: False
DER Facility ID: 141502	Spill Date: 1988-01-26 12:00:00
CID:	Rcvd Date: 1988-01-26 14:07:00
Program Type: ER	CAC Date: 1988-03-10 00:00:00
SWIS Code: 0101	Insp Date: 1988-03-29 00:00:00
Contribute Factor: Tank Test Failure	Close Date: 1988-11-23 00:00:00
Water Body:	Create Date: 1988-02-25 00:00:00
Class: B3	Update Date: 2017-12-15 13:55:15.020000000
Meets Std: True	DEC Region: 4

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Penalty:	False				Lead DEC:	WEBLAIN
County:	Albany				After Hours:	False
Referred to:						
Reported by:		Tank Tester				
Source:		Institutional, Educational, Gov., Other				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"20K FAILED @ -1.3 GPH, LEAKING MANWAY COVER, REPAIR & RETEST W/ 2 WKS 2/24 - FAILED AGAIN. ATA WANTED TO ABANDON IN PLACE- TEST PIT SHOWED A FOOT OF FUEL. DOMERMUTH PETR. DUG OUT TANK & SOIL."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN / / : BLAIN SENT LETTER TO ATA REQUIRING CLEANUP TO START BY A SPECIFIC DATE. 03/08/88: 3 TANKS FAILED TEST, RESULTS SENT IN, TANKS PUMPED OUT, ADVISED TO DIG TEST PIT. TANKS AT STEAMBOAT SQ. - 075507 & 45 CENTRAL AVE. - 134775. SEE 8709170. PBS 4-075507 11/23/88: TANKS AND CONTAMINATED SOIL REMOVED. DEC INSPECTION SHOWS CLEANUP COMPLETE."

Material Information

OP Unit ID:	914389	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	464471	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	500.00	Med Surf:	False
Units:	L	Med Subway:	False
Recovered:	250.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	ALBANY HOUSING AUTH AHA
Spiller Address:	STEAMBOAT SQUARE
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.640332350
Longitude:	-73.753200280

Tank Test Information

Spill Tank ID:	1533104	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0001	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.14000000
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

101	3 of 3	SSE	0.23 / 1,231.77	15.60 / -14	ALBANY HOUSING STEAMBOAT SQUARE CHURCH ST AHA 159 CHURCH ST AHA ALBANY NY	LST
---------------------	--------	-----	--------------------	----------------	--	-----

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Spill No:	8709170	REM Phase:	0
Site ID:	167953	UST Trust:	False
DER Facility ID:	141502	Spill Date:	1988-01-27 12:00:00
CID:		Rcvd Date:	1988-01-27 17:16:00
Program Type:	ER	CAC Date:	1988-11-23 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1988-11-23 00:00:00
Water Body:		Create Date:	1988-02-25 00:00:00
Class:	B3	Update Date:	2017-12-15 13:54:56.400000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Tank Tester		
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"20K FAILED @ 1.0 GPH, ISOLATE, REPAIR, RETEST 2/24 - FAILED AGAIN. CLOSE-SAME SPILL AS 8709135"

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN 04/13/88: ALSO SEE 8709135 & 45 CENTRAL AVE. (134775). PBS 4-075507"

Material Information

OP Unit ID:	914274	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	464505	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	L	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	
Spiller Company:	ALBANY HOUSING AUTH AHA
Spiller Address:	STEAMBOAT SQUARE
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.640332350
Longitude:	-73.753200280

Tank Test Information

Spill Tank ID:	1533119	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0001	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.140000000
UST:		Test Method:	00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Cause:
Alt Test Method: Unknown

102	1 of 1	NE	0.23 / 1,232.75	21.98 / -7	SUNY ADMIN BLDG BROADWAY UNIVERSITY PLAZA BROADWAY SUNY CENTRAL BROADWAY @ STATE ALBANY NY	LST
---------------------	--------	----	--------------------	---------------	--	-----

Spill No:	9102287	REM Phase:	0
Site ID:	76638	UST Trust:	False
DER Facility ID:	375768	Spill Date:	1991-05-28 12:30:00
CID:		Rcvd Date:	1991-05-28 15:54:00
Program Type:	ER	CAC Date:	1992-09-29 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1992-10-02 00:00:00
Water Body:		Create Date:	1991-05-29 00:00:00
Class:	B6	Update Date:	2010-03-31 13:11:06.850000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	TESPERBE
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Tank Tester		
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"1K UGT FAILED PETROTITE @ -.217GPH, EIR. SEE ALSO 9102361. PASSING TEST RESULTS RECD."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SPERBECK/WTC 9102361, 0204054, 0303659 PBS 4-086436"

Material Information

OP Unit ID:	953291	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	559184	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: SUNY
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tank Test Information

Spill Tank ID:	1538604	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0001	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.14000000
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

103	1 of 3	N	0.23 / 1,237.62	56.71 / 28	100 STATE ST 100 STATE ST ALBANY NY 12207	AST
---------------------	--------	---	--------------------	---------------	---	-----

Site ID:	391697	Expiry:	N/A
Site Status:	Unregulated/Closed	County:	Albany
Program No:	4-601188	UTM X:	602187.58633
Program Type Code:	PBS	UTM Y:	4722701.93249
Program Type Desc:	Petroleum Bulk Storage Program		
Site Type:	Apartment Building/Office Building		

Tank Information

Prog No:	4-601188	UDC Ind:	1
Tank ID:	220984	Red Tag Start Date:	
Tank No:	1	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Line Last Test Due:	
Install Date:		Next Line Test Due:	
Close Date:	12/17/2007	Line Test Method:	
Tk Out of Serv Dt:		Class A Operator:	
Capacity (Gal):	6000	Class B Operator:	
Registered:	True	Modified by:	MJGRIFFI
Tank Model:		Last Modified:	05/09/2022
Pipe Model:			
Tank Location:	3		
Tank Location Desc:	Aboveground on saddles, legs, stilts, rack or cradle		
Category:	1		
Category Desc:	Category 1 means a tank which was installed before December 27, 1986		
Subpart:			
Subpart Desc:			
Tank Owner Name:			
Tank Owner Address:			

Material Information

Material Name:	#6 fuel oil (on-site consumption)
Percent:	100.00

Equipment Information

Equipment:	J00
Code Name:	None
Type:	Dispenser
Equipment:	F00
Code Name:	None
Type:	Pipe External Protection
Equipment:	C00
Code Name:	No Piping

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Type:			Pipe Location			
Equipment:			L00			
Code Name:			None			
Type:			Piping Leak Detection			
Equipment:			H06			
Code Name:			Impervious Barrier/Concrete Pad (A/G)			
Type:			Tank Leak Detection			
Equipment:			A00			
Code Name:			None			
Type:			Tank Internal Protection			
Equipment:			K00			
Code Name:			None			
Type:			Spill Prevention			
Equipment:			B00			
Code Name:			None			
Type:			Tank External Protection			
Equipment:			D00			
Code Name:			No Piping			
Type:			Pipe Type			
Equipment:			G02			
Code Name:			Vault (w/access)			
Type:			Tank Secondary Containment			
Equipment:			E00			
Code Name:			None			
Type:			Piping Secondary Containment			
Equipment:			I00			
Code Name:			None			
Type:			Overfill			

Affiliation Information

Affiliation Type: 07
Affiliation Name: Mail Contact
Affiliation Sub Type: NNN
Company: ALBANY VENTURES, INC
Contact Title: VICE PRESIDENT
Contact Name: PAUL FALLATI
Address1: 100 STATE ST
Address2:
City: ALBANY
State: NY
Zip Code: 12207
Country Code: 001
Phone: (518) 465-1565
Phone Ext:
Email: PFALLATI@GALESIMGMT.COM
Fax:

Affiliation Type: 04
Affiliation Name: Facility Operator
Affiliation Sub Type: NNN
Company: 100 STATE ST
Contact Title:
Contact Name: JEFF SANTORE
Address1:
Address2:
City:
State: NN
Zip Code:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Country Code:		001				
Phone:		(518) 465-1565				
Phone Ext:						
Email:						
Fax:						
Affiliation Type:		01				
Affiliation Name:		Facility Owner				
Affiliation Sub Type:		E				
Company:		ALBANY VENTURES, INC				
Contact Title:		VICE PRESIDENT				
Contact Name:		PAUL FALLATI				
Address1:		100 STATE ST				
Address2:						
City:		ALBANY				
State:		NY				
Zip Code:		12207				
Country Code:		001				
Phone:		(518) 465-1565				
Phone Ext:						
Email:		PFALLATI@GALESIMGMT.COM				
Fax:						
Affiliation Type:		11				
Affiliation Name:		Emergency Contact				
Affiliation Sub Type:		NNN				
Company:		ALBANY VENTURES, INC				
Contact Title:						
Contact Name:		JEFF SANTORE				
Address1:						
Address2:						
City:						
State:		NN				
Zip Code:						
Country Code:		001				
Phone:		(518) 465-1565				
Phone Ext:						
Email:						
Fax:						

103	2 of 3	N	0.23 / 1,237.62	56.71 / 28	COMMERCIAL OFFICE STATE ST 100 STATE ST 100 STATE STREET ALBANY NY	NY SPILLS
---------------------	--------	---	--------------------	---------------	--	-----------

Spill No:	0707905	UST Trust:	
Site ID:	388704	Spill Date:	2007-10-19 10:30:00
DER Facility ID:	338255	Received Date:	2007-10-19 10:30:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2008-01-07 00:00:00
Water Body:		Create Date:	2007-10-19 10:44:00
Class:	B4	Update Date:	2009-03-16 10:53:27.797000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	wtchrist
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Other		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"TANK IS LEAKING IN BASEMENT: COMPANY WILL COME CLEAN UP:"

DEC Remark:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

"11/01/07 - Spoke to Jeff Santore from Glassy Managment. Tank in question is a 6,000 agt in a concrete vault in the basement of the building. Tank beveled cleaned in the 80's but 6 oil was found to be leaking thru block wall. Op-Tech will be there on 11/2/07 to cut open tank and inspect. There is also a 600 gallon tank there also but that has been inspected and had been cleaned and filled with sand. Regardless, both tanks will be removed. wtc 01/07/-8 - Closure report received. Closed wtc"

Material Information

OP Unit ID:	1145860	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2136201	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0003A		
Material Name:	#6 fuel oil		

Spiller Information

Spiller Name:	JEFF SANTORE
Spiller Company:	COMMERCIAL OFFICE
Spiller Address:	100 STATE STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	JEFF SANTORE
Contact Phone:	(518) 465-1565
Contact Ext:	
Latitude:	42.649721405
Longitude:	-73.753628600

103	3 of 3	N	0.23 / 1,237.62	56.71 / 28	ALBANY VENTURES STATE ST 100 STATE ST ALBANY NY	LST
---------------------	--------	---	--------------------	---------------	---	-----

Spill No:	8603373	REM Phase:	0
Site ID:	62233	UST Trust:	False
DER Facility ID:	60360	Spill Date:	1986-08-21 09:00:00
CID:		Rcvd Date:	1986-08-21 10:45:00
Program Type:	ER	CAC Date:	1986-08-22 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Failure	Close Date:	1986-08-22 00:00:00
Water Body:		Create Date:	1986-08-22 00:00:00
Class:	B3	Update Date:	2007-10-19 11:48:04.870000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCDONALD
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Responsible Party		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CONFINED WITHIN BLDG.-500 GAL. OIL TANK IN VAULT"

Dec Remark:

"see 0707905"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	900662	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	476205	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	50.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	50.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0003A		
Material Name:	#6 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: ALBANY VENTURES INC.
Spiller Address: 100 STATE ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.650116410
Longitude: -73.753578230

104	1 of 2	NNW	0.24 / 1,265.75	95.46 / 66	HOWARD STREET PARKING FACILITY 70 HOWARD ST ALBANY NY 12207	RCRA SQG
---------------------	--------	------------	----------------------------	-----------------------	--	-----------------

EPA Handler ID: NYR000173583
Gen Status Universe: Small Quantity Generator
Contact Name: MICHAEL ARCANGEL
Contact Address: 302 , WASHINGTON AVE EXT , , ALBANY , NY, 12203 , US
Contact Phone No and Ext: 518-862-9133
Contact Email: MARCANGEL@COLUMBIADDEV.COM
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20100311
Location Latitude: 42.649711
Location Longitude: -73.754804

Violation/Evaluation Summary

Note: NO RECORDS: As of Jan 2024, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Used Oil Transporter:		No				
Used Oil Transfer Facility:		No				
Used Oil Processor:		No				
Used Oil Refiner:		No				
Used Oil Burner:		No				
Used Oil Market Burner:		No				
Used Oil Spec Marketer:		No				

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 20100311
 Handler Name: HOWARD STREET PARKING FACILITY
 Federal Waste Generator Code: 2
 Generator Code Description: Small Quantity Generator
 Source Type: Notification

Waste Code Details

Hazardous Waste Code: D008
 Waste Code Description: LEAD

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	302
Type:	Private	Street 1:	WASHINGTON AVE EXT
Name:	COLUMBIA EAGLE LLC	Street 2:	
Date Became Current:	20080411	City:	ALBANY
Date Ended Current:		State:	NY
Phone:	518-862-9133	Country:	US
Source Type:	Notification	Zip Code:	12207

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	
Name:	COLUMBIA EAGLE LLC	Street 2:	
Date Became Current:	20080411	City:	
Date Ended Current:		State:	
Phone:	518-862-9133	Country:	
Source Type:	Notification	Zip Code:	

104	2 of 2	NNW	0.24 / 1,265.75	95.46 / 66	HOWARD STREET PARKING FACILITY 70 HOWARD ST ALBANY NY 12207	AST
------------	---------------	------------	----------------------------	-----------------------	--	------------

Site ID:	434529	Expiry:	N/A
Site Status:	Unregulated/Closed	County:	Albany
Program No:	4-601338	UTM X:	601991.60297
Program Type Code:	PBS	UTM Y:	4722704.96749
Program Type Desc:	Petroleum Bulk Storage Program		
Site Type:	Other		

Tank Information

Prog No:	4-601338	UDC Ind:	1
Tank ID:	234245	Red Tag Start Date:	
Tank No:	1	Red Tag End Date:	
Tank Status:	3	Tank Last Test:	
Tank Status Desc:	Closed - Removed	Tank Next Test Due:	
Tank Type:	01	Test Method:	NN
Tank Type Desc:	Steel/Carbon Steel/Iron	Line Last Test Due:	
Install Date:		Next Line Test Due:	
Close Date:	03/29/2010	Line Test Method:	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tk Out of Serv Dt:					Class A Operator:	
Capacity (Gal):	1200				Class B Operator:	
Registered:	True				Modified by:	MJGRIFFI
Tank Model:					Last Modified:	05/09/2022
Pipe Model:						
Tank Location:		3				
Tank Location Desc:		Aboveground on saddles, legs, stilts, rack or cradle				
Category:		1				
Category Desc:		Category 1 means a tank which was installed before December 27, 1986				
Subpart:						
Subpart Desc:						
Tank Owner Name:						
Tank Owner Address:						

Material Information

Material Name:	#2 fuel oil (on-site consumption)
Percent:	100.00

Equipment Information

Equipment:	I00
Code Name:	None
Type:	Overfill
Equipment:	L00
Code Name:	None
Type:	Piping Leak Detection
Equipment:	J00
Code Name:	None
Type:	Dispenser
Equipment:	H00
Code Name:	None
Type:	Tank Leak Detection
Equipment:	F00
Code Name:	None
Type:	Pipe External Protection
Equipment:	B00
Code Name:	None
Type:	Tank External Protection
Equipment:	E00
Code Name:	None
Type:	Piping Secondary Containment
Equipment:	A00
Code Name:	None
Type:	Tank Internal Protection
Equipment:	G00
Code Name:	None
Type:	Tank Secondary Containment
Equipment:	K00
Code Name:	None
Type:	Spill Prevention
Equipment:	D01
Code Name:	Steel/Carbon Steel/Iron
Type:	Pipe Type
Equipment:	C01
Code Name:	Aboveground

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Type: Pipe Location

Affiliation Information

Affiliation Type: 01
Affiliation Name: Facility Owner
Affiliation Sub Type: E
Company: COLUMBIA EAGLE LLC
Contact Title:
Contact Name: MICHAEL ARCANGEL
Address1: 302 WASHINGTON AVE EXT
Address2:
City: ALBANY
State: NY
Zip Code: 12207
Country Code: 001
Phone: (518) 862-9133
Phone Ext:
Email: MARCANGEL@COLUMBIADEV.COM
Fax:

Affiliation Type: 07
Affiliation Name: Mail Contact
Affiliation Sub Type: NNN
Company: COLUMBIA EAGLE LLC
Contact Title:
Contact Name: MICHAEL ARCANGEL
Address1: 302 WASHINGTON AVE EXT
Address2:
City: ALBANY
State: NY
Zip Code: 12207
Country Code: 001
Phone: (518) 862-9133
Phone Ext:
Email: MARCANGEL@COLUMBIADEV.COM
Fax:

Affiliation Type: 04
Affiliation Name: Facility Operator
Affiliation Sub Type: NNN
Company: HOWARD STREET PARKING FACILITY
Contact Title:
Contact Name: MICHAEL ARCANGEL
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 001
Phone: (518) 862-9133
Phone Ext:
Email:
Fax:

Affiliation Type: 11
Affiliation Name: Emergency Contact
Affiliation Sub Type: NNN
Company: COLUMBIA EAGLE LLC
Contact Title:
Contact Name: MICHAEL ARCANGEL
Address1:
Address2:
City:
State: NN
Zip Code:
Country Code: 001
Phone: (518) 441-6250

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Phone Ext:
 Email:
 Fax:

105	1 of 1	NNE	0.24 / 1,267.30	36.31 / 7	BANK OF AMERICA 69 STATE ST ALBANY NY 12201	RCRA NON GEN
---------------------	--------	-----	--------------------	--------------	---	-----------------

EPA Handler ID: NYD006976062
 Gen Status Universe: No Report
 Contact Name: SANDRA JOHNSTON
 Contact Address: 69 , STATE ST , , ALBANY , NY, 12201 , US
 Contact Phone No and Ext: 716-667-6676
 Contact Email: SANDRA.JOHNSTON@ARCADIS.COM
 Contact Country: US
 County Name: ALBANY
 EPA Region: 02
 Land Type: Private
 Receive Date: 20170713
 Location Latitude: 42.649897
 Location Longitude: -73.753001

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
 Mixed Waste Generator: No
 Transporter Activity: No
 Transfer Facility: No
 Onsite Burner Exemption: No
 Furnace Exemption: No
 Underground Injection Activity: No
 Commercial TSD: No
 Used Oil Transporter: No
 Used Oil Transfer Facility: No
 Used Oil Processor: No
 Used Oil Refiner: No
 Used Oil Burner: No
 Used Oil Market Burner: No
 Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19880725
 Handler Name: NORSTAR BANK
 Source Type: Notification
 Federal Waste Generator Code: 2
 Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE
 Hazardous Waste Code: D002
 Waste Code Description: CORROSIVE WASTE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19990708
 Handler Name: NORSTAR BANK
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20060101
 Handler Name: NORSTAR BANK
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 3
 Receive Date: 20070101
 Handler Name: NORSTAR BANK
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 20080523
 Handler Name: BANK OF AMERICA
 Source Type: Notification
 Federal Waste Generator Code: 2
 Generator Code Description: Small Quantity Generator

Waste Code Details

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
 Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: D018
 Waste Code Description: BENZENE

Hazardous Waste Handler Details

Sequence No: 4
 Receive Date: 20170713
 Handler Name: BANK OF AMERICA
 Source Type: Implementer
 Federal Waste Generator Code: N
 Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:
Type:	Private	Street 1:
Name:	BANK OF AMERICA	Street 2:
Date Became Current:	20050101	City:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Date Ended Current:					State:	
Phone:					Country:	
Source Type:	Implementer				Zip Code:	
Owner/Operator Ind:	Current Owner				Street No:	
Type:	Private				Street 1:	
Name:	BANK OF AMERICA				Street 2:	
Date Became Current:	20050101				City:	
Date Ended Current:					State:	
Phone:					Country:	
Source Type:	Implementer				Zip Code:	
Owner/Operator Ind:	Current Owner				Street No:	
Type:	Private				Street 1:	NOT REQUIRED
Name:	NORSTAR BANK CORP				Street 2:	
Date Became Current:					City:	NOT REQUIRED
Date Ended Current:					State:	WY
Phone:	212-555-1212				Country:	
Source Type:	Notification				Zip Code:	99999
Owner/Operator Ind:	Current Owner				Street No:	
Type:	Private				Street 1:	NOT REQUIRED
Name:	NORSTAR BANK CORP				Street 2:	
Date Became Current:					City:	NOT REQUIRED
Date Ended Current:					State:	WY
Phone:	212-555-1212				Country:	US
Source Type:	Implementer				Zip Code:	99999
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	
Name:	BANK OF AMERICA				Street 2:	
Date Became Current:	20050101				City:	
Date Ended Current:					State:	
Phone:					Country:	
Source Type:	Notification				Zip Code:	
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	NOT REQUIRED
Name:	NORSTAR BANK CORP				Street 2:	
Date Became Current:					City:	NOT REQUIRED
Date Ended Current:					State:	WY
Phone:	212-555-1212				Country:	US
Source Type:	Implementer				Zip Code:	99999
Owner/Operator Ind:	Current Owner				Street No:	
Type:	Private				Street 1:	
Name:	BANK OF AMERICA				Street 2:	
Date Became Current:	20050101				City:	
Date Ended Current:					State:	
Phone:					Country:	
Source Type:	Notification				Zip Code:	

Historical Handler Details

Receive Dt: 20080523
Generator Code Description: Small Quantity Generator
Handler Name: BANK OF AMERICA

Receive Dt: 20070101
Generator Code Description: Not a Generator, Verified
Handler Name: NORSTAR BANK

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: NORSTAR BANK

Receive Dt: 19990708
Generator Code Description: Not a Generator, Verified

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Handler Name: NORSTAR BANK
Receive Dt: 19880725
Generator Code Description: Small Quantity Generator
Handler Name: NORSTAR BANK

106	1 of 1	N	0.24 / 1,273.24	62.69 / 34	OMNI HOTEL STATE @ LODGE STATE ST (89) @ LODGE ST OMNI HOTEL SATE AND LODGE ALBANY NY	LST
---------------------	--------	---	--------------------	---------------	--	-----

Spill No:	9601631	REM Phase:	0
Site ID:	195517	UST Trust:	True
DER Facility ID:	162900	Spill Date:	1996-05-01 17:00:00
CID:	252	Rcvd Date:	1996-05-01 17:52:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1997-08-04 00:00:00
Water Body:		Create Date:	1996-05-01 00:00:00
Class:	B3	Update Date:	2012-01-23 16:07:55.120000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	TESPERBE
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Tank Tester		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"vacutest-no vacumm - 1930 tester called back stating he re tested the tank and it passed"

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SPERBECK PBS 4-052531"

Material Information

OP Unit ID:	1033183	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	351437	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name: UNKNOWN [BRAIN WAGNER]
Spiller Company: UNKNOWN OMNI HOTEL (AKA HILTON, CROWNE PLAZA)
Spiller Address: UNKNOWN [STATE @ LODGE]
Spiller City: UNKNOWN [ALBANY]
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name: BRIAN WAGNER
Contact Phone: (518) 462-6611
Contact Ext:
Latitude:
Longitude:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Tank Test Information

Spill Tank ID:	1544510	Source:	
Tank No:	0	Leak Rate:	.00
Tank Size:	4000	Gross Fail:	
Material:	0008	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.140000000
UST:		Test Method:	99
Cause:			
Alt Test Method:	Alternate Test per former 613.5(a)(2)(v)		

107	1 of 1	NNW	0.24 / 1,278.46	95.46 / 66	COMMERCIAL APT HOWARD ST 64 HOWARD ST COMMERCIAL APT 64 HOWARD ST ALBANY NY	NY SPILLS
---------------------	--------	------------	----------------------------	-----------------------	--	------------------

Spill No:	1400853	UST Trust:	False
Site ID:	494110	Spill Date:	2014-04-25 11:11:00
DER Facility ID:	449043	Received Date:	2014-04-25 11:11:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2014-06-10 00:00:00
Water Body:		Create Date:	2014-04-25 11:13:00
Class:		Update Date:	2014-06-10 14:03:37.083000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"tank removal 15000 gallon, soil impacted,, holes in tank"

DEC Remark:

"04/25/14 - TC with Paul Misaszek. Pulled #6 fuel oil tank this morning. No problems noted until bottom. Tank had holes in bottom. Dug out appr. 15 yards of contaminated soil from bottom down to clay layer and no visible contamination. Took 5 post excavation soil samples and to analyze for 8260 and 8270. Put poly in bottom of excavation in case samples come back with hits. He will send in report once they get results back. DP 6/10 - Report received and reviewed. Spill can be closed."

Material Information

OP Unit ID:	1243638	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2244339	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0003A		
Material Name:	#6 fuel oil		

Spiller Information

Spiller Name: PAUL MISASZEK

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Company:		COMMERCIAL APT				
Spiller Address:		64 HOWARD ST				
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		999				
Contact Name:		PAUL MISASZEK				
Contact Phone:		(518) 377-9841				
Contact Ext:		31				
Latitude:		42.649995953				
Longitude:		-73.755621499				

108	1 of 3	SW	0.24 / 1,279.67	38.49 / 9	NIMO TRANSFORMER TRINITY SUBSTATION GRAND ST GRAND ST @ PARK AVE (BTWN GRAND ST & TRINITY PL) TRINITY SUBSTATION GRANDE/PARK STREET ALBANY NY 12202	NY SPILLS
---------------------	--------	----	--------------------	--------------	--	------------------

Spill No:	0600771	UST Trust:	False
Site ID:	362850	Spill Date:	2006-04-20 11:32:00
DER Facility ID:	313068	Received Date:	2006-04-20 11:32:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2006-08-04 00:00:00
Water Body:		Create Date:	2006-04-20 11:56:00
Class:	C4	Update Date:	2013-07-19 13:26:43.52000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"A VALVE INSIDE TRANSFORMER LEAKED AND CAUSED SPILL; IS CONTAINED WITH DIAPERS AND SPEEDID RI AND CREW ENROUTE TO CLEAN UP"

DEC Remark:

"8/4/06 - At sus-station. Cleaned up by National Grid. wtc 9712374, 0013218, 0600771, 0707170"

Material Information

OP Unit ID:	1120929	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2110412	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name: GEORGE BREEN

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Company:		TRINITY SUBSTATION (NIMO)				
Spiller Address:		GRANDE[SP]/PARK STREET				
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		001				
Contact Name:		GEORGE BREEN				
Contact Phone:		(518) 275-6616				
Contact Ext:						
Latitude:						
Longitude:						

108	2 of 3	SW	0.24 / 1,279.67	38.49 / 9	NIMO TRINITY SUBSTATION GRAND ST GRAND ST SUBSTATION (BTWN GRAND ST & TRINITY PL) TRINITY SUB STATION GRAND ST ALBANY ALBANY NY	NY SPILLS
---------------------	--------	----	--------------------	--------------	--	------------------

Spill No:	0013218	UST Trust:	False
Site ID:	93213	Spill Date:	2001-03-17 10:22:00
DER Facility ID:	439927	Received Date:	2001-03-17 13:58:00
CID:	403	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2001-07-26 00:00:00
Water Body:		Create Date:	2001-03-17 00:00:00
Class:	C4	Update Date:	2013-07-19 13:25:10.927000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"C PHASE BUSHING FAILED ON TRANSFORMER."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 7/26/2001 - Received letter from NiMo. Transformer factory labeled Non-PCB wtc 9712374, 0013218, 0600771, 0707170"

Material Information

OP Unit ID:	835153	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	539937	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	2.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	2.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name: MATT LAFONTAINE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Company:		NIAGARA MOHAWK NIMO				
Spiller Address:		300 ERIE BOULEVARD WEST??				
Spiller City:		SYRACUSE ??? [ALBANY?]				
Spiller State:		NY				
Spiller Zip:		-				
Spiller Country:		001				
Contact Name:		BARBRA SCHEURER				
Contact Phone:		(518) 433-3696				
Contact Ext:						
Latitude:		42.647449994				
Longitude:		-73.755180000				

[108](#) 3 of 3 **SW** 0.24 / 1,279.67 38.49 / 9 **NIMO TRINITY SUBSTATION GRAND ST GRAND ST SUBSTATION (BTWN GRAND ST & TRINITY PL) TRINITY SUB STATION GRAND ST ALBANY ALBANY NY** **NY SPILLS**

Spill No:	9712374	UST Trust:	False
Site ID:	93214	Spill Date:	1998-02-05 10:30:00
DER Facility ID:	439927	Received Date:	1998-02-05 12:14:00
CID:	252	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2001-02-14 00:00:00
Water Body:		Create Date:	1998-02-05 00:00:00
Class:	C4	Update Date:	2013-07-19 13:25:51.693000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"LEAKING VALVE CAUSED SPILL FROM TRANSFORMER WHICH IS BEING CLEANED UP AT THIS TIME."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 02/09/2001 - Letter written for closure report on 01/11/01. 02/14/2001 - Transformer labeled non-PCB. 9712374, 0013218, 0600771, 0707170"

Material Information

OP Unit ID:	1058703	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	326983	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	35.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name: MIKE ABBOTT

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Spiller Company:		NIAGARA MOHAWK NIMO				
Spiller Address:		1125 BROADWAY				
Spiller City:		ALBANY				
Spiller State:		NY				
Spiller Zip:						
Spiller Country:		001				
Contact Name:		MIKE ABBOTT				
Contact Phone:		(518) 433-3696				
Contact Ext:						
Latitude:		42.647449994				
Longitude:		-73.755180000				

109	1 of 1	SW	0.24 / 1,291.01	27.19 / -2	ALBANY COUNTY DEPT OF HEALTH 260 S PEARL ST ALBANY NY 12201	RCRA NON GEN
---------------------	--------	----	--------------------	---------------	--	-----------------

EPA Handler ID: NYR000104505
Gen Status Universe: No Report
Contact Name: ROBERT SMITH
Contact Address: 260 , S PEARL ST , , ALBANY , NY, 12201 , US
Contact Phone No and Ext: 518-433-0146
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20070101
Location Latitude: 42.6583
Location Longitude: -73.74914

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20020308
Handler Name: ALBANY COUNTY DEPT OF HEALTH
Source Type: Notification
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Waste Code Details

Hazardous Waste Code: B007
Waste Code Description: Other PCB wastes, including contaminated soil, solids, sludges, clothing, rags and dredge material.

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: ALBANY COUNTY DEPT OF HEALTH
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101
Handler Name: ALBANY COUNTY DEPT OF HEALTH
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Operator	Street No:	
Type: Private	Street 1:	41 STATE ST
Name: CGT ASSOCIATES LLC	Street 2:	
Date Became Current: 20010101	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-463-2914	Country:	US
Source Type: Implementer	Zip Code:	12207

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	41 STATE ST
Name: CGT ASSOCIATES LLC	Street 2:	
Date Became Current: 20010101	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-463-2914	Country:	US
Source Type: Implementer	Zip Code:	12207

Owner/Operator Ind: Current Owner	Street No:	
Type: Private	Street 1:	41 STATE ST
Name: CGT ASSOCIATES LLC	Street 2:	
Date Became Current:	City:	ALBANY
Date Ended Current:	State:	NY
Phone: 518-463-2914	Country:	US
Source Type: Notification	Zip Code:	12207

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: ALBANY COUNTY DEPT OF HEALTH

Receive Dt: 20020308
Generator Code Description: Large Quantity Generator
Handler Name: ALBANY COUNTY DEPT OF HEALTH

110	1 of 1	SW	0.25 / 1,301.93	30.55 / 1	Albany - Grand and Trinity 85 Trinity Place Albany NY 12201	SHWS
---------------------	--------	----	--------------------	--------------	---	------

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
<i>Site Code:</i>		395364				
<i>HW Code:</i>		401054				
<i>Program:</i>		HW				
<i>Site Class:</i>		N				
<i>Site Name:</i>		Albany - Grand and Trinity				
<i>Site Address:</i>		85 Trinity Place				
<i>City:</i>		Albany				
<i>Zip:</i>		12201				
<i>County:</i>		Albany				
<i>Region:</i>		4				
<i>Town:</i>		Albany (c)				
<i>Latitude:</i>		42.643054027				
<i>Longitude:</i>		-73.757647014				
<i>SWIS:</i>		0101				
<i>Acres:</i>		1.800				
<i>Record Added:</i>		2008-03-25 10:10:00				
<i>Record Update:</i>		2020-02-24 08:31:00				
<i>Updated by:</i>		SXDEYETT				
<i>Site Code (Web):</i>		401054				
<i>Program Type (Web):</i>		HW				
<i>Site Name (Web):</i>		Albany - Grand and Trinity				
<i>Site Class (Web):</i>		N				
<i>Address1 (Web):</i>		85 Trinity Place				
<i>Address2 (Web):</i>						
<i>Locality (Web):</i>		Albany				
<i>Zip Code (Web):</i>		12201				
<i>County (Web):</i>		Albany				
<i>Longitude (Web):</i>		-73.757647014				
<i>Latitude (Web):</i>		42.643054027				
<i>Site Code (GIS):</i>		401054				
<i>Site Name (GIS):</i>		Albany - Grand and Trinity				
<i>Program (GIS):</i>		HW				
<i>Site Class (GIS):</i>		N				
<i>Address1 (GIS):</i>		85 Trinity Place				
<i>Address2 (GIS):</i>						
<i>Locality (GIS):</i>		Albany				
<i>Zip Code (GIS):</i>		12201				
<i>County (GIS):</i>		Albany				
<i>Site Class Desc:</i>		No Further Action at this Time: Sites are given a classification of "N" when:				

- a. the investigation and evaluation of a Class P site results in a determination that contamination at the site does not warrant placing the site on the Registry or it is being addressed under a brownfield program;
- b. a site was in a brownfield program (BCP, ERP or VCP) or other non-Registry program, remediation was not completed, and the site did not otherwise qualify for listing on the Registry. As an example, this occurs when a volunteer begins a brownfield project and then for economic or other reasons, determines they cannot complete the work and the brownfield project is terminated. If the contamination at the brownfield site qualifies it for placement on the Registry, the Department acts to do so. If the site re-enters a brownfield program, it can be reclassified to Class A (active) to indicate that work has recommenced;
- c. a site was identified simply as the location(s) where a drum(s) or other discrete waste was at one time present and subsequently removed by DEC or others and, based on the resulting conditions, no need for additional work was apparent; or
- d. an application to the BCP, ERP or VCP was submitted, and was then withdrawn or terminated before any actions were taken to investigate or remediate the site.

Site Class Desc (Web):

- No Further Action at this Time: Sites are given a classification of "N" when:
- a. the investigation and evaluation of a Class P site results in a determination that contamination at the site does not warrant placing the site on the Registry or it is being addressed under a brownfield program;
 - b. a site was in a brownfield program (BCP, ERP or VCP) or other non-Registry program, remediation was not completed, and the site did not otherwise qualify for listing on the Registry. As an example, this occurs when a volunteer begins a brownfield project and then for economic or other reasons, determines they cannot complete the work and the brownfield project is terminated. If the contamination at the brownfield site qualifies it for placement on the Registry, the Department acts to do so. If the site re-enters a brownfield program, it can be reclassified to Class A (active) to indicate that work has recommenced;
 - c. a site was identified simply as the location(s) where a drum(s) or other discrete waste was at one time present and subsequently removed by DEC or others and, based on the resulting conditions, no need for additional work

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

was apparent; or

d. an application to the BCP, ERP or VCP was submitted, and was then withdrawn or terminated before any actions were taken to investigate or remediate the site.

**Assess DOH:
Description:**

See site V00466

Assessment:

Please see site #V00466

Owner Information

Owner Op: 01
Sub Type: NNN
Owner Name:
Owner Company: National Grid
Owner Street: 300 Erie Blvd West
Owner Street 2:
Owner City: Syracuse
Owner State: NY
Owner Zip: 13202
Country: United States of America

Projects Information

Project Code: 01
Project Desc: Site Characterization
Project Refer Name:
End Date: 2013-09-24 00:00:00
End Status: ACT
Operable Unit ID: 1152307
Operable Unit: 01
Operable Unit Desc: Remedial Program
Code Name: Site Characterization

Environmental Remediation

Operable Unit: 01
Contaminants:

111	1 of 4	NNW	0.25 / 1,304.25	98.83 / 70	67 REMEDIATION SITE 67 HOWARD ST ALBANY NY 12207	RCRA NON GEN
---------------------	--------	-----	--------------------	---------------	--	-----------------

EPA Handler ID: NYR000180018
Gen Status Universe: No Report
Contact Name: MICHAEL ARCANGEL
Contact Address: 302 , WASHINGTON AVE EXTENSION , , ALBANY , NY, 12203 , US
Contact Phone No and Ext: 518-862-9133
Contact Email: MARCANGEL@COLUMBIADDEV.COM
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: Private
Receive Date: 20120417
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20110120
Handler Name: 67 REMEDIATION SITE
Source Type: Temporary
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D039
Waste Code Description: TETRACHLOROETHYLENE

Hazardous Waste Code: D040
Waste Code Description: TRICHTHLORETHYLENE

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20120417
Handler Name: 67 REMEDIATION SITE
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D039
Waste Code Description: TETRACHLOROETHYLENE

Hazardous Waste Code: D040
Waste Code Description: TRICHTHLORETHYLENE

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20120424
Handler Name: 67 REMEDIATION SITE
Source Type: Annual/Biennial Report update with Notification
Federal Waste Generator Code: 1

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D039
Waste Code Description: TETRACHLOROETHYLENE

Hazardous Waste Code: D040
Waste Code Description: TRICHLOROETHYLENE

Owner/Operator Details

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	
Name:	COLUMBIA EAGLE LLC	Street 2:	
Date Became Current:	20061117	City:	
Date Ended Current:		State:	
Phone:		Country:	
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	
Name:	COLUMBIA EAGLE LLC	Street 2:	
Date Became Current:	20061117	City:	
Date Ended Current:		State:	
Phone:		Country:	US
Source Type:	Temporary	Zip Code:	

Owner/Operator Ind:	Current Owner	Street No:	302
Type:	Private	Street 1:	WASHINGTON AVENUE EXT.
Name:	COLUMBIA EAGLE LLC	Street 2:	
Date Became Current:	20061117	City:	ALBANY
Date Ended Current:		State:	NY
Phone:	518-862-9133	Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	12203

Owner/Operator Ind:	Current Owner	Street No:	302
Type:	Private	Street 1:	WASHINGTON AVE EXT
Name:	COLUMBIA EAGLE LLC	Street 2:	
Date Became Current:	20061117	City:	ALBANY
Date Ended Current:		State:	NY
Phone:	518-862-9133	Country:	US
Source Type:	Temporary	Zip Code:	12203

Owner/Operator Ind:	Current Operator	Street No:	
Type:	Private	Street 1:	
Name:	COLUMBIA EAGLE LLC	Street 2:	
Date Became Current:	20061117	City:	
Date Ended Current:		State:	
Phone:		Country:	US
Source Type:	Implementer	Zip Code:	

Owner/Operator Ind:	Current Owner	Street No:	302
Type:	Private	Street 1:	WASHINGTON AVE EXT
Name:	COLUMBIA EAGLE LLC	Street 2:	
Date Became Current:	20061117	City:	ALBANY
Date Ended Current:		State:	NY
Phone:	518-862-9133	Country:	US
Source Type:	Implementer	Zip Code:	12203

Historical Handler Details

Receive Dt: 20120424
Generator Code Description: Large Quantity Generator
Handler Name: 67 REMEDIATION SITE

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Receive Dt:		20110120				
Generator Code Description:		Large Quantity Generator				
Handler Name:		67 REMEDIATION SITE				

111	2 of 4	NNW	0.25 / 1,304.25	98.83 / 70	Former Albany Laboratories 67 Howard Street Albany NY 12207	SHWS
---------------------	--------	------------	------------------------	-------------------	--	-------------

Site Code: 441655
HW Code: 401061
Program: HW
Site Class: 04
Site Name: Former Albany Laboratories
Site Address: 67 Howard Street
City: Albany
Zip: 12207
County: Albany
Region: 4
Town: Albany (c)
Latitude: 42.650564000
Longitude: -73.755532000
SWIS: 0101
Acres: 0.170
Record Added: 2010-11-04 11:34:00
Record Update: 2023-11-02 10:06:00
Updated by: SMQUANDT
Site Code (Web): 401061
Program Type (Web): HW
Site Name (Web): Former Albany Laboratories
Site Class (Web): 04
Address1 (Web): 67 Howard Street
Address2 (Web):
Locality (Web): Albany
Zip Code (Web): 12207
County (Web): Albany
Longitude (Web): -73.755532000
Latitude (Web): 42.650564000
Site Code (GIS): 401061
Site Name (GIS): Former Albany Laboratories
Program (GIS): HW
Site Class (GIS): 04
Address1 (GIS): 67 Howard Street
Address2 (GIS):
Locality (GIS): Albany
Zip Code (GIS): 12207
County (GIS): Albany
Site Class Desc: This classification is assigned to a site that has been properly closed but that requires continued site management consisting of operation, maintenance and/or monitoring. Class 4 is appropriate for a site where remedial construction actions have been completed for all operable units, but the site has not necessarily been brought into compliance with standards, criteria, or guidance (e.g., a groundwater extraction and treatment system has been installed and is operating properly but groundwater standards have not been achieved yet). The Record of Decision should define the remedial action objectives that need to be achieved during site management. If a Certificate of Completion (CoC) is to be issued for a site, the CoC is issued concurrently with the reclassification.

Site Class Desc (Web): This classification is assigned to a site that has been properly closed but that requires continued site management consisting of operation, maintenance and/or monitoring. Class 4 is appropriate for a site where remedial construction actions have been completed for all operable units, but the site has not necessarily been brought into compliance with standards, criteria, or guidance (e.g., a groundwater extraction and treatment system has been installed and is operating properly but groundwater standards have not been achieved yet). The Record of Decision should define the remedial action objectives that need to be achieved during site management. If a Certificate of Completion (CoC) is to be issued for a site, the CoC is issued concurrently with the reclassification.

Assess DOH: Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.

Description:

Location: The site consists of two adjacent lots at 140 State Street and the former location of the Albany Chemical Laboratories at 67 Howard Street in an urban/commercial area within the City of Albany near the State Capitol. Site Features: The 67 Howard Street parcel was a long narrow lot that abutted the back of the 140 State Street parcel. The lots have since been reconfigured. 140 State was made smaller to only consist of a new building with the original façade. The area of the 67 Howard parcel was significantly increased to include a former portion of 140 State Street and all or a portion

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

of five other lots. 67 Howard Street is presently occupied by a large parking garage. The Former Albany Laboratories site is defined by metes and bounds in the site management plan. Current Zoning and Land Use: The site is zoned for commercial use. The immediate area is entirely commercial or government properties. The site and surrounding area is zoned C-3 Central Business District) which allows for residential dwellings greater than 600 square feet. Past Use of the Site: Sometime prior to 1934, the 67 Howard Street property was the location of a dairy farm. On a 1934 Sanborn map, 67 Howard Street was shown to have a chemical laboratory and the courtyard behind the building was shown to be used as a "Thinner storage yard in metal drums". According to city directories, the 67 Howard Street property was operated as Albany Laboratories from 1935 to 1985. The property has been vacant since 1985. The earliest records indicate that the 140 State Street property was originally a private dwelling. Circa 1914 documents reported that the property was used as doctor's offices and apartments. At some time prior to 1934 and until at least 1979, the building was used as the Berkshire Hotel. The building was vacant thereafter until it was demolished in 2008. Prior to the site being listed on the NYS Registry of Inactive Hazardous Waste Disposal Sites in February 2011, the site was overseen as spill No. 0704683. In July 2007 a 2,000 gallon fuel oil underground storage tank (UST) was found on the 140 State Street property and in September 2008 the UST was removed and 251.5 tons of impacted soil around the tank was excavated and disposed of off-site. Subsequent site investigations found chlorinated volatile organic compounds (VOCs), petroleum-related semi-volatile organic compounds (SVOCs) and mercury contamination in on-site soil. In September and October 2008, the top three feet of soil, 385.6 tons, was removed from the former courtyard area. Post-excavation samples indicated the presence of remaining soil contamination above standards. Once the on-site buildings were demolished, further excavation of impacted soil was conducted in 2011. Clean fill material brought to the site met the requirements for the identified site use as set forth in 6 NYCRR Part 375-6.7(d). Site Geology and Hydrogeology: Due to the steep incline toward the Hudson River (to the east), it is assumed that area groundwater flows due east to the river. A groundwater monitoring well was drilled through 50 feet of dense clay in an attempt to investigate groundwater, but no groundwater was found to a depth of 50 feet.

Assessment:

Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, contamination consisted of chlorinated volatile organic compounds and petroleum-related contaminants in soil. Remedial actions have successfully achieved the soil cleanup objectives the site, and a site cover allows for commercial use at 67 Howard St., and restricted residential at the 140 State St. portion of the site. Remaining contamination in the soil and soil vapor is being managed under a site management plan

Materials Information

Waste Name: tetrachloroethene (PCE)
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: BENZO(A)PYRENE
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: MERCURY
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: BENZ(A)ANTHRACENE
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: TETRACHLOROETHYLENE (PCE)
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: BENZO(B)FLUORANTHENE
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: TOLUENE
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: 1,1 Dichloroethene
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: DICHLOROETHYLENE
Waste Quantity: UNKNOWN
Waste Code:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Waste Name: XYLENE (MIXED)
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: TRICHLOROETHENE (TCE)
Waste Quantity: UNKNOWN
Waste Code:

Owner Information

Owner Op: 19
Sub Type: NNN
Owner Name:
Owner Company: Albany Public Library
Owner Street: Main Branch
Owner Street 2: 161 Washington Avenue
Owner City: Albany
Owner State: NY
Owner Zip: 12210
Country: United States of America

HW Extra Information

Dump:	False	Record Added:	2010-11-08 11:40:00
Structure:	False	Record Updated:	2016-10-07 11:08:00
Lagoon:	False	Disposal Start:	
Landfill:	False	Disposal Terminate:	
Pond:	False	Latitude:	
Dell:		Longitude:	
Updated By:	MDMACCAB		

Projects Information

Project Code: 25
Project Desc:
Project Refer Name:
End Date: 2017-04-07 00:00:00
End Status: ACT
Operable Unit ID: 1243335
Operable Unit: 00
Operable Unit Desc: Site Management
Code Name: Certificate of Completion

Project Code: 05
Project Desc: Remedial Action
Project Refer Name:
End Date: 2017-04-07 00:00:00
End Status: ACT
Operable Unit ID: 1192204
Operable Unit: 01
Operable Unit Desc: Remedial Program
Code Name: Remedial Action

Project Code: 05
Project Desc: Remedial Action
Project Refer Name:
End Date: 2016-07-25 00:00:00
End Status: ACT
Operable Unit ID: 1233501
Operable Unit: 01B
Operable Unit Desc: Off-Site Sub-Slab Depressurization System
Code Name: Remedial Action

Project Code: 04
Project Desc: Remedial Design

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Project Refer Name:
End Date: 2013-06-14 00:00:00
End Status: ACT
Operable Unit ID: 1233501
Operable Unit: 01B
Operable Unit Desc: Off-Site Sub-Slab Depressurization System
Code Name: Remedial Design

Project Code: 02
Project Desc: Remedial Investigation
Project Refer Name:
End Date: 2014-03-31 00:00:00
End Status: ACT
Operable Unit ID: 1192204
Operable Unit: 01
Operable Unit Desc: Remedial Program
Code Name: Remedial Investigation

Project Code: 04
Project Desc: Remedial Design
Project Refer Name:
End Date: 2014-06-20 00:00:00
End Status: ACT
Operable Unit ID: 1192204
Operable Unit: 01
Operable Unit Desc: Remedial Program
Code Name: Remedial Design

Environmental Remediation

Operable Unit: 00
Contaminants: 1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)

Operable Unit: 01B
Contaminants: 1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)

Operable Unit: 01
Contaminants: 1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)

111	3 of 4	NNW	0.25 / 1,304.25	98.83 / 70	Former Albany Laboratories 67 Howard Street Albany NY 12207	INST
---------------------	--------	------------	----------------------------	-----------------------	--	-------------

Site Code: 441655
HW Code: 401061
Control Type: INST
Program: HW
Site Class: 04
Site Name: Former Albany Laboratories
Site Address: 67 Howard Street
City: Albany
Zip: 12207
County: Albany
Region: 4
Town: Albany (c)
Latitude: 42.650564000
Longitude: -73.755532000
SWIS: 0101
Acres: 0.170
Record Added: 2010-11-04 11:34:00
Record Updated: 2023-11-02 10:06:00
Updated By: SMQUANDT
Site Code (Web): 401061
Program Type (Web): HW

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Site Class (Web):		04				
Site Name (Web):		Former Albany Laboratories				
Address1 (Web):		67 Howard Street				
Address2 (Web):						
Locality (Web):		Albany				
Zip Code (Web):		12207				
County (Web):		Albany				
Longitude (Web):		-73.755532000				
Latitude (Web):		42.650564000				
Site Code (GIS):		401061				
Program (GIS):		HW				
Site Class (GIS):		04				
Site Name (GIS):		Former Albany Laboratories				
Address 1 (GIS):		67 Howard Street				
Address 2 (GIS):						
Locality (GIS):		Albany				
Zip Code (GIS):		12207				
County (GIS):		Albany				
Latitude (GIS):						
Longitude (GIS):						
Site Class Desc:		This classification is assigned to a site that has been properly closed but that requires continued site management consisting of operation, maintenance and/or monitoring. Class 4 is appropriate for a site where remedial construction actions have been completed for all operable units, but the site has not necessarily been brought into compliance with standards, criteria, or guidance (e.g., a groundwater extraction and treatment system has been installed and is operating properly but groundwater standards have not been achieved yet). The Record of Decision should define the remedial action objectives that need to be achieved during site management. If a Certificate of Completion (CoC) is to be issued for a site, the CoC is issued concurrently with the reclassification.				

Site Class Desc (Web):

This classification is assigned to a site that has been properly closed but that requires continued site management consisting of operation, maintenance and/or monitoring. Class 4 is appropriate for a site where remedial construction actions have been completed for all operable units, but the site has not necessarily been brought into compliance with standards, criteria, or guidance (e.g., a groundwater extraction and treatment system has been installed and is operating properly but groundwater standards have not been achieved yet). The Record of Decision should define the remedial action objectives that need to be achieved during site management. If a Certificate of Completion (CoC) is to be issued for a site, the CoC is issued concurrently with the reclassification.

Assess DOH:

Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.

Description:

Location: The site consists of two adjacent lots at 140 State Street and the former location of the Albany Chemical Laboratories at 67 Howard Street in an urban/commercial area within the City of Albany near the State Capitol. Site Features: The 67 Howard Street parcel was a long narrow lot that abutted the back of the 140 State Street parcel. The lots have since been reconfigured. 140 State was made smaller to only consist of a new building with the original façade. The area of the 67 Howard Street parcel was significantly increased to include a former portion of 140 State Street and all or a portion of five other lots. 67 Howard Street is presently occupied by a large parking garage. The Former Albany Laboratories site is defined by metes and bounds in the site management plan. Current Zoning and Land Use: The site is zoned for commercial use. The immediate area is entirely commercial or government properties. The site and surrounding area is zoned C-3 Central Business District) which allows for residential dwellings greater than 600 square feet. Past Use of the Site: Sometime prior to 1934, the 67 Howard Street property was the location of a dairy farm. On a 1934 Sanborn map, 67 Howard Street was shown to have a chemical laboratory and the courtyard behind the building was shown to be used as a "thinner storage yard in metal drums". According to city directories, the 67 Howard Street property was operated as Albany Laboratories from 1935 to 1985. The property has been vacant since 1985. The earliest records indicate that the 140 State Street property was originally a private dwelling. Circa 1914 documents reported that the property was used as doctor's offices and apartments. At some time prior to 1934 and until at least 1979, the building was used as the Berkshire Hotel. The building was vacant thereafter until it was demolished in 2008. Prior to the site being listed on the NYS Registry of Inactive Hazardous Waste Disposal Sites in February 2011, the site was overseen as spill No. 0704683. In July 2007 a 2,000 gallon fuel oil underground storage tank (UST) was found on the 140 State Street property and in September 2008 the UST was removed and 251.5 tons of impacted soil around the tank was excavated and disposed of off-site. Subsequent site investigations found chlorinated volatile organic compounds (VOCs), petroleum-related semi-volatile organic compounds (SVOCs) and mercury contamination in on-site soil. In September and October 2008, the top three feet of soil, 385.6 tons, was removed from the former courtyard area. Post-excavation samples indicated the presence of remaining soil contamination above standards. Once the on-site buildings were demolished, further excavation of impacted soil was conducted in 2011. Clean fill material brought to the site met the requirements for the identified site use as set forth in 6 NYCRR Part 375-6.7(d). Site Geology and Hydrogeology: Due to the steep incline toward the Hudson River (to the east), it is assumed that area groundwater flows due east to the river. A groundwater monitoring well was drilled through 50 feet of dense clay in an attempt to investigate groundwater, but no groundwater was found to a depth of 50 feet.

Assessment:

Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, contamination consisted of chlorinated volatile organic compounds and petroleum-related contaminants in soil. Remedial actions have successfully achieved the soil cleanup objectives the site, and a site cover allows for commercial use at 67 Howard St., and restricted residential at the 140 State St. portion of the site. Remaining contamination in the soil and soil vapor is being managed under a site management plan

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Controls Information

Control Code:	J				Record Added Date:	2015-09-22 14:35:51.667000000
Control Name:	Environmental Easement				Record Updated Dt:	2024-01-09 12:05:00.050000000
Control Type:	INST				In Place Date:	2015-10-09 00:00:00
Updated By:	RXMUSTIC					
Control Code:	34				Record Added Date:	2015-09-22 14:35:51.667000000
Control Name:	IC/EC Plan				Record Updated Dt:	2024-01-09 12:05:00.050000000
Control Type:	INST				In Place Date:	2015-10-09 00:00:00
Updated By:	RXMUSTIC					
Control Code:	33				Record Added Date:	2015-09-22 14:34:29.283000000
Control Name:	O&M Plan				Record Updated Dt:	2024-01-09 12:05:00.050000000
Control Type:	INST				In Place Date:	2015-10-09 00:00:00
Updated By:	RXMUSTIC					
Control Code:	32				Record Added Date:	2015-09-22 14:35:51.667000000
Control Name:	Site Management Plan				Record Updated Dt:	2024-01-09 12:05:00.050000000
Control Type:	INST				In Place Date:	2015-10-09 00:00:00
Updated By:	RXMUSTIC					
Control Code:	25				Record Added Date:	2015-09-22 14:35:51.667000000
Control Name:	Landuse Restriction				Record Updated Dt:	2024-01-09 12:05:00.050000000
Control Type:	INST				In Place Date:	2015-10-09 00:00:00
Updated By:	RXMUSTIC					
Control Code:	14				Record Added Date:	2015-09-22 14:35:51.667000000
Control Name:	Soil Management Plan				Record Updated Dt:	2024-01-09 12:05:00.050000000
Control Type:	INST				In Place Date:	2015-10-09 00:00:00
Updated By:	RXMUSTIC					

Materials Information

Waste Name:	TOLUENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	BENZO(A)PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	DICHLOROETHYLENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	MERCURY
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	BENZ(A)ANTHRACENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	BENZO(B)FLUORANTHENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	XYLENE (MIXED)

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Waste Quantity:		UNKNOWN				
Waste Code:						
Waste Name:		TRICHLOROETHENE (TCE)				
Waste Quantity:		UNKNOWN				
Waste Code:						
Waste Name:		1,1 Dichloroethene				
Waste Quantity:		UNKNOWN				
Waste Code:						
Waste Name:		benzo(a)anthracene				
Waste Quantity:		UNKNOWN				
Waste Code:						

Owner Information

Owner Op:	19
Sub Type:	NNN
Owner Name:	
Owner Company:	Albany Public Library
Owner Street:	Main Branch
Owner Street 2:	161 Washington Avenue
Owner City:	Albany
Owner State:	NY
Owner Zip:	12210
Country:	United States of America

HW Extra Information

Dump:	False	Dell:	
Structure:	False	Updated By:	MDMACCAB
Lagoon:	False	Record Added:	2010-11-08 11:40:00
Landfill:	False	Record Updated:	2016-10-07 11:08:00
Pond:	False	Latitude:	
Disposal Start:		Longitude:	
Disposal Terminate:			

Projects Information

Project Code:	05
Project Desc:	Remedial Action
Project Refer Name:	
End Date:	2017-04-07 00:00:00
End Status:	ACT
Operable Unit ID:	1192204
Operable Unit:	01
Operable Unit Desc:	Remedial Program
Code Name:	Remedial Action
Project Code:	04
Project Desc:	Remedial Design
Project Refer Name:	
End Date:	2013-06-14 00:00:00
End Status:	ACT
Operable Unit ID:	1233501
Operable Unit:	01B
Operable Unit Desc:	Off-Site Sub-Slab Depressurization System
Code Name:	Remedial Design
Project Code:	02
Project Desc:	Remedial Investigation
Project Refer Name:	
End Date:	2014-03-31 00:00:00
End Status:	ACT

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Operable Unit ID:		1192204				
Operable Unit:		01				
Operable Unit Desc:		Remedial Program				
Code Name:		Remedial Investigation				
Project Code:		04				
Project Desc:		Remedial Design				
Project Refer Name:						
End Date:		2014-06-20 00:00:00				
End Status:		ACT				
Operable Unit ID:		1192204				
Operable Unit:		01				
Operable Unit Desc:		Remedial Program				
Code Name:		Remedial Design				
Project Code:		05				
Project Desc:		Remedial Action				
Project Refer Name:						
End Date:		2016-07-25 00:00:00				
End Status:		ACT				
Operable Unit ID:		1233501				
Operable Unit:		01B				
Operable Unit Desc:		Off-Site Sub-Slab Depressurization System				
Code Name:		Remedial Action				
Project Code:		25				
Project Desc:						
Project Refer Name:						
End Date:		2017-04-07 00:00:00				
End Status:		ACT				
Operable Unit ID:		1243335				
Operable Unit:		00				
Operable Unit Desc:		Site Management				
Code Name:		Certificate of Completion				
<u>Environmental Remediation</u>						
Operable Unit:		00				
Contaminants:		1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)				
Operable Unit:		01				
Contaminants:		1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)				
Operable Unit:		01B				
Contaminants:		1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)				

[111](#)

4 of 4

NNW

**0.25 /
1,304.25**

**98.83 /
70**

**Former Albany Laboratories
67 Howard Street
Albany NY 12207**

ENG

Site Code: 441655
HW Code: 401061
Control Type: ENG
Program: HW
Site Class: 04
Site Name: Former Albany Laboratories
Site Address: 67 Howard Street
City: Albany
Zip: 12207
County: Albany
Region: 4
Town: Albany (c)
Latitude: 42.650564000
Longitude: -73.755532000

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
SWIS:		0101				
Acres:		0.170				
Record Added:		2010-11-04 11:34:00				
Record Updated:		2023-11-02 10:06:00				
Updated By:		SMQUANDT				
Site Code (Web):		401061				
Program Type (Web):		HW				
Site Class (Web):		04				
Site Name (Web):		Former Albany Laboratories				
Address1 (Web):		67 Howard Street				
Address2 (Web):						
Locality (Web):		Albany				
Zip Code (Web):		12207				
County (Web):		Albany				
Longitude (Web):		-73.755532000				
Latitude (Web):		42.650564000				
Site Code (GIS):		401061				
Program (GIS):		HW				
Site Class (GIS):		04				
Site Name (GIS):		Former Albany Laboratories				
Address 1 (GIS):		67 Howard Street				
Address 2 (GIS):						
Locality (GIS):		Albany				
Zip Code (GIS):		12207				
County (GIS):		Albany				
Latitude (GIS):						
Longitude (GIS):						
Site Class Desc:		This classification is assigned to a site that has been properly closed but that requires continued site management consisting of operation, maintenance and/or monitoring. Class 4 is appropriate for a site where remedial construction actions have been completed for all operable units, but the site has not necessarily been brought into compliance with standards, criteria, or guidance (e.g., a groundwater extraction and treatment system has been installed and is operating properly but groundwater standards have not been achieved yet). The Record of Decision should define the remedial action objectives that need to be achieved during site management. If a Certificate of Completion (CoC) is to be issued for a site, the CoC is issued concurrently with the reclassification.				

Site Class Desc (Web):

This classification is assigned to a site that has been properly closed but that requires continued site management consisting of operation, maintenance and/or monitoring. Class 4 is appropriate for a site where remedial construction actions have been completed for all operable units, but the site has not necessarily been brought into compliance with standards, criteria, or guidance (e.g., a groundwater extraction and treatment system has been installed and is operating properly but groundwater standards have not been achieved yet). The Record of Decision should define the remedial action objectives that need to be achieved during site management. If a Certificate of Completion (CoC) is to be issued for a site, the CoC is issued concurrently with the reclassification.

Assess DOH:

Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.

Description:

Location: The site consists of two adjacent lots at 140 State Street and the former location of the Albany Chemical Laboratories at 67 Howard Street in an urban/commercial area within the City of Albany near the State Capitol. Site Features: The 67 Howard Street parcel was a long narrow lot that abutted the back of the 140 State Street parcel. The lots have since been reconfigured. 140 State was made smaller to only consist of a new building with the original façade. The area of the 67 Howard parcel was significantly increased to include a former portion of 140 State Street and all or a portion of five other lots. 67 Howard Street is presently occupied by a large parking garage. The Former Albany Laboratories site is defined by metes and bounds in the site management plan. Current Zoning and Land Use: The site is zoned for commercial use. The immediate area is entirely commercial or government properties. The site and surrounding area is zoned C-3 Central Business District) which allows for residential dwellings greater than 600 square feet. Past Use of the Site: Sometime prior to 1934, the 67 Howard Street property was the location of a dairy farm. On a 1934 Sanborn map, 67 Howard Street was shown to have a chemical laboratory and the courtyard behind the building was shown to be used as a "Thinner storage yard in metal drums". According to city directories, the 67 Howard Street property was operated as Albany Laboratories from 1935 to 1985. The property has been vacant since 1985. The earliest records indicate that the 140 State Street property was originally a private dwelling. Circa 1914 documents reported that the property was used as doctor's offices and apartments. At some time prior to 1934 and until at least 1979, the building was used as the Berkshire Hotel. The building was vacant thereafter until it was demolished in 2008. Prior to the site being listed on the NYS Registry of Inactive Hazardous Waste Disposal Sites in February 2011, the site was overseen as spill No. 0704683. In July 2007 a 2,000 gallon fuel oil underground storage tank (UST) was found on the 140 State Street property and in September 2008 the UST was removed and 251.5 tons of impacted soil around the tank was excavated and disposed of off-site. Subsequent site investigations found chlorinated volatile organic compounds (VOCs), petroleum-related semi-volatile organic compounds (SVOCs) and mercury contamination in on-site soil. In September and October 2008, the top three feet of soil, 385.6 tons, was removed from the former courtyard area. Post-excavation samples indicated the presence of remaining soil contamination above standards. Once the on-site buildings were demolished, further excavation of impacted soil was conducted in 2011. Clean fill material brought to the site met the requirements for the identified site use as set forth in 6 NYCRR Part 375-6.7(d). Site Geology and Hydrogeology: Due to the steep incline toward the Hudson River (to the east), it is assumed that area groundwater flows due east to the river. A groundwater monitoring well was drilled through 50 feet of dense clay in an attempt to investigate groundwater, but no groundwater was found to a depth of 50 feet.

Assessment:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Nature and Extent of Contamination: Remediation at the site is complete. Prior to remediation, contamination consisted of chlorinated volatile organic compounds and petroleum-related contaminants in soil. Remedial actions have successfully achieved the soil cleanup objectives the site, and a site cover allows for commercial use at 67 Howard St., and restricted residential at the 140 State St. portion of the site. Remaining contamination in the soil and soil vapor is being managed under a site management plan

Controls Information

Control Code:	15	Record Added Date:	2015-09-22 14:35:51.667000000
Control Name:	Cover System	Record Updated Dt:	2024-01-09 12:05:00.050000000
Control Type:	ENG	In Place Date:	2015-10-09 00:00:00
Updated By:	RXMUSTIC		

Control Code:	13	Record Added Date:	2015-09-22 14:34:29.283000000
Control Name:	Vapor Mitigation	Record Updated Dt:	2024-01-09 12:05:00.050000000
Control Type:	ENG	In Place Date:	2015-10-09 00:00:00
Updated By:	RXMUSTIC		

Materials Information

Waste Name:	XYLENE (MIXED)
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	MERCURY
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	BENZ(A)ANTHRACENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	BENZO(B)FLUORANTHENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	TOLUENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	1,1 Dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	DICHLOROETHYLENE
Waste Quantity:	UNKNOWN
Waste Code:	
Waste Name:	BENZO(A)PYRENE
Waste Quantity:	UNKNOWN
Waste Code:	

Owner Information

Owner Op: 19
Sub Type: NNN
Owner Name:
Owner Company: Albany Public Library
Owner Street: Main Branch
Owner Street 2: 161 Washington Avenue
Owner City: Albany
Owner State: NY
Owner Zip: 12210
Country: United States of America

HW Extra Information

Dump:	False	Dell:	
Structure:	False	Updated By:	MDMACCAB
Lagoon:	False	Record Added:	2010-11-08 11:40:00
Landfill:	False	Record Updated:	2016-10-07 11:08:00
Pond:	False	Latitude:	
Disposal Start:		Longitude:	
Disposal Terminate:			

Projects Information

Project Code: 02
Project Desc: Remedial Investigation
Project Refer Name:
End Date: 2014-03-31 00:00:00
End Status: ACT
Operable Unit ID: 1192204
Operable Unit: 01
Operable Unit Desc: Remedial Program
Code Name: Remedial Investigation

Project Code: 25
Project Desc:
Project Refer Name:
End Date: 2017-04-07 00:00:00
End Status: ACT
Operable Unit ID: 1243335
Operable Unit: 00
Operable Unit Desc: Site Management
Code Name: Certificate of Completion

Project Code: 05
Project Desc: Remedial Action
Project Refer Name:
End Date: 2017-04-07 00:00:00
End Status: ACT
Operable Unit ID: 1192204
Operable Unit: 01
Operable Unit Desc: Remedial Program
Code Name: Remedial Action

Project Code: 04
Project Desc: Remedial Design
Project Refer Name:
End Date: 2013-06-14 00:00:00
End Status: ACT
Operable Unit ID: 1233501
Operable Unit: 01B
Operable Unit Desc: Off-Site Sub-Slab Depressurization System
Code Name: Remedial Design

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Project Code: 05
Project Desc: Remedial Action
Project Refer Name:
End Date: 2016-07-25 00:00:00
End Status: ACT
Operable Unit ID: 1233501
Operable Unit: 01B
Operable Unit Desc: Off-Site Sub-Slab Depressurization System
Code Name: Remedial Action

Project Code: 04
Project Desc: Remedial Design
Project Refer Name:
End Date: 2014-06-20 00:00:00
End Status: ACT
Operable Unit ID: 1192204
Operable Unit: 01
Operable Unit Desc: Remedial Program
Code Name: Remedial Design

Environmental Remediation

Operable Unit: 01
Contaminants: 1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)

Operable Unit: 00
Contaminants: 1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)

Operable Unit: 01B
Contaminants: 1,1 dichloroethene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, mercury, tetrachloroethene (PCE), trichloroethene (TCE)

112	1 of 1	W	0.25 / 1,306.56	114.03 / 85	NIMO TRANSFORMER 62 ELM ST MAPLEWOOD NY 12189	NY SPILLS
---------------------	--------	---	--------------------	----------------	--	------------------

Spill No: 0600405	UST Trust: False
Site ID: 362393	Spill Date: 2006-04-11 13:00:00
DER Facility ID: 312658	Received Date: 2006-04-11 13:41:00
CID: 408	CAC Date:
Program Type: ER	Insp Date:
SWIS Code: 0126	Close Date: 2006-08-15 00:00:00
Water Body:	Create Date: 2006-04-11 13:52:00
Class: C4	Update Date: 2006-08-15 14:25:22.153000000
Meets Std: True	DEC Region: 4
Penalty: False	Lead DEC: WTCHRIST
REM Phase: 0	After Hours: False
County: Albany	
Contributing Factor: Equipment Failure	
Reported by: Responsible Party	
Referred to:	
Source: Commercial/Industrial	
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data	

Caller Remark:

"contained with [pads and in a bucket, hazmat crew has been dispatched"

DEC Remark:

"4/24/06 - Need analytical for PCB. wtc 8/15/06 - non-pcb oil. wtc"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	1120494	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2109985	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	1.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name:	DOUG GNIEWEK
Spiller Company:	NATIONAL GRID (NIMO)
Spiller Address:	1125 BROADWAYS
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	12204
Spiller Country:	001
Contact Name:	DOUG GNIEWEK
Contact Phone:	(518) 356-6471
Contact Ext:	
Latitude:	42.747092000
Longitude:	-73.709296000

113	1 of 3	WSW	0.25 / 1,319.40	57.72 / 29	NM - Arch St. - Albany MGP 150-152 Grand Street Albany NY 12202	VCP
---------------------	--------	------------	----------------------------	-----------------------	--	------------

Site Code:	57038
HW Code:	V00466
Program:	VCP
Site Class:	C
Site Name:	NM - Arch St. - Albany MGP
Site Address:	150-152 Grand Street
City:	Albany
Zip:	12202
County:	Albany
Region:	4
Town:	Albany (c)
Latitude:	42.643361370
Longitude:	-73.757759560
SWIS:	0101
Acres:	1.800
Record Added:	2001-06-08 10:52:00
Record Update:	2023-01-12 19:12:00
Updated by:	JEBROWN
Site Code (Web):	V00466
Program Type (Web):	VCP
Site Name (Web):	NM - Arch St. - Albany MGP
Site Class (Web):	C
Address1 (Web):	150-152 Grand Street
Address2 (Web):	
Locality (Web):	Albany
Zip Code (Web):	12202
County (Web):	Albany
Longitude (Web):	-73.757759560
Latitude (Web):	42.643361370
Site Code (GIS):	V00466
Site Name (GIS):	NM - Arch St. - Albany MGP
Program (GIS):	VCP
Site Class (GIS):	C

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Address1 (GIS):		150-152 Grand Street				
Address2 (GIS):						
Locality (GIS):		Albany				
Zip Code (GIS):		12202				
County (GIS):		Albany				
Site Class Desc:		Complete: The classification used for sites where the Department has determined that remediation has been satisfactorily completed under a remedial program (i. e., State Superfund, Brownfield Cleanup Program, Environmental Restoration Program, Voluntary Cleanup Program, and RCRA Corrective Action Program). State Superfund (Registry) sites must have completed all active operation, maintenance, or monitoring requirements before they can be delisted and made class C. Non-registry sites may be made a class C after successful completion of all required construction or after a no further action remedy has been selected by the Department. These sites will be issued a Certificate of Completion (COC), but may still require ongoing maintenance and periodic certification of institutional/engineering controls (IC/ECs).				
Site Class Desc (Web):		Complete: The classification used for sites where the Department has determined that remediation has been satisfactorily completed under a remedial program (i. e., State Superfund, Brownfield Cleanup Program, Environmental Restoration Program, Voluntary Cleanup Program, and RCRA Corrective Action Program). State Superfund (Registry) sites must have completed all active operation, maintenance, or monitoring requirements before they can be delisted and made class C. Non-registry sites may be made a class C after successful completion of all required construction or after a no further action remedy has been selected by the Department. These sites will be issued a Certificate of Completion (COC), but may still require ongoing maintenance and periodic certification of institutional/engineering controls (IC/ECs).				
Assess DOH:		Measures are in place to control the potential for coming in contact with subsurface soil and groundwater remaining on the site. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Environmental sampling indicates soil vapor intrusion is not a concern for off-site buildings. An evaluation of the potential for soil vapor intrusion to occur will be completed on-site should the current use of the site change.				
Description:		<p>Location: The Niagara Mohawk Albany (Arch Street) Manufactured Gas Plant Site is located in a mixed commercial/industrial/residential neighborhood the intersection of Grand Street and Arch Street in the City of Albany. The site is made up of four adjacent parcels (150 Grand Street, 152 Grand Street, 75 Trinity Place, and 85 Trinity Place), now known as the Trinity Substation. Site Features: The main site features are the active electric substation on the northern portion. The areas of the site not containing equipment are covered by gravel. Current Zoning/Use: The site is currently zoned for commercial and industrial use. The surrounding parcels are currently zoned for commercial and residential uses. The nearest residential area is 0.1 miles west of the site. Past Use of the Site: The former gas works began operation in 1845, and was phased out in 1886 when the North Albany plant operations resumed. Most of the gas works structures were demolished by 1892 and were replaced by carpentry shops, blacksmith shops and storage buildings. By 1934 a shirt manufacturing facility expanded to occupy the entire block along Arch Street, and a garage was constructed on the parcel south of Park Avenue. The waste recycling building that currently occupies the parcel north of Park Avenue was constructed in the early 1900s. Site Geology and Hydrogeology: Subsurface materials encountered generally consisted of various fill deposits (including silt and clay, sand, concrete, brick, wood, cinders, ash, coal, etc.), typically 10 to 20 feet thick; overlying 10 to over 40 feet of glaciolacustrine clay/silt deposits (described as gray-brown clayey silt to silty clay, moderately plastic, with occasional interbedded silt/fine sand) and till (described as brown gray sandy silt/clay, non-plastic, with some gravel). Bedrock was not encountered during the field activities. Groundwater is typically encountered at depths ranging from 8 to 29 feet bgs and generally flows in a northwest-southeast direction.</p>				
Assessment:		<p>Based upon investigations conducted to date, the primary contaminants of concern include benzene and several Polycyclic Aromatic Hydrocarbon (PAH) compounds. Soil - Benzene was found at depth within the former gas holder, at a concentration of 59 ppm, exceeding the soil cleanup objective (SCO) for commercial use (44 ppm). The PAH compounds were found in both shallow and deeper soils on site. Concentrations range from 2.1 ppm to 57 ppm, which all exceed the commercial SCOs. Groundwater - Benzene, toluene, ethylbenzene and xylene (BTEX) and phenol were found in groundwater exceeding groundwater standards. The maximum concentrations of contaminants in groundwater were found adjacent to the holder structure: 2400 ppb (benzene), 140 ppb (toluene), 25 ppb (ethylbenzene), 51 ppb (xylene), and 4 ppb (phenol). In addition, both 1,1,1-Trichloroethane (TCA) and 1,1,1-Dichloroethane (DCA) were found at concentrations that exceed groundwater standards, but these compounds are not associated with the former MGP operations. Soil Vapor - Toluene was detected at several sample locations across the site. 1,1,1-TCA was also found, but is not related to the former MGP operations. The site is being managed under a Site Management Plan.</p>				
<u>Materials Information</u>						
Waste Name:		COAL TAR				
Waste Quantity:		UNKNOWN				
Waste Code:						
<u>Owner Information</u>						
Owner Op:		06				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
Sub Type:		03				
Owner Name:		Steven Stucker				
Owner Company:		National Grid				
Owner Street:		300 Erie Boulevard West				
Owner Street 2:						
Owner City:		Syracuse				
Owner State:		NY				
Owner Zip:		13202				
Country:		United States of America				
Owner Op:		06				
Sub Type:		03				
Owner Name:		Steven Stucker				
Owner Company:		Niagara Mohawk Power Corporation,d/b/a National Grid				
Owner Street:		300 Erie Blvd., West				
Owner Street 2:						
Owner City:		Syracuse				
Owner State:		NY				
Owner Zip:		13202				
Country:		United States of America				
Owner Op:		01				
Sub Type:		03				
Owner Name:						
Owner Company:		NIAGARA MOHAWK POWER CORPORATION				
Owner Street:		300 ERIE BLVD. WEST				
Owner Street 2:						
Owner City:		SYRACUSE				
Owner State:		NY				
Owner Zip:		13202				
Country:		United States of America				
<u>HW Extra Information</u>						
Dump:	False				Record Added:	2010-05-10 11:38:00
Structure:	False				Record Updated:	2012-10-18 11:53:00
Lagoon:	False				Disposal Start:	
Landfill:	False				Disposal Terminate:	
Pond:	False				Latitude:	
Dell:					Longitude:	
Updated By:	Idennist					
<u>Projects Information</u>						
Project Code:		01				
Project Desc:		Site Characterization				
Project Refer Name:						
End Date:		2011-10-06 00:00:00				
End Status:		ACT				
Operable Unit ID:		4235				
Operable Unit:		01				
Operable Unit Desc:		Grand St. MGP site				
Code Name:		Site Characterization				
<u>Environmental Remediation</u>						
Operable Unit:		00				
Contaminants:		coal tar				
Operable Unit:		01				
Contaminants:		coal tar				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Albany NY 12202

Site Code: 57038
HW Code: V00466
Control Type: INST
Program: VCP
Site Class: C
Site Name: NM - Arch St. - Albany MGP
Site Address: 150-152 Grand Street
City: Albany
Zip: 12202
County: Albany
Region: 4
Town: Albany (c)
Latitude: 42.643361370
Longitude: -73.757759560
SWIS: 0101
Acres: 1.800
Record Added: 2001-06-08 10:52:00
Record Updated: 2023-01-12 19:12:00
Updated By: JEBROWN
Site Code (Web): V00466
Program Type (Web): VCP
Site Class (Web): C
Site Name (Web): NM - Arch St. - Albany MGP
Address1 (Web): 150-152 Grand Street
Address2 (Web):
Locality (Web): Albany
Zip Code (Web): 12202
County (Web): Albany
Longitude (Web): -73.757759560
Latitude (Web): 42.643361370
Site Code (GIS): V00466
Program (GIS): VCP
Site Class (GIS): C
Site Name (GIS): NM - Arch St. - Albany MGP
Address 1 (GIS): 150-152 Grand Street
Address 2 (GIS):
Locality (GIS): Albany
Zip Code (GIS): 12202
County (GIS): Albany
Latitude (GIS):
Longitude (GIS):
Site Class Desc: Complete: The classification used for sites where the Department has determined that remediation has been satisfactorily completed under a remedial program (i. e., State Superfund, Brownfield Cleanup Program, Environmental Restoration Program, Voluntary Cleanup Program, and RCRA Corrective Action Program). State Superfund (Registry) sites must have completed all active operation, maintenance, or monitoring requirements before they can be delisted and made class C. Non-registry sites may be made a class C after successful completion of all required construction or after a no further action remedy has been selected by the Department. These sites will be issued a Certificate of Completion (COC), but may still require ongoing maintenance and periodic certification of institutional/engineering controls (IC/ECs).
Site Class Desc (Web): Complete: The classification used for sites where the Department has determined that remediation has been satisfactorily completed under a remedial program (i. e., State Superfund, Brownfield Cleanup Program, Environmental Restoration Program, Voluntary Cleanup Program, and RCRA Corrective Action Program). State Superfund (Registry) sites must have completed all active operation, maintenance, or monitoring requirements before they can be delisted and made class C. Non-registry sites may be made a class C after successful completion of all required construction or after a no further action remedy has been selected by the Department. These sites will be issued a Certificate of Completion (COC), but may still require ongoing maintenance and periodic certification of institutional/engineering controls (IC/ECs).
Assess DOH: Measures are in place to control the potential for coming in contact with subsurface soil and groundwater remaining on the site. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Environmental sampling indicates soil vapor intrusion is not a concern for off-site buildings. An evaluation of the potential for soil vapor intrusion to occur will be completed on-site should the current use of the site change.
Description:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Location: The Niagara Mohawk Albany (Arch Street) Manufactured Gas Plant Site is located in a mixed commercial/industrial/residential neighborhood the intersection of Grand Street and Arch Street in the City of Albany. The site is made up of four adjacent parcels (150 Grand Street, 152 Grand Street, 75 Trinity Place, and 85 Trinity Place), now known as the Trinity Substation. Site Features: The main site features are the active electric substation on the northern portion. The areas of the site not containing equipment are covered by gravel. Current Zoning/Use: The site is currently zoned for commercial and industrial use. The surrounding parcels are currently zoned for commercial and residential uses. The nearest residential area is 0.1 miles west of the site. Past Use of the Site: The former gas works began operation in 1845, and was phased out in 1886 when the North Albany plant operations resumed. Most of the gas works structures were demolished by 1892 and were replaced by carpentry shops, blacksmith shops and storage buildings. By 1934 a shirt manufacturing facility expanded to occupy the entire block along Arch Street, and a garage was constructed on the parcel south of Park Avenue. The waste recycling building that currently occupies the parcel north of Park Avenue was constructed in the early 1900s. Site Geology and Hydrogeology: Subsurface materials encountered generally consisted of various fill deposits (including silt and clay, sand, concrete, brick, wood, cinders, ash, coal, etc.), typically 10 to 20 feet thick; overlying 10 to over 40 feet of glaciolacustrine clay/silt deposits (described as gray-brown clayey silt to silty clay, moderately plastic, with occasional interbedded silt/fine sand) and till (described as brown gray sandy silt/clay, non-plastic, with some gravel). Bedrock was not encountered during the field activities. Groundwater is typically encountered at depths ranging from 8 to 29 feet bgs and generally flows in a northwest-southeast direction.

Assessment:

Based upon investigations conducted to date, the primary contaminants of concern include benzene and several Polycyclic Aromatic Hydrocarbon (PAH) compounds. Soil - Benzene was found at depth within the former gas holder, at a concentration of 59 ppm, exceeding the soil cleanup objective (SCO) for commercial use (44 ppm). The PAH compounds were found in both shallow and deeper soils on site. Concentrations range from 2.1 ppm to 57 ppm, which all exceed the commercial SCOs. Groundwater - Benzene, toluene, ethylbenzene and xylene (BTEX) and phenol were found in groundwater exceeding groundwater standards. The maximum concentrations of contaminants in groundwater were found adjacent to the holder structure: 2400 ppb (benzene), 140 ppb (toluene), 25 ppb (ethylbenzene), 51 ppb (xylene), and 4 ppb (phenol). In addition, both 1,1,1-Trichloroethane (TCA) and 1,1,1-Dichloroethane (DCA) were found at concentrations that exceed groundwater standards, but these compounds are not associated with the former MGP operations. Soil Vapor - Toluene was detected at several sample locations across the site. 1,1,1-TCA was also found, but is not related to the former MGP operations. The site is being managed under a Site Management Plan.

Controls Information

Control Code:	08	Record Added Date:	2010-05-10 11:27:45.717000000
Control Name:	Ground Water Use Restriction	Record Updated Dt:	2023-07-26 10:42:40.370000000
Control Type:	INST	In Place Date:	2012-09-14 00:00:00
Updated By:	SXDEYETT		
Control Code:	32	Record Added Date:	2010-05-10 11:27:45.717000000
Control Name:	Site Management Plan	Record Updated Dt:	2023-07-26 10:42:40.370000000
Control Type:	INST	In Place Date:	2012-09-14 00:00:00
Updated By:	SXDEYETT		
Control Code:	31	Record Added Date:	2010-05-10 11:27:45.717000000
Control Name:	Monitoring Plan	Record Updated Dt:	2023-07-26 10:42:40.370000000
Control Type:	INST	In Place Date:	2012-09-14 00:00:00
Updated By:	SXDEYETT		
Control Code:	25	Record Added Date:	2010-05-10 11:27:45.717000000
Control Name:	Landuse Restriction	Record Updated Dt:	2023-07-26 10:42:40.370000000
Control Type:	INST	In Place Date:	2012-09-14 00:00:00
Updated By:	SXDEYETT		
Control Code:	34	Record Added Date:	2010-05-10 11:27:45.717000000
Control Name:	IC/EC Plan	Record Updated Dt:	2023-07-26 10:42:40.370000000
Control Type:	INST	In Place Date:	2012-09-14 00:00:00
Updated By:	SXDEYETT		
Control Code:	A	Record Added Date:	2010-05-10 11:27:45.717000000
Control Name:	Deed Restriction	Record Updated Dt:	2023-07-26 10:42:40.370000000
Control Type:	INST	In Place Date:	2012-09-14 00:00:00
Updated By:	SXDEYETT		
Control Code:	14	Record Added Date:	2010-05-10 11:27:45.717000000
Control Name:	Soil Management Plan	Record Updated Dt:	2023-07-26 10:42:40.370000000
Control Type:	INST	In Place Date:	2012-09-14 00:00:00
Updated By:	SXDEYETT		

Materials Information

Waste Name: COAL TAR

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Waste Quantity: UNKNOWN
Waste Code:

Owner Information

Owner Op: 06
Sub Type: 03
Owner Name: Steven Stucker
Owner Company: National Grid
Owner Street: 300 Erie Boulevard West
Owner Street 2:
Owner City: Syracuse
Owner State: NY
Owner Zip: 13202
Country: United States of America

Owner Op: 06
Sub Type: 03
Owner Name: Steven Stucker
Owner Company: Niagara Mohawk Power Corporation,d/b/a National Grid
Owner Street: 300 Erie Blvd., West
Owner Street 2:
Owner City: Syracuse
Owner State: NY
Owner Zip: 13202
Country: United States of America

Owner Op: 01
Sub Type: 03
Owner Name:
Owner Company: NIAGARA MOHAWK POWER CORPORATION
Owner Street: 300 ERIE BLVD. WEST
Owner Street 2:
Owner City: SYRACUSE
Owner State: NY
Owner Zip: 13202
Country: United States of America

HW Extra Information

Dump:	False	Dell:	
Structure:	False	Updated By:	Idennist
Lagoon:	False	Record Added:	2010-05-10 11:38:00
Landfill:	False	Record Updated:	2012-10-18 11:53:00
Pond:	False	Latitude:	
Disposal Start:		Longitude:	
Disposal Terminate:			

Projects Information

Project Code: 01
Project Desc: Site Characterization
Project Refer Name:
End Date: 2011-10-06 00:00:00
End Status: ACT
Operable Unit ID: 4235
Operable Unit: 01
Operable Unit Desc: Grand St. MGP site
Code Name: Site Characterization

Environmental Remediation

Operable Unit: 00
Contaminants: coal tar

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Operable Unit:		01				
Contaminants:		coal tar				

[113](#) 3 of 3 **WSW** **0.25 / 1,319.40** **57.72 / 29** **NM - Arch St. - Albany MGP**
150-152 Grand Street
Albany NY 12202 **MGP**

Site Code:	V00466	Acres:	1.8
SWIS Code:	101	Region:	4
Class:	C	Town:	Albany (c)
Disp Start:		County:	Albany
Disp Term:		Latitude:	42.64336137
Allowable Uses:	Commercial	Longitude:	-73.75775956

Detail(s)

Description:

Location: The Niagara Mohawk Albany (Arch Street) Manufactured Gas Plant Site is located in a mixed commercial/industrial/residential neighborhood the intersection of Grand Street and Arch Street in the City of Albany. The site is made up of four adjacent parcels (150 Grand Street, 152 Grand Street, 75 Trinity Place, and 85 Trinity Place), now known as the Trinity Substation. Site Features: The main site features are the active electric substation on the northern portion. The areas of the site not containing equipment are covered by gravel. Current Zoning/Use: The site is currently zoned for commercial and industrial use. The surrounding parcels are currently zoned for commercial and residential uses. The nearest residential area is 0.1 miles west of the site. Past Use of the Site: The former gas works began operation in 1845, and was phased out in 1886 when the North Albany plant operations resumed. Most of the gas works structures were demolished by 1892 and were replaced by carpentry shops, blacksmith shops and storage buildings. By 1934 a shirt manufacturing facility expanded to occupy the entire block along Arch Street, and a garage was constructed on the parcel south of Park Avenue. The waste recycling building that currently occupies the parcel north of Park Avenue was constructed in the early 1900s. Site Geology and Hydrogeology: Subsurface materials encountered generally consisted of various fill deposits (including silt and clay, sand, concrete, brick, wood, cinders, ash, coal, etc.), typically 10 to 20 feet thick; overlying 10 to over 40 feet of glaciolacustrine clay/silt deposits (described as gray-brown clayey silt to silty clay, moderately plastic, with occasional interbedded silt/fine sand) and till (described as brown gray sandy silt/clay, non-plastic, with some gravel). Bedrock was not encountered during the field activities. Groundwater is typically encountered at depths ranging from 8 to 29 feet bgs and generally flows in a northwest-southeast direction.

Assess ENV:

Based upon investigations conducted to date, the primary contaminants of concern include benzene and several Polycyclic Aromatic Hydrocarbon (PAH) compounds. Soil - Benzene was found at depth within the former gas holder, at a concentration of 59 ppm, exceeding the soil cleanup objective (SCO) for commercial use (44 ppm). The PAH compounds were found in both shallow and deeper soils on site. Concentrations range from 2.1 ppm to 57 ppm, which all exceed the commercial SCOs. Groundwater - Benzene, toluene, ethylbenzene and xylene (BTEX) and phenol were found in groundwater exceeding groundwater standards. The maximum concentrations of contaminants in groundwater were found adjacent to the holder structure: 2400 ppb (benzene), 140 ppb (toluene), 25 ppb (ethylbenzene), 51 ppb (xylene), and 4 ppb (phenol). In addition, both 1,1,1-Trichloroethane (TCA) and 1,1,1-Dichloroethane (DCA) were found at concentrations that exceed groundwater standards, but these compounds are not associated with the former MGP operations. Soil Vapor - Toluene was detected at several sample locations across the site. 1,1,1-TCA was also found, but is not related to the former MGP operations. The site is being managed under a Site Management Plan.

Assess DOH:

Measures are in place to control the potential for coming in contact with subsurface soil and groundwater remaining on the site. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Environmental sampling indicates soil vapor intrusion is not a concern for off-site buildings. An evaluation of the potential for soil vapor intrusion to occur will be completed on-site should the current use of the site change.

[114](#) 1 of 1 **NNE** **0.26 / 1,374.64** **43.64 / 15** **OLD BANK N. PEARL ST (HOME SAVINGS)**
11 N. PEARL ST OLD BANK 11
NORTH PEARL STREET
ALBANY NY 12202 **LST**

Spill No:	0502857	REM Phase:	0
Site ID:	347346	UST Trust:	False
DER Facility ID:	293669	Spill Date:	2005-06-09 10:14:00
CID:	444	Rcvd Date:	2005-06-09 10:14:00
Program Type:	ER	CAC Date:	2007-02-26 00:00:00

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

SWIS Code:	0101				Insp Date:	
Contribute Factor:	Tank Test Failure				Close Date:	2007-02-26 00:00:00
Water Body:					Create Date:	2005-06-10 10:42:00
Class:	B3				Update Date:	2018-01-24 16:40:03.330000000
Meets Std:	False				DEC Region:	4
Penalty:	False				Lead DEC:	TESPERBE
County:	Albany				After Hours:	False
Referred to:						
Reported by:		Tank Tester				
Source:		Commercial/Industrial				
Source File:		NYSDEC - Environmental Remediation Data Files - Spill Data				

Caller Remark:

"PBS No: 4-60067 [4-600667]"

Dec Remark:

"see 0106219; PBS 4-600667 The tank was emptied, cleaned and permanently closed. Three monitoring wells located in the basement that surround the tank were sampled. Results were non-detect. No further action is required at this time. See PBS Edocs. 1/24/18 - FOIL W031639-012318, EDOCS via WebQA w/0106219 & PBS 4-600667 "

Material Information

OP Unit ID:	1105082	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	1502550	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	False
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	STEVE O
Spiller Company:	OLD BANK (HOME SAVINGS)
Spiller Address:	11 NORTH PEARL STREET
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	STEVE O
Contact Phone:	(518) 465-2200
Contact Ext:	
Latitude:	42.650128994
Longitude:	-73.752437000

Tank Test Information

Spill Tank ID:	1548983	Source:	
Tank No:	1	Leak Rate:	.00
Tank Size:	11000	Gross Fail:	
Material:	0001	Modified by:	Watchdog
EPA UST:		Last Modified:	2005-06-13 11:12:08
UST:		Test Method:	03
Cause:			
Alt Test Method:	Horner EZ Check I or II		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
115	1 of 1	ENE	0.30 / 1,573.94	4.12 / -25	NAVY RESRV TRNING CNTR ALBANY NY	FUDS

FUDS Property No: C02NY1079
EMS Map Link: https://fudsportal.usace.army.mil/ems/inventory/map?id=54482
FUDS INST ID: NY29799F954000
Status: Properties without projects
SDS ID:
NPL Status Code:
Eligibility: Eligible
Site Eligib:
Current Owner: STATE: STATE landfill
Has Project: No
DOD FUDS Pro: C02NY1079
Project Required: No
No Further Action:
Congressional District: 20
Congressional Dist 117: 20
Media ID:
Metadata ID:
Feature Desc:
EPA Region: 02
County: ALBANY
Latitude: 42.6475
Longitude: -73.74777778
Fiscal year: 2021
USACE Division: NAD
USACE District: New England District (NAE)
Centroid Lat:
Centroid Long:
Se Anno Cad Data:
Shape Length:
Shape Area:
Shape Len:
X: -73.7478027339999
Y: 42.647583008
Data Source: U.S. Army Corps of Engineers Geospatial Open Data
Feature Description:

The pier was designed as a (coastal defense project) river defense and contained Gun mounts, radio section and docking for maintenance and repair to Naval Vessels patrolling the river. The Reserve center was located south of the access bridge and was utilized for training and conditioning of Naval candidates.

Property History:

116	1 of 1	NNW	0.32 / 1,674.54	120.35 / 91	NYNEX STATE ST @ PARK ST (NY TELE, LATER VERIZON?) 148 STATE ST N.Y. TEL 148 STATE ST. ALBANY NY	LST
---------------------	--------	-----	--------------------	----------------	---	-----

Spill No:	9107718	REM Phase:	0
Site ID:	232813	UST Trust:	True
DER Facility ID:	191816	Spill Date:	1991-10-18 14:30:00
CID:		Rcvd Date:	1991-10-18 15:32:00
Program Type:	ER	CAC Date:	1992-05-29 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1992-06-22 00:00:00
Water Body:		Create Date:	1991-10-21 00:00:00
Class:	B3	Update Date:	2016-01-11 15:14:41.800000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Tank Tester		
Source:	Commercial/Industrial		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"2 2K UGTS FAILED PETROTITE @ -.075GPH, EIR. TANKS & CONT. SOIL REMOVED, SEE RPT FOR DETAILS & SAMPLING RESULTS."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN See rpt. (edocs); 9210577, 8607682, 9702152, 9314727, 9312281, 0006916, 0011988. PBS 4-395803 1/11/16 - FOIL W002492-010716, Edocs for 9312281, 9314727, 1104318, 0011988, 9210577, 8607682, PBS 4-395803, PBS 388254. [000696?, 970215?, 91007718?]"

Material Information

OP Unit ID:	961793	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	419910	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
 Spiller Company: NYNEX NY TELEPHONE (LATER VERIZON?)
 Spiller Address: 148 STATE ST.
 Spiller City: ALBANY
 Spiller State: ZZ
 Spiller Zip:
 Spiller Country: 999
 Contact Name:
 Contact Phone: (518) 471-6472
 Contact Ext:
 Latitude: 42.651098760
 Longitude: -73.756132740

Tank Test Information

Spill Tank ID:	1539192	Source:	
Tank No:		Leak Rate:	-.08
Tank Size:	0	Gross Fail:	
Material:	0009	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.14000000
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

117	1 of 1	SW	0.33 / 1,730.36	34.56 / 5	Albany Fire Dept 26 Broad St Albany NY	PFAS
---------------------	--------	----	-----------------	-----------	--	------

Facility ID: FDP0010 County: Albany
 Survey Complete: YES
 Survey: Class B Fire Suppression Foam Usage Survey - New York State Fire Departments
 Q. 6: YES
 Q. 7: NO
 Q. 8: NO
 Q. 9: NO

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Q. 10:		NO				
Q. 11:		YES				
Q. 12:						
Q. 13:						
Reference:		<p>If a respondent indicated that the facility used/stored/disposed PFOA/PFOS substances, it does not necessarily mean that there is an environmental/public health concern associated with that facility. Also, if a respondent indicated that they currently/formerly used, stored, disposed of, or released Class B firefighting foam it does not necessarily mean that the foam contains/contained PFOA/PFOS since many Class B foams do not contain these substances. DEC is in the process of reviewing/evaluating the returned surveys to determine if additional follow-up or study is needed.</p> <p>Return rate: 91 surveys were sent to facilities; 90 were returned completed as of June 1, 2017. Questions 1 & 2 relate to name and address; questions 3-5 relate to facility ownership.</p> <p>Q. 6: Is any Class B fire suppression foam currently stored and/or used at the facility?</p> <p>Q. 7: Has any Class B fire suppression foam ever been stored and/or used at the facility?</p> <p>Q. 8: Has Class B fire suppression foam ever been used for training purposes at the facility?</p> <p>Q. 9: Has Class B fire suppression foam ever been used for firefighting or other emergency response purposes at the facility?</p> <p>Q. 10: Has the facility ever experienced a spill or leak of Class B fire suppression foam?</p> <p>Q. 11: Has your facility ever been responsible for the use of Class B fire suppression foam at a location other than the facility (i.e. offsite training, emergency response, or spill)?</p>				

118	1 of 1	NNE	0.37 / 1,967.32	67.30 / 38	SAINT MARYS CHURCH LODGE ST 10 LODGE ST SAINT MARY'S CHURCH 10 LODGE ST. ALBANY NY	LST
---------------------	--------	-----	--------------------	---------------	--	-----

Spill No:	8705699	REM Phase:	0
Site ID:	218670	UST Trust:	False
DER Facility ID:	180883	Spill Date:	1987-10-06 13:30:00
CID:		Rcvd Date:	1987-10-06 18:37:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1993-12-07 00:00:00
Water Body:		Create Date:	1987-10-26 00:00:00
Class:	B3	Update Date:	2012-07-13 15:40:00.030000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	TESPERBE
County:	Albany	After Hours:	True
Referred to:			
Reported by:	Tank Tester		
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:
"2K TANK FAILED TEST @ -.809 GPH. WILL EXCAVATE,ISOLATE AND RETEST"

Dec Remark:
"Prior to Sept, 2004 data translation this spill Lead_DEC Field was SPERBECK TANK IS 1,000 GALS. CAPACITY WAS CLEANED & FILLED WITH SAND NO CONT. NOTED DURING CLOSURE. PBS 4-162353"

Material Information

OP Unit ID:	909525	Med in Air:	False
OU:	01	Med GW:	True
Material ID:	568100	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0001A		

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Name: #2 fuel oil

Spiller Information

Spiller Name:
 Spiller Company: SAINT MARY'S CHURCH
 Spiller Address: 10 LODGE ST
 Spiller City: ALBANY
 Spiller State: NY
 Spiller Zip: 999
 Spiller Country:
 Contact Name:
 Contact Phone:
 Contact Ext:
 Latitude: 42.652080740
 Longitude: -73.752855810

Tank Test Information

Spill Tank ID:	1531843	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0001	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.140000000
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

119	1 of 1	NNE	0.41 / 2,182.68	32.44 / 3	GINSBURG PROP COLUMBIA ST 54C COLUMBIA ST ALBANY NY	LST
---------------------	--------	-----	--------------------	--------------	---	-----

Spill No:	0006930	REM Phase:	0
Site ID:	181546	UST Trust:	False
DER Facility ID:	152247	Spill Date:	2000-09-12 11:00:00
CID:	233	Rcvd Date:	2000-09-12 12:04:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Failure	Close Date:	2000-10-06 00:00:00
Water Body:		Create Date:	2000-09-12 00:00:00
Class:	B3	Update Date:	2000-11-10 00:00:00
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Other		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"caller was closing a tank for property owner when holes in the tank were found property owner was advised tank is located under a building this will cause problems if tank needs to be removed caller will contact dec direct "

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 9/15/00 - Spoke to Mark Schnitzer of Alpine Environmental. The tank is a 3,000k under the building and in a type of vault. Has not been in use since 1980. Tank may be 75+ years old. Sample will be taken under the tank. There was 6-8 inches of old product in the tank. 10/06/00 - Received analytical results from under the tank. Minor hits for 12 compounds, with 9 over soil guidance values. Naphthalene was the highest at 87ppb. Tank closed in place with no further remediation required at this time. Does not meet standards."

Material Information

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
OP Unit ID:	829749				Med in Air:	False
OU:	01				Med GW:	False
Material ID:	548038				Med SW:	False
CAS No:					Med DW:	False
Material Family:	Petroleum				Med Sewer:	False
Quantity:	.00				Med Surf:	False
Units:	G				Med Subway:	False
Recovered:	.00				Med Utility:	False
Med Soil:	True				Oxygenate:	
Med Air:	False					
Material Code:		0001A				
Material Name:		#2 fuel oil				

Spiller Information

Spiller Name: BERRY GINSBURG [BARRY?]
Spiller Company: GINSBURG PROP
Spiller Address: 54C COLUMBIA ST
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.652074560
Longitude: -73.750635570

120	1 of 1	SW	0.43 / 2,288.02	49.31 / 20	CRISAFULLI PROPERTY DELAWARE ST 5 DELAWARE ST 5 DELAWARE ST ALBANY NY	LST
---------------------	--------	----	--------------------	---------------	---	-----

Spill No:	0010416	REM Phase:	0
Site ID:	166036	UST Trust:	False
DER Facility ID:	139921	Spill Date:	2000-12-16 16:00:00
CID:	396	Rcvd Date:	2000-12-16 18:07:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	2001-02-07 00:00:00
Water Body:		Create Date:	2000-12-16 00:00:00
Class:	B3	Update Date:	2016-05-25 14:48:46.220000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
County:	Albany	After Hours:	True
Referred to:			
Reported by:	Tank Tester		
Source:	Private Dwelling		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"tank will be removed. no cont was found in the ground"

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 12/18/2000 - Tank has not been in service for 20 years. Property transfer is the reason tank was tested. Tank contained 1 of product and 9 of water. Albany Tank was to be contacted about removing it. Owner of Apt. house is Joseph Crisafulli, work number is 459-2767. I left a message with his brother to call me back. See Edocs. 01/02/2001 - Spoke to Mark McMillen. Tank had 2 holes in it. Tank removed and contaminated soil being stockpiled on site. Composit of side walls and bottom sample to be taken. 02/07/2001 - Received analytical results from Albany Petroleum. The results show that there is contamination remaining in the bottom and sidewall samples. The site meets TAGM standards for protection of groundwater. See Edocs. (other Crisafulli events: 8801450, 9005103, 9112719, 9205909, 9416283, 0105986)"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Material Information

OP Unit ID:	831536	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	544321	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	JOSEPH CRISAFULLI
Spiller Company:	SAME *** [CRISAFULLI]
Spiller Address:	5 DELAWARE ST
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	JOSEPH CRISAFULLI
Contact Phone:	
Contact Ext:	
Latitude:	42.640686410
Longitude:	-73.759267620

Tank Test Information

Spill Tank ID:	1526025	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	1000	Gross Fail:	
Material:	0001	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.14000000
UST:		Test Method:	03
Cause:			
Alt Test Method:	Horner EZ Check I or II		

121	1 of 1	NE	0.48 / 2,551.17	29.02 / 0	TEST PORT 1 PORT 625 BROADWAY TEST ALBANY NY	LST
---------------------	--------	----	--------------------	--------------	--	-----

Spill No:	1404179	REM Phase:	0
Site ID:	497566	UST Trust:	False
DER Facility ID:	452565	Spill Date:	2014-07-17 13:16:00
CID:		Rcvd Date:	2014-07-17 13:13:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	2014-07-17 00:00:00
Water Body:		Create Date:	2014-07-17 13:19:00
Class:	E6	Update Date:	2017-01-04 14:13:46.423000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Other		
Source:	Railroad Car		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Testing e-mail system for forwarding rules. I'll close out when done. Rick"

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Dec Remark:

""

Material Information

OP Unit ID:	1247026	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	2248240	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name:	
Spiller Company:	TEST RUTLAND
Spiller Address:	
Spiller City:	
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	TEST RUTLAND
Contact Phone:	
Contact Ext:	
Latitude:	
Longitude:	

122	1 of 2	SE	0.57 / 3,014.05	13.73 / -15	NM - Rensselaer MGP Washington St Rensselaer NY 12144	SHWS
---------------------	--------	-----------	----------------------------	------------------------	--	-------------

Site Code:	570713
HW Code:	442057
Program:	HW
Site Class:	A
Site Name:	NM - Rensselaer MGP
Site Address:	Washington St
City:	Rensselaer
Zip:	12144
County:	Rensselaer
Region:	4
Town:	Rensselaer (c)
Latitude:	42.639834317
Longitude:	-73.744876838
SWIS:	4214
Acres:	0.300
Record Added:	2018-05-23 15:11:00
Record Update:	2023-12-20 14:01:00
Updated by:	AMOMOROG
Site Code (Web):	442057
Program Type (Web):	HW
Site Name (Web):	NM - Rensselaer MGP
Site Class (Web):	A
Address1 (Web):	Washington St
Address2 (Web):	
Locality (Web):	Rensselaer
Zip Code (Web):	12144
County (Web):	Rensselaer

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Longitude (Web):		-73.744876838				
Latitude (Web):		42.639834317				
Site Code (GIS):		442057				
Site Name (GIS):		NM - Rensselaer MGP				
Program (GIS):		HW				
Site Class (GIS):		A				
Address1 (GIS):		Washington St				
Address2 (GIS):						
Locality (GIS):		Rensselaer				
Zip Code (GIS):		12144				
County (GIS):		Rensselaer				
Site Class Desc:		Active: The classification assigned to a non-registry site in any remedial program where work is underway and not yet complete (i. e., Brownfield Cleanup Program, Environmental Restoration Program, Voluntary Cleanup Program and RCRA Corrective action Program sites). This may be used for Manufactured Gas Plant sites or those being remediated under an EPA Cooperative Agreement.				
Site Class Desc (Web):		Active: The classification assigned to a non-registry site in any remedial program where work is underway and not yet complete (i. e., Brownfield Cleanup Program, Environmental Restoration Program, Voluntary Cleanup Program and RCRA Corrective action Program sites). This may be used for Manufactured Gas Plant sites or those being remediated under an EPA Cooperative Agreement.				
Assess DOH:		Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. People are not expected to come into contact with the contaminated soil unless they dig below the surface. Volatile organic compounds in the groundwater may move into the soil vapor (air between soil particles), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. The site is currently unoccupied and used as a parking lot. However, the potential exists for people to inhale site contaminants in indoor air due to soil vapor intrusion in any future on-site buildings which are developed and occupied. Environmental sampling indicates soil vapor intrusion is not a current concern for off-site buildings.				
Assessment:		<p>Nature and Extent of Contamination: Soil, groundwater and sediment were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs), and pesticides. Based upon investigations conducted to date, the primary contaminants of concern at the site include benzene, ethylbenzene, toluene, xylene (BTEX) and polycyclic aromatic hydrocarbons (PAHs) which are impacting the soil and groundwater. No other VOCs, SVOCs, metals or PCBs/pesticides other than those identified below were found in soil, groundwater or sediment at levels exceeding restricted residential soil cleanup objectives (RRSCO), groundwater standards or sediment cleanup criteria. Soil - Non-aqueous phase liquid (NAPL) in the form of coal tar has been identified at subsurface locations across the site and on some off-site properties to the north and east of the site. BTEX associated with the coal tar was found in the soil up to 1,721 parts per million (ppm). Total PAHs are present in the soil up to 17,860 ppm. Specific contaminants detected above the applicable soil cleanup objectives (SCOs) on-site include: Acenaphthene up to 430 ppm, acenaphthylene up to 460 ppm, anthracene up to 920 ppm, fluoranthene up to 2,000 ppm, fluorene up to 710 ppm, naphthalene up to 4,600 ppm, phenanthrene up to 3,200, and pyrene up to 1,300 ppm, as compared to their RRSCO of 100 ppm; benzo(a)anthracene up to 660 ppm, benzo(a)pyrene up to 580 ppm, and benzo(b)fluoranthene up to 460 ppm, as compared to their RRSCO of 1 ppm; benzo(k)fluoranthene up to 460 ppm (RRSCO of 3.9 ppm), ideno(1,2,3-cd)pyrene up to 290 ppm (RRSCO of 0.5 ppm), chrysene up to 590 ppm (RRSCO of 3.9 ppm), and dibenz(a,h)anthracene up to 100 ppm (RRSCO of 0.33 ppm). Specific contaminants detected above residential SCOs (RSCO) off-site include: Benzo(a)anthracene up to 77 ppm, benzo(a)pyrene up to 64 ppm, benzo(b)fluoranthene up to 22 ppm, benzo(k)fluoranthene up to 27 ppm, and chrysene up to 74 ppm, as compared to their RSCO of 1 ppm; fluoranthene up to 130 ppm, naphthalene up to 600 ppm, phenanthrene up to 150 ppm, and pyrene up to 190 ppm, as compared to their RSCO of 100 ppm; dibenz(a,h)anthracene up to 6.3 ppm (RSCO of 0.33 ppm), and indeno(1,2,3-c,d)pyrene up to 21 ppm (RSCO of 0.5 ppm). Off-site contamination was encountered to the north and east of the site at depths greater than 10 feet. Groundwater - Benzene up to 10,000 ppb (SCG of 1 ppb), toluene up to 64 ppb (SCG of 5 ppb), ethylbenzene up to 2,100 ppb (SCG of 5 ppb) and xylene up to 1,600 ppb (SCG of 5 ppb)(BTEX), PAHs including naphthalene up to 2,500 (SCG of 10 ppb) and total cyanide up to 320 ppb (SCG of 200 ppb) have been detected above standards, criteria, and guidance values (SCGs) in overburden groundwater on- and off-site. Benzene up to 1,500 ppb (SCG of 1 ppb), toluene up to 3,500 ppb (SCG of 5 ppb), ethylbenzene up to 1,600 ppb (SCG of 5 ppb) and xylene up to 1,900 ppb (SCG of 5 ppb) and PAHs including naphthalene up to 2,200 ppb (SCG of 10 ppb) have been detected above SCGs in bedrock groundwater on- and off-site. Sediment - No concentrations of BTEX were detected above applicable SCGs in shallow sediment samples collected in the adjacent stream. Relatively low concentrations of PAHs, with total PAH concentrations ranging from 2.8 to 15 ppm, were found in the sediment. However, upstream PAH concentrations are slightly higher than those adjacent to the site, which indicates that these concentrations are associated with an urban setting and are not site-related. Coal tar was not observed in sediment. Soil Vapor - Soil vapor samples were collected off-site, adjacent to nearby structures, to evaluate whether MGP-related contaminants were present in soil vapor. The results of the soil vapor sampling did not detect MGP-related contaminants off-site. The potential exists for MGP-related contaminants to be present in on-site soil vapor.</p>				
Description:		<p>Location: The Rensselaer Former Manufactured Gas Plant (MGP) Site is a 0.3 acre site located at 89 Washington Street in the City of Rensselaer, Rensselaer County. Site Features: The entire site is covered by asphalt, used as a parking lot, and is generally flat with a slight decline to the southeast. The site is abutted to the northwest by Academy Street, to the southwest by commercial buildings, to the southeast by Washington Street, and to the northeast by Huyck Square and undeveloped land. Huyck Stream is located approximately 200 feet north of the site. Current Zoning and Land Use: The site is currently used as a parking lot and is located in an area zoned for downtown mixed use (e.g., commercial/residential) and planned development district land use. There are no structures on the site. Past Use of the Site: Manufactured Gas Plant operations, which caused the site contamination, occurred at the site from approximately 1870 to 1920. Historically a number of MGP structures were present on the site, including two gas holders, a tar well, a retort house, coal shed, purifier and condenser rooms, and a meter room. Site Geology and Hydrogeology: The overburden, in descending order from the ground surface consists of fill, silt and sand, sand and gravel, and glacial till underlain by bedrock. Bedrock is encountered at a depth ranging from approximately 23 to 28 feet below grade. Groundwater depth across the site ranges from 6 to 8 feet below ground surface. The direction of flow in the vicinity of the site is north-northeast toward Huyck stream.</p>				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Owner Information

Owner Op: 01
Sub Type: 06
Owner Name: michael mahoney
Owner Company: NYS Office of children and family services
Owner Street: 52 washington st
Owner Street 2:
Owner City: rensselaer
Owner State: NY
Owner Zip: 12144
Country: United States of America

Owner Op: 04
Sub Type: 03
Owner Name: steve beam
Owner Company: National Grid
Owner Street: 300 erie blvd west
Owner Street 2:
Owner City: syracuse
Owner State: NY
Owner Zip: 13202
Country: United States of America

Owner Op: 19
Sub Type: NNN
Owner Name:
Owner Company: RENSSELAER CITY LIBRARY
Owner Street: Rensselaer city library
Owner Street 2: 676 east st
Owner City: rensselaer
Owner State: NY
Owner Zip: 12144
Country: United States of America

Projects Information

Project Code: 04
Project Desc: Remedial Design
Project Refer Name:
End Date: 2020-11-12 00:00:00
End Status: ACT
Operable Unit ID: 1318548
Operable Unit: 01
Operable Unit Desc: Remedial Program
Code Name: Remedial Design

Environmental Remediation

Operable Unit: 01
Contaminants:

Operable Unit: 00
Contaminants:

122	2 of 2	SE	0.57 / 3,014.05	13.73 / -15	NM - Rensselaer MGP Washington St Rensselaer NY 12144	MGP
Site Code:	442057			Acres:	0.3	
SWIS Code:	4214			Region:	4	
Class:	A			Town:	Rensselaer (c)	
Disp Start:				County:	Rensselaer	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Disp Term:				Latitude:	42.639834317	
Allowable Uses:		Not Identified		Longitude:	-73.744876838	

Detail(s)

Description:

Location: The Rensselaer Former Manufactured Gas Plant (MGP) Site is a 0.3 acre site located at 89 Washington Street in the City of Rensselaer, Rensselaer County. Site Features: The entire site is covered by asphalt, used as a parking lot, and is generally flat with a slight decline to the southeast. The site is abutted to the northwest by Academy Street, to the southwest by commercial buildings, to the southeast by Washington Street, and to the northeast by Huyck Square and undeveloped land. Huyck Stream is located approximately 200 feet north of the site. Current Zoning and Land Use: The site is currently used as a parking lot and is located in an area zoned for downtown mixed use (e.g., commercial/residential) and planned development district land use. There are no structures on the site. Past Use of the Site: Manufactured Gas Plant operations, which caused the site contamination, occurred at the site from approximately 1870 to 1920. Historically a number of MGP structures were present on the site, including two gas holders, a tar well, a retort house, coal shed, purifier and condenser rooms, and a meter room. Site Geology and Hydrogeology: The overburden, in descending order from the ground surface consists of fill, silt and sand, sand and gravel, and glacial till underlain by bedrock. Bedrock is encountered at a depth ranging from approximately 23 to 28 feet below grade. Groundwater depth across the site ranges from 6 to 8 feet below ground surface. The direction of flow in the vicinity of the site is north-northeast toward Huyck stream.

Assess ENV:

Nature and Extent of Contamination: Soil, groundwater and sediment were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs), and pesticides. Based upon investigations conducted to date, the primary contaminants of concern at the site include benzene, ethylbenzene, toluene, xylene (BTEX) and polycyclic aromatic hydrocarbons (PAHs) which are impacting the soil and groundwater. No other VOCs, SVOCs, metals or PCBs/pesticides other than those identified below were found in soil, groundwater or sediment at levels exceeding restricted residential soil cleanup objectives (RRSCO), groundwater standards or sediment cleanup criteria. Soil - Non-aqueous phase liquid (NAPL) in the form of coal tar has been identified at subsurface locations across the site and on some off-site properties to the north and east of the site. BTEX associated with the coal tar was found in the soil up to 1,721 parts per million (ppm). Total PAHs are present in the soil up to 17,860 ppm. Specific contaminants detected above the applicable soil cleanup objectives (SCOs) on-site include: Acenaphthene up to 430 ppm, acenaphthylene up to 460 ppm, anthracene up to 920 ppm, fluoranthene up to 2,000 ppm, fluorene up to 710 ppm, naphthalene up to 4,600 ppm, phenanthrene up to 3,200, and pyrene up to 1,300 ppm, as compared to their RRSCO of 100 ppm; benzo(a)anthracene up to 660 ppm, benzo(a)pyrene up to 580 ppm, and benzo(b)fluoranthene up to 460 ppm, as compared to their RRSCO of 1 ppm; benzo(k)fluoranthene up to 460 ppm (RRSCO of 3.9 ppm), ideno(1,2,3-cd)pyrene up to 290 ppm (RRSCO of 0.5 ppm), chrysene up to 590 ppm (RRSCO of 3.9 ppm), and dibenz(a,h)anthracene up to 100 ppm (RRSCO of 0.33 ppm). Specific contaminants detected above residential SCOs (RSCO) off-site include: Benzo(a)anthracene up to 77 ppm, benzo(a)pyrene up to 64 ppm, benzo(b)fluoranthene up to 22 ppm, benzo(k)fluoranthene up to 27 ppm, and chrysene up to 74 ppm, as compared to their RSCO of 1 ppm; fluoranthene up to 130 ppm, naphthalene up to 600 ppm, phenanthrene up to 150 ppm, and pyrene up to 190 ppm, as compared to their RSCO of 100 ppm; dibenz(a,h)anthracene up to 6.3 ppm (RSCO of 0.33 ppm), and indeno(1,2,3-c,d)pyrene up to 21 ppm (RSCO of 0.5 ppm). Off-site contamination was encountered to the north and east of the site at depths greater than 10 feet. Groundwater - Benzene up to 10,000 ppb (SCG of 1 ppb), toluene up to 64 ppb (SCG of 5 ppb), ethylbenzene up to 2,100 ppb (SCG of 5 ppb) and xylene up to 1,600 ppb (SCG of 5 ppb)(BTEX), PAHs including naphthalene up to 2,500 (SCG of 10 ppb) and total cyanide up to 320 ppb (SCG of 200 ppb) have been detected above standards, criteria, and guidance values (SCGs) in overburden groundwater on- and off-site. Benzene up to 1,500 ppb (SCG of 1 ppb), toluene up to 3,500 ppb (SCG of 5 ppb), ethylbenzene up to 1,600 ppb (SCG of 5 ppb) and xylene up to 1,900 ppb (SCG of 5 ppb) and PAHs including naphthalene up to 2,200 ppb (SCG of 10 ppb) have been detected above SCGs in bedrock groundwater on- and off-site. Sediment - No concentrations of BTEX were detected above applicable SCGs in shallow sediment samples collected in the adjacent stream. Relatively low concentrations of PAHs, with total PAH concentrations ranging from 2.8 to 15 ppm, were found in the sediment. However, upstream PAH concentrations are slightly higher than those adjacent to the site, which indicates that these concentrations are associated with an urban setting and are not site-related. Coal tar was not observed in sediment. Soil Vapor - Soil vapor samples were collected off-site, adjacent to nearby structures, to evaluate whether MGP-related contaminants were present in soil vapor. The results of the soil vapor sampling did not detect MGP-related contaminants off-site. The potential exists for MGP-related contaminants to be present in on-site soil vapor.

Assess DOH:

Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. People are not expected to come into contact with the contaminated soil unless they dig below the surface. Volatile organic compounds in the groundwater may move into the soil vapor (air between soil particles), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. The site is currently unoccupied and used as a parking lot. However, the potential exists for people to inhale site contaminants in indoor air due to soil vapor intrusion in any future on-site buildings which are developed and occupied. Environmental sampling indicates soil vapor intrusion is not a current concern for off-site buildings.

123	1 of 1	SE	0.57 / 3,022.92	19.26 / -10	NM - Rensselaer MGP Washington St Rensselaer NY 12144	MGP
Site Code:	V00488			Acres:	0.3	
SWIS Code:	4214			Region:	4	
Class:	N			Town:	Rensselaer (c)	
Disp Start:				County:	Rensselaer	
Disp Term:				Latitude:	42.63948526	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Allowable Uses:	Restricted-Residential			Longitude:	-73.74519361	

Detail(s)

Description:

This site has been reassigned site number 442057. Location: The Rensselaer Former Manufactured Gas Plant (MGP) Site is located at 89 Washington Street in the City of Rensselaer, Rensselaer County, NY. Site Features: This trapezoidal site comprises approximately 0.3 acres in a mixed commercial and residential area. The entire site is covered by asphalt, used as a parking lot, and is generally flat with a slight decline to the southeast. The site is abutted to the northwest by Academy Street, to the southwest by commercial buildings, to the southeast by Washington Street, and to the northeast by Huyck Square and undeveloped land. Huyck Stream is located approximately 200 feet north of the site. Current Zoning and Land Use: The site is currently used as a parking lot and is located in an area zoned for downtown mixed use (e.g., commercial/residential) and planned development district land use. There are no structures on the site. Past Use of the Site: Manufactured Gas Plant operations, which caused the site contamination, occurred at the site from approximately 1870 to 1920. Historically a number of MGP structures were present on the site, including two gas holders, a tar well, a retort house, coal shed, purifier and condenser rooms, and a meter room. Site Geology and Hydrogeology: The overburden, in descending order from the ground surface consists of fill, silt and sand, sand and gravel, and glacial till underlain by bedrock. Bedrock is encountered at a depth ranging from approximately 23 to 28 feet below grade. Groundwater depth across the site ranges from 6 to 8 feet below ground surface. The direction of flow in the vicinity of the site is north-northeast toward Huyck stream.

Assess ENV:

Nature and Extent of Contamination: Soil, groundwater and sediment were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs), and pesticides. Based upon investigations conducted to date, the primary contaminants of concern at the site include benzene, ethylbenzene, toluene, xylene (BTEX) and polycyclic aromatic hydrocarbons (PAHs) which are impacting the soil and groundwater. No other VOCs, SVOCs, metals or PCBs/pesticides than those identified below were found in soil, groundwater or sediment at levels exceeding restricted residential soil cleanup objectives (RRSCO), groundwater standards or sediment cleanup criteria. Soil - Non-aqueous phase liquid (NAPL) in the form of coal tar has been identified at subsurface locations across the site and on some off-site properties to the north and east of the site. BTEX associated with the coal tar are found in the soil with a maximum concentration of 1,721 parts per million (ppm). Total PAHs are present in the soil up to 17,860 ppm. Specific contaminants detected above the applicable soil cleanup objectives (SCOs) on-site include: Acenaphthene up to 430 ppm, acenaphthylene up to 460 ppm, anthracene up to 920 ppm, fluoranthene up to 2,000 ppm, fluorene up to 710 ppm, naphthalene up to 4,600 ppm, phenanthrene up to 3,200, and pyrene up to 1,300 ppm, as compared to their RRSCO of 100 ppm; benzo(a)anthracene up to 660 ppm, benzo(a)pyrene up to 580 ppm, and benzo(b)fluoranthene up to 460 ppm, as compared to their RRSCO of 1 ppm; benzo(k)fluoranthene up to 460 ppm (RRSCO of 3.9 ppm), ideno(1,2,3-cd)pyrene up to 290 ppm (RRSCO of 0.5 ppm), chrysene up to 590 ppm (RRSCO of 3.9 ppm), and dibenz(a,h)anthracene up to 100 ppm (RRSCO of 0.33 ppm). Specific contaminants detected above residential SCOs (RSCO) off-site include: Benzo(a)anthracene up to 77 ppm, benzo(a)pyrene up to 64 ppm, benzo(b)fluoranthene up to 22 ppm, benzo(k)fluoranthene up to 27 ppm, and chrysene up to 74 ppm, as compared to their RSCO of 1 ppm; fluoranthene up to 130 ppm, naphthalene up to 600 ppm, phenanthrene up to 150 ppm, and pyrene up to 190 ppm, as compared to their RSCO of 100 ppm; dibenz(a,h)anthracene up to 6.3 ppm (RSCO of 0.33 ppm), and indeno(1,2,3-c,d)pyrene up to 21 ppm (RSCO of 0.5 ppm). Off-site contamination was encountered to the north and east of the site at depths greater than 10 feet. Groundwater - Benzene up to 10,000 ppb (SCG of 1 ppb), toluene up to 64 ppb (SCG of 5 ppb), ethylbenzene up to 2,100 ppb (SCG of 5 ppb) and xylene up to 1,600 ppb (SCG of 5 ppb)(BTEX), PAHs including naphthalene up to 2,500 (SCG of 10 ppb) and total cyanide up to 320 ppb (SCG of 200 ppb) have been detected above standards, criteria, and guidance values (SCGs) in overburden groundwater on- and off-site. Benzene up to 1,500 ppb (SCG of 1 ppb), toluene up to 3,500 ppb (SCG of 5 ppb), ethylbenzene up to 1,600 ppb (SCG of 5 ppb) and xylene up to 1,900 ppb (SCG of 5 ppb) and PAHs including naphthalene up to 2,200 ppb (SCG of 10 ppb) have been detected above SCGs in bedrock groundwater on- and off-site. Sediment - No concentrations of BTEX were detected above applicable SCGs in shallow sediment samples collected in the adjacent stream. Relatively low concentrations of PAHs, with total PAH concentrations ranging from 2.8 to 15 ppm, were found in the sediment. However, upstream PAH concentrations are slightly higher than those adjacent to the site, which indicates that these concentrations are associated with an urban setting and are not site-related. Coal tar was not observed in sediment. Soil Vapor - Soil vapor samples were collected off-site, adjacent to nearby structures, to evaluate whether MGP-related contaminants were present in soil vapor. The results of the soil vapor sampling did not detect MGP-related contaminants off-site. The potential exists for MGP-related contaminants to be present in on-site soil vapor.

Assess DOH:

Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. People are not expected to come into contact with the contaminated soil unless they dig below the surface. Volatile organic compounds in the groundwater may move into the soil vapor (air between soil particles), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. The site is currently unoccupied and used as a parking lot. However, the potential exists for people to inhale site contaminants in indoor air due to soil vapor intrusion in any future on-site buildings which are developed and occupied. Environmental sampling indicates soil vapor intrusion is not a current concern for off-site buildings.

124	1 of 1	SE	0.86 / 4,534.12	21.56 / -8	ASHLAND DISTRIBUTION SOUTH ST RENSSELAER NY 12144	RCRA CORRACTS
EPA Handler ID:		NYD046877775				
Gen Status Universe:		Small Quantity Generator				
Contact Name:		KARA B LONG				
Contact Address:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Contact Phone No and Ext:		614-790-4641				
Contact Email:		KLONG@ASHLAND.COM				
Contact Country:						
County Name:		RENSSELAER				
EPA Region:		02				
Land Type:		Private				
Receive Date:		20200618				
Location Latitude:		42.635711				
Location Longitude:		-73.742523				

Event/Area Details

Area Name:	OTHER SWMUS
Event Code:	CA150
Corrective Action Event Descri:	INVESTIGATION WORKPLAN APPROVED
Actual Date of Event:	19930712
Orig Sched Event Date:	
New Sched Event Date:	
Best Date:	19930712
Groundwater Release Indicator:	
Soil Release Indicator:	Yes
Air Release Indicator:	
Surface Waste Release Ind:	
Event Responsible Agency:	E
Area Name:	SITEWIDE
Event Code:	CA155
Corrective Action Event Descri:	INVESTIGATION SUPPLEMENTAL INFO REQ BY AGENCY
Actual Date of Event:	19940215
Orig Sched Event Date:	
New Sched Event Date:	
Best Date:	19940215
Groundwater Release Indicator:	Yes
Soil Release Indicator:	Yes
Air Release Indicator:	
Surface Waste Release Ind:	
Event Responsible Agency:	E
Area Name:	SITEWIDE
Event Code:	CA070YE
Corrective Action Event Descri:	DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NECESSARY
Actual Date of Event:	19920716
Orig Sched Event Date:	
New Sched Event Date:	
Best Date:	19920716
Groundwater Release Indicator:	Yes
Soil Release Indicator:	Yes
Air Release Indicator:	
Surface Waste Release Ind:	
Event Responsible Agency:	E
Area Name:	SITEWIDE
Event Code:	CA725YE
Corrective Action Event Descri:	HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date of Event:	20100316
Orig Sched Event Date:	
New Sched Event Date:	
Best Date:	20100316
Groundwater Release Indicator:	Yes
Soil Release Indicator:	Yes
Air Release Indicator:	
Surface Waste Release Ind:	
Event Responsible Agency:	S
Area Name:	SITEWIDE
Event Code:	CA100
Corrective Action Event Descri:	INVESTIGATION IMPOSITION
Actual Date of Event:	19920716

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Orig Sched Event Date:		19920716				
New Sched Event Date:						
Best Date:		19920716				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA075ME				
Corrective Action Event Descri:		CA PRIORITIZATION-MEDIUM CA PRIORITY				
Actual Date of Event:		19920623				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19920623				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA350				
Corrective Action Event Descri:		CMS COMPLETE				
Actual Date of Event:		20090827				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090827				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		OTHER SWMUS				
Event Code:		CA225				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION				
Actual Date of Event:		19920716				
Orig Sched Event Date:		19920716				
New Sched Event Date:						
Best Date:		19920716				
Groundwater Release Indicator:						
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		Off-site				
Event Code:		CA150				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN APPROVED				
Actual Date of Event:		20071116				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20071116				
Groundwater Release Indicator:						
Soil Release Indicator:						
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SOUTHERN PORTION				
Event Code:		CA050				
Corrective Action Event Descri:		RFA COMPLETED				
Actual Date of Event:		19850521				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19850521				
Groundwater Release Indicator:		Yes				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SOUTHERN PORTION				
Event Code:		CA100				
Corrective Action Event Descri:		INVESTIGATION IMPOSITION				
Actual Date of Event:		19920716				
Orig Sched Event Date:		19920716				
New Sched Event Date:						
Best Date:		19920716				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA190				
Corrective Action Event Descri:		INVESTIGATION REPORT RECEIVED				
Actual Date of Event:		20030115				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20030115				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		NORTHERN PORTION				
Event Code:		CA150				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN APPROVED				
Actual Date of Event:		19930712				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19930712				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA677				
Corrective Action Event Descri:		INTERIM CORRECTIVE MEASURES EVALUATION				
Actual Date of Event:		20090224				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090224				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SITEWIDE				
Event Code:		CA200				
Corrective Action Event Descri:		INVESTIGATION COMPLETE				
Actual Date of Event:		20090827				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090827				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Area Name:		SITEWIDE				
Event Code:		CA140				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN NOTICE OF DEFICIENCY ISSUED				
Actual Date of Event:		19940215				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19940215				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA190				
Corrective Action Event Descri:		INVESTIGATION REPORT RECEIVED				
Actual Date of Event:		19940110				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19940110				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA225				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION				
Actual Date of Event:		19860822				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19860822				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SOUTHERN PORTION				
Event Code:		CA225				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION				
Actual Date of Event:		19860822				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19860822				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA677				
Corrective Action Event Descri:		INTERIM CORRECTIVE MEASURES EVALUATION				
Actual Date of Event:		20081125				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20081125				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SITEWIDE				
Event Code:		CA110				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN RECEIVED				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Actual Date of Event:		19921021				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19921021				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA150				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN APPROVED				
Actual Date of Event:		20070320				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20070320				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SITEWIDE				
Event Code:		CA110				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN RECEIVED				
Actual Date of Event:		19940110				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19940110				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA160				
Corrective Action Event Descri:		INVESTIGATION SUPPLEMENTAL INFORMATION RECEIVED				
Actual Date of Event:		19940418				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19940418				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA677				
Corrective Action Event Descri:		INTERIM CORRECTIVE MEASURES EVALUATION				
Actual Date of Event:		20071115				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20071115				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SOUTHERN PORTION				
Event Code:		CA225				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION				
Actual Date of Event:		19920716				
Orig Sched Event Date:		19920716				
New Sched Event Date:						
Best Date:		19920716				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		OTHER SWMUS				
Event Code:		CA225				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION				
Actual Date of Event:		19860822				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19860822				
Groundwater Release Indicator:						
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA350				
Corrective Action Event Descri:		CMS COMPLETE				
Actual Date of Event:		20080305				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20080305				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		SOUTHERN PORTION				
Event Code:		CA110				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN RECEIVED				
Actual Date of Event:		19921021				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19921021				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		OTHER SWMUS				
Event Code:		CA110				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN RECEIVED				
Actual Date of Event:		19921021				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19921021				
Groundwater Release Indicator:						
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		Off-site				
Event Code:		CA200				
Corrective Action Event Descri:		INVESTIGATION COMPLETE				
Actual Date of Event:		20080814				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20080814				
Groundwater Release Indicator:						
Soil Release Indicator:						
Air Release Indicator:						
Surface Waste Release Ind:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Event Responsible Agency:		S				
Area Name:		NORTHERN PORTION				
Event Code:		CA110				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN RECEIVED				
Actual Date of Event:		19921021				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19921021				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA140				
Corrective Action Event Descri:		INVESTIGATION WORKPLAN NOTICE OF DEFICIENCY ISSUED				
Actual Date of Event:		19930115				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19930115				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA050				
Corrective Action Event Descri:		RFA COMPLETED				
Actual Date of Event:		19850521				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19850521				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA400				
Corrective Action Event Descri:		REMEDY DECISION				
Actual Date of Event:		20090827				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20090827				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA550RC				
Corrective Action Event Descri:		REMEDY CONSTRUCTION-REMEDY CONSTRUCTED				
Actual Date of Event:		20100930				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20100930				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA577				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Corrective Action Event Descri:			FINAL CORRECTIVE MEASURES EVALUATION			
Actual Date of Event:			20190529			
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:			20190529			
Groundwater Release Indicator:			Yes			
Soil Release Indicator:			Yes			
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:			S			
Area Name:			OTHER SWMUS			
Event Code:			CA050			
Corrective Action Event Descri:			RFA COMPLETED			
Actual Date of Event:			19850521			
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:			19850521			
Groundwater Release Indicator:			Yes			
Soil Release Indicator:			Yes			
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:			E			
Area Name:			NORTHERN PORTION			
Event Code:			CA100			
Corrective Action Event Descri:			INVESTIGATION IMPOSITION			
Actual Date of Event:			19920716			
Orig Sched Event Date:			19920716			
New Sched Event Date:						
Best Date:			19920716			
Groundwater Release Indicator:			Yes			
Soil Release Indicator:			Yes			
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:			E			
Area Name:			SITEWIDE			
Event Code:			CA225			
Corrective Action Event Descri:			STABILIZATION MEASURES EVALUATION			
Actual Date of Event:			19920716			
Orig Sched Event Date:			19920716			
New Sched Event Date:						
Best Date:			19920716			
Groundwater Release Indicator:			Yes			
Soil Release Indicator:			Yes			
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:			E			
Area Name:			OTHER SWMUS			
Event Code:			CA100			
Corrective Action Event Descri:			INVESTIGATION IMPOSITION			
Actual Date of Event:			19920716			
Orig Sched Event Date:			19920716			
New Sched Event Date:						
Best Date:			19920716			
Groundwater Release Indicator:			Yes			
Soil Release Indicator:			Yes			
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:			E			
Area Name:			SOUTHERN PORTION			
Event Code:			CA600			
Corrective Action Event Descri:			STABILIZATION/INTERIM MEASURES DECISION			
Actual Date of Event:			19860822			
Orig Sched Event Date:						
New Sched Event Date:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Best Date:		19860822				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA750YE				
Corrective Action Event Descri:		RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE				
Actual Date of Event:		20100316				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20100316				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name:		NORTHERN PORTION				
Event Code:		CA050				
Corrective Action Event Descri:		RFA COMPLETED				
Actual Date of Event:		19850521				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19850521				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		NORTHERN PORTION				
Event Code:		CA225				
Corrective Action Event Descri:		STABILIZATION MEASURES EVALUATION				
Actual Date of Event:		19920716				
Orig Sched Event Date:		19920716				
New Sched Event Date:						
Best Date:		19920716				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		NORTHERN PORTION				
Event Code:		CA600				
Corrective Action Event Descri:		STABILIZATION/INTERIM MEASURES DECISION				
Actual Date of Event:		19860822				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19860822				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA450				
Corrective Action Event Descri:		CORRECTIVE MEASURES DESIGN APPROVED				
Actual Date of Event:		20100204				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20100204				
Groundwater Release Indicator:	Yes					
Soil Release Indicator:	Yes					
Air Release Indicator:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Surface Waste Release Ind:						
Event Responsible Agency:		S				
Area Name: SITEWIDE						
Event Code: CA145						
Corrective Action Event Descri: RFI WORKPLAN RESUBMITTED						
Actual Date of Event: 19930322						
Orig Sched Event Date:						
New Sched Event Date:						
Best Date: 19930322						
Groundwater Release Indicator: Yes						
Soil Release Indicator: Yes						
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name: OTHER SWMUS						
Event Code: CA600						
Corrective Action Event Descri: STABILIZATION/INTERIM MEASURES DECISION						
Actual Date of Event: 19860822						
Orig Sched Event Date:						
New Sched Event Date:						
Best Date: 19860822						
Groundwater Release Indicator: Yes						
Soil Release Indicator: Yes						
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name: NORTHERN PORTION						
Event Code: CA225						
Corrective Action Event Descri: STABILIZATION MEASURES EVALUATION						
Actual Date of Event: 19860822						
Orig Sched Event Date:						
New Sched Event Date:						
Best Date: 19860822						
Groundwater Release Indicator: Yes						
Soil Release Indicator: Yes						
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name: SITEWIDE						
Event Code: CA600						
Corrective Action Event Descri: STABILIZATION/INTERIM MEASURES DECISION						
Actual Date of Event: 19860822						
Orig Sched Event Date:						
New Sched Event Date:						
Best Date: 19860822						
Groundwater Release Indicator: Yes						
Soil Release Indicator: Yes						
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name: SITEWIDE						
Event Code: CA650						
Corrective Action Event Descri: STABILIZATION CONSTRUCTION COMPLETED						
Actual Date of Event: 19940304						
Orig Sched Event Date:						
New Sched Event Date:						
Best Date: 19940304						
Groundwater Release Indicator: Yes						
Soil Release Indicator: Yes						
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name: SITEWIDE						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Event Code:		CA150				
Corrective Action Event Descr:		INVESTIGATION WORKPLAN APPROVED				
Actual Date of Event:		19930712				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19930712				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SOUTHERN PORTION				
Event Code:		CA150				
Corrective Action Event Descr:		INVESTIGATION WORKPLAN APPROVED				
Actual Date of Event:		19930712				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		19930712				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		E				
Area Name:		SITEWIDE				
Event Code:		CA677				
Corrective Action Event Descr:		INTERIM CORRECTIVE MEASURES EVALUATION				
Actual Date of Event:		20080522				
Orig Sched Event Date:						
New Sched Event Date:						
Best Date:		20080522				
Groundwater Release Indicator:		Yes				
Soil Release Indicator:		Yes				
Air Release Indicator:						
Surface Waste Release Ind:						
Event Responsible Agency:		S				

Violation/Evaluation Summary

Note: VIOLATION or UNDETERMINED: There are VIOLATION or UNDETERMINED details or records associated with this facility (EPA ID) in the Compliance Monitoring and Enforcement table dated Jan, 2024.

Violation Details

Found Violation: Yes
Citation: SR - 6nycrr372.2(a)(8)
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 19990810
Scheduled Compliance Date: 19990915
Return to Compliance: Observed
Actual Return to Compl: 19990908
Violation Responsible Agency: EPA

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 19990722
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: EPA
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 19940419
Scheduled Compliance Date: 19940519
Return to Compliance: Observed
Actual Return to Compl: 19941222
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 19940419
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Generators - Manifest
Violation Type: 262.B
Violation Determined Date: 19940419
Scheduled Compliance Date: 19940519
Return to Compliance: Observed
Actual Return to Compl: 19941222
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 19940419
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: LDR - General
Violation Type: 268.A
Violation Determined Date: 19940419
Scheduled Compliance Date: 19940519
Return to Compliance: Observed
Actual Return to Compl: 19941222
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 19940419
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: TSD - General
Violation Type: 264.A
Violation Determined Date: 19911220
Scheduled Compliance Date: 19920120
Return to Compliance: Observed
Actual Return to Compl: 19920207
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 19911220
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: TSD - General
Violation Type: 264.A
Violation Determined Date: 19901106
Scheduled Compliance Date:
Return to Compliance: Observed
Actual Return to Compl: 19920207
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 210
Enforcement Type Description: INITIAL 3008(A) COMPLIANCE
Enforcement Action Date: 19901116
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount: 3000
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Violation Short Description: TSD - General
Violation Type: 264.A
Violation Determined Date: 19901106
Scheduled Compliance Date: 19910404
Return to Compliance: Observed
Actual Return to Compl: 19920207
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 310
Enforcement Type Description: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Action Date: 19910404
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount: 1500
Paid Amount: 1500

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 19890823
Scheduled Compliance Date: 19891008
Return to Compliance: Observed
Actual Return to Compl: 19891004
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 19890908
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 19870323
Scheduled Compliance Date: 19870423
Return to Compliance: Observed
Actual Return to Compl: 19870414
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 19870323
Enf Disposition Status:
Disposition Status Date:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 19840914
Scheduled Compliance Date: 19850216
Return to Compliance: Observed
Actual Return to Compl: 19850130
Violation Responsible Agency: State

Enforcement Details

Enforcement Type: 120
Enforcement Type Description: WRITTEN INFORMAL
Enforcement Action Date: 19850116
Enf Disposition Status:
Disposition Status Date:
Enforcement Lead Agency: State
Proposed Penalty Amount:
Final Amount:
Paid Amount:

Violation Details

Found Violation: Yes
Citation:
Violation Short Description: Generators - General
Violation Type: 262.A
Violation Determined Date: 19830622
Scheduled Compliance Date:
Return to Compliance: Observed
Actual Return to Compl: 19891004
Violation Responsible Agency: State

Evaluation Details

Evaluation Start Date: 20050304
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: State

Evaluation Start Date: 20020325
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Violation Short Description:
Return to Compliance Date:
Evaluation Agency: State

Evaluation Start Date: 19990722
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Violation Short Description: Generators - General
Return to Compliance Date: 19990908
Evaluation Agency: EPA

Evaluation Start Date: 19940211
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Violation Short Description: Generators - General

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Return to Compliance Date:		19941222				
Evaluation Agency:		State				
Evaluation Start Date:		19940211				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:		LDR - General				
Return to Compliance Date:		19941222				
Evaluation Agency:		State				
Evaluation Start Date:		19940211				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:		Generators - Manifest				
Return to Compliance Date:		19941222				
Evaluation Agency:		State				
Evaluation Start Date:		19920207				
Evaluation Type Description:		NO LONGER A SIGNIFICANT NON-COMPLIER				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19911125				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:		TSD - General				
Return to Compliance Date:		19920207				
Evaluation Agency:		State				
Evaluation Start Date:		19901106				
Evaluation Type Description:		SIGNIFICANT NON-COMPLIER				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19900919				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:		TSD - General				
Return to Compliance Date:		19920207				
Evaluation Agency:		State				
Evaluation Start Date:		19890823				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:		Generators - General				
Return to Compliance Date:		19891004				
Evaluation Agency:		State				
Evaluation Start Date:		19880823				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19871007				
Evaluation Type Description:		COMPLIANCE SCHEDULE EVALUATION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		EPA				
Evaluation Start Date:		19870826				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19870625				
Evaluation Type Description:		NON-FINANCIAL RECORD REVIEW				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Evaluation Start Date:		19870323				
Evaluation Type Description:		NON-FINANCIAL RECORD REVIEW				
Violation Short Description:		Generators - General				
Return to Compliance Date:		19870414				
Evaluation Agency:		State				
Evaluation Start Date:		19860909				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19851231				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		State				
Evaluation Start Date:		19850801				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		EPA				
Evaluation Start Date:		19841109				
Evaluation Type Description:		NON-FINANCIAL RECORD REVIEW				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		EPA-Initiated Oversight/Observation/Training Actions				
Evaluation Start Date:		19840914				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:		Generators - General				
Return to Compliance Date:		19850130				
Evaluation Agency:		State				
Evaluation Start Date:		19830622				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:						
Return to Compliance Date:						
Evaluation Agency:		EPA				
Evaluation Start Date:		19830622				
Evaluation Type Description:		COMPLIANCE EVALUATION INSPECTION				
Violation Short Description:		Generators - General				
Return to Compliance Date:		19891004				
Evaluation Agency:		State				

Handler Summary

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility:	No
Onsite Burner:	No
Smelting, Melting and Refining:	No
Underground Injection Control:	No
Commercial TSD:	No
Used Oil Transporter:	No
Used Oil Transfer Facility:	No
Used Oil Processor:	No
Used Oil Refiner:	No
Used Oil Burner:	No
Used Oil Market Burner:	No
Used Oil Spec Marketer:	No

Hazardous Waste Handler Details

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction</i>	<i>Distance (mi/ft)</i>	<i>Elev/Diff (ft)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Sequence No: 1
Receive Date: 19791231
Handler Name: ASHLAND CHEMICAL CO
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19801119
Handler Name: ASHLAND CHEMICAL CO
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified
Source Type: Part A

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: F003
Waste Code Description:

THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: F005
Waste Code Description:

THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: F006
Waste Code Description:

WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.

Hazardous Waste Code: F007
Waste Code Description:

SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.

Hazardous Waste Code: F008
Waste Code Description:

PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.

Hazardous Waste Code: P030
Waste Code Description:

CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19900301
Handler Name: ASHLAND CHEMICAL COMPANY
Federal Waste Generator Code: 1

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Generator Code Description: Large Quantity Generator
 Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 2
 Receive Date: 19920228
 Handler Name: ASHLAND CHEM
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 3
 Receive Date: 19940207
 Handler Name: ASHLAND CHEMICAL COMPANY
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 1
 Receive Date: 19941114
 Handler Name: ASHLAND CHEMICAL CO
 Federal Waste Generator Code: 1
 Generator Code Description: Large Quantity Generator
 Source Type: Notification

Waste Code Details

Hazardous Waste Code: D000
 Waste Code Description: DESCRIPTION

Hazardous Waste Code: D001
 Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D002
 Waste Code Description: CORROSIVE WASTE

Hazardous Waste Code: D003
 Waste Code Description: REACTIVE WASTE

Hazardous Waste Code: F002
 Waste Code Description: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: F003
 Waste Code Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Hazardous Waste Code: F005
 Waste Code Description: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
					DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.	
					Hazardous Waste Code: F006 Waste Code Description: WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.	
					Hazardous Waste Code: F007 Waste Code Description: SPENT CYANIDE PLATING BATH SOLUTIONS FROM ELECTROPLATING OPERATIONS.	
					Hazardous Waste Code: F008 Waste Code Description: PLATING BATH RESIDUES FROM THE BOTTOM OF PLATING BATHS FROM ELECTROPLATING OPERATIONS IN WHICH CYANIDES ARE USED IN THE PROCESS.	
					Hazardous Waste Code: P022 Waste Code Description: CARBON DISULFIDE	
					Hazardous Waste Code: P029 Waste Code Description: COPPER CYANIDE (OR) COPPER CYANIDE CU(CN)	
					Hazardous Waste Code: P030 Waste Code Description: CYANIDES (SOLUBLE CYANIDE SALTS), NOT OTHERWISE SPECIFIED	
					Hazardous Waste Code: U001 Waste Code Description: ACETALDEHYDE (I) (OR) ETHANAL (I)	
					Hazardous Waste Code: U002 Waste Code Description: 2-PROPANONE (I) (OR) ACETONE (I)	
					Hazardous Waste Code: U004 Waste Code Description: ACETOPHENONE (OR) ETHANONE, 1-PHENYL-	
					Hazardous Waste Code: U012 Waste Code Description: ANILINE (I,T) (OR) BENZENAMINE (I,T)	
					Hazardous Waste Code: U019 Waste Code Description: BENZENE (I,T)	
					Hazardous Waste Code: U028 Waste Code Description: 1,2-BENZENEDICARBOXYLIC ACID, BIS(2-ETHYLHEXYL) ESTER (OR) DIETHYLHEXYL PHTHALATE	
					Hazardous Waste Code: U031 Waste Code Description: 1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)	
					Hazardous Waste Code: U037 Waste Code Description: BENZENE, CHLORO- (OR) CHLOROBENZENE	
					Hazardous Waste Code: U044 Waste Code Description: CHLOROFORM (OR) METHANE, TRICHLORO-	
					Hazardous Waste Code: U055 Waste Code Description: BENZENE, (1-METHYLETHYL)- (I) (OR) CUMENE (I)	
					Hazardous Waste Code: U056 Waste Code Description: BENZENE, HEXAHYDRO- (I) (OR) CYCLOHEXANE (I)	
					Hazardous Waste Code: U057 Waste Code Description: CYCLOHEXANONE (I)	
					Hazardous Waste Code: U069 Waste Code Description: 1,2-BENZENEDICARBOXYLIC ACID, DIBUTYL ESTER (OR) DIBUTYL PHTHALATE	
					Hazardous Waste Code: U070	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Waste Code Description:					BENZENE, 1,2-DICHLORO- (OR) O-DICHLOROBENZENE	
Hazardous Waste Code:					U071	
Waste Code Description:					BENZENE, 1,3-DICHLORO- (OR) M-DICHLOROBENZENE	
Hazardous Waste Code:					U072	
Waste Code Description:					BENZENE, 1,4-DICHLORO- (OR) P-DICHLOROBENZENE	
Hazardous Waste Code:					U088	
Waste Code Description:					1,2-BENZENEDICARBOXYLIC ACID, DIETHYL ESTER (OR) DIETHYL PHTHALATE	
Hazardous Waste Code:					U092	
Waste Code Description:					DIMETHYLAMINE (I) (OR) METHANAMINE, N-METHYL- (I)	
Hazardous Waste Code:					U102	
Waste Code Description:					1,2-BENZENEDICARBOXYLIC ACID, DIMETHYL ESTER (OR) DIMETHYL PHTHALATE	
Hazardous Waste Code:					U103	
Waste Code Description:					DIMETHYL SULFATE (OR) SULFURIC ACID, DIMETHYL ESTER	
Hazardous Waste Code:					U107	
Waste Code Description:					1,2-BENZENEDICARBOXYLIC ACID, DIOCTYL ESTER (OR) DI-N-OCTYL PHTHALATE	
Hazardous Waste Code:					U108	
Waste Code Description:					1,4-DIETHYLENEOXIDE (OR) 1,4-DIOXANE	
Hazardous Waste Code:					U110	
Waste Code Description:					1-PROPANIMINE, N-PROPYL-(I) (OR) DIPROPYLAMINE (I)	
Hazardous Waste Code:					U112	
Waste Code Description:					ACETIC ACID, ETHYL ESTER (I) (OR) ETHYL ACETATE (I)	
Hazardous Waste Code:					U117	
Waste Code Description:					ETHANE, 1,1'-OXYBIS-(I) (OR) ETHYL ETHER (I)	
Hazardous Waste Code:					U122	
Waste Code Description:					FORMALDEHYDE	
Hazardous Waste Code:					U123	
Waste Code Description:					FORMIC ACID (C,T)	
Hazardous Waste Code:					U125	
Waste Code Description:					2-FURANCARBOXALDEHYDE (I) (OR) FURFURAL (I)	
Hazardous Waste Code:					U134	
Waste Code Description:					HYDROFLUORIC ACID (C,T) (OR) HYDROGEN FLUORIDE (C,T)	
Hazardous Waste Code:					U140	
Waste Code Description:					1-PROPANOL, 2-METHYL- (I,T) (OR) ISOBUTYL ALCOHOL (I,T)	
Hazardous Waste Code:					U147	
Waste Code Description:					2,5-FURANDIONE (OR) MALEIC ANHYDRIDE	
Hazardous Waste Code:					U154	
Waste Code Description:					METHANOL (I) (OR) METHYL ALCOHOL (I)	
Hazardous Waste Code:					U159	
Waste Code Description:					2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)	
Hazardous Waste Code:					U160	
Waste Code Description:					2-BUTANONE, PEROXIDE (R,T) (OR) METHYL ETHYL KETONE PEROXIDE (R,T)	
Hazardous Waste Code:					U165	
Waste Code Description:					NAPHTHALENE	
Hazardous Waste Code:					U171	
Waste Code Description:					2-NITROPROPANE (I,T) (OR) PROPANE, 2-NITRO- (I,T)	
Hazardous Waste Code:					U189	

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Waste Code Description:					PHOSPHORUS SULFIDE (R) (OR) SULFUR PHOSPHIDE (R)	
Hazardous Waste Code:				U190		
Waste Code Description:					1,3-ISOBENZOFURANDIONE (OR) PHTHALIC ANHYDRIDE	
Hazardous Waste Code:				U194		
Waste Code Description:					1-PROPANAMINE (I,T) (OR) N-PROPYLAMINE (I,T)	
Hazardous Waste Code:				U210		
Waste Code Description:					ETHENE, TETRACHLORO- (OR) TETRACHLOROETHYLENE	
Hazardous Waste Code:				U211		
Waste Code Description:					CARBON TETRACHLORIDE (OR) METHANE, TETRACHLORO-	
Hazardous Waste Code:				U213		
Waste Code Description:					FURAN, TETRAHYDRO-(I) (OR) TETRAHYDROFURAN (I)	
Hazardous Waste Code:				U219		
Waste Code Description:					THIOUREA	
Hazardous Waste Code:				U220		
Waste Code Description:					BENZENE, METHYL- (OR) TOLUENE	
Hazardous Waste Code:				U223		
Waste Code Description:					BENZENE, 1,3-DIISOCYANATOMETHYL- (R,T) (OR) TOLUENE DIISOCYANATE (R,T)	
Hazardous Waste Code:				U226		
Waste Code Description:					ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM	
Hazardous Waste Code:				U228		
Waste Code Description:					ETHENE, TRICHLORO- (OR) TRICHLOROETHYLENE	
Hazardous Waste Code:				U239		
Waste Code Description:					BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)	

Hazardous Waste Handler Details

Sequence No: 4
Receive Date: 19960325
Handler Name: ASHLAND CHEMICAL CO
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 5
Receive Date: 19980224
Handler Name: ASHLAND CHEMICAL
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 6
Receive Date: 20010101
Handler Name: ASHLAND CHEMICAL COMPANY
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Sequence No: 7
Receive Date: 20020208
Handler Name: ASHLAND CHEMICAL COMPANY
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator
Source Type: Annual/Biennial Report

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20060209
Handler Name: ASHLAND DISTRIBUTION
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator
Source Type: Implementer

Hazardous Waste Handler Details

Sequence No: 8
Receive Date: 20060210
Handler Name: ASHLAND DISTRIBUTION
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator
Source Type: Annual/Biennial Report

Waste Code Details

Hazardous Waste Code: D018
Waste Code Description: BENZENE

Hazardous Waste Code: D040
Waste Code Description: TRICHTHORETHYLENE

Hazardous Waste Code: D043
Waste Code Description: VINYL CHLORIDE

Hazardous Waste Code: U002
Waste Code Description: 2-PROPANONE (I) (OR) ACETONE (I)

Hazardous Waste Code: U019
Waste Code Description: BENZENE (I,T)

Hazardous Waste Code: U159
Waste Code Description: 2-BUTANONE (I,T) (OR) METHYL ETHYL KETONE (MEK) (I,T)

Hazardous Waste Code: U220
Waste Code Description: BENZENE, METHYL- (OR) TOLUENE

Hazardous Waste Code: U226
Waste Code Description: ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM

Hazardous Waste Code: U239
Waste Code Description: BENZENE, DIMETHYL- (I,T) (OR) XYLENE (I)

Hazardous Waste Handler Details

Sequence No: 3
Receive Date: 20070101
Handler Name: ASHLAND DISTRIBUTION
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator
Source Type: Implementer

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
---------	-------------------	-----------	------------------	----------------	------	----

Hazardous Waste Handler Details

Sequence No: 9
Receive Date: 20080214
Handler Name: ASHLAND DISTRIBUTION
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator
Source Type: Annual/Biennial Report

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D035
Waste Code Description: METHYL ETHYL KETONE

Hazardous Waste Handler Details

Sequence No: 4
Receive Date: 20200618
Handler Name: ASHLAND DISTRIBUTION
Federal Waste Generator Code: 2
Generator Code Description: Small Quantity Generator
Source Type: Implementer

Waste Code Details

Hazardous Waste Code: D001
Waste Code Description: IGNITABLE WASTE

Hazardous Waste Code: D035
Waste Code Description: METHYL ETHYL KETONE

Owner/Operator Details

Owner/Operator Ind: Current Owner Type: Private Name: ASHLAND CHEMICAL CO Date Became Current: Date Ended Current: Phone: 614-889-3333 Source Type: Notification	Street No: Street 1: PO BOX 2219 Street 2: City: COLUMBUS State: OH Country: Zip Code: 43216-2219
Owner/Operator Ind: Current Operator Type: Private Name: ASHLAND CHEMICAL COMPANY Date Became Current: Date Ended Current: Phone: 518-465-7531 Source Type: Part A	Street No: Street 1: SOUTH STREET Street 2: City: OPERCITY State: NY Country: Zip Code: 99999
Owner/Operator Ind: Current Owner Type: Private Name: ASHLAND INC. Date Became Current: 19690228 Date Ended Current: Phone: Source Type: Implementer	Street No: Street 1: 5200 BLAZER PARKWAY Street 2: City: DUBLIN State: OH Country: US Zip Code: 43014
Owner/Operator Ind: Current Operator Type: Private Name: ASHLAND DISTRIBUTION Date Became Current: 19690228	Street No: Street 1: Street 2: City:

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Date Ended Current:					State:	
Phone:					Country:	US
Source Type:	Annual/Biennial Report				Zip Code:	
Owner/Operator Ind:	Current Owner				Street No:	5200
Type:	Private				Street 1:	BLAZER
Name:	ASHLAND INC				Street 2:	PARKWAY
Date Became Current:	19690228				City:	DUBLIN
Date Ended Current:					State:	OH
Phone:					Country:	US
Source Type:	Implementer				Zip Code:	43017
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	
Name:	ASHLAND INC				Street 2:	
Date Became Current:	19690228				City:	
Date Ended Current:					State:	
Phone:					Country:	
Source Type:	Implementer				Zip Code:	
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	
Name:	ASHLAND INC.				Street 2:	
Date Became Current:	19690228				City:	
Date Ended Current:					State:	
Phone:					Country:	US
Source Type:	Annual/Biennial Report				Zip Code:	
Owner/Operator Ind:	Current Operator				Street No:	
Type:	Private				Street 1:	
Name:	NO NAME FOUND				Street 2:	
Date Became Current:	19690228				City:	
Date Ended Current:					State:	
Phone:					Country:	US
Source Type:	Implementer				Zip Code:	
Owner/Operator Ind:	Current Owner				Street No:	
Type:	Private				Street 1:	5200 BLAZER PARKWAY
Name:	ASHLAND INC.				Street 2:	
Date Became Current:	19690228				City:	DUBLIN
Date Ended Current:					State:	OH
Phone:					Country:	US
Source Type:	Annual/Biennial Report				Zip Code:	43014
Owner/Operator Ind:	Current Owner				Street No:	5200
Type:	Private				Street 1:	BLAZER
Name:	ASHLAND INC.				Street 2:	PARKWAY
Date Became Current:	19690228				City:	DUBLIN
Date Ended Current:					State:	OH
Phone:					Country:	US
Source Type:	Annual/Biennial Report				Zip Code:	43017

Historical Handler Details

Receive Dt: 20080214
Generator Code Description: Small Quantity Generator
Handler Name: ASHLAND DISTRIBUTION

Receive Dt: 20070101
Generator Code Description: Small Quantity Generator
Handler Name: ASHLAND DISTRIBUTION

Receive Dt: 20060210
Generator Code Description: Small Quantity Generator
Handler Name: ASHLAND DISTRIBUTION

Receive Dt: 20060209
Generator Code Description: Small Quantity Generator

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Handler Name:		ASHLAND DISTRIBUTION				
Receive Dt:		20020208				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEMICAL COMPANY				
Receive Dt:		20010101				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEMICAL COMPANY				
Receive Dt:		19980224				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEMICAL				
Receive Dt:		19960325				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEMICAL CO				
Receive Dt:		19941114				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEMICAL CO				
Receive Dt:		19940207				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEMICAL COMPANY				
Receive Dt:		19920228				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEM				
Receive Dt:		19900301				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEMICAL COMPANY				
Receive Dt:		19801119				
Generator Code Description:		Not a Generator, Verified				
Handler Name:		ASHLAND CHEMICAL CO				
Receive Dt:		19791231				
Generator Code Description:		Large Quantity Generator				
Handler Name:		ASHLAND CHEMICAL CO				

125	1 of 2	SSE	0.96 / 5,048.00	18.25 / -11	Sterling Drug Site 1 33 RIVERSIDE AVENUE RENSSELAER NY 12144	VAPOR
Site Code:		442009		UTM X:		602738.21931
Vapor Ins Eval Stat:		Complete (No Further Action)		UTM Y:		4720708.99693
Program:		State Superfund Program		Point X:		-73.7469995894511
Site Class:		04		Point Y:		42.631988235205
Town:		Rensselaer (c)		Method:		4.3
County:		Rensselaer		Accuracy:		
GIS Flag:		1		Accuracy Unit:		
Brown URL:		https://www.dec.ny.gov/chemical/brownfields.html				
Detail URL:		https://extapps.dec.ny.gov/cfm/extapps/dereexternal/haz/details.cfm?ProgNo=442009				
Doc URL:		https://extapps.dec.ny.gov/data/DecDocs/442009				

125	2 of 2	SSE	0.96 / 5,048.00	18.25 / -11	Sterling Drug Site 1 33 RIVERSIDE AVENUE RENSSELAER NY 12144	SHWS
Site Code:		57785				
HW Code:		442009				
Program:		HW				
Site Class:		04				
Site Name:		Sterling Drug Site 1				

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
Site Address:		33 RIVERSIDE AVENUE				
City:		RENSSELAER				
Zip:		12144				
County:		Rensselaer				
Region:		4				
Town:		Rensselaer (c)				
Latitude:		42.629476820				
Longitude:		-73.747063180				
SWIS:		4214				
Acres:		11.000				
Record Added:		1999-11-18 12:00:00				
Record Update:		2022-09-16 14:26:00				
Updated by:		CXONEILL				
Site Code (Web):		442009				
Program Type (Web):		HW				
Site Name (Web):		Sterling Drug Site 1				
Site Class (Web):		04				
Address1 (Web):		33 RIVERSIDE AVENUE				
Address2 (Web):						
Locality (Web):		RENSSELAER				
Zip Code (Web):		12144				
County (Web):		Rensselaer				
Longitude (Web):		-73.747063180				
Latitude (Web):		42.629476820				
Site Code (GIS):		442009				
Site Name (GIS):		Sterling Drug Site 1				
Program (GIS):		HW				
Site Class (GIS):		04				
Address1 (GIS):		33 RIVERSIDE AVENUE				
Address2 (GIS):						
Locality (GIS):		RENSSELAER				
Zip Code (GIS):		12144				
County (GIS):		Rensselaer				
Site Class Desc:		This classification is assigned to a site that has been properly closed but that requires continued site management consisting of operation, maintenance and/or monitoring. Class 4 is appropriate for a site where remedial construction actions have been completed for all operable units, but the site has not necessarily been brought into compliance with standards, criteria, or guidance (e.g., a groundwater extraction and treatment system has been installed and is operating properly but groundwater standards have not been achieved yet). The Record of Decision should define the remedial action objectives that need to be achieved during site management. If a Certificate of Completion (CoC) is to be issued for a site, the CoC is issued concurrently with the reclassification.				
Site Class Desc (Web):		This classification is assigned to a site that has been properly closed but that requires continued site management consisting of operation, maintenance and/or monitoring. Class 4 is appropriate for a site where remedial construction actions have been completed for all operable units, but the site has not necessarily been brought into compliance with standards, criteria, or guidance (e.g., a groundwater extraction and treatment system has been installed and is operating properly but groundwater standards have not been achieved yet). The Record of Decision should define the remedial action objectives that need to be achieved during site management. If a Certificate of Completion (CoC) is to be issued for a site, the CoC is issued concurrently with the reclassification.				
Assess DOH:		The site is fenced and covered by pavement or buildings, so people will not come into contact with site-related soil and groundwater contamination unless they dig below the surface. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not contaminated by the site. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Sampling indicates soil vapor intrusion is not a health concern for off-site buildings. An evaluation of the potential for soil vapor intrusion to occur in on-site buildings will be completed should the current use of the site change.				
Description:		Location: This site is a former disposal area located on an 11 acre section of the former Sterling Drug (Sterling) property (now owned by Curia, formerly Albany Molecular Research Incorporated (AMRI))nearly adjacent to the Port of Rensselaer. Site Features: Sterling is located approx. 1,000 feet east of the Hudson River. A residential area (the Fort Crailo neighborhood) is directly north of the site. The BASF Manufacturing Plant (Site No. 442027) borders Sterling to the south. The former disposal area is now entirely covered by pavement and buildings. Current Zoning/Use: The Curia (AMRI) property is zoned industrial. Curia provides integrated drug discovery, development and manufacturing services. Past Use of the Site: It is reported that the area was used for disposing hazardous and industrial wastes (that were generated by Sterling Drug) prior to 1947. The site has been an industrial site since the 1880's. Site Geology and Hydrogeology: The stratigraphy at Sterling consists of highly permeable sediments (silty sand) with clayey silt found between 7 and 11 feet. A sandy layer has been found approximately 15 feet below ground surface, below the below the silty, clayey zone. Ground water is measured between 6 and 14 feet below ground level. Groundwater flow patterns across the site exhibit both northwesterly and southeasterly components of flow, with an apparent divide extending northeastward across the site from the area of MW-7A.				
Assessment:						

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Prior to Remediation Contaminants of concern were benzene and chlorobenzene in groundwater and soil. Soil - The highest levels of benzene and chlorobenzene were found in surface/sub-surface soil. All impacted soil is covered by pavement. Groundwater - A groundwater interceptor trench was installed in 1988 to recover groundwater impacted with benzene and chlorobenzene. The interceptor trench was altered and extended in August 2005. The groundwater goes to a sump and is pumped through a filter and granular activated carbon treatment system then discharged to a reinjection trench. Soil Vapor - Legacy Soil Vapor Intrusion Evaluation Determination (signed 11/29/12) stated that Investigation Complete - No Action recommended. The NYSDEC and NYSDOH agree that no additional soil vapor investigation is necessary unless there is a change in on-site use. Emerging Contaminants- Initial emerging contaminants sampling occurred in 2018, with follow-up sampling in 2019, 2020 and 2021. Maximum concentrations in groundwater were 550 micrograms per liter (ug/L) for 1,4-dioxane, 30 nanograms per liter (ng/L) for PFOA, and 1270 ng/L for PFOS. Post Remediation Remediation at the site is complete. Site Management (as identified in a 1983 remedial system/monitoring agreement not a standard Site Management Plan) includes reporting of the groundwater treatment system (both influent and effluent results) and monitoring of existing monitoring wells. Groundwater collection system and monitoring well results reporting are done semi-annually. Next Periodic Review Report is due in 2022.

Materials Information

Waste Name: CHLOROBENZENE (F002)
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: CHLOROBENZENE
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: BENZENE
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: FLAMMABLE LIQUID (D001)
Waste Quantity: UNKNOWN
Waste Code:

Waste Name: BENZENE (F005)
Waste Quantity: UNKNOWN
Waste Code:

Owner Information

Owner Op: 01
Sub Type: 02
Owner Name: Daniel Maychack
Owner Company: Curia Global, INc.
Owner Street: 26 Corporate circle
Owner Street 2:
Owner City: albany
Owner State: NY
Owner Zip: 12203
Country: United States of America

Owner Op: 04
Sub Type: E
Owner Name: amanda post
Owner Company: curia
Owner Street: 33 riverside avenue
Owner Street 2:
Owner City: rensselaer
Owner State: NY
Owner Zip: 12144
Country: United States of America

Owner Op: 01
Sub Type: 02
Owner Name: amanda post
Owner Company: curia
Owner Street: 33 riverside avenue
Owner Street 2:
Owner City: rensselaer
Owner State: NY

Map Key	Number of Records	Direction	Distance (mi/ft)	Elev/Diff (ft)	Site	DB
----------------	--------------------------	------------------	-------------------------	-----------------------	-------------	-----------

Owner Zip: 12144
Country: United States of America

HW Extra Information

Dump:	False	Record Added:	1999-11-18 12:00:00
Structure:	False	Record Updated:	2012-07-16 15:09:00
Lagoon:	False	Disposal Start:	unknown
Landfill:	True	Disposal Terminate:	1947 +1970
Pond:	False	Latitude:	42:37:46:0
Dell:	False	Longitude:	73:44:51:0
Updated By:	JRSTRANG		

Projects Information

Project Code: 02
Project Desc: Remedial Investigation
Project Refer Name:
End Date: 1986-07-01 00:00:00
End Status: ACT
Operable Unit ID: 1347
Operable Unit: 01
Operable Unit Desc: REMEDIAL PROGRAM
Code Name: Remedial Investigation

Project Code: 05
Project Desc: Remedial Action
Project Refer Name:
End Date: 1989-02-01 00:00:00
End Status: ACT
Operable Unit ID: 1347
Operable Unit: 01
Operable Unit Desc: REMEDIAL PROGRAM
Code Name: Remedial Action

Project Code: 04
Project Desc: Remedial Design
Project Refer Name:
End Date: 1988-05-01 00:00:00
End Status: ACT
Operable Unit ID: 1347
Operable Unit: 01
Operable Unit Desc: REMEDIAL PROGRAM
Code Name: Remedial Design

Environmental Remediation

Operable Unit: 00
Contaminants: benzene, chlorobenzene

Operable Unit: 01
Contaminants: benzene, chlorobenzene

Unplottable Summary

Total: 49 Unplottable sites

DB	Company Name/Site Name	Address	City	Zip	ERIS ID
AIR PERMITS	U S ARMY WATERVLIET ARSENAL	BROADWAY	WATERVLIET NY	12189	895779021
AIR PERMITS	U S ARMY WATERVLIET ARSENAL	BROADWAY	WATERVLIET NY	12189	891999429
ERNS		RTE 32 <i>NRC Report No:</i> 270596	WATERVLIET NY		806928078
FINDS/FRS	REGIONWIDE PORTABLE CEMENT PLANT	RT 20 <i>Registry ID:</i> 110019584476	REGION-WIDE NY	14708	816910658
HMIRS		STATE RT 20	EAST GREENBUSH NY		818220930
LST	SUNYA DRAPER WASHINGTON	WASHINGTON AVE SUNYA <i>Spill No Close Date:</i> 9300357 1995-01-25 00:00:00	ALBANY NY		814003439
LST	SUNSHINE SCHOOL	LINCOLN PARK <i>Spill No Close Date:</i> 9903927 2000-01-27 00:00:00	ALBANY NY		814041919
LST	HL GAGE WASHINGTON AVE EXT	WASHINGTON AVE EXT <i>Spill No Close Date:</i> 9209317 1993-03-24 00:00:00	ALBANY NY		814013430
NY SPILLS	BOAT S. OF YACHT CLUB HUDSON RIVER BROADWAY	BROADWAY HUDSON RIVER BOAT S. OF YACHT CLUB <i>Spill No Close Date:</i> 0006189 2000-08-24 00:00:00	RENSSELAER NY		813871060
NY SPILLS	SEWAGE UHAUL BROADWAY HUDSON RIVER	BROADWAY HUDSON RIVER SEWAGE UHAUL U-HAUL BUILDING LOWER BROADWAY <i>Spill No Close Date:</i> 9005150 1990-08-20 00:00:00	ALBANY NY		813645418
NY SPILLS	COHOES HIGH SCHOOL ELM ST	ELM ST COHOES HIGH SCHOOL	COHOES NY		813653037

Spill No | Close Date: 9009112 | 1990-11-28 00:00:00

NY SPILLS	DUTCH APPLE II HUDSON RIVER BROADWAY	BROADWAY & QUAY HUDSON RIVER	ALBANY NY		813654208
					Spill No Close Date: 8800783 1988-04-25 00:00:00
NY SPILLS	GOVERNORS MANSION EAGLE ST	EAGLE ST	ALBANY NY		813657311
					Spill No Close Date: 8710718 1988-03-18 00:00:00
NY SPILLS	CDTA BUS MARKET ST	MARKET ST	ALBANY NY	12207	813675467
					Spill No Close Date: 0412316 2005-03-21 00:00:00
NY SPILLS	BOSTON & MAINE RAILROAD ELM ST CROSSING B&M RR	ELM ST ELM STREET CROSSING ELM STREET HOOSIC F	HOOSICK FALLS NY		813683289
					Spill No Close Date: 1214514 2013-01-16 00:00:00
NY SPILLS	FERRY @ S. PEARL ST GAS ODOR IN SEWER	S. FERRY, S. PEARL SEWER FERRY & S. PEARL STS	ALBANY NY		813697453
					Spill No Close Date: 8904015 1989-11-06 00:00:00
NY SPILLS	CENTRAL GATES PUMP STATIO	HOWARD ROAD	GATES NY		813701228
					Spill No Close Date: 9311994 1994-01-10 00:00:00
NY SPILLS	NIMO POLE #11 1/2 BROADWAY	BROADWAY	MENANDS NY		813714188
					Spill No Close Date: 9104138 1991-07-19 00:00:00
NY SPILLS	NIMO FRANKLIN ST BTWN WESTERLO ST & S. FERRY ST	FRANKLIN ST BTWN WESTERLO ST & S. FERRY ST BTWN WESTERLO + SO. FERRY STS. FRANKLIN	ALBANY NY		813762633
					Spill No Close Date: 9204880 1992-11-12 00:00:00
NY SPILLS	HUDSON RIVER SHEEN @ GLOBAL GAS(MOBIL) PORT CHURCH	HUDSON RIVER SHEEN PORT OF ALB CHURCH ST? HUDSON RIVER BY GLOBAL GAS / PORT OF ALB	ALBANY NY		813951073
					Spill No Close Date: 1001025 2010-04-27 00:00:00
NY SPILLS	CENTRAL WAREHOUSE	WATER STREET	ALBANY NY		813919490
					Spill No Close Date: 1007838 2010-10-25 00:00:00
NY SPILLS	CANADIAN PACIFIC	CHURCH ST KENWOOD YARD	ALBANY NY		902338881
					Spill No Close Date: 2205504 2022-09-29 00:00:00
NY SPILLS	NATIONAL GRID	BROADWAY	ALBANY NY		892596255

Spill No | Close Date: 2101616 | 2021-12-02 00:00:00

NY SPILLS	TRUCK FIRE I-787 N	I-787 N ROAD WAY I787 NORTH BOUND	ALBANY NY	827223576
				Spill No Close Date: 1505033 2015-08-11 00:00:00
NY SPILLS	AMTRAK ALBANY RENSSELAER TRAIN STATION BROADWAY	BROADWAY ALBANY RENSELAER TRAIN STA BROADWAY STRE	RENSSELAER NY	821354699
				Spill No Close Date: 1311050 2014-02-24 00:00:00
NY SPILLS	SHAW RES THE OIL CO ELM ST	ELM ST SHAW RESIDENCE ELM ST	HOOSICK FALLS NY	813982144
				Spill No Close Date: 8909166 1989-12-27 00:00:00
NY SPILLS	DUNN MEMORIAL BRIDGE TRUCK ACCIDENT WB RAMP BROADW	BROADWAY TO PEARL ST DUNN MEMORIAL BRIDGE BROADWAY TO PEARL	RENSSELAER NY	813970069
				Spill No Close Date: 9613511 1997-02-18 00:00:00
NY SPILLS	THE OIL CO TRUCK ELM ST	ELM ST ELM STREET	HOOSICK FALLS NY	813964870
				Spill No Close Date: 9510484 1995-11-20 00:00:00
NY SPILLS	BISSONETT RES THE OIL CO CHURCH ST	CHURCH ST BISSONETT RESIDENCE CHURCH STREET	HOOSICK FALLS NY	813956473
				Spill No Close Date: 8909167 1989-12-27 00:00:00
NY SPILLS	MILLERS CORNER GARAGE	ELM ST ROADWAY ELM ST	ALBANY NY	813916458
				Spill No Close Date: 1215937 2013-03-01 00:00:00
NY SPILLS	HUDSON RIVER BEHIND MENANDS CO- OP MARKET BROADWAY	BROADWAY HUDSON RIVER CAP DIST COOP REG MARKET ACCESS FROM BEHIND MENANDS REGIONAL MKT.	MENANDS NY	813916267
				Spill No Close Date: 9401981 1994-10-13 00:00:00
NY SPILLS	CONSTRUCTION SITE (556 YATES)	MADISON AVE	ALBANY NY	813908719
				Spill No Close Date: 1109403 2012-02-08 00:00:00
NY SPILLS	DOMERMUTH I-787 N	I-787 N	MENANDS NY	813886112
				Spill No Close Date: 8603996 1986-09-19 00:00:00
NY SPILLS	SMITH & SMITH TRANSPORT BROADWAY	BROADWAY	ALBANY NY	813879855
				Spill No Close Date: 8703017 1987-07-15 00:00:00

NY SPILLS	WASTE MGT @ PRICECHOPPER	BROADWAY	WATERVLIET NY		813955072
		<i>Spill No Close Date:</i> 9807426 1998-09-17 00:00:00			
NY SPILLS	HUDSON RIVER PORT 2 DRUMS CHURCH ST	CHURCH ST PORT HUDSON RIVER	ALBANY NY		813869776
		<i>Spill No Close Date:</i> 9308948 1993-10-26 00:00:00			
NY SPILLS	HUDSON RIVER BROADWAY PUMP ST	BROADWAY HUDSON RIVER I-787	ALBANY NY		813850184
		<i>Spill No Close Date:</i> 9403738 1994-06-29 00:00:00			
NY SPILLS	HUDSON RIVER SHEEN OUTFALL BY U-HAUL BROADWAY	BROADWAY HUDSON RIVER OUTFALL SHEEN I/R/O THE U-HAUL BROADWAY	ALBANY NY		813827693
		<i>Spill No Close Date:</i> 0904723 2009-07-23 00:00:00			
NY SPILLS	ACSD SOUTH PLANT PORT CHURCH ST TRUCK @ WWTP	CHURCH ST PORT OF ALBANY WWTP ACSD SOUTH PLANT WASTE WATER PLANT CHURCH STREET	ALBANY NY	12202	813816705
		<i>Spill No Close Date:</i> 0802322 2008-06-12 00:00:00			
NY SPILLS	JELLO SPILL HUDSON RIVER BROADWAY	BROADWAY HUDSON RIVER BROADWAY - HUDSON RIVER ALBANY RED JELLO	ALBANY NY		813807260
		<i>Spill No Close Date:</i> 8701284 1987-05-15 00:00:00			
NY SPILLS	FREEHOLD CARTAGE TRUCK 25TH ST ACETONE METHANOL	25TH ST BROADWAY TO LANSING LN B'WAY + 25TH UP TO LANSING LANE 25TH ST	WATERVLIET NY		813806808
		<i>Spill No Close Date:</i> 9411058 1994-12-20 00:00:00			
NY SPILLS	DOUG'S OIL TRUCK RT 22	RT 22 RIVER CHURCH JOHN RT 22, RIVER ,CHURCH, JOH	HOOSICK FALLS NY		813801845
		<i>Spill No Close Date:</i> 0701152 2007-05-14 00:00:00			
NY SPILLS	ALLIED SIGNAL LIBERTY ST	LIBERTY ST LIBERTY ST	HOOSICK FALLS NY		813798523
		<i>Spill No Close Date:</i> 9510965 1999-01-11 00:00:00			
NY SPILLS	DOT DRUMS I-787 @ BWAY	I-787 S RAMP OFF BROADWAY	WATERVLIET NY		813795194
		<i>Spill No Close Date:</i> 9501823 1995-05-17 00:00:00			
NY SPILLS	ALLIED SIGNAL LIBERTY ST	LIBERTY ST LIBERTY ST	HOOSICK FALLS NY		813792465
		<i>Spill No Close Date:</i> 9506553 1998-03-11 00:00:00			
NY SPILLS	SAINT GOBAIN LIBERTY ST ODOR	LIBERTY ST LIBERTY ST	HOOSICK FALLS NY		813779955

Spill No | Close Date: 0304229 | 2003-10-07 00:00:00

NY SPILLS	LARNED TRUCK I-787 S @ EXIT 3B	I-787 S EXIT 3B	ALBANY NY		813772678
					Spill No Close Date: 0209034 2002-12-03 00:00:00
RCRA NON GEN	NYSDOT BIN 1092940	DUNN MEMORIAL BRG TO I-787 NB	ALBANY NY	12202	810379350
					EPA Handler ID: NYD986969723
RCRA NON GEN	NIAGARA MOHAWK A NATIONAL GRID CO	JAMES ST	ALBANY NY	12204	848624782
					EPA Handler ID: NYP000972091

Unplottable Report

Site: U S ARMY WATERVLIET ARSENAL
BROADWAY WATERVLIET NY 12189

[AIR PERMITS](#)

Permit ID: 401180000102003
County:
Source: Air Permitted Facilities

Facility Details

Permit Type: ASF
Status: Issued
Renewal No: 0
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_asf.html

Modification No: 0
Issue Date: 9/28/2020
Exp Date: 9/27/2030

Permit Type: ASF
Status: Issued
Renewal No: 0
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_asf.html

Modification No: 2
Issue Date: 8/24/2022
Exp Date: 9/27/2030

Permit Type: ASF
Status: Issued
Renewal No: 0
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_asf.html

Modification No: 1
Issue Date: 4/22/2022
Exp Date: 9/27/2030

Site: U S ARMY WATERVLIET ARSENAL
BROADWAY WATERVLIET NY 12189

[AIR PERMITS](#)

Permit ID: 401180000102002
County:
Source: Air Permitted Facilities

Facility Details

Permit Type: ASF
Status: Issued
Renewal No: 0
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_asf.html

Modification No: 0
Issue Date: 12/1/2009
Exp Date:

Permit Type: ASF
Status: Issued
Renewal No: 0
Url Permit: https://www.dec.ny.gov/dardata/boss/afs/issued_asf.html

Modification No: 1
Issue Date: 9/18/2012
Exp Date:

Site: RTE 32 WATERVLIET NY

[ERNS](#)

NRC Report No: 270596
Type of Incident: MOBILE
Incident Cause: EQUIPMENT FAILURE
Incident Date: 18-Nov-1994 09:00:00
Incident Location:
Incident Dtg: OCCURRED
Distance from City:
Distance Units:
Direction from City:
Location County: ALBANY
Potential Flag:
Year: Year 1994 Reports

Latitude Degrees:
Latitude Minutes:
Latitude Seconds:
Longitude Degrees:
Longitude Minutes:
Longitude Seconds:
Lat Quad:
Long Quad:
Location Section:
Location Township:
Location Range:

Description of Incident: TANKER TRUCK//RUPTURE DISK RUPTURED

Material Spill Information

Chris Code:	NCC	Unit of Measure:	GALLON(S)
CAS No:		If Reached Water:	YES
UN No:		Amount in Water:	0
Name of Material:	WASTE FLAMMABLE LIQUID NOS	Unit Reach Water:	NONE
Amount of Material:	40		

Calls Information

Date Time Received:	22-Nov-1994 10:45:58	Responsible City:	FREEHOLD
Date Time Complete:	22-Nov-1994 10:52:31	Responsible State:	NJ
Call Type:	INC	Responsible Zip:	07728
Resp Company:	FREEHOLD CARTAGE	Source:	UNAVAILABLE
Resp Org Type:	PRIVATE ENTERPRISE		

Incident Information

Tank ID:		Building ID:	
Tank Regulated:	U	Location Area ID:	
Tank Regulated By:		Location Block ID:	
Capacity of Tank:		OCSG No:	
Capacity Tank Units:		OOSP No:	
Description of Tank:		State Lease No:	
Actual Amount:		Pier Dock No:	
Actual Amount Units:		Berth Slip No:	
Tank Above Ground:	ABOVE	Brake Failure:	N
NPDES:		Airbag Deployed:	
NPDES Compliance:	U	Transport Contain:	U
Init Contin Rel No:		Location Subdiv:	
Contin Rel Permit:		Platform Rig Name:	
Contin Release Type:		Platform Letter:	
Aircraft ID:		Allision:	N
Aircraft Runway No:		Type of Structure:	
Aircraft Spot No:		Structure Name:	
Aircraft Type:	UNKNOWN	Structure Oper:	Y
Aircraft Model:		Transit Bus Flag:	
Aircraft Fuel Cap:		Date Time Norm Serv:	
Aircraft Fuel Cap U:		Serv Disrupt Time:	
Aircraft Fuel on Brd:		Serv Disrupt Units:	
Aircraft Fuel OB U:		CR Begin Date:	
Aircraft Hanger:		CR End Date:	
Road Mile Marker:		CR Change Date:	
Power Gen Facility:	U	FBI Contact:	
Generating Capacity:		FBI Contact Dt Tm:	
Type of Fixed Obj:	UNKNOWN	Passenger Handling:	
Type of Fuel:		Passenger Route:	XXX
DOT Crossing No:		Passenger Delay:	XXX
DOT Regulated:	U	Sub Part C Test Req:	XXX
Pipeline Type:	UNKNOWN	Conductor Test:	
Pipeline Abv Ground:	ABOVE	Engineer Test:	
Pipeline Covered:	U	Trainman Test:	
Exposed Underwater:	U	Yard Foreman Test:	
Railroad Hotline:	No	RCL Operator Test:	
Railroad Milepost:	UNKNOWN	Brakeman Test:	
Grade Crossing:	N	Train Dispat Test:	
Crossing Device Ty:		Signalman Test:	
Ty Vehicle Involved:	UNKNOWN	Oth Employee Test:	
Device Operational:	Y	Unknown Test:	

Incident Details Information

Release Secured:	U	State Agen Report No:	
Release Rate:		State Agen on Scene:	
Release Rate Unit:		State Agen Notified:	
Release Rate Rate:		Fed Agency Notified:	

Est Duration of Rel:
Desc Remedial Act: SECURED RELEASE//APPLIED
 ABSORBENTS
Fire Involved: N
Fire Extinguished: U
Any Evacuations: N
No Evacuated:
Who Evacuated:
Radius of Evac:
Any Injuries: U
No. Injured:
No. Hospitalized:
No. Fatalities:
Any Fatalities: U
Any Damages: N
Damage Amount:
Air Corridor Closed: N
Air Corridor Desc:
Air Closure Time:
Waterway Closed: N
Waterway Desc:
Waterway Close Time:
Road Closed: N
Road Desc:
Road Closure Time:
Road Closure Units:
Closure Direction:
Major Artery: No
Track Closed: N
Track Desc:
Track Closure Time:
Track Closure Units:
Track Close Dir:
Media Interest:
Medium Desc: LAND
Addl Medium Info: BLACKTOP

Oth Agency Notified:
Body of Water:
Tributary of:
Near River Mile Make:
Near River Mile Mark:
Offshore: N
Weather Conditions:
Air Temperature:
Wind Direction:
Wind Speed:
Wind Speed Unit:
Water Supp Contam: U
Water Temperature:
Wave Condition:
Current Speed:
Current Direction:
Current Speed Unit:
EMPL Fatality:
Pass Fatality:
Community Impact: N
Passengers Transfer: UNK
Passenger Injuries:
Employee Injuries:
Occupant Fatality:
Sheen Size:
Sheen Size Units:
Sheen Size Length:
Sheen Size Length U:
Sheen Size Width:
Sheen Size Width U:
Sheen Color:
Dir of Sheen Travel:
Sheen Odor Desc:
Duration Unit:
Additional Info: AREA AFFECTED:1FT X 20FT//ROAD WAS
 CLOSED FOR 30 MIN

Site: REGIONWIDE PORTABLE CEMENT PLANT
 RT 20 REGION-WIDE NY 14708

FINDS/FRS

Registry ID: 110019584476
FIPS Code:
HUC Code:
Site Type Name: STATIONARY
Location Description:
Supplemental Location:
Create Date: 22-NOV-04
Update Date: 26-JUN-13
Interest Types: STATE MASTER
SIC Codes:
SIC Code Descriptions:
NAICS Codes:
NAICS Code Descriptions:
Conveyor:
Federal Facility Code:
Federal Agency Name:
Tribal Land Code:
Tribal Land Name:
Congressional Dist No:
Census Block Code:
EPA Region Code: 02
County Name: ALBANY
US/Mexico Border Ind:
Latitude:
Longitude:
Reference Point:
Coord Collection Method:
Accuracy Value:
Datum: NAD83

Source:

Facility Detail Rprt URL:

https://ofmpub.epa.gov/frs_public2/fii_query_detail.disp_program_facility?p_registry_id=110019584476

Data Source:

Facility Registry Service - Single File

Program Acronyms:

Site:

STATE RT 20 EAST GREENBUSH NY

HMIRS

Incident County:

RENSELAER

HMIR Historical Reports

Report No: I-1997110545
Report Type: A hazardous material incident
Date of Incident: 1997-11-10
Time of Incident: 0430
Haz Class Code:
Hazardous Class: 3
Commodity Short Nm: GASOLINE INCLUDES GASOLI
Commodity Long Nm: GASOLINE INCLUDES GASOLINE MIXED WITH ETHYL ALCOHOL, WITH NOT MORE THAN 10% ALCOHOL
Trade Name: UNLEADED GASOLINE
ID No: UN1203
Haz Waste Ind: No
Haz Waste EPA No:
HMIS Tox Inhalation?: No
TIH Hazard Zone:
Qty Released: 10
Unit of Measure: Liquid - Gallon
What Failed:
What Failed Desc:
How Failed Code:
How Failed Desc:
Failure Cause Code:
Failure Cause Desc:
Ident. Markings:
Cont1 Pkging Type:
Cont1 Const Mat:
Cont1 Head Type:
Cont1 Pkg Capacity: 0
C1 Capacity UOM:
Cont1 Pkg Amt: 0
C1 Pkg Amt UOM:
Cont1 Pkg No: 1
C1 Pkg NO Failed: 1
Cont1 Pkg Mnfrct: NOT REPORTED BY CARRIER
Cont1 Pkg Mnfrct Dt: 0-00-00 00:00:00
Cont1 Pkg Serial NO:
C1 Pkg Last Test Dt: 0-00-00 00:00:00
C1 Test Const Mat:
C1 Pkg Dsign Pres.: 0
C1 Dsign Press UOM:
C1 Pkg Shell Thick: 0
C1 Shell Thick UOM:
C1 Head Thickness: 0
C1 Head Thick UOM:
C1 Pkg Srvc Pres.: 0
C1 Srvc Press UOM:
C1 Valve/Device Fail?: No
C1 Device Type:
C1 Device Mnfrct:
C1 Device Model:
NRC No:

Fed DOT Agency Nm:
Fed DOT Report No:
Report Submit Src: Paper
Inc Multiple Rows: No
Inc Non US State:
Mode Transport: Highway
Transport Phase: Unloading
Incident Occrrnce:
Mat Ship Approval?: No
Mat Ship Approv No:
Undecl Hazmat Ship?: No
Packaging Type: Portable Tank
Packing Group:
Carrier Reporter: CARMAN J A TRUCKING CO INC
CR Street Name: 1 ANDERSON DR - PO BOX 11530
CR City: ALBANY
CR State: NY
CR Postal Code: 12211
CR Non US State:
CR Fed DOT ID: 20887
CR Hazmat Reg ID:
CR Country: US
Shipper Name: APEX OIL CO
Shipper Street Name: 54 RIVERSIDE AVE
Shipper City: RENSELAER
Shipper State: NY
Shipper Postal: 12144
Shipper Non US St:
Shipper Country: US
Shipper Waybill: 24803
Ship Hazmat Reg ID:
Origin City:
Origin State:
Origin Postal:
Origin Non US St:
Origin Country: US
Destination City: EAST GREENBUSH
Destination State: NEW YORK
Destination Postal: 12061
Destination Non US:
Destination Country: US
Cont2 Package Type:
Cont2 Const Mat:
Cont2 Pkg Capacity: 0
Cont2 Capacity UOM:
Cont2 Pkg Amount: 0
Cont2 Pkg Amt UOM:
Cont2 Pkg No: 0
Cont2 Pkg No Failed: 0

RAM Pkg Category:

RAM Pkg Cert.: FALSE

Haz NonHosp Public: 0

Haz NonHosp Old:

RAM Pkg Cert. NBR:
RAM Nuclide S:
RAM Transport Index:
RAM UOM:
RAM Activity Rpted: 0
RAM UOM Rpted:
RAM Activity: 0
RAM Activity UOM:
RAM Mat Safety:
Spillage Result: Yes
Fire Result: No
Explosion Result: No
Water Sewer Result: No
Gas Dispersion: No
Environment Damage: No
No Release Result: No
Fire EMS Report: No
Fire EMS EMS Report:
Police Report: No
Police Report No:
In House Cleanup: No
Other Cleanup: No
Damage > 500: No
Material Loss: 12
Carrier Damage: 0
Property Damage: 0
Response Cost: 0
Remediation Cost: 200
Damage Old Form: 0
Total Damages Amt: 212
Hazmat Fatality: No
Haz Fatal Employees: 0
Haz Fatal Respndrs: 0
Haz Fatal Gen Public: 0
Tot Hazmat Fatalities: 0
Non Hazmat Fatality: No
Non Hazmat Fatals: 0
Hazmat Injury: No
Haz Hospital Empl: 0
Haz Hospital Resp: 0
Haz Hosp Gen Public: 0
Haz Hosp Old Form: 0
Total Haz Hosp Inj: 0
Haz Non Hosp Empl: 0
Haz Non Hosp Resp: 0
Description of Events:

Tot Haz Non Hosp Inj:
Total Hazmat Injuries: 0
Evacuation Indicator: No
Public Evacuated: 0
Employees Evac: 0
Total Evacuated: 0
Total Evacuation Hrs: 0
Major Artery Closed: No
Mjr Artery Hrs Closed: 0
Material Involved: No
Estimated Speed: 0
Weather Conditions:
Vehicle Overturn: No
Vehicle Left Roadway: No
Passenger Aircraft: No
Cargo Baggage:
Ship Non Transport: No
Ship Air First Flight: No
Ship Air Subflight: No
Ship Init Transport: No
Ship Phase Transfer: No
Contact Name: DAVID W SNYDER
Contact Title: SAFETY DIRECTOR
Contact Business:
Contact Street:
Contact City:
Contact State:
Contact Postal:
Contact Non US St:
Contact Country: US
Inc. Report Prepared:
HMIS Serious Incidnt: No
HMIS Serious Fatality: No
HMIS Serious Injury: No
HMIS Flight Plan: No
HMIS Serious Evacs: No
HMIS Major Artery: No
HMIS Bulk Release: No
HMIS Marine Pollutnt: No
HMIS Radioactive: No
HMIS Gen Pkg Type: TANK
HMIS Container Code: TANK TRK
HMIS Container Desc: Tank truck, tank mounted on truck chassis
HMIS Bulk Incident: Yes
Undeclared Shipment: No

NO PACKAGING FAILURE ASSOCIATED WITH THIS INCIDENT. OUR DRIVER WAS MAKING A DELIVERY OF GASOLINE TO THE UNDER GROUND STORAGE TANKS (UST) AT A CONVENIENCE STORE. AS THE DELIVERY WAS NEARING COMPLETION, GAS FILLED UP INTO THE VAPOR RECOVERY LINE AND LEAKED OUT AROUND THE FITTING. END DETERMINATION: TANK OVERFILL CAUSED BY CUSTOMER OVER-ORDERING AND THE RESULTING PRESSURE IN THE AND CAUSED THE GAS TO BACK UP INTO THE VAPOR LINE. THE NEW YORK STATE DEPT. OF ENVIRONMENTAL CONSERVATION WAS NOTIFIED AND THEY ASSIGNED THE REFERENCE #97 09272 TO THIS INCIDENT.

Recommend Actions Taken:

Site: SUNYA DRAPER WASHINGTON
 WASHINGTON AVE SUNYA ALBANY NY

LST

Spill No: 9300357
Site ID: 202672
DER Facility ID: 168586
CID:
Program Type: ER
SWIS Code: 0101
Contribute Factor: Tank Test Failure
Water Body:
Class: B3
Meets Std: True
Penalty: False
County: Albany
Referred to:

REM Phase: 0
UST Trust: False
Spill Date: 1993-04-07 13:00:00
Rcvd Date: 1993-04-07 16:14:00
CAC Date: 1995-01-25 00:00:00
Insp Date:
Close Date: 1995-01-25 00:00:00
Create Date: 1993-04-13 00:00:00
Update Date: 2002-08-28 00:00:00
DEC Region: 4
Lead DEC: WTCHRIST
After Hours: False

Reported by: Tank Tester
Source: Institutional, Educational, Gov., Other
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"25K UGT FAILED PETROTITE @ -.244GPH, EIR. TANKS OUT, WTC @ SITE."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 06/07/94: TANKS AND SOIL REMOVED.AWAITING CLOSURE REPORT. 9000055 M&E MAP SHOWS 436 WASHINGTON AVE , DOWNTOWN CAMPUS "

Material Information

OP Unit ID:	982261	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	401119	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0002A		
Material Name:	#4 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: SUNYA DRAPER DOWNTOWN
Spiller Address: WASHINGTON AVE DRAPER
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone: (518) 442-3496
Contact Ext:
Latitude: 42.683849994
Longitude: -73.809530000

Tank Test Information

Spill Tank ID:	1541382	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0002	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.140000000
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

Site: SUNSHINE SCHOOL
LINCOLN PARK ALBANY NY

LST

Spill No:	9903927	REM Phase:	0
Site ID:	278951	UST Trust:	True
DER Facility ID:	226498	Spill Date:	1999-07-06 09:00:00
CID:	252	Rcvd Date:	1999-07-06 09:37:00
Program Type:	ER	CAC Date:	
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Failure	Close Date:	2000-01-27 00:00:00
Water Body:		Create Date:	1999-07-06 00:00:00
Class:	B3	Update Date:	2000-01-27 00:00:00
Meets Std:	False	DEC Region:	4

Penalty:	False	Lead DEC:	WTCHRIST
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Other		
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"UPON REMOVAL OF TANK SOIL CONTAMINATION WAS DISCOVERED. TANK SIZE IS 2,000 GAL-SOIL WILL BE STOCKPILED FOR REMOVAL."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 1/27/00 - 1 - 2k fuel tank and a 10k fuel tank were removed. 10 cubic yards of contaminated soil removed to CWA. Analytical results show the site meets soil standards. "

Material Information

OP Unit ID:	1082850	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	303826	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:	MIKE CLARK
Spiller Company:	ALBANY CITY SCHOOL SUNSHI
Spiller Address:	LINCOLN PARK
Spiller City:	ALBANY
Spiller State:	ZZ
Spiller Zip:	
Spiller Country:	001
Contact Name:	MIKE CLARK
Contact Phone:	(518) 462-7216
Contact Ext:	
Latitude:	42.646115994
Longitude:	-73.765829000

Site: HL GAGE WASHINGTON AVE EXT
WASHINGTON AVE EXT ALBANY NY

LST

Spill No:	9209317	REM Phase:	0
Site ID:	178063	UST Trust:	True
DER Facility ID:	149571	Spill Date:	1992-11-10 14:15:00
CID:		Rcvd Date:	1992-11-10 16:23:00
Program Type:	ER	CAC Date:	1993-03-24 00:00:00
SWIS Code:	0101	Insp Date:	
Contribute Factor:	Tank Test Failure	Close Date:	1993-03-24 00:00:00
Water Body:		Create Date:	1992-11-30 00:00:00
Class:	B6	Update Date:	2011-06-13 11:38:19.977000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
County:	Albany	After Hours:	False
Referred to:			
Reported by:	Tank Tester		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"4K UGT FAILED PETROTITE @ -.095GPH.PASSED RETEST."

Dec Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN/TS 9809695, 0312996 "

Material Information

OP Unit ID:	972965	Med in Air:	False
OU:	01	Med GW:	False
Material ID:	406369	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:	
Spiller Company:	H. L. GAGE
Spiller Address:	WASHINGTON AVE EXT
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	
Contact Phone:	
Contact Ext:	
Latitude:	42.674769994
Longitude:	-73.824280000

Tank Test Information

Spill Tank ID:	1540835	Source:	
Tank No:		Leak Rate:	.00
Tank Size:	0	Gross Fail:	
Material:	0008	Modified by:	Spills
EPA UST:		Last Modified:	2004-10-01 04:00:45.140000000
UST:		Test Method:	00
Cause:			
Alt Test Method:	Unknown		

Site: BOAT S. OF YACHT CLUB HUDSON RIVER BROADWAY
BROADWAY HUDSON RIVER BOAT S. OF YACHT CLUB RENSSELAER NY

NY SPILLS

Spill No:	0006189	UST Trust:	False
Site ID:	317136	Spill Date:	2000-08-23 19:00:00
DER Facility ID:	360620	Received Date:	2000-08-24 12:57:00
CID:	312	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	4214	Close Date:	2000-08-24 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2000-08-24 00:00:00
Class:	A6	Update Date:	2009-03-19 10:34:47.950000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Other		
Reported by:	Other		
Referred to:			
Source:	Vessel		
Source File:	NYSDC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"24' SEARAY IS SUNK JUST SOUTH OF THE YACHT CLUB - BEEN THERE SINCE THIS TUESDAY - OWNER IS A LAWYER IN ALBANY AND HE IS AWARE OF THIS"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 14:00-CALLER CALLED Reg 4 COMPLAINING ABOUT LACK OF ACTION & THREATENING TO NOTIFY MEDIA, WTC REFd HIM TO USCG. SAME AS 0006098."

Material Information

OP Unit ID:	829004	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	547312	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:
Spiller Company: ROBERT E HARRIS BOAT
Spiller Address: 37 RIVERSIDE AV
Spiller City: RENSSELAER
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: SEWAGE UHAUL BROADWAY HUDSON RIVER
 BROADWAY HUDSON RIVER SEWAGE UHAUL U-HAUL BUILDING LOWER BROADWAY ALBANY NY

NY SPILLS

Spill No:	9005150	UST Trust:	False
Site ID:	250933	Spill Date:	1990-08-09 11:30:00
DER Facility ID:	205667	Received Date:	1990-08-09 11:46:00
CID:		CAC Date:	1990-08-09 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1990-08-20 00:00:00
Water Body:	HUDSON RIVER	Create Date:	1990-08-20 00:00:00
Class:	A4	Update Date:	2011-07-29 11:44:28.477000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCCULLOUGH
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Deliberate		
Reported by:	Police Department		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"PATROLMAN NOTICED SEWAGE DISCHARGE, NOTIFIED DPW, HEALTH DEPT. LARRY SMITH, DEC."

DEC Remark:

""

Material Information

OP Unit ID:	945670	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	436210	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0062A		
Material Name:	raw sewage		

Spiller Information

Spiller Name:
Spiller Company: U-HAUL (UHAUL)
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: COHOES HIGH SCHOOL ELM ST
 ELM ST COHOES HIGH SCHOOL COHOES NY

NY SPILLS

Spill No:	9009112	UST Trust:	False
Site ID:	128402	Spill Date:	1990-11-20 06:00:00
DER Facility ID:	110780	Received Date:	1990-11-20 09:23:00
CID:		CAC Date:	1990-11-20 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0103	Close Date:	1990-11-28 00:00:00
Water Body:	SEWER	Create Date:	1990-11-28 00:00:00
Class:	B4	Update Date:	2011-07-12 10:36:12.913000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCCULLOUGH
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"STRONG SULFUR ODOR FROM SUB-FLOOR SUMP DRAIN, HOTLINE ADVISED CONTACTING HD, STUDENTS RELEASED FROM CLASS. HEALTH DEPT. HANDLING."

DEC Remark:

""

Material Information

OP Unit ID:	949619	Med Ind Air:	False
OU:	01	Med GW:	False

Material ID:	432884	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	True		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company: COHOES HIGH SCHOOL
Spiller Address: TIGER CIRCLE
Spiller City: COHOES
Spiller State: ZZ
Spiller Zip: 12047
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.774724994
Longitude: -73.718182000

Site: DUTCH APPLE II HUDSON RIVER BROADWAY
 BROADWAY & QUAY HUDSON RIVER ALBANY NY

NY SPILLS

Spill No:	8800783	UST Trust:	False
Site ID:	174058	Spill Date:	1988-04-25 19:30:00
DER Facility ID:	146413	Received Date:	1988-04-25 20:22:00
CID:		CAC Date:	1988-04-25 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1988-04-25 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1988-05-02 00:00:00
Class:	A6	Update Date:	2002-07-12 00:00:00
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MCDONALD
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Citizen		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"USCG NOT RESPONDING. 4/25 MCDONALD ON SCENE - LIGHT SHEEN - NOT ENOUGH OIL TO WORRY ABOUT. NO FURTHER DEC ACTION REQUIRED."

DEC Remark:

""

Material Information

OP Unit ID:	916269	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	459959	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		

Material Code: 0012A
Material Name: kerosene

Spiller Information

Spiller Name:
Spiller Company: DUTCH APPLE II
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: GOVERNORS MANSION EAGLE ST
EAGLE ST ALBANY NY

NY SPILLS

Spill No:	8710718	UST Trust:	False
Site ID:	117143	Spill Date:	1988-02-26 12:00:00
DER Facility ID:	101910	Received Date:	1988-02-26 16:10:00
CID:		CAC Date:	1988-03-18 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1988-03-18 00:00:00
Water Body:		Create Date:	1988-03-24 00:00:00
Class:	B6	Update Date:	2011-12-06 11:10:11.773000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	DEC		
Referred to:			
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSEDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"JOHNSON NOTIFIED THAT GOVERNORS MANSION REMOVING 200-300 GAL UGT 2/26."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN 03/18/88: ANDERSON REMOVED TANK 3 WKS. AGO. NO CONTAMINATION, IN CEMENT ENCLOSURE. "

Material Information

OP Unit ID:	916582	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	462478	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
Spiller Company: GOVERNORS MANSION

Spiller Address: EAGLE ST
Spiller City: ALBANY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.654459994
Longitude: -73.750390000

Site: CDTA BUS MARKET ST
 MARKET ST ALBANY NY 12207

NY SPILLS

Spill No:	0412316	UST Trust:	False
Site ID:	337761	Spill Date:	2005-02-18 09:00:00
DER Facility ID:	273095	Received Date:	2005-02-18 09:39:00
CID:	408	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2005-03-21 00:00:00
Water Body:		Create Date:	2005-02-18 09:54:00
Class:	C4	Update Date:	2005-08-15 16:22:03.873000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Someone went into a storm sewer and there is approx. 2- 3 gallons of engine coolant in there. There is also some spray on the ramp coming off the Dunn memorial bridge, down onto south pearl street. Clean up is in process. HAZ MAT will be called to pump outthe sewer. Due to the beaking of a hose line clamp on the vehicle of the Capital district transit authority"

DEC Remark:

"3/21/05 - No DEC response. Clean up by CDTA. wtc"

Material Information

OP Unit ID:	1099778	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	580023	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	True
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name: TOM MCKIE
Spiller Company: CAPITAL DISTRICT TRANS CDTAIT
Spiller Address: 110 WATERVIELT [SP] AVE.
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name: TOM MCKIE
Contact Phone: (518) 858-5742

Contact Ext:
Latitude:
Longitude:

Site: BOSTON & MAINE RAILROAD ELM ST CROSSING B&M RR
ELM ST ELM STREET CROSSING ELM STREET HOOSIC F HOOSICK FALLS NY

NY SPILLS

Spill No:	1214514	UST Trust:	False
Site ID:	477759	Spill Date:	2013-01-11 11:14:00
DER Facility ID:	433063	Received Date:	2013-01-11 11:42:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	4228	Close Date:	2013-01-16 00:00:00
Water Body:		Create Date:	2013-01-11 11:44:00
Class:	D3	Update Date:	2018-03-07 11:34:06.320000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Equipment Failure		
Reported by:	Police Department		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"cleanup pending"

DEC Remark:

"JDU on site. FD no longer on site. Some remnants of speedy dry left on street near railroad track. Oil appears to be cleaned up. No evidence of oil continuing down the tracks. Spill can be closed. "

Material Information

OP Unit ID:	1227557	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2224959	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	False
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name:
Spiller Company: BOSTON AND MAINE RAILROAD B&M RR
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: DISP 13
Contact Phone: (518) 270-5252
Contact Ext:
Latitude:
Longitude:

Site: FERRY @ S. PEARL ST GAS ODOR IN SEWER
S. FERRY, S. PEARL SEWER FERRY & S. PEARL STS ALBANY NY

NY SPILLS

Spill No:	8904015	UST Trust:	False
Site ID:	300675	Spill Date:	1989-07-20 02:00:00
DER Facility ID:	243204	Received Date:	1989-07-20 13:45:00
CID:		CAC Date:	1989-07-25 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1989-11-06 00:00:00
Water Body:		Create Date:	1989-07-31 00:00:00
Class:	C4	Update Date:	2015-02-11 12:42:48.860000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	ajkokock
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Fire Department		
Referred to:			
Source:	Gasoline Station or other PBS Facility		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"FD NOTIFIED OF GAS ODOR IN SEWER, FLUSHED W/WATER, SIEGEL REQUESTS CALL-BACK W/RESULTS. DUMPING, NO FOLLOW-UP REQ."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOKOCKI (PBS 4-485780; see 8300267?, 8904015?, 9002922, 9001154, 9106400, 9206073, 9206196, 9312890, 0500798, 0510664, 0512453, 0514489, 0602849, 0605475, 0608343, 0609655, 0612870, 0612880, 0612912, 0700034?)"

Material Information

OP Unit ID:	931794	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	448086	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	True
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
Spiller Company: UNK
Spiller Address:
Spiller City: ***UPDATE***
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: CENTRAL GATES PUMP STATIO
HOWARD ROAD GATES NY

NY SPILLS

Spill No:	9311994	UST Trust:	False
Site ID:	112778	Spill Date:	1994-01-10 13:26:00
DER Facility ID:	98487	Received Date:	1994-01-10 15:30:00
CID:		CAC Date:	1994-01-10 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	2826	Close Date:	1994-01-10 00:00:00
Water Body:		Create Date:	1994-01-11 00:00:00

Class:	D4	Update Date:	2004-09-30 21:28:29.950000000
Meets Std:	True	DEC Region:	8
Penalty:	False	Lead DEC:	TPWALSH
REM Phase:	0	After Hours:	False
County:	Monroe		
Contributing Factor:	Equipment Failure		
Reported by:	Health Department		
Referred to:			
Source:	Institutional, Educational, Gov., Other		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"GREG BEYLER RESPONDED AT 1344 HRDS; DISCHARGE STOPPED AT 1450 HRS. TWO 12 FORCE MAINS (ONE FAILED). FLOWS WERE DIVERTED TO OTHER LINE. SPILL CONTAINED ON SITE. CHANNEL DUG TOWARDS DOLOMITE PIT."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was TW 01/10/94: MCHD WILL CHECK PIT. NO FURTHER ACITON NEEDED AT THIS TIME BY SPILLS. WATER UNIT TO FOLLOW-UP. "

Material Information

OP Unit ID:	993999	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	391000	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0062A		
Material Name:	raw sewage		

Spiller Information

Spiller Name:
Spiller Company: monroe county pure waters
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: NIMO POLE #11 1/2 BROADWAY
 BROADWAY MENANDS NY

NY SPILLS

Spill No:	9104138	UST Trust:	False
Site ID:	91763	Spill Date:	1991-07-17 15:10:00
DER Facility ID:	337349	Received Date:	1991-07-18 08:31:00
CID:		CAC Date:	1991-07-18 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0126	Close Date:	1991-07-19 00:00:00
Water Body:		Create Date:	1991-07-19 00:00:00
Class:	C4	Update Date:	2007-10-01 10:17:06.143000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		

Referred to:
Source: Commercial/Industrial
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"FIRE ON POLE 7/17, TRANSFORMER OIL SPILLED OVER, BURNED, NIMO CLEANED. CONT. SOIL DRUMMED & REMOVED."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	958034	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	423234	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	L	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

OP Unit ID:	958034	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	423233	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	16.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0016A		
Material Name:	non PCB oil		

Spiller Information

Spiller Name:
Spiller Company: NIAGARA MOHAWK NIMO
Spiller Address: 235 OAKWOOD AVE. EXT.
Spiller City: TROY
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: NIMO FRANKLIN ST BTWN WESTERLO ST & S. FERRY ST
 FRANKLIN ST BTWN WESTERLO ST & S. FERRY ST BTWN WESTERLO + SO. FERRY STS. FRANKLIN
 ALBANY NY

NY SPILLS

Spill No:	9204880	UST Trust:	False
Site ID:	279433	Spill Date:	1992-07-29 10:00:00
DER Facility ID:	226897	Received Date:	1992-07-29 10:19:00
CID:		CAC Date:	1992-11-12 00:00:00
Program Type:	ER	Insp Date:	1992-07-31 00:00:00
SWIS Code:	0101	Close Date:	1992-11-12 00:00:00
Water Body:		Create Date:	1992-08-10 00:00:00
Class:	B2	Update Date:	2015-10-20 11:08:45.393000000
Meets Std:	True	DEC Region:	4

Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Affected Persons		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"FOUND CONT. SOIL WHILE EXCAVATING. ADIRONDACK CONTRACTOR."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN See Edocs."

Material Information

OP Unit ID:	968535	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	409124	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:
Spiller Company: NIAGARA MOHAWK NIMO
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: HUDSON RIVER SHEEN @ GLOBAL GAS(MOBIL) PORT CHURCH
 HUDSON RIVER SHEEN PORT OF ALB CHURCH ST? HUDSON RIVER BY GLOBAL GAS / PORT OF
 ALB ALBANY NY

NY SPILLS

Spill No:	1001025	UST Trust:	False
Site ID:	433753	Spill Date:	2010-04-27 10:30:00
DER Facility ID:	388646	Received Date:	2010-04-27 10:44:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2010-04-27 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2010-04-27 10:48:00
Class:	A5	Update Date:	2014-04-02 10:58:36.087000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Citizen		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"by global gas terminal on hudson river - gas sheen on river. According to caller - quite heavy slick coming down. Caller in front of global sign. Currently on 23' walkaround - Name Wet Spot - Docked @ albany yacht club"

DEC Remark:

"MF on site. Went up and down river. Sheen appears to be coming from the SPDES permitted discharge by the U-Haul facility. Nothing appears to be entering the river any where else. There is a large pipe (8') that does not have any water coming from it, but there is some black oily looking material in the pipe (1 qt or so). Due to river conditions, I could not get close enough to see if that was organic or petroleum. There was an obvious sheen in the area near the fast flowing smaller (5') culvert. The sheen had a heavy, mottled look, and did not appear to be recent or fresh. No odor to the sheen. Any oil in the large culvert was being pushed in by the actions of the smaller culvert. This spill was referred to DOW (Dziewera) since this is permitted outfall. No further DER actions necessary. Close. See 1001043?"

Material Information

OP Unit ID:	1184603	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	2178875	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

OP Unit ID:	1184603	Med Ind Air:	False
OU:	01	Med GW:	True
Material ID:	2178878	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
Spiller Company: UNK NO SOURCE ID'D (NEAR GLOBAL/MOBIL OR H-HAUL)
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: UNKNOWN
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: CENTRAL WAREHOUSE
WATER STREET ALBANY NY

NY SPILLS

Spill No:	1007838	UST Trust:	
Site ID:	441286	Spill Date:	2010-10-22 16:00:00
DER Facility ID:	396313	Received Date:	2010-10-23 08:30:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2010-10-25 00:00:00
Water Body:		Create Date:	2010-10-25 08:35:00

Class:	A1	Update Date:	2016-01-22 11:59:40.317000000
Meets Std:	False	DEC Region:	4
Penalty:		Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Other		
Reported by:	Affected Persons		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CSX is inquiring if there is any hazards due to building fire. They have staff on the railroad that need to operate switches and the bridge."

DEC Remark:

"MF on site and met with Albany Fire command staff. Advised them that I was at site when the order was executed to remove the ammonia from the building. Estimated that date to be sometime in '95. At that time there was a tractor trailer on the site recovering the ammonia. Also gave them a description of what the interior of the building looks like. MF had several conversations with the DOH. They have set up Summa canisters in the area to take samples. They are also inquiring if DEC can provide additional sampling around area. Contacted DEC DOA Don Spencer and he advised me there is an automated sampler on a building (Albany DOH?) near 625 Broadway and that data can be viewed via the web. Passed that info to DOH. Dennis Farrar is coordinating with DOH, DOA, Exec, for additional sampling requirements and other issues."

Material Information

OP Unit ID:	1191852	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2187053	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	True
Quantity:		Med Surf:	True
Units:	P	Med Subway:	False
Recovered:		Med Utility:	True
Med Soil:	False	Oxygenate:	
Med Air:	True		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company:
Spiller Address:
Spiller City:
Spiller State:
Spiller Zip:
Spiller Country:
Contact Name: MIKE BETHGE
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: CANADIAN PACIFIC
 CHURCH ST KENWOOD YARD ALBANY NY

NY SPILLS

Spill No:	2205504	UST Trust:	False
Site ID:	642706	Spill Date:	2022-09-24 01:30:00
DER Facility ID:	589124	Received Date:	2022-09-24 01:40:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2022-09-29 00:00:00
Water Body:		Create Date:	2022-09-24 01:44:00
Class:	C4	Update Date:	2022-09-29 09:29:19.490000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	True

County: Albany
Contributing Factor: Unknown
Reported by: Other
Referred to:
Source: Commercial/Industrial
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"EITHER DIESEL OR OIL/WATER MIX, LEAKING FROM LOCOMOTIVE #cp 2215. TO BALLAST ONLY. CONTAINED. C/UP PENDING. CONTRACTOR EN ROUTE. ACTIVE LEAK"

DEC Remark:

"9/24/22 - Tc with Mike. At 1:30 he was notified of a small leak from a locomotive on track 9 in the rail yard. The crew was trying to assess where the leak was coming from. The leak was narrowed down to either diesel from the tank or an oil/water mix being pumped out of the sump pump. Mike said the leak is contained to pads and a clean up contractor was en route and approx 15 minutes out. He was unaware who the contractor was and gave me a number for Canadian pacific environmental coordinator for the region, Clemens schimikowski (518)930-1772. RP 9/24/22 - Tc with Clemens. He did not have any further to update, but was able to let me know Hepaco is responding and they were 15 minutes out when called and should be arriving now. Hepaco called while I was on the phone with him. RP 9/24/22 - Update from Hepaco. Tank was overfilled and leaking out of the fill cap. Less than a gallon was spilled to ballast. Hepaco will shovel up impacted stone and dispose of. No response necessary. Josh can follow up at a later date. RP JDU telecom with John from hepaco. Spill was cleaned up and generated 1 drum of waste. John will forward report and disposal receipts once drum is disposed of."

Material Information

OP Unit ID:	1389720	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2404768	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

OP Unit ID:	1389720	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2404769	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	5.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name: MIKE ETHERINGTON
Spiller Company: CANADIAN PACIFIC
Spiller Address: CHURCH ST
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: MIKE ETHERINGTON
Contact Phone: (612) 851-5740
Contact Ext:
Latitude:
Longitude:

Site: NATIONAL GRID

Spill No:	2101616	UST Trust:	False
Site ID:	619333	Spill Date:	2021-05-21 13:50:00
DER Facility ID:	305045	Received Date:	2021-05-21 13:57:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2021-12-02 00:00:00
Water Body:		Create Date:	2021-05-21 13:59:00
Class:	C4	Update Date:	2021-12-02 15:30:15.503000000
Meets Std:	True	DEC Region:	4
Penalty:		Lead DEC:	AXODONNE
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Human Error		
Reported by:	Other		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"appx 4 gals released to pavement. clean up pending."

DEC Remark:

"05.21.2021 - email sent to Matt Root for detail. aod 05.21.2021 - per MR - New transformer leak to asphalt Contained and cleaned up by in-house. Non-pcb. 12.02.2021 - Disposal manifest received. Combined contaminated material total approx. 5 tons. Closed. aod."

Material Information

OP Unit ID:	1366509	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2379145	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	4.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0020A		
Material Name:	transformer oil		

Spiller Information

Spiller Name: PHIL MASTRO
Spiller Company: NATIONAL GRID
Spiller Address: BROADWAY
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: PHIL MASTRO
Contact Phone: 5183) 444-871
Contact Ext:
Latitude:
Longitude:

Site: TRUCK FIRE I-787 N
 I-787 N ROAD WAY I787 NORTH BOUND ALBANY NY

Spill No:	1505033	UST Trust:	False
Site ID:	511393	Spill Date:	2015-08-10 10:30:00
DER Facility ID:	465944	Received Date:	2015-08-10 16:00:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2015-08-11 00:00:00

Water Body:		Create Date:	2015-08-10 16:01:00
Class:	C4	Update Date:	2015-09-11 13:44:18.957000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Local Agency		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"truck fire dot is in route to start clean up LOOKING FOR A CALL BACK"

DEC Remark:

"MF telecom with caller. DOT has been requested to go back to accident scene and sand road. Small stripe on road where truck blew turbo. They are going to put sand down and then pick up with sweeper. This is a report from an earlier accident/truck fire. Kurt Bush was at the scene earlier and there was no diesel spill. There was a stripe of motor oil on the road from the turbo and he advised the Troopers to notify the DOT. Closed."

Material Information

OP Unit ID:	1260652	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2264090	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	4.00	Med Surf:	True
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0015		
Material Name:	motor oil		

Spiller Information

Spiller Name: PETE
Spiller Company: UNKNOWN
Spiller Address: I787 NORTH BOUND
Spiller City: ALBANY
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: PETE
Contact Phone: (518) 810-1408
Contact Ext:
Latitude:
Longitude:

Site: AMTRAK ALBANY RENSSELAER TRAIN STATION BROADWAY
 BROADWAY ALBANY RENNELAER TRAIN STA BROADWAY STRE RENSSELAER NY

NY SPILLS

Spill No:	1311050	UST Trust:	False
Site ID:	491932	Spill Date:	2014-02-23 13:45:00
DER Facility ID:	446896	Received Date:	2014-02-23 14:00:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	2014-02-24 00:00:00
SWIS Code:	4214	Close Date:	2014-02-24 00:00:00
Water Body:		Create Date:	2014-02-23 14:03:00
Class:	B3	Update Date:	2014-07-18 16:13:58.640000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	True
County:	Rensselaer		
Contributing Factor:	Equipment Failure		

Reported by: Responsible Party
Referred to:
Source: Railroad Car
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"Hose ruptured. Clean up arrangements underway."

DEC Remark:

"2/23/13 JDU on site with Jimmy from train station. Train was being filled with fuel truck and line ruptured when delivery was almost complete. Driver stopped pump immediately. Estimated 5 gallons to Ballast and roadway but it appears to be slightly more than that. Some stained snow was removed and pads and speedy dry were put down. The speedy dry and top 6 inches of ballast will be swept up and removed with a backhoe tomorrow. 2/24/14 JDU on site. Impacted ballast has been scraped up. No odors detected in ballast underneath. They are planning to backfill the 5-6 inches that was scrapped out with new ballast. Impacted material will be placed in the facilities industrial waste container that is periodically hauled off site as contaminated waste under contract. No disposal receipts needed. Less than a yard of Ballast removed. Spill can be closed. "

Material Information

OP Unit ID:	1241473	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2241884	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	50.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name: CLAUDIA TACCETTA, AMTRACK
Spiller Company: AMTRAK TRAIN STATION
Spiller Address: BROADWAY STREET
Spiller City: RENSSELAER
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: CLAUDIA TACCETTA
Contact Phone: (917) 453-3951
Contact Ext:
Latitude:
Longitude:

Site: SHAW RES THE OIL CO ELM ST
ELM ST SHAW RESIDENCE ELM ST HOOSICK FALLS NY

NY SPILLS

Spill No:	8909166	UST Trust:	False
Site ID:	161903	Spill Date:	1989-12-19 09:00:00
DER Facility ID:	433466	Received Date:	1989-12-19 10:30:00
CID:		CAC Date:	1989-12-19 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	4228	Close Date:	1989-12-27 00:00:00
Water Body:		Create Date:	1989-12-27 00:00:00
Class:	C4	Update Date:	2013-01-24 10:31:25.260000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CONTAINED IN CELLAR, SERVICE DEPT. CLEANED. NO DEC RESPONSE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	934128	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	442339	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: THE OIL CO
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.899404994
Longitude: -73.353460000

Site: DUNN MEMORIAL BRIDGE TRUCK ACCIDENT WB RAMP BROADW
 BROADWAY TO PEARL ST DUNN MEMORIAL BRIDGE BROADWAY TO PEARL RENSSELAER NY

NY SPILLS

Spill No:	9613511	UST Trust:	False
Site ID:	150165	Spill Date:	1997-02-18 05:15:00
DER Facility ID:	127702	Received Date:	1997-02-18 05:43:00
CID:	246	CAC Date:	1997-02-18 00:00:00
Program Type:	ER	Insp Date:	1997-02-18 00:00:00
SWIS Code:	4214	Close Date:	1997-02-18 00:00:00
Water Body:		Create Date:	1997-02-18 00:00:00
Class:	B3	Update Date:	2013-12-02 10:48:56.407000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	True
County:	Rensselaer		
Contributing Factor:	Human Error		
Reported by:	Police Department		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"TRACTOR TRAILER ACCIDENT ON BRIDGE - FUEL LEAKING ONTO BRIDGE UNK IF GOING INTO RIVER "

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN BLAIN @ SITE, ROBERTS TOWING EMPTYING SADDLE TANKS, Sm Amt Diesel SPILLED, USED SPEEDIDRY, WILL DISPOSE. COMPLETE. DUNN MEMORIAL BRIDGE WESTBOUND RAMP AT CURVE BROADWAY TO

Material Information

OP Unit ID:	1044935	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	338615	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name:
Spiller Company: UNKNOWN [TRUCK]
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name: DISPATCHER LORANIA
Contact Phone: (518) 462-7451
Contact Ext:
Latitude:
Longitude:

Site: THE OIL CO TRUCK ELM ST
 ELM ST ELM STREET HOOSICK FALLS NY

NY SPILLS

Spill No:	9510484	UST Trust:	False
Site ID:	161904	Spill Date:	1995-11-20 15:30:00
DER Facility ID:	340639	Received Date:	1995-11-20 15:59:00
CID:	282	CAC Date:	1995-11-20 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	4228	Close Date:	1995-11-20 00:00:00
Water Body:		Create Date:	1995-11-20 00:00:00
Class:	C4	Update Date:	2013-01-24 10:44:52.193000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	PNBENTIE
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"THE FILLER CAP CAME THE TANK OF THERE VEHICLE.THE DIESEL TRAIL IS 50 TO 100 FEET LONG.AS OF THIS POINT THE AMOUNT SPILLED IS UNKNOWN.BUT IT APPEARS NOT TO BE A LARGE SPILL."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BENTIEN 16:30-PNB TELECON W/LUKE, Sm Amt, USED SPEEDIDRY, CLOSED. "

Material Information

OP Unit ID:	1021007	Med Ind Air:	False
OU:	01	Med GW:	False

Material ID:	357846	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name: SAME
Spiller Company: THE OIL CO
Spiller Address: ELM ST
Spiller City: HOOSICK FALLS
Spiller State: NY
Spiller Zip: 12090-
Spiller Country: 001
Contact Name: SAME
Contact Phone:
Contact Ext:
Latitude: 42.899404994
Longitude: -73.353460000

Site: **BISSONETT RES THE OIL CO CHURCH ST**
CHURCH ST BISSONETT RESIDENCE CHURCH STREET HOOSICK FALLS NY

NY SPILLS

Spill No:	8909167	UST Trust:	False
Site ID:	73829	Spill Date:	1989-12-19 09:00:00
DER Facility ID:	69454	Received Date:	1989-12-19 10:30:00
CID:		CAC Date:	1989-12-19 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	4228	Close Date:	1989-12-27 00:00:00
Water Body:		Create Date:	1989-12-27 00:00:00
Class:	C4	Update Date:	2012-01-04 14:16:04.670000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Unknown		
Reported by:	Responsible Party		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CONTAINED IN CELLAR, SERV. DEPT. CLEANED. NO DEC RESPONSE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	936345	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	442340	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	1.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		

Material Name: #2 fuel oil

Spiller Information

Spiller Name:
Spiller Company: THE OIL CO
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.903418994
Longitude: -73.351493000

Site: MILLERS CORNER GARAGE
ELM ST ROADWAY ELM ST ALBANY NY

NY SPILLS

Spill No:	1215937	UST Trust:	False
Site ID:	479279	Spill Date:	2013-02-28 08:44:00
DER Facility ID:	434551	Received Date:	2013-02-28 08:44:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	2013-02-28 00:00:00
SWIS Code:	0101	Close Date:	2013-03-01 00:00:00
Water Body:		Create Date:	2013-02-28 08:47:00
Class:	E6	Update Date:	2013-08-12 14:23:08.950000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	JDUTBERG
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Citizen		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Caller claims block long sheen on rain water in street/ Sheen goes to Millers Garage on Elm St"

DEC Remark:

"2/28/13 JDU on site with ECO Bush. Could not find sheen on street. Complainant was not answering calls. Spill can be closed. "

Material Information

OP Unit ID:	1229016	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2226770	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:
Spiller Company: MILLERS GARAGE
Spiller Address:
Spiller City:

Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: UNKNOWN
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: HUDSON RIVER BEHIND MENANDS CO-OP MARKET BROADWAY
BROADWAY HUDSON RIVER CAP DIST COOP REG MARKET ACCESS FROM BEHIND MENANDS
REGIONAL MKT. MENANDS NY

NY SPILLS

Spill No:	9401981	UST Trust:	False
Site ID:	157354	Spill Date:	1994-05-10 17:15:00
DER Facility ID:	133087	Received Date:	1994-05-10 17:18:00
CID:		CAC Date:	1994-05-11 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0126	Close Date:	1994-10-13 00:00:00
Water Body:	HUDSON RIVER	Create Date:	1994-06-13 00:00:00
Class:	B5	Update Date:	2013-08-14 15:37:01.467000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Police Department		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"PETRO IN RIVER, WANT CALL-BACK. 17:38-MSF TELECON W/GORMAN, ACCESS DRAIN TO RIVER BEHIND REGIONAL MKT. INSP SHOWS NO SPILL."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was FRANKLIN/WTC 8707698, 9306282, 9306932, 9307368, 9310725, 9311227, 9401981, 0008845. PBS 4-60019S "

Material Information

OP Unit ID:	995666	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	385722	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	L	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company: UNKNOWN (BEHIND CAP DIST COOP REG MARKET)
Spiller Address:
Spiller City: ***UPDATE***
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:

Latitude:
Longitude:

Site: CONSTRUCTION SITE (556 YATES)
MADISON AVE ALBANY NY

NY SPILLS

Spill No:	1109403	UST Trust:	False
Site ID:	457176	Spill Date:	2011-10-27 10:00:00
DER Facility ID:	411660	Received Date:	2011-10-27 10:48:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2012-02-08 00:00:00
Water Body:		Create Date:	2011-10-27 10:52:00
Class:		Update Date:	2012-02-09 12:54:10.237000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	MSFRANKL
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Other		
Referred to:			
Source:	Private Dwelling		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"Underground tank was discovered during construction at site. Leaking into soil. Contained and cleanup is pending."

DEC Remark:

"Update/note from Jeff Mark @ CTMale The College of St. Rose has made some progress with respect to the petroleum contaminated soil encountered during construction activities at the Centennial Hall site under CTM's observation. A large amount of clean soils were removed from the site to be able to access the petroleum contaminated soils. Petroleum contaminated soils were then removed from a localized area down to the planned subgrade for installation of geothermal well piping. The petroleum contaminated soils were staged on plastic and covered with plastic until disposal arrangements can be made. Petroleum contaminated soils were still present at subgrade and therefore CTM advanced test pits and confirmed continuation of petroleum impacts. As such, The College of St. Rose has elected to continue removing petroleum contaminated soils in an effort to remove the majority of petroleum contaminated soils prior to continuing with construction activities. Excavation of petroleum contaminated soil will continue tomorrow under CTM's observation and PID screening. Of additional note, there was a small quantity of storm water ponded by the petroleum contaminated soil (while still in-place) that exhibited a sheen. Prior to any soil excavation, this water was removed from the excavation and contained in 55 gallon drums. The water contained in drums will be tested to confirm petroleum impacts or just disposed off-site as petroleum contaminated water. 1/20/12 - Update. Final report received. Post ex soil samples meet guidance values. Based on info, this spill can be closed - dnms (due to low level GW detections) as soon as clarification regarding the drum disposal is received. 2/8 - Drum info received. Closed, DNMS. "

Material Information

OP Unit ID:	1207304	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2204553	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:		Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name:	MICHAEL SAWYER
Spiller Company:	SANO-RUVIN CONTRCATOR
Spiller Address:	MADISON AVE
Spiller City:	ALBANY
Spiller State:	NY
Spiller Zip:	
Spiller Country:	999
Contact Name:	MICHAEL SAWYER

Contact Phone: (518) 265-3119
Contact Ext:
Latitude:
Longitude:

Site: DOMERMUTH I-787 N
I-787 N MENANDS NY

NY SPILLS

Spill No:	8603996	UST Trust:	False
Site ID:	316816	Spill Date:	1986-09-19 10:45:00
DER Facility ID:	255437	Received Date:	1986-09-19 10:55:00
CID:		CAC Date:	1986-09-19 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0126	Close Date:	1986-09-19 00:00:00
Water Body:		Create Date:	1986-09-26 00:00:00
Class:	B3	Update Date:	2008-03-10 12:21:29.953000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	OLD
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Police Department		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"DIRT APPLIED TO SOAK UP SPILL-ECO & STATE TROOPER ISSUED TICKETS-ACTUAL QUANTITY SPILLED-(30-50GAL.)"

DEC Remark:

""

Material Information

OP Unit ID:	900927	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	476814	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	L	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	False
Med Air:	False		
Material Code:	0004B		
Material Name:	blacktop		

OP Unit ID:	900927	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	476815	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	50.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	50.00	Med Utility:	False
Med Soil:	True	Oxygenate:	False
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:
Spiller Company: DOMERMUTH PETRO
Spiller Address:
Spiller City: CLARKSVILLE

Spiller State: NY
Spiller Zip: 001
Spiller Country:
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: SMITH & SMITH TRANSPORT BROADWAY
BROADWAY ALBANY NY

NY SPILLS

Spill No:	8703017	UST Trust:	False
Site ID:	91756	Spill Date:	1987-07-15 06:00:00
DER Facility ID:	305045	Received Date:	1987-07-15 07:38:00
CID:		CAC Date:	1987-07-15 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1987-07-15 00:00:00
Water Body:		Create Date:	1987-07-15 00:00:00
Class:	C4	Update Date:	2008-04-04 13:16:34.790000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Federal Government		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"PHONED IN BY EPA. CLEANUP CONTRACTOR WAS ENROUT WHEN EPA GOT CALL"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	907071	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	469279	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	15.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0009		
Material Name:	gasoline		

Spiller Information

Spiller Name:
Spiller Company: SMITH & SMITH TRANSPORT
Spiller Address: 103 MONROE ST
Spiller City: TROY
Spiller State: NY
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.654459994
Longitude: -73.750390000

Site: WASTE MGT @ PRICECHOPPER
BROADWAY WATERVLIIET NY

NY SPILLS

Spill No:	9807426	UST Trust:	False
Site ID:	91803	Spill Date:	1998-09-17 09:00:00
DER Facility ID:	267881	Received Date:	1998-09-17 09:53:00
CID:	270	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0118	Close Date:	1998-09-17 00:00:00
Water Body:		Create Date:	1998-09-17 00:00:00
Class:	C4	Update Date:	2000-04-12 00:00:00
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"BLOWN HOSE ON TRUCK CAUSED SPILL"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	1064988	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	318514	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	10.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	10.00	Med Utility:	False
Med Soil:	True	Oxygenate:	False
Med Air:	False		
Material Code:	0010		
Material Name:	hydraulic oil		

Spiller Information

Spiller Name:	JIM CASEY
Spiller Company:	WASTE MGT
Spiller Address:	P BX 526 WIDDOW SUSAN RD
Spiller City:	AMSTERDAM
Spiller State:	NY
Spiller Zip:	
Spiller Country:	001
Contact Name:	JIM CASEY
Contact Phone:	(518) 841-4237
Contact Ext:	
Latitude:	42.729654994
Longitude:	-73.700070000

Site: HUDSON RIVER PORT 2 DRUMS CHURCH ST
CHURCH ST PORT HUDSON RIVER ALBANY NY

NY SPILLS

Spill No:	9308948	UST Trust:	False
Site ID:	273852	Spill Date:	1993-10-24 09:00:00
DER Facility ID:	222759	Received Date:	1993-10-24 09:20:00
CID:		CAC Date:	1993-10-24 00:00:00
Program Type:	ER	Insp Date:	1993-10-24 00:00:00

SWIS Code:	0101	Close Date:	1993-10-26 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1993-10-26 00:00:00
Class:	A6	Update Date:	2009-09-10 10:23:00.067000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Abandoned Drums		
Reported by:	Citizen		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"10/24,12:00-BLAIN @ SITE, RPT OF 2 DRUMS IN RIVER. OBSERVER SAYS 1 HAS BEEN THERE YRS, ONLY VISIBLE LOW TIDE; OTHER OPEN TOP TRASH BARREL LEFT BY VANDALS."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN "

Material Information

OP Unit ID:	987888	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	391627	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company: UNKNOWN [VANDALS?]
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: HUDSON RIVER BROADWAY PUMP ST
 BROADWAY HUDSON RIVER I-787 ALBANY NY

NY SPILLS

Spill No:	9403738	UST Trust:	False
Site ID:	83039	Spill Date:	1994-06-16 13:00:00
DER Facility ID:	76479	Received Date:	1994-06-16 13:53:00
CID:		CAC Date:	1994-06-16 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	1994-06-29 00:00:00
Water Body:	HUDSON RIVER \$	Create Date:	1994-06-29 00:00:00
Class:	D5	Update Date:	2010-03-26 11:17:47.203000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WATER(LAMB)
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Deliberate		

Reported by: Affected Persons
Referred to: WATER UNIT
Source: Institutional, Educational, Gov., Other
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"WHITE PLUME IN RIVER FROM PUMP STA, SUSPECT PAINT FLUSHED, BOATERS SAW PLUME. ACSD MURPHY INSP FOUND POLLEN. CALLER LATER RPTD MORE DETAILS TO WATER."

DEC Remark:

""

Material Information

OP Unit ID:	997416	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	383908	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	L	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	1476A		
Material Name:	pollen		

Spiller Information

Spiller Name:
Spiller Company: NYS PUMPING STATION
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: HUDSON RIVER SHEEN OUTFALL BY U-HAUL BROADWAY
BROADWAY HUDSON RIVER OUTFALL SHEEN I/R/O THE U-HAUL BROADWAY ALBANY NY

NY SPILLS

Spill No:	0904723	UST Trust:	False
Site ID:	416929	Spill Date:	2009-07-21 11:25:00
DER Facility ID:	366053	Received Date:	2009-07-23 11:25:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2009-07-23 00:00:00
Water Body:	HUDSON RIVER	Create Date:	2009-07-23 11:29:00
Class:	A5	Update Date:	2013-08-14 09:51:22.003000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Citizen		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CALLER STATES THAT WHILE FISHING ON 07/21/09 BLACK OIL AND GARBAGE CAME FROM THE STORM DRAIN PIPE IN THE REAR OF THE

U-HAUL BLDG. CALLER STATES THAT THE ROCKS ARE COATED WITH BLACK OIL. UNK SOURCE."

DEC Remark:

"No DEC response due to time lapse between sighting & rpt. This area is often the site of untraceable sheens due to sewer outfall & boat traffic in area (see 9005150, 9305897, 9903349, 0100287). Recent regular, heavy rains have flushed drains all over the area."

Material Information

OP Unit ID:	1173188	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2165081	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	G	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

OP Unit ID:	1173188	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2165082	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:		Med Surf:	False
Units:	L	Med Subway:	False
Recovered:		Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0051A		
Material Name:	garbage		

Spiller Information

Spiller Name:
Spiller Company: UNKNOWN HUDSON RIVER SHEEN
Spiller Address:
Spiller City:
Spiller State: NY
Spiller Zip:
Spiller Country: 999
Contact Name: CHRISTINE PRIME
Contact Phone: (518) 729-5064
Contact Ext:
Latitude:
Longitude:

Site: ACSD SOUTH PLANT PORT CHURCH ST TRUCK @ WWTP
CHURCH ST PORT OF ALBANY WWTP ACSD SOUTH PLANT WASTE WATER PLANT CHURCH
STREET ALBANY NY 12202

NY SPILLS

Spill No:	0802322	UST Trust:	
Site ID:	398436	Spill Date:	2008-05-30 10:30:00
DER Facility ID:	347794	Received Date:	2008-05-30 10:42:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2008-06-12 00:00:00
Water Body:		Create Date:	2008-05-30 11:13:00
Class:	B4	Update Date:	2015-11-25 09:54:30.823000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WTCRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		

Referred to:
Source: Tank Truck
Source File: NYSDEC - Environmental Remediation Data Files - Spill Data

Caller Remark:

"valve sheered off truck during off loading and is in process of cleaning up"

DEC Remark:

"06/12/08 - Referred to water. Closed wtc (PBS 4-013153; 8709304 (TTF), 9007102 (tank pull), 0802322, 0907730 (Edocs))"

Material Information

OP Unit ID:	1155322	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2146186	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	500.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0062A		
Material Name:	raw sewage		

Spiller Information

Spiller Name: TIM MURPHY
Spiller Company: WASTE WATER PLANT ACSD SOUTH PLANTALBANY CO SEWER DIST WWTP
Spiller Address: CHURCH STREET
Spiller City: ALBANY
Spiller State: NY
Spiller Zip: 12202
Spiller Country: 999
Contact Name: TIM MURPHY
Contact Phone: (518) 366-2390
Contact Ext:
Latitude:
Longitude:

Site: JELLO SPILL HUDSON RIVER BROADWAY
BROADWAY HUDSON RIVER BROADWAY - HUDSON RIVER ALBANY RED JELLO ALBANY NY

NY SPILLS

Spill No:	8701284	UST Trust:	False
Site ID:	138865	Spill Date:	1987-05-15 14:20:00
DER Facility ID:	118729	Received Date:	1987-05-15 14:21:00
CID:		CAC Date:	1987-05-15 00:00:00
Program Type:	ER	Insp Date:	1987-05-15 00:00:00
SWIS Code:	0101	Close Date:	1987-05-15 00:00:00
Water Body:	HUDSON RIVER	Create Date:	1987-05-19 00:00:00
Class:	A6	Update Date:	2013-08-14 09:42:49.210000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	weblain
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Citizen		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"COAST GUARD ADVISED IT WAS RED JELLO FROM CHARITY EVENT"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN 09/28/95: This is additional information about material spilled from the translation of the old spill file: RED JELLO."

Material Information

OP Unit ID:	905767	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	471232	Med SW:	True
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name:
Spiller Company: JELLO
Spiller Address:
Spiller City: ***UPDATE***
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: FREEHOLD CARTAGE TRUCK 25TH ST ACETONE METHANOL
25TH ST BROADWAY TO LANSING LN B'WAY + 25TH UP TO LANSING LANE 25TH ST WATERVLIET
NY

NY SPILLS

Spill No:	9411058	UST Trust:	False
Site ID:	323565	Spill Date:	1994-11-18 09:29:00
DER Facility ID:	260656	Received Date:	1994-11-18 09:30:00
CID:		CAC Date:	1994-12-20 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0118	Close Date:	1994-12-20 00:00:00
Water Body:		Create Date:	1994-12-08 00:00:00
Class:	B3	Update Date:	2010-09-10 10:16:44.987000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	KDGOERTZ
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Unknown		
Reported by:	Fire Department		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"HAZ MAT @ SITE, LEAK STOPPED?, WANT DEC. KDG @ SITE."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was GOERTZ 12/20/94: RECEIVED DISPOSAL RECEIPTS ON 12/20/94. 09/28/95: This is additional information about material spilled from the translation of the old spill file: ACETONE METHANOL."

Spiller Information

Spiller Name:
Spiller Company: TRUCK
Spiller Address:
Spiller City: ***UPDATE***
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.735329994
Longitude: -73.699055000

Site: DOUG'S OIL TRUCK RT 22
 RT 22 RIVER CHURCH JOHN RT 22, RIVER ,CHURCH, JOH HOOSICK FALLS NY

NY SPILLS

Spill No:	0701152	UST Trust:	False
Site ID:	380548	Spill Date:	2007-04-27 09:30:00
DER Facility ID:	329993	Received Date:	2007-04-27 09:40:00
CID:	444	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	4228	Close Date:	2007-05-14 00:00:00
Water Body:		Create Date:	2007-04-27 14:02:00
Class:	B4	Update Date:	2007-06-06 15:50:37.420000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	weblain
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Tank Truck		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"TRUCK 'S HATCH WAS LEFT OPEN AND OIL IS LEAKING ALL OVER VARIOUS ROADS, CREW ENROUTE TO PLACE SPEEDI DRI DOWN"

DEC Remark:

"4/27. Blain telecon Cooney. Spillage on roadway. Crew will recover any liquid recoverable, and put sand down on the stripes where need be. Co. has been responsive."

Material Information

OP Unit ID:	1138026	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	2127993	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	40.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	5.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0001A		
Material Name:	#2 fuel oil		

Spiller Information

Spiller Name: JOHN COONEY
Spiller Company: DOUGS OIL
Spiller Address: PO BOX 308
Spiller City: HOOSICK FALLS
Spiller State: NY
Spiller Zip:
Spiller Country: 001

Contact Name: JOHN COONEY
Contact Phone: (518) 686-7617
Contact Ext:
Latitude:
Longitude:

Site: ALLIED SIGNAL LIBERTY ST
LIBERTY ST LIBERTY ST HOOSICK FALLS NY

NY SPILLS

Spill No:	9510965	UST Trust:	False
Site ID:	186464	Spill Date:	1995-12-01 09:11:00
DER Facility ID:	460354	Received Date:	1995-12-01 10:22:00
CID:	322	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	4228	Close Date:	1999-01-11 00:00:00
Water Body:		Create Date:	1995-12-01 00:00:00
Class:	B3	Update Date:	2016-03-03 10:06:39.883000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Other		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"ALLIED WAS DOING EXCAVATION AND HIT A PIPE WHICH HAD WATER IN THE PIPE - PIPE RELEASED ABOUT 500 GAL - WATER HAS A SHEEN ON IT - PIGS & DYPERS USED TO COLLECT OILY SHEEN - CLEAN HARBORS ALSO CONTACTED & SENDING CREW"

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN See also 95-06399 and 95-06553, 9909741 (8600393, 8607409); 0304229, 0305170. Allied moved out. 1/30/98 called new guy, John Reagan, left message. PBS 4-120707; 8906719 (Edocs). Other Hoosick Falls Edoc sites: 8906719, 9909741, 0103386, 0701610, 1511059. Unable to locate any info on this event. close."

Material Information

OP Unit ID:	1025304	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	358318	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0066A		
Material Name:	unknown petroleum		

Spiller Information

Spiller Name: KEN BROWNELL
Spiller Company: ALLIED SIGNAL FLUORGLAS
Spiller Address: LIBERTY ST
Spiller City: HOOSICK FALLS
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name: JOHN REGAN (NEW GUY)
Contact Phone: (518) 686-7301
Contact Ext:
Latitude: 42.905669994
Longitude: -73.357144000

Site: DOT DRUMS I-787 @ BWAY
I-787 S RAMP OFF BROADWAY WATERVLIIET NY

NY SPILLS

Spill No:	9501823	UST Trust:	False
Site ID:	242761	Spill Date:	1995-05-01 12:00:00
DER Facility ID:	199415	Received Date:	1995-05-13 09:22:00
CID:		CAC Date:	1995-05-13 00:00:00
Program Type:	ER	Insp Date:	
SWIS Code:	0118	Close Date:	1995-05-17 00:00:00
Water Body:		Create Date:	1995-05-17 00:00:00
Class:	D5	Update Date:	1998-04-09 00:00:00
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	True
County:	Albany		
Contributing Factor:	Abandoned Drums		
Reported by:	Citizen		
Referred to:			
Source:	Unknown		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"CALLER CONCERNED BECAUSE KIDS ARE PLAYING AROUND DRUMS (PROB FROM DOT BRIDGE PAINTING)."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN "

Material Information

OP Unit ID:	1013002	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	366899	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	L	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	1340A		
Material Name:	paint chips		

Spiller Information

Spiller Name:
Spiller Company: BRIDGE CONTRACTOR?
Spiller Address:
Spiller City:
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude:
Longitude:

Site: ALLIED SIGNAL LIBERTY ST
LIBERTY ST LIBERTY ST HOOSICK FALLS NY

NY SPILLS

Spill No:	9506553	UST Trust:	False
Site ID:	186463	Spill Date:	1995-08-28 13:00:00
DER Facility ID:	460354	Received Date:	1995-08-28 14:24:00
CID:		CAC Date:	
Program Type:	ER	Insp Date:	

SWIS Code:	4228	Close Date:	1998-03-11 00:00:00
Water Body:		Create Date:	1995-08-29 00:00:00
Class:	B3	Update Date:	2016-03-03 10:06:16.147000000
Meets Std:	False	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Equipment Failure		
Reported by:	Responsible Party		
Referred to:			
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"FOUND CONT. SOIL @ TANK PULL."

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN See also 95-06399 and 95-10965, 9909741 (8600393, 8607409); 0304229, 0305170. Allied moved out. 1/30/98 called new guy, John Reagan, left message. PBS 4-120707; 8906719 (Edocs). Other Hoosick Falls Edoc sites: 8906719, 9909741, 0103386, 0701610, 1511059. 3/98 HE SENT CLOSURE REPORT, FORWARDED TO PBS. SMALL AMOUNT OF SOIL DISPOSED, CLOSURE SAMPLES MEET STANDARDS."

Material Information

OP Unit ID:	1017306	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	364516	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	25.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0002A		
Material Name:	#4 fuel oil		

Spiller Information

Spiller Name:
Spiller Company: ALLIED SIGNAL FLUORGLAS
Spiller Address: LIBERTY ST
Spiller City: HOOSICK FALLS
Spiller State: ZZ
Spiller Zip:
Spiller Country: 001
Contact Name:
Contact Phone:
Contact Ext:
Latitude: 42.905669994
Longitude: -73.357144000

Tank Test Information

Spill Tank ID:	1544113	Source:	
Tank No:		Test Method:	00
Tank Size:	0	Leak Rate:	.00
Material:	0002	Gross Fail:	
EPA UST:		Modified by:	Spills
UST:		Last Modified:	2004-10-01 04:00:45.140000000
Cause:			
Alt Test Method:	Unknown		

Site: SAINT GOBAIN LIBERTY ST ODOR
LIBERTY ST LIBERTY ST HOOSICK FALLS NY

NY SPILLS

Spill No:	0304229	UST Trust:	False
Site ID:	186461	Spill Date:	2003-07-22 08:00:00
DER Facility ID:	460354	Received Date:	2003-07-22 11:33:00
CID:	216	CAC Date:	
Program Type:	ER	Insp Date:	
SWIS Code:	4228	Close Date:	2003-10-07 00:00:00
Water Body:		Create Date:	2003-07-22 00:00:00
Class:	D5	Update Date:	2016-03-03 10:11:58.100000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WEBLAIN
REM Phase:	0	After Hours:	False
County:	Rensselaer		
Contributing Factor:	Other		
Reported by:	Federal Government		
Referred to:	AIR UNIT		
Source:	Commercial/Industrial		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"REQ CALL BAD SMELL FROM PLANT NEED DEC TO CALL "

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was BLAIN/AIR [COMPUTER SEARCH FINDS SANDRA GIARRAPUTO (NOT GIARRAPBUTO) AT 52 MECHANIC St HOOSICK FALLS 12090 FOR 686-7504; COBAINE IS PROBABLY SAINT GOBAIN PERFORMANCE PLASTICS, LIBERTY St GENERAL (14 McCaffrey St 12090) 686-6141; PBS IS UNDER FLUORGLAS]. Other Hoosick Falls Edoc sites: 8906719, 9909741, 0103386, 0701610, 1511059. 8600393, 8607409, 9506553, 9510965, 9909741, 0305170, 0305177; PBS 4-120707 NRC Rpt # 651546 AIR RELEASE, REFd TO Div OF AIR."

Material Information

OP Unit ID:	871116	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	505086	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Other	Med Sewer:	False
Quantity:	.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	False	Oxygenate:	
Med Air:	True		
Material Code:	0064A		
Material Name:	unknown material		

Spiller Information

Spiller Name:
Spiller Company: COBAINE [SP] SAINT GOBAIN ODOR
Spiller Address: LIBERTY ST
Spiller City: HOOSICK FALLS
Spiller State: ZZ
Spiller Zip:
Spiller Country: 999
Contact Name: SANDRA GIARRAPBUTO [SP]
Contact Phone: (518) 686-7504
Contact Ext:
Latitude: 42.905669994
Longitude: -73.357144000

Site: LARNED TRUCK I-787 S @ EXIT 3B
I-787 S EXIT 3B ALBANY NY

NY SPILLS

Spill No:	0209034	UST Trust:	False
Site ID:	260649	Spill Date:	2002-12-03 11:00:00
DER Facility ID:	212887	Received Date:	2002-12-03 11:41:00
CID:	211	CAC Date:	

Program Type:	ER	Insp Date:	
SWIS Code:	0101	Close Date:	2002-12-03 00:00:00
Water Body:		Create Date:	2002-12-03 00:00:00
Class:	C4	Update Date:	2012-11-08 11:04:37.057000000
Meets Std:	True	DEC Region:	4
Penalty:	False	Lead DEC:	WTCHRIST
REM Phase:	0	After Hours:	False
County:	Albany		
Contributing Factor:	Equipment Failure		
Reported by:	Fire Department		
Referred to:			
Source:	Commercial Vehicle		
Source File:	NYSDEC - Environmental Remediation Data Files - Spill Data		

Caller Remark:

"DRIVE SHAFT BROKE RUPTURING SADDLE TANK - SAND TO BE APPLIED TO CONTAIN SPILL - FIRE DEPT ON SCENE "

DEC Remark:

"Prior to Sept, 2004 data translation this spill Lead_DEC Field was CHRISTENSEN 12/03/2002 - Spoke to Fire cheif on site. Fire Department contained spill and put down speedie-dri. City sanded the road and used street sweeper to remove speedie-dri and sand. Spill to roadway only. Also spoke to rep of company who was at the site. Closed wtc ORIGINAL REPORT SHOWED SPILLER AS WILLIAM LEARNED "

Material Information

OP Unit ID:	862222	Med Ind Air:	False
OU:	01	Med GW:	False
Material ID:	516020	Med SW:	False
CAS No:		Med DW:	False
Material Family:	Petroleum	Med Sewer:	False
Quantity:	25.00	Med Surf:	False
Units:	G	Med Subway:	False
Recovered:	.00	Med Utility:	False
Med Soil:	True	Oxygenate:	
Med Air:	False		
Material Code:	0008		
Material Name:	diesel		

Spiller Information

Spiller Name: DALE WOLCOTT(374-6961CELL
Spiller Company: WILLIAM M & SONS LARNED
Spiller Address: 544 BURDECK STREET
Spiller City: SCHENECTADY
Spiller State: NY
Spiller Zip: 12206-
Spiller Country: 001
Contact Name: MICHAEL BURNS
Contact Phone: (518) 447-7808
Contact Ext:
Latitude:
Longitude:

Site: **NYS DOT BIN 1092940**
DUNN MEMORIAL BRG TO I-787 NB ALBANY NY 12202

RCRA NON GEN

EPA Handler ID: NYD986969723
Gen Status Universe: No Report
Contact Name: CHARLES PAFUNDI
Contact Address: 84 , HOLLAND AVE , , ALBANY , NY, 12208 , US
Contact Phone No and Ext: 518-474-6562
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type: State
Receive Date: 20070101

Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19910821
Handler Name: NYSDOT BIN 1092940
Source Type: Notification
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Waste Code Details

Hazardous Waste Code: D000
Waste Code Description: DESCRIPTION

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 19960329
Handler Name: NYS DEPARTMENT OF TRANSPORTATION REG I
Source Type: Annual/Biennial Report
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20060101
Handler Name: NYSDOT BIN 1092940
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Hazardous Waste Handler Details

Sequence No: 2
Receive Date: 20070101

Handler Name: NYSDOT BIN 1092940
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind: Current Operator
Type: State
Name: NYSDOT
Date Became Current:
Date Ended Current:
Phone: 518-474-6562
Source Type: Implementer

Street No:
Street 1: 84 HOLLAND AVE
Street 2:
City: ALBANY
State: NY
Country: US
Zip Code: 12208

Owner/Operator Ind: Current Owner
Type: State
Name: NYSDOT
Date Became Current:
Date Ended Current:
Phone: 518-474-6562
Source Type: Notification

Street No:
Street 1: 84 HOLLAND AVE
Street 2:
City: ALBANY
State: NY
Country:
Zip Code: 12208

Owner/Operator Ind: Current Owner
Type: State
Name: NYSDOT
Date Became Current:
Date Ended Current:
Phone: 518-474-6562
Source Type: Implementer

Street No:
Street 1: 84 HOLLAND AVE
Street 2:
City: ALBANY
State: NY
Country: US
Zip Code: 12208

Historical Handler Details

Receive Dt: 20060101
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 1092940

Receive Dt: 19960329
Generator Code Description: Large Quantity Generator
Handler Name: NYS DEPARTMENT OF TRANSPORTATION REG I

Receive Dt: 19910821
Generator Code Description: Not a Generator, Verified
Handler Name: NYSDOT BIN 1092940

Site: NIAGARA MOHAWK A NATIONAL GRID CO
JAMES ST ALBANY NY 12204

RCRA NON GEN

EPA Handler ID: NYP000972091
Gen Status Universe: No Report
Contact Name: BARBARA SCHEURER
Contact Address: 1125 , BROADWAY , , ALBANY , NY, 12204 , US
Contact Phone No and Ext: 518-433-3696
Contact Email:
Contact Country: US
County Name: ALBANY
EPA Region: 02
Land Type:
Receive Date: 20160407
Location Latitude:
Location Longitude:

Violation/Evaluation Summary

Note: NO RECORDS: As of Oct 2023, there are no Compliance Monitoring and Enforcement (violation) records associated with this facility (EPA ID).

Handler Summary

Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility: No
Onsite Burner Exemption: No
Furnace Exemption: No
Underground Injection Activity: No
Commercial TSD: No
Used Oil Transporter: No
Used Oil Transfer Facility: No
Used Oil Processor: No
Used Oil Refiner: No
Used Oil Burner: No
Used Oil Market Burner: No
Used Oil Spec Marketer: No

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20150807
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Source Type: Emergency
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20160224
Handler Name: NATIONAL GRID MH JAMES ST ALBANY
Source Type: Annual/Biennial Report update with Notification
Federal Waste Generator Code: 1
Generator Code Description: Large Quantity Generator

Waste Code Details

Hazardous Waste Code: D008
Waste Code Description: LEAD

Hazardous Waste Handler Details

Sequence No: 1
Receive Date: 20160407
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO
Source Type: Implementer
Federal Waste Generator Code: N
Generator Code Description: Not a Generator, Verified

Owner/Operator Details

Owner/Operator Ind:	Current Owner	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NATIONAL GRID	Street 2:	
Date Became Current:	19000101	City:	SYRACUSE
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202
Owner/Operator Ind:	Current Operator	Street No:	300
Type:	Private	Street 1:	ERIE BLVD W
Name:	NIAGARA MOHAWK POWER CORP	Street 2:	
Date Became Current:	19000101	City:	SYRACUSE
Date Ended Current:		State:	NY
Phone:		Country:	US
Source Type:	Annual/Biennial Report update with Notification	Zip Code:	13202

Historical Handler Details

Receive Dt: 20160224
Generator Code Description: Large Quantity Generator
Handler Name: NATIONAL GRID MH JAMES ST ALBANY

Receive Dt: 20150807
Generator Code Description: Large Quantity Generator
Handler Name: NIAGARA MOHAWK A NATIONAL GRID CO

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. ERIS updates databases as set out in ASTM Standard E1527-13 and E1527-21, Section 8.1.8 Sources of Standard Source Information:

"Government information from nongovernmental sources may be considered current if the source updates the information at least every 90 days, or, for information that is updated less frequently than quarterly by the government agency, within 90 days of the date the government agency makes the information available to the public."

Standard Environmental Record Sources

Federal

National Priority List:

NPL

Sites on the United States Environmental Protection Agency (EPA)'s National Priorities List of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. The NPL, which EPA is required to update at least once a year, is based primarily on the score a site receives from EPA's Hazard Ranking System. A site must be on the NPL to receive money from the Superfund Trust Fund for remedial action. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

Government Publication Date: Oct 26, 2023

National Priority List - Proposed:

PROPOSED NPL

Sites proposed by the United States Environmental Protection Agency (EPA), the state agency, or concerned citizens for addition to the National Priorities List (NPL) due to contamination by hazardous waste and identified by the EPA as a candidate for cleanup because it poses a risk to human health and/or the environment. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

Government Publication Date: Oct 26, 2023

Deleted NPL:

DELETED NPL

Sites deleted from the United States Environmental Protection Agency (EPA)'s National Priorities List. The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate. Sites are represented by boundaries where available in the EPA Superfund Site Boundaries maintained by the Shared Enterprise Geodata and Services (SEGS). Site boundaries represent the footprint of a whole site, the sum of all of the Operable Units and the current understanding of the full extent of contamination; for Federal Facility sites, the total site polygon may be the Facility boundary. Where there is no polygon boundary data available for a given site, the site is represented as a point.

Government Publication Date: Oct 26, 2023

SEMS List 8R Active Site Inventory:

SEMS

The U.S. Environmental Protection Agency's (EPA) Superfund Program has deployed the Superfund Enterprise Management System (SEMS), which integrates multiple legacy systems into a comprehensive tracking and reporting tool. This inventory contains active sites evaluated by the Superfund program that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. This data includes SEMS sites from the List 8R Active file as well as applicable sites from the SEMS GIS/REST file layer obtained from EPA's Facility Registry Service.

Government Publication Date: Jan 26, 2024

SEMS List 8R Archive Sites:

[SEMS ARCHIVE](#)

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System (SEMS) Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. This data includes sites from the List 8R Archived site file.

Government Publication Date: Jan 26, 2024

Inventory of Open Dumps, June 1985:

[ODI](#)

The Resource Conservation and Recovery Act (RCRA) provides for publication of an inventory of open dumps. The Act defines "open dumps" as facilities which do not comply with EPA's "Criteria for Classification of Solid Waste Disposal Facilities and Practices" (40 CFR 257).

Government Publication Date: Jun 1985

Comprehensive Environmental Response, Compensation and Liability Information System -

[CERCLIS](#)

CERCLIS:

Superfund is a program administered by the United States Environmental Protection Agency (EPA) to locate, investigate, and clean up the worst hazardous waste sites throughout the United States. CERCLIS is a database of potential and confirmed hazardous waste sites at which the EPA Superfund program has some involvement. It contains sites that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL. The EPA administers the Superfund program in cooperation with individual states and tribal governments; this database is made available by the EPA.

Government Publication Date: Oct 25, 2013

EPA Report on the Status of Open Dumps on Indian Lands:

[IODI](#)

Public Law 103-399, The Indian Lands Open Dump Cleanup Act of 1994, enacted October 22, 1994, identified congressional concerns that solid waste open dump sites located on American Indian or Alaska Native (AI/AN) lands threaten the health and safety of residents of those lands and contiguous areas. The purpose of the Act is to identify the location of open dumps on Indian lands, assess the relative health and environment hazards posed by those sites, and provide financial and technical assistance to Indian tribal governments to close such dumps in compliance with Federal standards and regulations or standards promulgated by Indian Tribal governments or Alaska Native entities.

Government Publication Date: Dec 31, 1998

CERCLIS - No Further Remedial Action Planned:

[CERCLIS NFRAP](#)

An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. The Archive designation means that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL). This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Government Publication Date: Oct 25, 2013

CERCLIS Liens:

[CERCLIS LIENS](#)

A Federal Superfund lien exists at any property where EPA has incurred Superfund costs to address contamination ("Superfund site") and has provided notice of liability to the property owner. A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. This database is made available by the United States Environmental Protection Agency (EPA). This database was provided by the United States Environmental Protection Agency (EPA). Refer to SEMS LIEN as the current data source for Superfund Liens.

Government Publication Date: Jan 30, 2014

RCRA CORRACTS-Corrective Action:

[RCRA CORRACTS](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. At these sites, the Corrective Action Program ensures that cleanups occur. EPA and state regulators work with facilities and communities to design remedies based on the contamination, geology, and anticipated use unique to each site.

Government Publication Date: Jan 1, 2024

RCRA non-CORRACTS TSD Facilities:

[RCRA TSD](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. This database includes Non-Corrective Action sites that have indicated engagement in the treatment, storage, or disposal of hazardous waste which requires a RCRA hazardous waste permit.

Government Publication Date: Jan 1, 2024

RCRA Generator List:[RCRA LQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Large Quantity Generators (LQGs) generate 1,000 kilograms per month or more of hazardous waste or more than one kilogram per month of acutely hazardous waste.

Government Publication Date: Jan 1, 2024

RCRA Small Quantity Generators List:[RCRA SQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Small Quantity Generators (SQGs) generate more than 100 kilograms, but less than 1,000 kilograms, of hazardous waste per month.

Government Publication Date: Jan 1, 2024

RCRA Very Small Quantity Generators List:[RCRA VSQG](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Very Small Quantity Generators (VSQG) generate 100 kilograms or less per month of hazardous waste, or one kilogram or less per month of acutely hazardous waste. Additionally, VSQG may not accumulate more than 1,000 kilograms of hazardous waste at any time.

Government Publication Date: Jan 1, 2024

RCRA Non-Generators:[RCRA NON GEN](#)

RCRA Info is the U.S. Environmental Protection Agency's (EPA) comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. RCRA Info replaces the data recording and reporting abilities of the Resource Conservation and Recovery Information System (RCRIS) and the Biennial Reporting System (BRS). A hazardous waste generator is any person or site whose processes and actions create hazardous waste (see 40 CFR 260.10). Non-Generators do not presently generate hazardous waste.

Government Publication Date: Oct 2, 2023

RCRA Sites with Controls:[RCRA CONTROLS](#)

List of Resource Conservation and Recovery Act (RCRA) facilities with institutional controls in place. RCRA gives the U.S. Environmental Protection Agency (EPA) the authority to control hazardous waste from the "cradle-to-grave." This includes the generation, transportation, treatment, storage, and disposal of hazardous waste. RCRA also set forth a framework for the management of non-hazardous solid wastes. The 1986 amendments to RCRA enabled EPA to address environmental problems that could result from underground tanks storing petroleum and other hazardous substances.

Government Publication Date: Jan 1, 2024

Federal Engineering Controls-ECs:[FED ENG](#)

List of Engineering controls (ECs) made available by the United States Environmental Protection Agency (EPA). ECs encompass a variety of engineered and constructed physical barriers (e.g., soil capping, sub-surface venting systems, mitigation barriers, fences) to contain and/or prevent exposure to contamination on a property. The EC listing includes remedy component data from Superfund decision documents for applicable sites on the final or deleted on the National Priorities List (NPL); and sites with a Superfund Alternative Approach (SAA) Agreement in place. The only sites included that are not on the NPL; proposed for NPL; or removed from proposed NPL, are those with an SAA Agreement in place.

Government Publication Date: Feb 29, 2024

Federal Institutional Controls-ICs:[FED INST](#)

List of Institutional controls (ICs) made available by the United States Environmental Protection Agency (EPA). ICs are non-engineered instruments, such as administrative and legal controls, that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy. Although it is EPA's expectation that treatment or engineering controls will be used to address principal threat wastes and that groundwater will be returned to its beneficial use whenever practicable, ICs play an important role in site remedies because they reduce exposure to contamination by limiting land or resource use and guide human behavior at a site. The IC listing includes remedy component data from Superfund decision documents for applicable sites on the final or deleted on the National Priorities List (NPL); and sites with a Superfund Alternative Approach (SAA) Agreement in place. The only sites included that are not on the NPL; proposed for NPL; or removed from proposed NPL, are those with an SAA Agreement in place.

Government Publication Date: Feb 29, 2024

Land Use Control Information System:

LUCIS

The LUCIS database is maintained by the U.S. Department of the Navy and contains information for former Base Realignment and Closure (BRAC) properties across the United States.

Government Publication Date: Sep 1, 2006

Institutional Control Boundaries at NPL sites:

NPL IC

Boundaries of Institutional Control areas at sites on the United States Environmental Protection Agency (EPA)'s National Priorities List, or Proposed or Deleted, made available by the EPA's Shared Enterprise Geodata and Services (SEGS). United States Environmental Protection Agency (EPA)'s National Priorities List of the most serious uncontrolled or abandoned hazardous waste sites identified for possible long-term remedial action under the Superfund program. Institutional controls are non-engineered instruments such as administrative and legal controls that help minimize the potential for human exposure to contamination and/or protect the integrity of the remedy.

Government Publication Date: Oct 26, 2023

Emergency Response Notification System:

ERNS 1982 TO 1986

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

Government Publication Date: 1982-1986

Emergency Response Notification System:

ERNS 1987 TO 1989

Database of oil and hazardous substances spill reports controlled by the National Response Center. The primary function of the National Response Center is to serve as the sole national point of contact for reporting oil, chemical, radiological, biological, and etiological discharges into the environment anywhere in the United States and its territories.

Government Publication Date: 1987-1989

Emergency Response Notification System:

ERNS

Database of oil and hazardous substances spill reports made available by the United States Coast Guard National Response Center (NRC). The NRC fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. These data contain initial incident data that has not been validated or investigated by a federal/state response agency.

Government Publication Date: Feb 20, 2024

The Assessment, Cleanup and Redevelopment Exchange System (ACRES) Brownfield Database:

FED BROWNFIELDS

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties protects the environment, reduces blight, and takes development pressures off greenspaces and working lands. This data is provided by the United States Environmental Protection Agency (EPA) and includes Brownfield sites from the Cleanups in My Community (CIMC) web application.

Government Publication Date: Feb 7, 2024

FEMA Underground Storage Tank Listing:

FEMA UST

The Federal Emergency Management Agency (FEMA) of the Department of Homeland Security maintains a list of FEMA owned underground storage tanks.

Government Publication Date: Dec 31, 2017

Facility Response Plan:

FRP

This listing contains facilities that have submitted Facility Response Plans (FRPs) to the U.S. Environmental Protection Agency (EPA). Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit FRPs. Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments. This listing includes FRP facilities from an applicable EPA FOIA file and Homeland Infrastructure Foundation-Level Data (HIFLD) data file.

Government Publication Date: May 2, 2023

Delisted Facility Response Plans:

DELISTED FRP

Facilities that once appeared in - and have since been removed from - the list of facilities that have submitted Facility Response Plans (FRP) to EPA. Facilities that could reasonably be expected to cause "substantial harm" to the environment by discharging oil into or on navigable waters are required to prepare and submit Facility Response Plans (FRPs). Harm is determined based on total oil storage capacity, secondary containment and age of tanks, oil transfer activities, history of discharges, proximity to a public drinking water intake or sensitive environments.

Government Publication Date: May 2, 2023

Historical Gas Stations:

[HIST GAS STATIONS](#)

This historic directory of service stations is provided by the Cities Service Company. The directory includes Cities Service filling stations that were located throughout the United States in 1930.

Government Publication Date: Jul 1, 1930

Petroleum Refineries:

[REFN](#)

List of petroleum refineries from the U.S. Energy Information Administration (EIA) Refinery Capacity Report. Includes operating and idle petroleum refineries (including new refineries under construction) and refineries shut down during the previous year located in the 50 States, the District of Columbia, Puerto Rico, the Virgin Islands, Guam, and other U.S. possessions. Survey locations adjusted using public data.

Government Publication Date: Sep 20, 2023

Petroleum Product and Crude Oil Rail Terminals:

[BULK TERMINAL](#)

A list of petroleum product and crude oil rail terminals from the U.S. Energy Information Administration (EIA), as well as petroleum terminals sourced from the Federal Communications Commission Data hosted by the Homeland Infrastructure Foundation-Level Database. Data includes operable bulk petroleum product terminals with a total bulk shell storage capacity of 50,000 barrels or more, and/or the ability to receive volumes from tanker, barge, or pipeline; also rail terminals handling the loading and unloading of crude oil with activity between 2017 and 2018. EIA petroleum product terminal data comes from the EIA-815 Bulk Terminal and Blender Report, which includes working, shell in operation, and shell idle for several major product groupings.

Government Publication Date: Sep 22, 2023

LIEN on Property:

[SEMS LIEN](#)

The U.S. Environmental Protection Agency's (EPA) Superfund Enterprise Management System (SEMS) provides Lien details on applicable properties, such as the Superfund lien on property activity, the lien property information, and the parties associated with the lien.

Government Publication Date: Jan 26, 2024

Superfund Decision Documents:

[SUPERFUND ROD](#)

This database contains a list of decision documents for Superfund sites. Decision documents serve to provide the reasoning for the choice of (or) changes to a Superfund Site cleanup plan. The decision documents include completed Records of Decision (ROD), ROD Amendments, Explanations of Significant Differences (ESD) for active and archived sites stored in the Superfund Enterprise Management System (SEMS), along with other associated memos and files. This information is maintained and made available by the U.S. Environmental Protection Agency.

Government Publication Date: Dec 26, 2023

Formerly Utilized Sites Remedial Action Program:

[DOE FUSRAP](#)

The U.S. Department of Energy (DOE) established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from the Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations. The DOE Office of Legacy Management (LM) established long-term surveillance and maintenance (LTS&M) requirements for remediated FUSRAP sites. DOE evaluates the final site conditions of a remediated site on the basis of risk for different future uses. DOE then confirms that LTS&M requirements will maintain protectiveness.

Government Publication Date: Mar 4, 2017

State

Registry of Inactive Hazardous Waste Disposal Sites in New York State:

[SHWS](#)

State-and tribal- equivalent CERCLIS. State Superfund Program (Inactive Hazardous Waste Disposal Site Remedial Program) (IHWDS) - Oversees the identification, investigation and cleanup of sites where consequential amounts of hazardous waste exist. These sites go through a process of investigation, evaluation, cleanup and monitoring that has several distinct stages. This list is made available by New York State Department of Environmental Conservation's State Superfund Program.

Government Publication Date: Feb 5, 2024

Delisted Registry of Inactive Hazardous Waste Disposal Sites in New York:

[DELISTED SHWS](#)

This database contains a Registry of Inactive Hazardous Waste Disposal sites which have been removed from New York Department of Environmental Conservation's Environmental Site Remediation database.

Government Publication Date: Feb 5, 2024

Hazardous Substance Waste Disposal Sites:

[HSWDS](#)

A list of sites included in Hazardous Substance Waste Disposal Site Study reports made available by the New York Department of Environmental Conservation Division of Hazardous Waste Remediation. Provides information regarding the evolving status of hazardous substance waste disposal sites in New York.

Vapor Intrusion Legacy Site List:

VAPOR

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion. This list is made available by Department of Environmental Conservation's Vapor Intrusion Legacy Site List. This database is state equivalent CERCLIS.

Government Publication Date: Jan 19, 2024

Solid Waste Facilities and Landfills:

SWF/LF

Solid Waste Information Management System (SWIMS) is an inventory containing active and inactive facilities throughout the state. This list is made available by Department of Environmental Conservation's Solid Waste Information Management System (SWIMS).

Government Publication Date: Apr 7, 2022

Inactive Landfill Facilities:

LANDFILL INACTIVE

List of inactive landfills in the State of New York. This data is made available by the New York State Department of Environmental Conservation (DEC). DEC notes that these are preliminary data and should not be regarded as a complete inventory of all landfills in the State, and also that site locations and attributes are preliminary and should not be relied upon without independent verification.

Government Publication Date: Jan 17, 2023

Waste Tire Facilities:

WASTE TIRE

This list of active Waste Tire Facilities is maintained by the New York State Department of Environmental Conservation. Waste tire storage facilities (WTSF) store waste tires or portions of waste tires. Most of these facilities require Part 360 permits, but under certain conditions a registration maybe available.

Government Publication Date: May 22, 2023

NYC OER Cleanup Sites:

OER CLEANUP

Properties remediated under oversight of the New York City (NYC) Mayor's Office of Environmental Remediation (OER), both in the E-Designation program and the NYC Voluntary Cleanup Program. Includes sites completed and in progress.

Government Publication Date: Feb 20, 2024

Recycling Facilities:

RECYCLING

The Department of Environmental Conservation (DEC), Division of Materials Management (DMM), Bureau of Permitting and Planning regulates solid waste management facilities in accordance with 6 NYCRR Part 360. Information pertaining to those facilities is maintained with the Division's Solid Waste Information Management System (SWIMS) database. The Facility List is a dataset related to solid waste management facilities operating in the state, and includes such information as facility location, contact names and associated information, waste types managed, and regulatory information.

Government Publication Date: May 22, 2023

Leaking Storage Tanks:

LST

This database contains records of chemical and petroleum spill incidents. They include leaking aboveground storage tanks or leaking underground storage tanks, with incidents of tank test failures, tank failures and tank overflow. This list is made available by New York State Department of Environmental Conservation's Spill Response Program.

Government Publication Date: Jan 2, 2024

Delisted Leaking Storage Tanks:

DELISTED LST

List of Leaking Storage Tank sites which has been removed from New York Department of Environmental Conservation's Spill Response Program

Government Publication Date: Jan 2, 2024

Underground Storage Tanks- UST-Petroleum Bulk Storage (PBS):

UST

Facilities within the Petroleum Bulk Storage (PBS) that have underground storage tanks. Underground petroleum storage facilities with a combined storage capacity over eleven hundred (1,100) gallons. This list is made available by New York Department of Environmental Conservation's Environmental Site Database Search.

Government Publication Date: Feb 21, 2024

The Bulk Storage Program Database - AST:

AST

Facilities within the Petroleum Bulk Storage (PBS) that have aboveground storage tanks. Aboveground petroleum storage facilities with a combined storage capacity over eleven hundred (1,100) gallons. This list is made available by New York State Department of Environmental conservation's Petroleum Bulk Storage (PBS) program.

Petroleum Bulk Storage:

TANKS

The Bulk Storage Program Database maintains the registrations of active and inactive bulk storage sites statewide. This database includes Petroleum Bulk Storage (PBS) tanks where no information is available on whether they are ASTs or USTs. This list is made available by Department of Environmental Conservation's Petroleum Bulk Storage (PBS) program.

Government Publication Date: Feb 21, 2024

Major Oil Storage Facilities (MOSF):

MOSF

In 1977, the New York State Legislature passed the "Oil Spill Prevention, Control and Compensation Act" (Article 12 of the Navigation Law). This law regulates all oil terminals and transport vessels operating in the waters of the State which have a storage capacity of 400,000 gallons or more. (Terminals and vessels with a capacity of 400,000 gallons or more are commonly referred to as major oil storage facilities or MOSFs). This list is made available by Department of Environmental Conservation's Major Oil Storage Facility (MOSF) Program.

Government Publication Date: Feb 21, 2024

Chemical Bulk Storage (CBS):

CBS

Facilities that store regulated hazardous substances in aboveground or underground tanks. "Hazardous substance" means any substance listed as hazardous or acutely hazardous in 6 NYCRR Part 597 or a mixture thereof. This list is made available by Department of Environmental Conservation's Chemical Bulk Storage (CBS) Program.

Government Publication Date: Feb 21, 2024

Delisted Storage Tanks:

DELISTED TANKS

List of Storage Tank sites which has been removed from New York Department of Environmental Conservation's Environmental Site Database.

Government Publication Date: Feb 21, 2024

Delisted County Records:

DELISTED COUNTY

Records removed from county databases. Records may be removed from the county lists made available by the respective county departments because they are inactive, or because they have been deemed to be below reportable thresholds.

Government Publication Date: Oct 20, 2023

Registry of Engineering Controls in New York State:

ENG

Registry of Engineering Controls in New York State taken from the Environmental Site Remediation Database.

Government Publication Date: Feb 5, 2024

Registry of Institutional Controls in New York State:

INST

Registry of Institutional Controls in New York State taken from the Environmental Site Remediation Database.

Government Publication Date: Feb 5, 2024

Voluntary Cleanup Agreements:

VCP

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites. This list is made available by Department of Environmental Conservation's Voluntary Cleanup Program.

Government Publication Date: Feb 5, 2024

Environmental Restoration Program Listing:

ERP

Environmental Restoration Program - Provides municipalities with financial assistance for site investigation and remediation at eligible brownfield sites. In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (Bond Act). Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. This list is made available by Department of Environmental Conservation's Environmental Restoration Program.

Government Publication Date: Feb 5, 2024

Brownfields Site List (Subset of Site Remediation):

BROWNFIELDS

Brownfield Cleanup Program was developed to enhance private-sector cleanups of brownfields and to reduce development pressure on "Greenfields". A Brownfield site is real property, the redevelopment or reuse of which may be complicated by the presence or potential presence of a contaminant. Contaminants include hazardous waste and/or petroleum. This list is made available by Department of Environmental Conservation's Brownfield Cleanup Program.

Tribal

Leaking Underground Storage Tanks (LUSTs) on Tribal/Indian Lands:

[INDIAN LUST](#)

This list of leaking underground storage tanks (LUSTs) on Tribal/Indian Lands in Region 2, which includes New York, is made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Jan 28, 2016

Underground Storage Tanks (USTs) on Indian Lands:

[INDIAN UST](#)

This list of underground storage tanks (USTs) on Tribal/Indian Lands in Region 2, which includes New York, is made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Apr 04, 2016

Delisted Tribal Leaking Storage Tanks:

[DELISTED INDIAN LST](#)

Leaking Underground Storage Tank (LUST) facilities which once appeared on - and have since been removed from - the Regional Tribal/Indian LUST lists made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Oct 25, 2023

Delisted Tribal Underground Storage Tanks:

[DELISTED INDIAN UST](#)

Underground Storage Tank (UST) facilities which once appeared on - and have since been removed from - the Regional Tribal/Indian UST lists made available by the United States Environmental Protection Agency (EPA).

Government Publication Date: Oct 25, 2023

County

No County databases were selected to be included in the search.

Additional Environmental Record Sources

Federal

PFAS Greenhouse Gas Emissions Data:

[PFAS GHG](#)

The U.S. Environmental Protection Agency's Greenhouse Gas Reporting Program (GHGRP) collects Greenhouse Gas (GHG) data from large emitting facilities (25,000 metric tons of carbon dioxide equivalent (CO₂e) per year), and suppliers of fossil fuels and industrial gases that results in GHG emissions when used. Includes GHG emissions data for facilities that emit or have emitted since 2010 chemicals identified in EPA's CompTox Chemicals Dashboard list of PFAS without explicit structures and list of PFAS structures by DSSTox. PFAS emissions data has been identified for facilities engaged in the following industrial processes: Aluminum Production (GHGRP Subpart F), HCFC-22 Production and HFC-23 Destruction (Subpart O), Electronics Manufacturing (Subpart I), Fluorinated Gas Production (Subpart L), Magnesium Production (Subpart T), Electrical Transmission and Distribution Equipment Use (Subpart DD), and Manufacture of Electric Transmission and Distribution Equipment (Subpart SS). Over time, other industrial processes with required GHGRP reporting may include PFAS emissions data and the list of reportable gases may change over time.

Government Publication Date: Nov 15, 2023

Facility Registry Service/Facility Index:

[FINDS/FRS](#)

The Facility Registry Service (FRS) is a centrally managed database that identifies facilities, sites, or places subject to environmental regulations or of environmental interest. FRS creates high-quality, accurate, and authoritative facility identification records through rigorous verification and management procedures that incorporate information from program national systems, state master facility records, and data collected from EPA's Central Data Exchange registrations and data management personnel. This list is made available by the U.S. Environmental Protection Agency (EPA).

Government Publication Date: Sep 8, 2023

Toxics Release Inventory (TRI) Program:

[TRIS](#)

The U.S. Environmental Protection Agency's Toxics Release Inventory (TRI) is a database containing data on disposal or other releases of toxic chemicals from U.S. facilities and information about how facilities manage those chemicals through recycling, energy recovery, and treatment. There are currently 770 individually listed chemicals and 33 chemical categories covered by the TRI Program. Facilities that manufacture, process or otherwise use these chemicals in amounts above established levels must submit annual reporting forms for each chemical. Note that the TRI chemical list does not include all toxic chemicals used in the U.S. One of TRI's primary purposes is to inform communities about toxic chemical releases to the environment. This database includes TRI Reporting Data for calendar years 1987 through 2021 and Preliminary Data for 2022.

Government Publication Date: Sep 20, 2023

PFOA/PFOS Contaminated Sites:

[PFAS NPL](#)

This list of Superfund Sites with Per- and Polyfluoroalkyl Substances (PFAS) detections is made available by the U.S. Environmental Protection Agency (EPA) in their PFAS Analytic Tools data, previously the list was obtained by EPA FOIA requests. EPA's Office of Land and Emergency Management and EPA Regional Offices maintain what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment. Limitations: Detections of PFAS at National Priorities List (NPL) sites do not mean that people are at risk from PFAS, are exposed to PFAS, or that the site is the source of the PFAS. The information in the Superfund NPL and Superfund Alternative Agreement (SAA) PFAS detection site list is years old and may not be accurate today. Site information such as site name, site ID, and location has been confirmed for accuracy; however, PFAS-related information such as media sampled, drinking water being above the health advisory, or mitigation efforts has not been verified. For Federal Facilities data, the other Federal agencies (OFA) are the lead agency for their data and provided them to EPA.

Government Publication Date: Dec 18, 2023

Federal Agency Locations with Known or Suspected PFAS Detections:

[PFAS FED SITES](#)

List of Federal agency locations with known or suspected detections of Per- and Polyfluoroalkyl Substances (PFAS), made available by the U.S. Environmental Protection Agency (EPA) in their PFAS Analytic Tools data. EPA outlines that these data are gathered from several federal entities, such as the Federal Superfund program, Department of Defense (DOD), National Aeronautics and Space Administration, Department of Transportation, and Department of Energy. The dates this data was extracted for the PFAS Analytic Tools range from March 2022 to September 2023. Sites on this list do not necessarily reflect the source/s of PFAS contamination and detections do not indicate level of risk or human exposure at the site. Agricultural notifications in this data are limited to DOD sites only. At this time, the EPA is aware that this list is not comprehensive of all Federal agencies.

Government Publication Date: Sep 5, 2023

SSEHRI PFAS Contamination Sites:

[PFAS SSEHRI](#)

This PFAS Contamination Site Tracker database is compiled by the Social Science Environmental Health Research Institute (SSEHRI) at Northeastern University. According to the SSEHRI, the database records qualitative and quantitative data from each known site of PFAS contamination, including timeline of discovery, sources, levels, health impacts, community response, and government response. The goal of this database is to compile information and support public understanding of the rapidly unfolding issue of PFAS contamination. All data presented was extracted from government websites, news articles, or publicly available documents, and this is cited in the tracker. Locations for the Known PFAS Contamination Sites are sourced from the PFAS Sites and Community Resources Map, credited to the Northeastern University's PFAS Project Lab, Silent Spring Institute, and the PFAS-REACH team. Disclaimer: The source conveys the data undergoes regular updates as new information becomes available, some sites may be missing and/or contain information that is incorrect or outdated, as well as their information represents all contamination sites SSEHRI is aware of, not all possible contamination sites. This data is not intended to be used for legal purposes. Access the following source link for the most current information: <https://pfasproject.com/pfas-sites-and-community-resources/>

Government Publication Date: May 19, 2023

National Response Center PFAS Spills:

[ERNS PFAS](#)

This Per- and Poly-Fluoroalkyl Substances (PFAS) Spills dataset is made available via the U.S. Environmental Protection Agency's (EPA) PFAS Analytic Tools. The National Response Center (NRC), operated by the U.S. Coast Guard, is the designated federal point of contact for reporting all oil, chemical, and other discharges into the environment, for the United States and its territories. This dataset contains NRC spill information from 1990 to the present that is restricted to records associated with PFAS and PFAS-containing materials. Incidents are filtered to include only records with a "Material Involved" or "Incident Description" related to Aqueous Film Forming Foam (AFFF). The keywords used to filter the data included "AFFF," "Fire Fighting Foam," "Aqueous Film Forming Foam," "Fire Suppressant Foam," "PFAS," "PERFL," "PFOA," "PFOS," and "Genx." Limitations: The data from the NRC website contains initial incident data that has not been validated or investigated by a federal/state response agency. Keyword searches may misidentify some incident reports that do not contain PFAS. This dataset should also not be considered to be exhaustive of all PFAS spills/release incidents.

Government Publication Date: Jan 24, 2024

PFAS NPDES Discharge Monitoring:

[PFAS NPDES](#)

This list of National Pollutant Discharge Elimination System (NPDES) permitted facilities with required monitoring for Per- and Polyfluoroalkyl (PFAS) Substances is made available via the U.S. Environmental Protection Agency (EPA)'s PFAS Analytic Tools. Any point-source wastewater discharger to waters of the United States must have a NPDES permit, which defines a set of parameters for pollutants and monitoring to ensure that the discharge does not degrade water quality or impair human health. This list includes NPDES permitted facilities associated with permits that monitor for Per- and Polyfluoroalkyl Substances (PFAS), limited to the years 2007 - present. EPA further advises the following regarding these data: currently, fewer than half of states have required PFAS monitoring for at least one of their permittees, and fewer states have established PFAS effluent limits for permittees. For states that may have required monitoring, some reporting and data transfer issues may exist on a state-by-state basis.

Government Publication Date: Feb 19, 2024

Perfluorinated Alkyl Substances (PFAS) from Toxic Release Inventory:

[PFAS TRI](#)

List of Toxics Release Inventory (TRI) facilities at which the reported chemical is a per- or polyfluoroalkyl (PFAS) substance included in the U.S. Environmental Protection Agency's (EPA) consolidated PFAS Master List of PFAS Substances. Encompasses Toxics Release Inventory records included in the EPA PFAS Analytic Tools. The EPA's TRI database currently tracks information on disposal or releases of 770 individually listed toxic chemicals and 33 chemical categories from thousands of U.S. facilities and details about how facilities manage those chemicals through recycling, energy recovery, and treatment. This listing includes TRI Reporting Data for calendar years 1987 through 2021 and Preliminary Data for 2022.

Government Publication Date: Sep 20, 2023

Perfluorinated Alkyl Substances (PFAS) Water Quality:

[PFAS WATER](#)

The Water Quality Portal (WQP) is a cooperative service sponsored by the United States Geological Survey (USGS), the Environmental Protection Agency (EPA), and the National Water Quality Monitoring Council (NWQMC). This listing includes records from the Water Quality Portal where the characteristic (environmental measurement) is in the Environmental Protection Agency (EPA)'s consolidated Master List of PFAS Substances.

Government Publication Date: Jul 20, 2020

PFAS TSCA Manufacture and Import Facilities:

[PFAS TSCA](#)

The U.S. Environmental Protection Agency (EPA) issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. This list is specific only to TSCA Manufacture and Import Facilities with reported per- and poly-fluoroalkyl (PFAS) substances. Data file is sourced from EPA's PFAS Analytic Tools TSCA dataset which includes CDR/Inventory Update Reporting data from 1998 up to 2020. Disclaimer: This data file includes production and importation data for chemicals identified in EPA's CompTox Chemicals Dashboard list of PFAS without explicit structures and list of PFAS structures in DSSTox. Note that some regulations have specific chemical structure requirements that define PFAS differently than the lists in EPA's CompTox Chemicals Dashboard. Reporting information on manufactured or imported chemical substance amounts should not be compared between facilities, as some companies claim Chemical Data Reporting Rule data fields for PFAS information as Confidential Business Information.

Government Publication Date: Jan 5, 2023

PFAS Waste Transfers from RCRA e-Manifest :

[PFAS E-MANIFEST](#)

This Per- and Poly-Fluoroalkyl Substances (PFAS) Waste Transfers dataset is made available via the U.S. Environmental Protection Agency's (EPA) PFAS Analytic Tools. Every shipment of hazardous waste in the U.S. must be accompanied by a shipment manifest, which is a critical component of the cradle-to-grave tracking of wastes mandated by the Resource Conservation and Recovery Act (RCRA). According to the EPA, currently no Federal Waste Code exists for any PFAS compounds. To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: • PFAS • PFOA • PFOS • PERFL • AFFF • GENX • GEN-X (plus the Vermont state-specific waste codes). Limitations: Amount or concentration of PFAS being transferred cannot be determined from the manifest information. Keyword searches may misidentify some manifest records that do not contain PFAS. This dataset should also not be considered to be exhaustive of all PFAS waste transfers.

Government Publication Date: Feb 25, 2024

PFAS Industry Sectors:

[PFAS IND](#)

This Per- and Poly-Fluoroalkyl Substances (PFAS) Industry Sectors dataset is made available via the U.S. Environmental Protection Agency's (EPA) PFAS Analytic Tools. The EPA developed the dataset from various sources that show which industries may be handling PFAS including: EPA's Enforcement and Compliance History Online (ECHO) records restricted to potential PFAS-handling industry sectors; ECHO records for Fire Training Sites identified where fire-fighting foam may have been used in training exercises; and 14 CFR Part 139 Airports compiled from historic and current records from the FAA Airport Data and Information Portal. Since July 2006, all certificated Part 139 Airports are required to have fire-fighting foam onsite that meet certain military specifications, which to date have been fluorinated (Aqueous Film Forming Foam). Limitations: Inclusion in this dataset does not indicate that PFAS are being manufactured, processed, used, or released by the facility. Listed facilities potentially handle PFAS based on their industrial profile, but are unconfirmed by the EPA. Keyword searches in ECHO for Fire Training sites may misidentify some facilities and should not be considered to be an exhaustive list of fire training facilities in the U.S.

Government Publication Date: Dec 4, 2023

Hazardous Materials Information Reporting System:

[HMIRS](#)

The Hazardous Materials Incident Reporting System (HMIRS) database contains unintentional hazardous materials release information reported to the U.S. Department of Transportation, Pipeline and Hazardous Materials Safety Administration.

Government Publication Date: Nov 26, 2023

National Clandestine Drug Labs:

[NCDL](#)

The U.S. Department of Justice ("the Department"), Drug Enforcement Administration (DEA), provides this data as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy.

Government Publication Date: Jul 26, 2023

Toxic Substances Control Act:

[TSCA](#)

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The CDR enables EPA to collect and publish information on the manufacturing, processing, and use of commercial chemical substances and mixtures (referred to hereafter as chemical substances) on the TSCA Chemical Substance Inventory (TSCA Inventory). This includes current information on chemical substance production volumes, manufacturing sites, and how the chemical substances are used. This information helps the Agency determine whether people or the environment are potentially exposed to reported chemical substances. EPA publishes submitted CDR data that is not Confidential Business Information (CBI).

Government Publication Date: Apr 11, 2019

Hist TSCA:

[HIST TSCA](#)

The Environmental Protection Agency (EPA) is amending the Toxic Substances Control Act (TSCA) section 8(a) Inventory Update Reporting (IUR) rule and changing its name to the Chemical Data Reporting (CDR) rule.

The 2006 IUR data summary report includes information about chemicals manufactured or imported in quantities of 25,000 pounds or more at a single site during calendar year 2005. In addition to the basic manufacturing information collected in previous reporting cycles, the 2006 cycle is the first time EPA collected information to characterize exposure during manufacturing, processing and use of organic chemicals. The 2006 cycle also is the first time manufacturers of inorganic chemicals were required to report basic manufacturing information.

Government Publication Date: Dec 31, 2006

FTTS Administrative Case Listing:

[FTTS ADMIN](#)

An administrative case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

Government Publication Date: Jan 19, 2007

FTTS Inspection Case Listing:

[FTTS INSP](#)

An inspection case listing from the Federal Insecticide, Fungicide, & Rodenticide Act (FIFRA) and Toxic Substances Control Act (TSCA), together known as FTTS. This database was obtained from the Environmental Protection Agency's (EPA) National Compliance Database (NCDB). The FTTS and NCDB was shut down in 2006.

Government Publication Date: Jan 19, 2007

Potentially Responsible Parties List:

[PRP](#)

Early in the site cleanup process, the U.S. Environmental Protection Agency (EPA) conducts a search to find the Potentially Responsible Parties (PRPs). The EPA looks for evidence to determine liability by matching wastes found at the site with parties that may have contributed wastes to the site. This listing contains PRPs, Noticed Parties, at sites in the EPA's Superfund Enterprise Management System (SEMS).

Government Publication Date: Jan 26, 2024

State Coalition for Remediation of Drycleaners Listing:

[SCRD DRYCLEANER](#)

The State Coalition for Remediation of Drycleaners (SCRD) was established in 1998, with support from the U.S. Environmental Protection Agency (EPA) Office of Superfund Remediation and Technology Innovation. Coalition members are states with mandated programs and funding for drycleaner site remediation. Current members are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin. Since 2017, the SCRCD no longer maintains this data, refer to applicable state source data where available.

Government Publication Date: Nov 08, 2017

Integrated Compliance Information System (ICIS):

[ICIS](#)

The Integrated Compliance Information System (ICIS) database contains integrated enforcement and compliance information across most of U.S. Environmental Protection Agency's (EPA) programs. The vision for ICIS is to replace EPA's independent databases that contain enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions and a subset of the Permit Compliance System (PCS), which supports the National Pollutant Discharge Elimination System (NPDES). This information is maintained by the EPA Headquarters and at the Regional offices. A future release of ICIS will completely replace PCS and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities that support compliance and enforcement programs, including incident tracking, compliance assistance, and compliance monitoring.

Government Publication Date: Aug 26, 2023

Drycleaner Facilities:

FED DRYCLEANERS

A list of drycleaner facilities from Enforcement and Compliance History Online (ECHO) data as made available by the U.S. Environmental Protection Agency (EPA), sourced from the ECHO Exporter file. The EPA tracks facilities that possess NAIC and SIC codes that classify businesses as drycleaner establishments.

Government Publication Date: Jan 20, 2024

Delisted Drycleaner Facilities:

DELISTED FED DRY

List of sites removed from the list of Drycleaner Facilities (sites in the EPA's Integrated Compliance Information System (ICIS) with NAIC or SIC codes identifying the business as a drycleaner establishment).

Government Publication Date: Jan 20, 2024

Formerly Used Defense Sites:

FUDS

Formerly Used Defense Sites (FUDS) are properties that were formerly owned by, leased to, or otherwise possessed by and under the jurisdiction of the Secretary of Defense prior to October 1986, where the Department of Defense (DOD) is responsible for an environmental restoration. The FUDS Annual Report to Congress (ARC) is published by the U.S. Army Corps of Engineers (USACE). This data is compiled from the USACE's Geospatial FUDS data layers and Homeland Infrastructure Foundation-Level Data (HIFLD) FUDS dataset which applies to the Fiscal Year 2021 FUDS Inventory.

Government Publication Date: May 15, 2023

FUDS Munitions Response Sites:

FUDS MRS

Boundaries of Munitions Response Sites (MRS), published with the Formerly Used Defense Sites (FUDS) Annual Report to Congress (ARC) by the U.S. Army Corps of Engineers (USACE). An MRS is a discrete location within a Munitions response area (MRA) that is known to require a munitions response. An MRA means any area on a defense site that is known or suspected to contain unexploded ordnance (UXO), discarded military munitions (DMM), or munitions constituents (MC). This data is compiled from the USACE's Geospatial MRS data layers and Homeland Infrastructure Foundation-Level Data (HIFLD) MRS dataset.

Government Publication Date: May 15, 2023

Former Military Nike Missile Sites:

FORMER NIKE

This information was taken from report DRXTH-AS-IA-83A016 (Historical Overview of the Nike Missile System, 12/1984) which was performed by Environmental Science and Engineering, Inc. for the U.S. Army Toxic and Hazardous Materials Agency Assessment Division. The Nike system was deployed between 1954 and the mid-1970's. Among the substances used or stored on Nike sites were liquid missile fuel (JP-4); starter fluids (UDKH, aniline, and furfuryl alcohol); oxidizer (IRFNA); hydrocarbons (motor oil, hydraulic fluid, diesel fuel, gasoline, heating oil); solvents (carbon tetrachloride, trichloroethylene, trichloroethane, stoddard solvent); and battery electrolyte. The quantities of material a disposed of and procedures for disposal are not documented in published reports. Virtually all information concerning the potential for contamination at Nike sites is confined to personnel who were assigned to Nike sites. During deactivation most hardware was shipped to depot-level supply points. There were reportedly instances where excess materials were disposed of on or near the site itself at closure. There was reportedly no routine site decontamination.

Government Publication Date: Dec 2, 1984

PHMSA Pipeline Safety Flagged Incidents:

PIPELINE INCIDENT

This list of flagged pipeline incidents is made available by the U.S. Department of Transportation (US DOT) Pipeline and Hazardous Materials Safety Administration (PHMSA). PHMSA regulations require incident and accident reports for five different pipeline system types. Accidents reported on hazardous liquid gravity lines (§195.13) and reporting-regulated-only hazardous liquid gathering lines (§195.15) and incidents reported on Type R gas gathering (§192.8(c)) are not included in the flagged incident file data.

Government Publication Date: Nov 6, 2023

Material Licensing Tracking System (MLTS):

MLTS

A list of sites that store radioactive material subject to the Nuclear Regulatory Commission (NRC) licensing requirements. This list is maintained by the NRC. As of September 2016, the NRC no longer releases location information for sites. Site locations were last received in July 2016.

Government Publication Date: May 11, 2021

Historic Material Licensing Tracking System (MLTS) sites:

[HIST MLTS](#)

A historic list of sites that have inactive licenses and/or removed from the Material Licensing Tracking System (MLTS). In some cases, a site is removed from the MLTS when the state becomes an "Agreement State". An Agreement State is a State that has signed an agreement with the Nuclear Regulatory Commission (NRC) authorizing the State to regulate certain uses of radioactive materials within the State.

Government Publication Date: Jan 31, 2010

Mines Master Index File:

[MINES](#)

The Master Index File (MIF) is provided by the United States Department of Labor, Mine Safety and Health Administration (MSHA). This file, which was originally created in the 1970's, contained many Mine-IDs that were invalid. MSHA removes invalid IDs from the MIF upon discovery. MSHA applicable data includes the following: all Coal and Metal/Non-Metal mines under MSHA's jurisdiction since 1/1/1970; mine addresses for all mines in the database except for Abandoned mines prior to 1998 from MSHA's legacy system (addresses may or may not correspond with the physical location of the mine itself); violations that have been assessed penalties as a result of MSHA inspections beginning on 1/1/2000; and violations issued as a result of MSHA inspections conducted beginning on 1/1/2000.

Government Publication Date: May 1, 2023

Surface Mining Control and Reclamation Act Sites:

[SMCRA](#)

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by the Office of Surface Mining Reclamation and Enforcement (OSMRE) to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). This inventory contains information on the type and extent of Abandoned Mine Land (AML) impacts, as well as information on the cost associated with the reclamation of those problems. The data is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed. Disclaimer: Per the OSMRE, States and tribes who enter their data into eAMLIS (AML Inventory System) may truncate their latitude and longitude so the precise location of usually dangerous AMLs is not revealed in an effort to protect the public from searching for these AMLs, most of which are on private property. If more precise location information is needed, please contact the applicable state/tribe of interest.

Government Publication Date: Jun 13, 2023

Mineral Resource Data System:

[MRDS](#)

The Mineral Resource Data System (MRDS) is a collection of reports describing metallic and nonmetallic mineral resources throughout the world. Included are deposit name, location, commodity, deposit description, geologic characteristics, production, reserves, resources, and references. This database contains the records previously provided in the Mineral Resource Data System (MRDS) of USGS and the Mineral Availability System/Mineral Industry Locator System (MAS/MILS) originated in the U.S. Bureau of Mines, which is now part of USGS. The USGS has ceased systematic updates of the MRDS database with their focus more recently on deposits of critical minerals while providing a well-documented baseline of historical mine locations from USGS topographic maps.

Government Publication Date: Mar 15, 2016

DOE Legacy Management Sites:

[LM SITES](#)

The U.S. Department of Energy (DOE) Office of Legacy Management (LM) currently manages radioactive and chemical waste, environmental contamination, and hazardous material at over 100 sites across the U.S. The LM manages sites with diverse regulatory drivers (statutes or programs that direct cleanup and management requirements at DOE sites) or as part of internal DOE or congressionally-recognized programs, such as but not limited to: Formerly Utilized Sites Remedial Action Program (FUSRAP), Uranium Mill Tailings Radiation Control Act (UMTRCA Title I, Title II), Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), Resource Conservation and Recovery Act (RCRA), Decontamination and Decommissioning (D&D), Nuclear Waste Policy Act (NWPA). This site listing includes data exported from the DOE Office of LM's Geospatial Environmental Mapping System (GEMS). GEMS Data disclaimer: The DOE Office of LM makes no representation or warranty, expressed or implied, regarding the use, accuracy, availability, or completeness of the data presented herein.

Government Publication Date: Dec 12, 2023

Alternative Fueling Stations:

[ALT FUELS](#)

This list of alternative fueling stations is sourced from the Alternative Fuels Data Center (AFDC). The U.S. Department of Energy's Office of Energy Efficiency & Renewable Energy launched the AFDC in 1991 as a repository for alternative fuel vehicle performance data, which provides a wealth of information and data on alternative and renewable fuels, advanced vehicles, fuel-saving strategies, and emerging transportation technologies. The data includes Biodiesel (B20 and above), Compressed Natural Gas (CNG), Electric, Ethanol (E85), Hydrogen, Liquefied Natural Gas (LNG), Propane (LPG), and Renewable Diesel (R20 and above) fuel type locations.

Government Publication Date: Aug 30, 2023

Superfunds Consent Decrees:

[CONSENT DECREES](#)

This list of Superfund consent decrees is provided by the Department of Justice, Environment & Natural Resources Division (ENRD) through a Freedom of Information Act (FOIA) applicable file. This listing includes Consent Decrees for CERCLA or Superfund Sites filed and/or as proposed within the ENRD's Case Management System (CMS) since 2010. CMS may not reflect the latest developments in a case nor can the agency guarantee the accuracy of the data. ENRD Disclaimer: Congress excluded three discrete categories of law enforcement and national security records from the requirements of the FOIA; response is limited to those records that are subject to the requirements of the FOIA; however, this should not be taken as an indication that excluded records do, or do not, exist.

Government Publication Date: Apr 19, 2023

Air Facility System:

[AFS](#)

This EPA retired Air Facility System (AFS) dataset contains emissions, compliance, and enforcement data on stationary sources of air pollution. Regulated sources cover a wide spectrum; from large industrial facilities to relatively small operations such as dry cleaners. AFS does not contain data on facilities that are solely asbestos demolition and/or renovation contractors, or landfills. ECHO Clean Air Act data from AFS are frozen and reflect data as of October 17, 2014; the EPA retired this system for Clean Air Act stationary sources and transitioned to ICIS-Air.

Government Publication Date: Oct 17, 2014

Registered Pesticide Establishments:

[SSTS](#)

This national list of active EPA-registered foreign and domestic pesticide and/or device-producing establishments is based on data from the Section Seven Tracking System (SSTS). The Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) Section 7 requires that each producing establishment must place its EPA establishment number on the label or immediate container of each pesticide, active ingredient or device produced. An EPA establishment number on a pesticide product label identifies the EPA registered location where the product was produced. The list of establishments is made available by the U.S. Environmental Protection Agency (EPA).

Government Publication Date: Mar 1, 2023

Polychlorinated Biphenyl (PCB) Transformers:

[PCBT](#)

Locations of Transformers Containing Polychlorinated Biphenyls (PCBs) registered with the United States Environmental Protection Agency. PCB transformer owners must register their transformer(s) with EPA. Although not required, PCB transformer owners who have removed and properly disposed of a registered PCB transformer may notify EPA to have their PCB transformer de-registered. Data made available by EPA.

Government Publication Date: Oct 15, 2019

Polychlorinated Biphenyl (PCB) Notifiers:

[PCB](#)

Facilities included in the national list of facilities that have notified the United States Environmental Protection Agency (EPA) of Polychlorinated Biphenyl (PCB) activities. Any company or person storing, transporting or disposing of PCBs or conducting PCB research and development must notify the EPA and receive an identification number.

Government Publication Date: Oct 30, 2023

State

Underground Injection Control Wells:

[UIC](#)

A well permit is required from the Division of Mineral Resources for any brine disposal well deeper than 500 feet. This includes any operation to drill, deepen, plug back or convert a well. Regardless of well depth, the NYSDEC Division of Water must be contacted for a determination of whether a SPDES permit is necessary to operate any brine disposal well.

Government Publication Date: Aug 6, 2018

New York City Cooling Tower Registrations:

[COOLING TOWERS NYC](#)

This dataset contains cooling tower systems currently registered in the New York City Cooling Tower Registration Portal and Legionella water test dates as reported by a building's qualified person. Data is provided by the New York City Department of Health and Mental Hygiene. Decommissioned cooling tower systems are excluded from the dataset.

Government Publication Date: Feb 13, 2024

Manufactured Gas Plants:

[MGP](#)

A list of former Manufactured Gas Plants (MGP) made available by the New York Department of Environmental Conservation (NYSDEC). From the late 1800's to the mid 1900's, hundreds of manufactured gas plants across New York State supplied homes and industry with fuel. Former MGP structures such as gas holders, tar separators, wells, and tanks were often susceptible to spills and leaks. As a result, these structures were a significant source of contamination from the release of tar and other toxic by-products.

Government Publication Date: Feb 14, 2024

Spill Incidents Database:

[NY SPILLS](#)

Spill Incidents Database has records dating back to 1978. This database contains records of chemical and petroleum spill incidents. The DEC Spill Response program receives and compiles reports of hazardous material spills occurring anywhere in New York State. These reports are submitted through the Spill Hotline and other mechanisms, and entered by DEC spill response staff into the state's official data base of Spill Incidents Reports. This list is made available by New York State Department of Environmental Conservation's Spill Response Program.

Government Publication Date: Jan 2, 2024

PFAS Remedial Sites:

[PFAS CONTAM](#)

List of sites being addressed under one of the New York Department of Environmental Conservation (DEC) Division of Environmental Remediation (DER)'s remedial programs, where the waste or contaminant of concern is a Per- or polyfluorinated alkyl substance (PFAS) included in the Environmental Protection Agency (EPA)'s consolidated PFAS Master List of PFAS Substances.

Government Publication Date: Feb 5, 2024

Per- and Polyfluoroalkyl Substances (PFAS):

[PFAS](#)

A list of sites surveyed by the New York Department of Environmental Conservation to determine locations that manufacture, use, store, or release into the environment materials containing Per- and Polyfluoroalkyl Substances (PFAS). Per- and Polyfluoroalkyl Substances (PFAS) are a group of chemicals used to make fluoropolymer coatings and products that resist heat, oil, stains, grease, and water. Some PFAS are difficult to break down and persist in the environment that may cause harm to the public. This list is made available by the Department of Environmental Conservation of New York State.

Government Publication Date: Jan 16, 2019

Landfill Investigations PFAS Sampling Results:

[PFAS LANDFILL](#)

A list of inactive landfill sites that have been investigated for Per- and Polyfluoroalkyl Substances (PFAS) in the state of New York made available by the New York State Department of Environmental Conservation.

Government Publication Date: Jun 30, 2020

Registered Dry Cleaner Facilities:

[DRYCLEANERS](#)

The Division of Air Resources of the Department of Environmental Conservation (DEC) tracks all registered dry cleaner facilities.

Government Publication Date: Mar 19, 2024

Delisted Dry Cleaner Facilities:

[DELISTED DRYCLEANERS](#)

Sites removed from the list of dry cleaner facilities registered with the Department of Environmental Conservation (DEC)'s Division of Air Resources.

Government Publication Date: Mar 19, 2024

Hazardous Waste Manifest - Facilities:

[NY MANIFEST](#)

List of facilities located in New York that are included in the Hazardous Waste Manifest Data Downloads Location Address data file made available by the New York Department of Environmental Conservation (DEC), with which no manifests are associated. The Hazardous Waste Manifest Data made available by the NY DEC is compiled from hazardous waste manifest shipments to, from, or within New York State. The Bureau of Program Management, in the Division of Environmental Remediation, is responsible for maintaining hazardous waste manifest records.

Government Publication Date: Dec 5, 2023

Receivers from Hazardous Waste Manifests:

[REC MANIFEST](#)

List of receiver facilities located in New York that are included in the Hazardous Waste Manifest Data Downloads Location Address data file made available by the New York Department of Environmental Conservation (DEC), which are identified as a receiver in associated manifests. The Hazardous Waste Manifest Data made available by the NY DEC is compiled from hazardous waste manifest shipments to, from, or within New York State. The Bureau of Program Management, in the Division of Environmental Remediation, is responsible for maintaining hazardous waste manifest records. Hazardous Waste Code Descriptions are from NY Part 371.4 (6 CRR-NY 371.4) Identification and Listings of Hazardous Waste, unless otherwise noted.

Government Publication Date: Dec 5, 2023

Generators from Hazardous Waste Manifests:

[GEN MANIFEST](#)

List of generator facilities located in New York that are included in the Hazardous Waste Manifest Data Downloads Location Address data file made available by the New York Department of Environmental Conservation (DEC), which are identified as a generator in associated manifests. The Hazardous Waste Manifest Data made available by the NY DEC is compiled from hazardous waste manifest shipments to, from, or within New York State. The Bureau of Program Management, in the Division of Environmental Remediation, is responsible for maintaining hazardous waste manifest records. Hazardous Waste Code Descriptions are from NY Part 371.4 (6 CRR-NY 371.4) Identification and Listings of Hazardous Waste, unless otherwise noted.

Government Publication Date: Dec 5, 2023

New York City E-Designated Sites:

E DESIGNATION

A list of sites with an (E) Designation, described as a New York City (NYC) zoning map designation that indicates the presence of an environmental requirement pertaining to potential hazardous materials contamination, window/wall noise attenuation, or air quality impacts on a particular tax lot. The NYC Office of Environmental Remediation administers the E-Designation Environmental Review Program to avoid significant adverse impacts to human health or the environment through exposure to these hazards. The data is provided by the NYC Department of City Planning (DCP).

Government Publication Date: May 19, 2023

Registered Cooling Towers:

COOLING TOWERS

This dataset contains location, legionella sampling results and operational status information for currently operating cooling towers, as well as information on towers that previously operated, in New York State and New York City. The data is self-reported by the cooling tower operator according to Public Health Law, Section 225(5)(a) Subpart 4-1 – Cooling Towers. Data provided by New York State Department of Health.

Government Publication Date: Feb 7, 2024

Tier 2 Report:

TIER 2

A list of Tier 2 facilities in the state of New York. This is a list of facilities which have reported hazardous substances provided by Homeland Security and Emergency Services.

Government Publication Date: Sep 28, 2022

NY DEC Projects of Interest:

PROJECTS

A list of permits for notable projects - permit applications that have received a lot of public attention - made available by the New York Department of Environmental Conservation (DEC).

Government Publication Date: Jan 3, 2022

Air Permitted Facilities:

AIR PERMITS

This list of issued state facility air permits is maintained by the New York State Department of Environmental Conservation (NYDEC). The listing includes Air State Facility Permits (ASF) and Air Title V Facility Permits (ATV). ASF permits may be required by medium-sized commercial or industrial facilities or larger facilities that have agreed to limit emissions. ATV permits may be required at the largest facilities statewide, or at facilities located in those areas where state implementation plans are in place to improve air quality. Please note: An Issued permit is valid for a stated period of time. Modifications may be made to an issued permit for the remainder of the active permit.

Government Publication Date: Dec 30, 2022

Liens Listing:

LIEN

New York Environmental Protection and Spill Compensation Fund (Oil Spill Fund) places liens on properties that are sites of oil spills when the owners are responsible parties and fail to pay for cleanup. The Office of the State Comptroller provides this listing of liens information from the Oil Spill Fund.

Government Publication Date: Mar 13, 2024

Tribal

No Tribal additional environmental record sources available for this State.

County

No County additional environmental record sources available for this State.

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

APPENDIX F

FREEDOM OF INFORMATION LAW DOCUMENTS

NYSDEC SPILL REPORT FORM

DEC REGION# 4 (Schenectady) SPILL NUMBER 9703078
 SPILL NAME: INTERSECTION DEC LEAD: _____
 CALLER'S NAME: JEAN MEUBECK *Neubeck* NOTIFIER'S NAME: MIKE RALBOVSKY
 CALLER'S AGENCY: ALPHA GEOSCIENCE NOTIFIER'S AGENCY: ALPHA GEOSCIENCE
 CALLER'S PHONE: (518) 462-0096 EXT. _____ NOTIFIER'S PHONE: (518) 462-0096 EXT. _____

SPILL DATE: 08/11/97 TIME: 11:30 *fax'd 7 min - before rec'd*
 CALL RECEIVED DATE: 08/11/97 TIME: 12:45 RECEIVED BY CID #: 311

Material Spilled	Mat Class	Am't Spilled	Units	Am't Recovered
1) <u>UNKNOWN PETROLEUM</u>	<u>Pet-Haz-Other-Unk.</u>	<u>Unknown</u>	<u>(Gal)</u> Lbs	<u>Unknown</u>
2) _____	<u>Pet-Haz-Other-Unk.</u>	_____	<u>Gal - Lbs</u>	_____
3) _____	<u>Pet-Haz-Other-Unk.</u>	_____	<u>Gal - Lbs</u>	_____
4) _____	<u>Pet-Haz-Other-Unk.</u>	_____	<u>Gal - Lbs</u>	_____

<p>SPILL LOCATION</p> <p>PLACE: <u>INTERSECTION</u></p> <p>STREET: <u>PEARL AND MADISON AVE</u></p> <p>T/C/V: <u>ALBANY</u> CO: <u>ALBANY</u></p> <p>CONTACT: <u>PETER HOWARD</u></p> <p>PHONE: <u>(518) 486-4285</u> EXT. _____</p>	<p>POTENTIAL SPILLER</p> <p>NAME: <u>UNK</u></p> <p>STREET: _____</p> <p>CITY: _____</p> <p>STATE: _____ ZIP: _____</p> <p>CONTACT: _____</p> <p>PHONE: _____ EXT. _____</p>
---	---

<p>SPILL CAUSE</p> <p>Human Error Tank Test Failure* Tank Failure</p> <p>Traffic Accident Housekeeping Tank Overfill</p> <p>Equipment Failure Deliberate Other</p> <p>Vandalism Abandoned Drums <u>Unknown</u></p>	<p>SPILL SOURCE</p> <p>Gas Station Private Dwelling Non-Maj Facility</p> <p>Passenger Vehicle Vessel Comm/Indust</p> <p>Comm. Vehicle Railroad Car Non-Comm/Inst</p> <p>Tank Truck Major Facility <u>Unknown</u></p>
---	---

<p>RESOURCE AFFECTED</p> <p><u>On Land</u> Groundwater Air</p> <p>In Sewer Surface Water**</p> <p>**WATERBODY: _____</p>	<p>SPILL REPORTED BY</p> <p>Responsible Party Tank Tester Local Agency</p> <p>Affected Persons DEC Federal Gov't</p> <p>Police Department Citizen <u>Other</u></p> <p>Fire Department Health Dept.</p>
--	--

CALLER REMARKS: GROUND TEST COMPANY FOUND DURING OPERATIONS AT THE ABOVE INTERSECTION UNK PETRO ODORS AND PID READINGS GREATER THAN 100PPM.

FBS Number	Tank Number	Tank Size	Test Method	Leak Rate

PRIMARY CONTACT CALLED DATE: _____ TIME: _____ hrs. REACHED DATE: _____ TIME: _____ hrs.
 SECONDARY CONT. CALLED DATE: _____ TIME: _____ hrs. FAXED BY CID: #2167

PIN #	T & A	Cost Center	ISR to Central Office
Cleanup Cased	Meets S'ds NO	Last Inspection	Penalty NO
RP-CUI	ENF-INIT	INVS-COM	GAP
UST Trust Eligible NO	Site: A B C D E	Resp. Party 1 2 3 4 5 6	Reg Close Date

Created on 08/11/97 Last Updated on 08/11/97 Is Updated? YES EDC DATA INPUT *6/12/97 PWS*

NYSDEC SPILL REPORT FORM



DEC REGION# 4 (Schenectady) SPILL NUMBER 9703078
 SPILL NAME: INTERSECTION DEC LEAD: _____
 CALLER'S NAME: JEAN MEUBECK NOTIFIER'S NAME: MIKE RALBOVSKY
 CALLER'S AGENCY: ALPHA GEOSCIENCE NOTIFIER'S AGENCY: ALPHA GEOSCIENCE
 CALLER'S PHONE: (518) 452-0098 EXT. _____ NOTIFIER'S PHONE: (518) 452-0096 EXT. _____

SPILL DATE: 06/11/97 TIME: 11:30
 CALL RECEIVED DATE: 06/11/97 TIME: 12:45 RECEIVED BY CID #: 311

Material Spilled	Mat. Class	Am't Spilled	Units	Am't Recovered
1) <u>UNKNOWN PETROLEUM</u>	<u>(Pet)</u> Haz-Other-Unk.	<u>Unknown</u>	<u>(Gal)</u> Lbs	<u>Unknown</u>
2) _____	<u>Pet</u> -Haz-Other-Unk.	_____	<u>Gal</u> - Lbs	_____
3) _____	<u>Pet</u> -Haz-Other-Unk.	_____	<u>Gal</u> - Lbs	_____
4) _____	<u>Pet</u> -Haz-Other-Unk.	_____	<u>Gal</u> - Lbs	_____

<p>SPILL LOCATION</p> <p>PLACE: <u>INTERSECTION</u></p> <p>STREET: <u>PEARL AND MADISON AVE</u></p> <p>T/C/V: <u>ALBANY</u> CO: <u>ALBANY</u></p> <p>CONTACT: <u>PETER HOWARD</u></p> <p>PHONE: <u>(518) 486-4296</u> EXT. _____</p>	<p>POTENTIAL SPILLER</p> <p>NAME: <u>UNK</u></p> <p>STREET: _____</p> <p>CITY: _____</p> <p>STATE: _____ ZIP: _____</p> <p>CONTACT: _____</p> <p>PHONE: _____ EXT. _____</p>
---	---

<p>SPILL CAUSE</p> <p>Human Error Tank Test Failure* Tank Failure</p> <p>Traffic Accident Housekeeping Tank Overfill</p> <p>Equipment Failure Deliberate Other</p> <p>Vandalism Abandoned Drums <u>(Unknown)</u></p>	<p>SPILL SOURCE</p> <p>Gas Station Private Dwelling Non-Maj Facility</p> <p>Passenger Vehicle Vessel Comm/Indust</p> <p>Comm. Vehicle Railroad Car Non-Comm/Instit</p> <p>Tank Truck Major Facility <u>(Unknown)</u></p>
---	---

<p>RESOURCE AFFECTED</p> <p><u>(On Land)</u> Groundwater Air</p> <p>In Sewer Surface Water**</p>	<p>SPILL REPORTED BY</p> <p>Responsible Party Tank Tester Local Agency</p> <p>Affected Persons DEC Federal Gov't</p> <p>Police Department Citizen <u>(Other)</u></p> <p>Fire Department Health Dept.</p>
--	--

** WATERBODY: _____

CALLER REMARKS: GROUND TEST COMPANY FOUND DURING OPERATIONS AT THE ABOVE INTERSECTION UNK PETRO ODORS AND PID READINGS GREATER THAN 100PPM.

4/11/97 - Spoke to Tom Pursell of Alpha Ser. - samples to be taken, Old maps do not show any stations in that area.

PBS Number	Tank Number	Tank Size	Test Method	Leak Rate

PRIMARY CONTACT CALLED DATE: _____ TIME: _____ hrs. REACHED DATE: _____ TIME: _____ hrs.
 SECONDARY CONT. CALLED DATE: _____ TIME: _____ hrs. FAXED BY CID#: #2107

PIN #	T & A	Cost Center	ISR to Central Office
Cleanup Ceased	Meets St'ds	NO	Last Inspection
RP-CUI	ENF-INIT	INVS-COM	CAP
UST Trust Eligible	NO	Site: A B C D E	Resp. Party 1 2 3 4 5 6
Reg Close Date			

Created on 06/11/97 Last Updated on 06/11/97 Is Updated? YES EDO DATA INPUT []
 Date Printed: 06/11/97

CTM Analytical Laboratories, Ltd.
 15 Century Hill Drive
 P.O. Box 727
 Latham, NY 12110
 518-786-7100
 FAX 518-786-7139



CHAIN OF CUSTODY RECORD
 LABORATORY SERVICES

CTM TASK # 97K016

Client New York State Dept. of Transportation Sampler's Name Mike Ralovsky (Alpha Geoscience)
 Client Contact Peter Howard (please print) P. Knight
 Project Location Pearl St. Albany, NY CTM Contact
 Purchase Order NYSOT P.I.N. 1753-58-121 Turnaround Time Requested Standard Contract

CTM LAB ID	Sample ID/Description	Date Sampled	Time A = a.m. P = p.m.	Sample Type				Preservative (list by # from list below)	Analysis Required		
				Matrix	C	G	R			A	B
<u>SB-1</u>	<u>(8'-16')</u>	<u>6-11-97</u>	<u>09:30 A</u>	<u>Soil</u>	<u>X</u>				<u>4</u>	<u>ReSidge</u>	<u>Hazardous waste</u>
<u>SB-2</u>	<u>(0.5'-7.0')</u>	<u>6-11-97</u>	<u>10:20 A</u>	<u>Soil</u>	<u>X</u>				<u>4</u>	<u>ReSidge</u>	<u>characterization (excludes PCBs, pest/herb)</u>
<u>SB-4</u>	<u>(8'-12')</u>	<u>6-11-97</u>	<u>11:55 A</u>	<u>Soil</u>	<u>X</u>				<u>1</u>	<u>ReSidge</u>	<u>8021 (Stines) 8270 (SP/STAY)</u>
<u>SB-4</u>	<u>(8'-12')</u>	<u>6-11-97</u>	<u>11:55 A</u>	<u>Soil</u>	<u>X</u>				<u>1</u>	<u>ReSidge</u>	<u>Petroleum ID 310.14</u>
											<u>XICLP (no Pest/Herb)</u>
											<u>Residue CM/Sulfide</u>
											<u>FRESH / CARRYOVER</u>

Sampled by: (signature)	Date/Time	Received by: (signature)	Date/Time	Preservatives	Sample Condition
<u>[Signature]</u>	<u>6-11-97 14:40</u>	<u>[Signature]</u>		1. HCl 2. HNO ₃ 3. NaOH 4. Na ₂ O ₃ 5. Zn Acet	1. Samples intact? Y N 2. Custody seals intact? Y N 3. Preserved properly? Y N 4. Ambient or chilled? 5. C.O.C. received with samples? Y N
Relinquished by: (signature)		Received by: (signature)		6. Ascorbic 7. H ₂ SO ₄ 8. F (Filtered) 9. N (not preserved) 10. Other	
Relinquished by: (signature)		Received by: (signature)			
Dispatched by: (signature)	<u>6/11/97 14:40</u>	Received for Laboratory by: <u>[Signature]</u>	<u>6/11/97</u>		

NOTES/COMMENTS:
 Please send copy of lab report to Mike Ralovsky @ Alpha Geoscience, 400 Trillion Lane, Albany, NY 12203
 NYSOT P.I.N. 1753-58-121



Geology

Hydrology

Remediation

Water Supply

July 15, 1997

Mr. Peter Howard, P. E.
Design Unit
NYSDOT Region 1 Office
84 Holland Avenue
Albany, New York 12208

Re: Results of Soil Boring Programs
Pearl Street Rehabilitation Project
P.I.N. 1753-58-121;

Dear Mr. Howard:

This letter summarizes the results of two soil boring programs performed at the referenced site. The first program included one boring drilled by the NYS Department of Transportation on April 29, 1997, near the southwest corner of the intersection of Pearl and Howard Streets as outlined in Alpha's letter dated April 17, 1997. The general location of the boring is shown on the attached Drainage and Utility drawing No. 13. The boring was drilled by NYSDOT in order to collect geotechnical information for construction purposes. Soil samples were collected at the boring, designated SB-1, from ground surface to approximately ten feet, to log stratigraphy and screen the soil for indications of contamination by visual and olfactory means, and via headspace screening utilizing a calibrated photoionization detector (PID). The results of the screening and observation did not indicate the presence of petroleum contamination. Copies of the soil boring log and organic vapor screening log are attached.

The second boring program was performed on June 11, 1997, in the area of the former Mendelson and Sons Chemical Dye Works located near the southeast corner of the intersection of Pearl Street and Madison Avenue. The borings were installed by Aquifer Drilling and Testing, Inc. and Alpha Geoscience to investigate the area of an historical chemical-handling facility. The boring locations are shown on the attached Figure 1, modified from Drainage and Utility drawing No. 1. Four soil borings, designated SB-1, SB-2, SB-3, and SB-4 were advanced to collect samples to log soil stratigraphy, and for field screening and laboratory analysis. The results of the field screening indicated elevated PID measurements, visual staining and petroleum odor in the soil at depths of approximately six to ten feet at location SB-3, and from six to at least sixteen feet at SB-4. Copies of the soil boring logs and the organic vapor screening log are attached.

One soil sample was retained from the two borings SB-1 and SB-2 for laboratory analysis of hazardous waste characteristics and a third sample from SB-4 was also analyzed for petroleum identification. The results of the analysis indicate the two samples from SB-1 and SB-2 are not characteristically hazardous. Constituents of petroleum were detected in concentrations which

exceed the New York State Department of Environmental Conservation (NYSDEC) petroleum-contaminated soil guidelines in the sample collected from SB-4. The petroleum identification scan indicated that No. 2 fuel oil was detected. Copies of the laboratory analytical reports are attached.


The petroleum contamination was reported to the NYS Department of Environmental Conservation Spill Hotline and the site was assigned Spill No. 97-03078.

We are currently working on the specifications and special notes for handling of any contaminated soil which may be encountered during planned NYS Department of Transportation excavation activities. A copy of this report will be sent to the NYSDEC Region 4 office.

Please contact me or Jean Neubeck if you have any questions regarding this report.

Sincerely,

Alpha Geoscience



Michael S. Ralbovsky
Hydrogeologist

Enclosures

cc: Gregory Menard, P.E. (NYSDOT)
Jeanne Hewitt (NYSDOT)
William Christensen (NYSDEC)
Paul D. Romano, P.E. (Harza)

d:\dot\pearl1st\drillres.ltr



Alpha Geoscience
400 Trillium Lane
Albany, New York 12203

DRILLING LOG

Boring ID: SB-1

Page 1 of 1

Project Number/Name: Pearl Street / 97111 Location: SW corner of Pearl St. at Howard St.

Drilling Contractor/Personnel: NYSDOT: Andy Johnson, Driller; Scott Misener, Supervisor

Geologist/Inspector: Jean M. Neubeck Start/ Finish Date: 4/29/97

Drilling Equip/Method: CME Rig, 4 1/4" HSA Size/Type of Bit: Auger

Sampling Method: 2 foot long, 2" ID split spoon Well Installed? No

Elevation/Ground Surface: Not Available

Depth to Ground Water from Ground Surface (Date): Not encountered

REMARKS:

Depth (Ft)	Sample No.	Blows Per 6 In.	Recovery (ft)	DESCRIPTION	Unified Classification	REMARKS
2	S-1			0 - 2.3' is asphalt and thick concrete		Driller injected water to cool bit, sample is wet
4	S-2	22.32 22.15	2"	2.3-4.3' gray and brown fine to coarse Sand	SP	Sample is wet from injection water
6	S-3	4.3 2.3	0.5'	4.3-6.3' gray and brown fine to coarse Sand, trace fine to medium Gravel, trace angular coarse Gravel/fragments	SP	Sample is wet from injection water. Headspace sample collected
8	S-4	80.4 4.5	2.0'	6.3-7.8' gray and brown fine to coarse Sand, trace Gravel, little fragments red brick, bottom 5" is wood fragments and fiber		Headspace sample collected
10	S-5	8.10 12.10	2.0'	@ 7.8' is 6" of light blue/green-gray Clay, trace Silt Clay, as above; slight organic odor; no petroleum odor	CL	No headspace sample collected
				Base of boring observed by Alpha = 10.3' below ground surface		

Proportions Used: Trace=0-10% Little=10-20% Some=20-35% And=35-50%



Alpha Geoscience
400 Trillium Lane
Albany, New York 12203

DRILLING LOG

Boring ID: SB-1

Page 1 of

Project Number/Name: 97111/Pearl St. Rehabilitation Location: SE corner of Madison Ave. and Pearl St.

Drilling Contractor/Personnel: ADT: Marquis Larabie, Joe Miranda

Geologist/Inspector: M. Ralbovsky

Start/ Finish Date: 6/11/97

Drilling Equip/Method: Geoprobe

Size/Type of Bit: 2" direct push

Sampling Method: 4' long, 2" OD macro-core

Well Installed? No

Elevation/Ground Surface: Not Available

Depth to Ground Water from Ground Surface (Date): ~12' (perched? 6/11/97)

REMARKS:

Depth (Ft)	Sample No.	Blows Per 6 In.	Recovery (ft)	DESCRIPTION	Unified Classification	REMARKS
		NA		Concrete	0.5'	
2	S-1		3.2	Dark brown coarse to fine Sand, some coarse to fine Gravel		Moist
4						
6	S-2		3.6	Brown Silt and Clay (disturbed)	5.5' - 7.0'	Moist
8				Gray green Silty Clay; pieces of brick, disturbed		
10	S-3		3.6	Gray brown fine Sand, some Silty Clay		Moist to Wet ~12'
12				Mixed, disturbed soil		
14	S-4		3.8	Green Silty Clay		
16		▼			16.0'	Dry
				End of Boring		

Proportions Used: Trace=0-10% Little=10-20% Some=20-35% And=35-50%



Alpha Geoscience
400 Trillium Lane
Albany, New York 12203

DRILLING LOG

Boring ID: **SB-2**

Page 1 of 1

Project Number/Name: **97111 / Pearl St. Rehabilitation** Location: **SE corner of Madison Ave + Pearl St.**

Drilling Contractor/Personnel: **ADT: Marquis Laramie, Joe Miranda**

Geologist/Inspector: **M. Rathovsky**

Start/Finish Date: **6/11/97**

Drilling Equip/Method: **Geoprobe**

Size/Type of Bit: **2" direct push**

Sampling Method: **4' long, 2" OD macro-core**

Well Installed? **No**

Elevation/Ground Surface: **Not available**

Depth to Ground Water from Ground Surface (Date):

REMARKS:

Depth (Ft)	Sample No.	Blows Per 6 In.	Recovery (ft)	DESCRIPTION	Unified Classification	REMARKS
2	S-1	NA	3.8	Brown Clay + Silt; soil appears disturbed		Moist
4	S-2					
6	S-3		3.6	Brown Silty Clay		Moist
8	S-4					
10	S-5		3.8	Brown Silty Clay; varved		Moist to wet @ ~12'
12	S-6	↓	12.0			
				End of boring		

Proportions Used: Trace=0-10% Little=10-20% Some=20-35% And=35-50%



Alpha Geoscience
400 Trillium Lane
Albany, New York 12203

DRILLING LOG

Boring ID: SB-3

Page 1 of 1

Project Number/Name: 97111 / Pearl St. Rehabilitation Location: SE corner of Madison Ave + Pearl St
 Drilling Contractor/Personnel: ADT: Marquis Laramie, Joe Miranda
 Geologist/Inspector: M. Rathovsky Start/ Finish Date: 6/11/97
 Drilling Equip/Method: Geoprobe Size/Type of Bit: 2" direct push
 Sampling Method: 4' long, 2" OD macro-core Well Installed? No
 Elevation/Ground Surface: Not available
 Depth to Ground Water from Ground Surface (Date):

REMARKS:

Depth (Ft)	Sample No.	Blows Per 6 In.	Recovery (ft)	DESCRIPTION	Unified Classification	REMARKS
2	S-1	NA	2.2	Brown coarse to fine Sand, little coarse to fine gravel		Moist
4	S-2					
6	S-3		3.4	Brown green coarse to fine Sand, little coarse to fine gravel		Moist
8	S-4					
10	S-5		2.7	Gray fine Sand		Moist, petroleum odor
				Green brown silty Clay		Dry to moist
12	S-6	↓		Brown silty Clay		
				End of boring		

Proportions Used: Trace=0-10% Little=10-20% Some=20-35% And=35-50%



Alpha Geoscience
400 Trillium Lane
Albany, New York 12203

DRILLING LOG

Boring ID: SB-4

Page 1 of 1

Project Number/Name: 97111 / Pearl St. Rehabilitation Location: SE corner of Madison Ave + Pearl St.

Drilling Contractor/Personnel: ADT: Marquis Laramie, Joe Miranda

Geologist/Inspector: M. Ralbosky Start/ Finish Date: 6/11/97

Drilling Equip/Method: Geoprobe Size/Type of Bit: 2" direct push

Sampling Method: 4' long, 2" OD macro-core Well Installed? No

Elevation/Ground Surface: Not available

Depth to Ground Water from Ground Surface (Date):

REMARKS:


Depth (Ft)	Sample No.	Blows Per 6 In.	Recovery (ft)	DESCRIPTION	Unified Classification	REMARKS
2	S-1	NA	1.7	Brown coarse to fine Sand, little coarse to fine gravel		Moist
4	S-2					
6	S-3		1.9	Brown green coarse to fine Sand, little coarse to fine gravel		Moist Petroleum odor
8	S-4					
10	S-5		2.7	Gray fine Sand		Moist Sheenan soil
12	S-6			Brown Clay + Silt, some fine gravel		Moist petroleum odor
14	S-7		3.5	Same as above		
16	S-8	↓		End of boring		

Proportions Used: Trace=0-10% Little=10-20% Some=20-35% And=35-50%

ORGANIC VAPOR SCREENING LOG

PROJECT: Pearl Street Rehabilitation/97111	PAGE 1 of 1
CLIENT: NYSDOT	
LOCATION: SE corner of Pearl St. and Madison Ave., Albany, NY	DATE COLLECTED: 6/11/97
INSTRUMENT USED: HNU DL-101	LAMP: 10.2 eV
DATE INSTRUMENT CALIBRATED: 6/10/97	By: SMT
TEMPERATURE OF SOIL: ~70°F	ANALYST: Michael S. Ralbovsky

Location ID	Sample Number	Depth (ft)	Sample Type	Sample Reading (ppm)	Background Reading (ppm)	Remarks
SB-1		0 - 2	Soil	0.6	0.3	
SB-1		2 - 4	Soil	1.3	0.3	
SB-1		4 - 6	Soil	1.5	0.3	
SB-1		6 - 8	Soil	1.2	0.3	
SB-1		8 - 10	Soil	2.2	0.3	
SB-1		10 - 12	Soil	1.5	0.3	
SB-1		12 - 14	Soil	3.3	0.3	
SB-1		14 - 16	Soil	3.6	0.3	
SB-2		0 - 2	Soil	0.5	0.3	
SB-2		2 - 4	Soil	0.6	0.3	
SB-2		4 - 6	Soil	0.8	0.3	
SB-2		6 - 8	Soil	0.7	0.3	
SB-2		8 - 10	Soil	0.8	0.3	
SB-2		10 - 12	Soil	1.1	0.3	
SB-3		0 - 2	Soil	0.9	0.3	
SB-3		2 - 4	Soil	1.0	0.3	
SB-3		4 - 6	Soil	3.3	0.3	
SB-3		6 - 8	Soil	44.1	0.3	
SB-3		10 - 12	Soil	2.2	0.3	
SB-4		0 - 2	Soil	2.8	0.3	
SB-4		4 - 6	Soil	4.6	0.3	
SB-4		6 - 8	Soil	79.7	0.3	
SB-4		8 - 10	Soil	107	0.3	Sheen on soil
SB-4		12 - 14	Soil	51.7	0.3	
SB-4		14 - 16	Soil	31.7	0.3	



LEGEND

⊕ Soil Boring Location and Designation
SB-1

Map adapted from drawing provided by the NYSDOT, no reference number included.



FIGURE 1
SOIL BORING LOCATIONS

Pearl Street Rehabilitation
South Pearl St. & Madison Ave.
NYSDOT P.I.N. 1753-58-121
Project No. 97111

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
P.O. Box 727
Latham, NY 12110
518-786-7100
FAX 518-786-7139

RECEIVED
JUL 14 1997
DUPLICATE



GC/MS
GC
ICAP
Sampling Services

Laboratory Analysis Report
Prepared for: NYS DOT CONSULTANT MGMT. BUREAU
CTM Project Number: 9913030
CTM Task Number: 9706110
09 JUL 1997

IMPORTANT - PLEASE NOTE

1. All results are calculated on a dry weight basis unless otherwise specified.
2. PQL = Practical Quantitation Limit.
3. A result with a "D" means that the result was "Detected" below the Practical Quantitation Limit (PQL), but above the Method Detection Limit (MDL).
4. ND = Not Detected at or above the PQL.
5. NTP = Non-target peaks (1-5 peaks).
MNTP = Many non-target peaks (5+ peaks).
6. pH results not performed in the field should be considered estimated since the holding time is 15 minutes from the sampling time.
7. If the samples are collected independently of our laboratory, CTM is not responsible for the possible contamination during the sampling procedure.
8. Methylene chloride and acetone are common laboratory artifacts for volatile organic analysis. Bis-(2-ethyl-hexyl) phthalate and di-n-butylphthalate are common laboratory artifacts for GC/MS semivolatile analysis. Other compounds may also appear as laboratory artifacts for the organic analyses. The above compounds will be flagged as suspected laboratory artifacts if the detected value is less than five (5) times of the PQL in the sample. Acetone will be flagged as a suspected laboratory artifact only up to two and a half (2.5) times of the PQL.
9. If air samples are collected independently of our laboratory, CTM is not responsible for inadequate sample volume for air analysis.

AUTHORIZED FOR RELEASE:

DATE: 7/9/97

CERTIFICATIONS:

NYS E.L.A.P. ID NO: 10358


MA: NY052

CT: PH-0551

NJ: 73581

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
 P.O. Box 727
 Latham, NY 12110
 518-786-7100
 FAX 518-786-7139



GC/MS
 GC
 ICAP
 Sampling Services

NYS DOT CONSULTANT MGMT. BUREAU
 1220 WASHINGTON AVE. BLDG. 4
 ALBANY NY 12232

CTM PROJECT #: 9913030

Attention: MR. PETER HOWARD

CTM Task #: 9706110

Purchase Order Number:
 Date Sampled: 06/11/97 Time: 9:30 AM
 Sampled By : RALBOVSKY
 Sample Id: SB-1 (8'-16')
 Location : PEARL ST., ALBANY

CTM Sample No: 9706110 01
 Date Received: 06/11/97
 Collection Method: COMPOSITE
 Matrix: SOIL

Parameters and Standard Methodology Used

Parameters and Standard Methodology Used		Results	PQL	Unit	Analyst Reference
% SOLIDS	CLP SOW 4/89	82.1		%	ACM 6/12/97
TCLP BASE/NEUTRALS	SW-846 METHOD 8270 BASE/NEUTRALS	COMPLETED			GCMSB:35 7/1/97
EXTRACTION FOR TCLP B/N	SW-846 METHOD 8270	COMPLETED			MPC 6/21/97
HEXACHLOROBENZENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS	ND	20	MCG/L	GCMSB:35 7/1/97
HEXACHLOROBUTADIENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS	ND	20	MCG/L	GCMSB:35 7/1/97
PYRIDINE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS	ND	20	MCG/L	GCMSB:35 7/1/97
2,4-DINITROTOLUENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS	ND	20	MCG/L	GCMSB:35 7/1/97
HEXACHLOROETHANE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS	ND	20	MCG/L	GCMSB:35 7/1/97
NITROBENZENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS	ND	20	MCG/L	GCMSB:35 7/1/97
1,4-DICHLOROBENZENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS	ND	20	MCG/L	GCMSB:35 7/1/97
TCLP EXTRACTION	SW-846 METHOD 1311	COMPLETED			D-23:32 6/14/97
TCLP ACID EXTRACTABLES	SW-846 METHOD 8270	COMPLETED			GCMSB:35 7/1/97
EXTRACTION FOR TCLP ACID/EXT.	SW-846 METHOD 8270	COMPLETED			MPC 6/21/97
O-CRESOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION	ND	20	MCG/L	GCMSB:35 7/1/97
PENTACHLOROPHENOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION	ND	100	MCG/L	GCMSB:35 7/1/97
2,4,5-TRICHLOROPHENOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION	ND	100	MCG/L	GCMSB:35 7/1/97
2,4,6-TRICHLOROPHENOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION	ND	20	MCG/L	GCMSB:35 7/1/97
M & P CRESOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION	ND	40	MCG/L	GCMSB:35 7/1/97
ACID DIGESTION ON TCLP EXTRACTS	SW-846 METHOD 3010	COMPLETED			D-23:37 6/18/97
MERCURY PREPARATION - TCLP	SW-846 METHOD 7471	COMPLETED			D-23:34 6/16/97
ARSENIC, BY TCLP	SW-846 METHOD 6010	ND	0.10	MG/L	F-7:6 6/19/97
BARIUM, BY TCLP	SW-846 METHOD 6010	0.80	0.050	MG/L	F-7:6 6/19/97
CADMIUM, BY TCLP	SW-846 METHOD 6010	ND	0.005	MG/L	F-7:6 6/19/97
CHROMIUM, BY TCLP	SW-846 METHOD 6010	ND	0.010	MG/L	F-7:6 6/19/97
LEAD, BY TCLP	SW-846 METHOD 6010	ND	0.050	MG/L	F-7:6 6/19/97
MERCURY, BY TCLP	SW-846 METHOD 7471	ND	0.0002	MG/L	E-5:43 6/17/97
SELENIUM, BY TCLP	SW-846 METHOD 6010	ND	0.075	MG/L	F-7:6 6/19/97
SILVER, BY TCLP	SW-846 METHOD 6010	ND	0.010	MG/L	F-7:6 6/19/97
TCLP-ZERO HEADSPACE EXTRACTION	SW-846 METHOD 1311	COMPLETED			MPC 6/13/97
TCLP VOLATILES	SW-846 METHOD 8240	COMPLETED			
PURGE & TRAP EXTRACTION	SW-846 METHOD 5030	COMPLETED			
BENZENE (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97

(CONTINUES ON NEXT PAGE)

REMARKS:

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
 P.O. Box 727
 Latham, NY 12110
 518-786-7100
 FAX 518-786-7139



GC/MS
 GC
 ICAP
 Sampling Services

NYS DOT CONSULTANT MGMT. BUREAU
 1220 WASHINGTON AVE. BLDG. 4
 ALBANY NY 12232

CTM PROJECT #: 9913030

CTM Task #: 9706110

Attention: MR. PETER HOWARD

Purchase Order Number:
 Date Sampled: 06/11/97 Time: 9:30 AM
 Sampled By : RALBOVSKY
 Sample Id: SB-1 (8'-16')
 Location : PEARL ST., ALBANY

CTM Sample No: 9706110 01
 Date Received: 06/11/97
 Collection Method: COMPOSITE
 Matrix: SOIL

Parameters and Standard Methodology Used

Results PQL Unit Analyst Reference

(CONTINUED FROM PREVIOUS PAGE)

CARBON TETRACHLORIDE (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97
CHLOROBENZENE (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97
CHLOROFORM (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97
1,4-DICHLOROBENZENE (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97
1,2-DICHLOROETHANE (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97
1,1-DICHLOROETHYLENE (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97
METHYL ETHYL KETONE (TCLP)	SW-846 METHOD 8240	ND	10	MCG/L	GCMSCE:89 6/26/97
TETRACHLOROETHYLENE (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97
TRICHLOROETHENE (TCLP)	SW-846 METHOD 8240	ND	5	MCG/L	GCMSCE:89 6/26/97
VINYL CHLORIDE (TCLP)	SW-846 METHOD 8240	ND	10	MCG/L	GCMSCE:89 6/26/97
REACTIVE CYANIDE DISTILLATION	SW-846 METHOD 7.3.3.2	COMPLETED			PL 6/17/97
CYANIDE, REACTIVE	SW-846 METHOD 7.3.3.2	(2) ND	1	MG/KG	PL 6/17/97
SULFIDE, REACTIVE	SW-846 METHOD 7.3.4.2	ND	3	MG/KG	PL 6/18/97
FLASH POINT	SW-846 METHOD 1010	> 200	70	oF	ACM 6/12/97
CORROSIVITY	EPA,EVAL.SOLID WASTE,1980.40 CFR 261.22	NON-CORROS			ACM 6/12/97

REMARKS: (2) The concentration of total cyanide for this sample is less than 100 mg/kg. This is well below the reactive cyanide regulatory level of 250 mg/kg. A reactive cyanide analysis is not necessary.

LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
 P.O. Box 727
 Latham, NY 12110
 518-786-7100
 FAX 518-786-7139



GC/MS
 GC
 ICAP
 Sampling Services

NYS DOT CONSULTANT MGMT. BUREAU
 1220 WASHINGTON AVE. BLDG. 4
 ALBANY NY 12232

CTM PROJECT #: 9913030

Attention: MR. PETER HOWARD

CTM Task #: 9706110

Purchase Order Number:
 Date Sampled: 06/11/97 Time: 10:20 AM
 Sampled By: RALBOVSKY
 Sample Id: SB-2 (0.5'-7.0')
 Location: PEARL ST., ALBANY

CTM Sample No: 9706110 02
 Date Received: 06/11/97
 Collection Method: COMPOSITE
 Matrix: SOIL

Parameters and Standard Methodology Used

% SOLIDS	CLP SOW 4/89
TCLP BASE/NEUTRALS	SW-846 METHOD 8270 BASE/NEUTRALS
EXTRACTION FOR TCLP B/N	SW-846 METHOD 8270
HEXACHLOROBENZENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS
HEXACHLOROBUTADIENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS
PYRIDINE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS
2,4-DINITROTOLUENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS
HEXACHLOROETHANE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS
NITROBENZENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS
1,4-DICHLOROBENZENE (TCLP)	SW-846 METHOD 8270 BASE/NEUTRALS
TCLP EXTRACTION	SW-846 METHOD 1311
TCLP ACID EXTRACTABLES	SW-846 METHOD 8270
EXTRACTION FOR TCLP ACID/EXT.	SW-846 METHOD 8270
O-CRESOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION
PENTACHLOROPHENOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION
2,4,5-TRICHLOROPHENOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION
2,4,6-TRICHLOROPHENOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION
M & P CRESOL (TCLP)	SW-846 METHOD 8270 ACID FRACTION
TCLP-ZERO HEADSPACE EXTRACTION	SW-846 METHOD 1311
TCLP VOLATILES	SW-846 METHOD 8240
PURGE & TRAP EXTRACTION	SW-846 METHOD 5030
BENZENE (TCLP)	SW-846 METHOD 8240
CARBON TETRACHLORIDE (TCLP)	SW-846 METHOD 8240
CHLOROBENZENE (TCLP)	SW-846 METHOD 8240
CHLOROFORM (TCLP)	SW-846 METHOD 8240
1,4-DICHLOROBENZENE (TCLP)	SW-846 METHOD 8240
1,2-DICHLOROETHANE (TCLP)	SW-846 METHOD 8240
1,1-DICHLOROETHYLENE (TCLP)	SW-846 METHOD 8240
METHYL ETHYL KETONE (TCLP)	SW-846 METHOD 8240
TETRACHLOROETHYLENE (TCLP)	SW-846 METHOD 8240
TRICHLOROETHENE (TCLP)	SW-846 METHOD 8240
VINYL CHLORIDE (TCLP)	SW-846 METHOD 8240

Results	PQL	Unit	Analyst Reference
82.1		X	ACM 6/12/97
COMPLETED			GCMSB:35 7/1/97
COMPLETED			MPC 6/21/97
ND	20	MCG/L	GCMSB:35 7/1/97
ND	20	MCG/L	GCMSB:35 7/1/97
ND	20	MCG/L	GCMSB:35 7/1/97
ND	20	MCG/L	GCMSB:35 7/1/97
ND	20	MCG/L	GCMSB:35 7/1/97
ND	20	MCG/L	GCMSB:35 7/1/97
ND	20	MCG/L	GCMSB:35 7/1/97
COMPLETED			D-23:32 6/14/97
COMPLETED			GCMSB:35 7/1/97
COMPLETED			MPC 6/21/97
ND	20	MCG/L	GCMSB:35 7/1/97
ND	100	MCG/L	GCMSB:35 7/1/97
ND	100	MCG/L	GCMSB:35 7/1/97
ND	20	MCG/L	GCMSB:35 7/1/97
ND	40	MCG/L	GCMSB:35 7/1/97
COMPLETED			MPC 6/13/97
COMPLETED			
COMPLETED			
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	10	MCG/L	GCMSCE:89 6/26/97
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	5	MCG/L	GCMSCE:89 6/26/97
ND	10	MCG/L	GCMSCE:89 6/26/97

(CONTINUES ON NEXT PAGE)

REMARKS:

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
 P.O. Box 727
 Latham, NY 12110
 518-786-7100
 FAX 518-786-7139



GC/MS
 GC
 ICAP
 Sampling Services

NYS DOT CONSULTANT MGMT. BUREAU
 1220 WASHINGTON AVE. BLDG. 4
 ALBANY NY 12232

CTM PROJECT #: 9913030

Attention: MR. PETER HOWARD

CTM Task #: 9706110

Purchase Order Number:
 Date Sampled: 06/11/97 Time: 10:20 AM
 Sampled By : RALBOVSKY
 Sample Id: SB-2 (0.5'-7.0')
 Location : PEARL ST., ALBANY

CTM Sample No: 9706110 02
 Date Received: 06/11/97
 Collection Method: COMPOSITE
 Matrix: SDIL

Parameters and Standard Methodology Used

Results PQL Unit Analyst Reference

(CONTINUED FROM PREVIOUS PAGE)

ACID DIGESTION ON TCLP EXTRACTS	SW-846 METHOD 3010	COMPLETED			0-23:37 6/18/97
MERCURY PREPARATION - TCLP	SW-846 METHOD 7471	COMPLETED			D-23:34 6/16/97
ARSENIC, BY TCLP	SW-846 METHOD 6010	ND	0.10	MG/L	F-7:6 6/19/97
BARIUM, BY TCLP	SW-846 METHOD 6010	0.68	0.050	MG/L	F-7:6 6/19/97
CADMIUM, BY TCLP	SW-846 METHOD 6010	ND	0.005	MG/L	F-7:6 6/19/97
CHROMIUM, BY TCLP	SW-846 METHOD 6010	ND	0.010	MG/L	F-7:6 6/19/97
LEAD, BY TCLP	SW-846 METHOD 6010	ND	0.050	MG/L	F-7:6 6/19/97
MERCURY, BY TCLP	SW-846 METHOD 7471	ND	0.0002	MG/L	E-5:43 6/17/97
SELENIUM, BY TCLP	SW-846 METHOD 6010	ND	0.075	MG/L	F-7:6 6/19/97
SILVER, BY TCLP	SW-846 METHOD 6010	ND	0.010	MG/L	F-7:6 6/19/97
REACTIVE CYANIDE DISTILLATION	SW-846 METHOD 7.3.3.2	COMPLETED			PL 6/17/97
CYANIDE, REACTIVE	SW-846 METHOD 7.3.3.2	(2) ND	1	MG/KG	PL 6/17/97
SULFIDE, REACTIVE	SW-846 METHOD 7.3.4.2	ND	3	MG/KG	PL 6/18/97
FLASH POINT	SW-846 METHOD 1010	> 200	70	oF	ACH 6/12/97
CORROSIVITY	EPA, EVAL. SOLID WASTE, 1980.40 CFR 261.22	NON-CORROS			ACH 6/12/97

REMARKS: (2) The concentration of total cyanide for this sample is less than 100 mg/kg. This is well below the reactive cyanide regulatory level of 250 mg/kg. A reactive cyanide analysis is not necessary.

LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
 P.O. Box 727
 Latham, NY 12110
 518-786-7100
 FAX 518-786-7139



GC/MS
 GC
 ICAP
 Sampling Services

NYS DOT CONSULTANT MGMT. BUREAU
 1220 WASHINGTON AVE. BLDG. 4
 ALBANY NY 12232

CTM PROJECT #: 9913030

Attention: MR. PETER HOWARD

CTM Task #: 9706110

Purchase Order Number:
 Date Sampled: 06/11/97 Time: 11:55 AM
 Sampled By : RALBOVSKY
 Sample Id: SB-4 (8'-12')
 Location : PEARL ST., ALBANY

CTM Sample No: 9706110 03
 Date Received: 06/11/97
 Collection Method: COMPOSITE
 Matrix: SOIL

Parameters and Standard Methodology Used

Parameters	Standard Methodology Used
% SOLIDS	CLP SOW 4/89
METHYL-TERT-BUTYL ETHER (MTBE)	EPA 8021 (STARS)
BENZENE	EPA 8021 (STARS)
TOLUENE	EPA 8021 (STARS)
ETHYLBENZENE	EPA 8021 (STARS)
P-XYLENE	EPA 8021 (STARS)
M-XYLENE	EPA 8021 (STARS)
O-XYLENE	EPA 8021 (STARS)
ISOPROPYLBENZENE (CUMENE)	EPA 8021 (STARS)
N-PROPYLBENZENE	EPA 8021 (STARS)
1,3,5-TRIMETHYLBENZENE	EPA 8021 (STARS)
TERT-BUTYLBENZENE	EPA 8021 (STARS)
1,2,4-TRIMETHYLBENZENE	EPA 8021 (STARS)
SEC-BUTYLBENZENE	EPA 8021 (STARS)
4-ISOPROPYLTOLUENE (P-CYMENE)	EPA 8021 (STARS)
N-BUTYLBENZENE	EPA 8021 (STARS)
NAPHTHALENE	EPA 8021 (STARS)
TOTAL XYLENES	EPA 8021 (STARS)
METHANOL EXTRACTION	SW-846 METHOD 3050
PURGE & TRAP EXTRACTION	SW-846 METHOD 5030
ACENAPHTHENE	SW-846 METHOD 8270 BASE/NEUTRALS
ANTHRACENE	SW-846 METHOD 8270 BASE/NEUTRALS
BENZO(A) ANTHRACENE	SW-846 METHOD 8270 BASE/NEUTRALS
BENZO(A) PYRENE	SW-846 METHOD 8270 BASE/NEUTRALS
BENZO(B) FLUORANTHENE	SW-846 METHOD 8270 BASE/NEUTRALS
BENZO(K) FLUORANTHENE	SW-846 METHOD 8270 BASE/NEUTRALS
CHRYSENE	SW-846 METHOD 8270 BASE/NEUTRALS
DIBENZO-(A,H)-ANTHRACENE	SW-846 METHOD 8270 BASE/NEUTRALS
FLUORANTHENE	SW-846 METHOD 8270 BASE/NEUTRALS
FLUORENE	SW-846 METHOD 8270 BASE/NEUTRALS
INDENO-(1,2,3)-(C,D)-PYRENE	SW-846 METHOD 8270 BASE/NEUTRALS
NAPHTHALENE	SW-846 METHOD 8270 BASE/NEUTRALS

Results	PQL	Unit	Analyst Reference
81.8		%	ACH 6/12/97
ND	240	MCG/KG	GC1F:115 6/22/97
ND	120	MCG/KG	GC1F:115 6/22/97
ND	240	MCG/KG	GC1F:115 6/22/97
ND	240	MCG/KG	GC1F:115 6/22/97
ND	240	MCG/KG	GC1F:115 6/22/97
ND	240	MCG/KG	GC1F:115 6/22/97
880	240	MCG/KG	GC1F:115 6/22/97
1,400	240	MCG/KG	GC1F:115 6/22/97
5,100	240	MCG/KG	GC1F:115 6/22/97
ND	240	MCG/KG	GC1F:115 6/22/97
ND	240	MCG/KG	GC1F:115 6/22/97
12,000	240	MCG/KG	GC1F:115 6/22/97
3,400	240	MCG/KG	GC1F:115 6/22/97
ND	240	MCG/KG	GC1F:115 6/22/97
ND	240	MCG/KG	GC1F:115 6/22/97
ND	1,200	MCG/KG	GC1F:115 6/22/97
880	240	MCG/KG	GC1F:115 6/22/97
COMPLETED			TNH 6/21/97
COMPLETED			GC1F:115 6/22/97
710	200	MCG/KG	GCMSB:31 6/26/97
NO	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97
ND	200	MCG/KG	GCMSB:31 6/26/97

(CONTINUES ON NEXT PAGE)

REMARKS:

CTM Analytical Laboratories, Ltd.

15 Century Hill Drive
 P.O. Box 727
 Latham, NY 12110
 518-786-7100
 FAX 518-786-7139



GC/MS
 GC
 ICAP
 Sampling Services

NYS DOT CONSULTANT MGMT. BUREAU
 1220 WASHINGTON AVE. BLDG. 4
 ALBANY NY 12232

CTM PROJECT #: 9913030

CTM Task #: 9706110

Attention: MR. PETER HOWARD

Purchase Order Number:
 Date Sampled: 06/11/97 Time: 11:55 AM
 Sampled By : RALBOVSKY
 Sample Id: SB-4 (8'-12')
 Location : PEARL ST., ALBANY

CTM Sample No: 9706110 03
 Date Received: 06/11/97
 Collection Method: COMPOSITE
 Matrix: SOIL

Parameters and Standard Methodology Used

Results PQL Unit Analyst Reference

(CONTINUED FROM PREVIOUS PAGE)

PHENANTHRENE	SW-846 METHOD 8270 BASE/NEUTRALS	1,500	200	MCG/KG	GCMSB:31 6/26/97
PYRENE	SW-846 METHOD 8270 BASE/NEUTRALS	320	200	MCG/KG	GCMSB:31 6/26/97
BENZO-(G,H,I)-PERLYENE	SW-846 METHOD 8270 BASE/NEUTRALS	ND	200	MCG/KG	GCMSB:31 6/26/97
B/N EXTRACTION	SW-846 METHOD 3500A	COMPLETED			MPC 6/23/97
EXTRACTION FOR PETROLEUM ID	NYS DOH METHOD 310-14	COMPLETED			MPC 6/13/97
GASOLINE	NYS DOH METHOD 310-14	ND			GC5C:030 6/15/97
FUEL OIL # 2	NYS DOH METHOD 310-14	DETECTED			GC5C:030 6/15/97
FUEL OIL # 4	NYS DOH METHOD 310-14	ND			GC5C:030 6/15/97
FUEL OIL # 6	NYS DOH METHOD 310-14	ND			GC5C:030 6/15/97
KEROSENE	NYS DOH METHOD 310-14	ND			GC5C:030 6/15/97
LUBRICATING OIL	NYS DOH METHOD 310-14	ND			GC5C:030 6/15/97

REMARKS:

END OF REPORT

LEGEND: MG/KG=PPM, MCG/KG=PPB, MG/L=PPM, MCG/L=PPB, MCG/G=PPM

9801952 NYSDEC INITIAL SPILL REPORT FORM 9801952
DEC Region: 4 - Schenectady Spill No.: 9801952

Spill Name : Lead DEC :
Caller Info : Notifier Info :
DON QUAY DON QUAY
AUGUST BOHL AUGUST BOHL
(518) 463-6696 (518) 463-6696

Spill Date: 05/14/98 CID#: 257 Call Received Date: 05/14/98
Spill Time: 15:00 hrs. Call Received Time: 15:24 hrs.

Material Spilled: Class: Spilled: Recovered:
1) UNKNOWN PETROLEUM Petrol Unknown Gal 0
2)
3)
4)

Spill Location: Potential Spiller Info:
MADISON AVE SOUH SIDE UNKNOWN
NEAR SOUTH PEARL ST
ALBANY CO: Albany
Contact: DON QUAY Contact:
Phone: (518) 463-6696 Phone:

Spill Cause: Unknown Resource Affected: On Land
Source: Unknown
Waterbody: Spill Reported by: Other

Caller Remarks:

caller is doing work for nys dot and came across contaminated soil

5/15/98 soil stockpiled - to be disposed of DOT Project ~~was~~ water line installation

PBS Number:

Tank Number	Tank Size	Test Method	Leak Rate
1)			
2)			
3)			

Classification: Meets Standards?: EDO: Y - N
UST Eligible?: Regional Close Date: *5/14/98*

9801952 NYSDEC INITIAL SPILL REPORT FORM 9801952
DEC Region: 4 - Schenectady Spill No.: 9801952

Spill Name : Lead DEC :
Caller Info : Notifier Info :
DON QUAY DON QUAY
AUGUST BOHL AUGUST BOHL
(518) 463-6696 (518) 463-6696

Spill Date: 05/14/98 CID#: 257 Call Received Date: 05/14/98
Spill Time: 15:00 hrs. Call Received Time: 15:24 hrs.

Material Spilled: Class: Spilled: Recovered:
1) UNKNOWN PETROLEUM Petrol Unknown Gal 0
2)
3)
4)

Spill Location: ^{South} MADISON AVE (SOUTH) SIDE Potential Spiller Info:
NEAR SOUTH PEARL ST UNKNOWN
ALBANY CO: Albany
Contact: DON QUAY Contact:
Phone: (518) 463-6696 Phone:

Spill Cause: Unknown Resource Affected: On Land
Source: Unknown
Waterbody: Spill Reported by: Other

Caller Remarks:
caller is doing work for nys dot and came across contaminated soil

PBS Number:
485780 - Getty 222 S. Pearl ??? probably not

Tank Number	Tank Size	Test Method	Leak Rate
1)			
2)			
3)			

Classification: Meets Standards?: EDO: Y - N
 MUST Eligible?: Regional Close Date: / /

9703078

APPENDIX G

PROFESSIONAL RESUME



PS PROPERTY SOLUTIONS, INC.

PAUL M. SHANNON

ENVIRONMENTAL PROFESSIONAL / PRESIDENT (JULY 2011 -)

AREAS OF EXPERTISE

- Environmental Liability Assessment
- Environmental *Due Diligence*
- Environmental Advisement
- Environmental Consulting

EDUCATION

BS 1994 Geology/Environmental Science
Chemistry Minor
SUNY Plattsburgh, Plattsburgh, NY

REGISTRATIONS/CERTIFICATIONS

40-Hour Health and Safety Training (29 CFR 1910.120)

Confined Space Hazard Recognition Training (29 CFR 1910.146)

Rail Safety Training (49 CFR 214)

ASTM Technical & Professional Training – Phase I Environmental Site Assessments for Commercial Real Estate
Adult First Aid and CPR

Lockout/Tagout Training (29 CFR 1910.146)

NYSDEC Erosion & Sediment Control Training SWT# 008173

10-Hour Construction Safety Training (29 CFR 1926.10)

OVERVIEW

Mr. Shannon has almost 30 years of experience in the environmental industry. He specializes in environmental liability assessment / environmental *due diligence* (Phase I Environmental Site Assessments and their derivatives), but also has comprehensive experience in site management practices, environmental site groundwater monitoring (managing numerous, long-term projects/sites concurrently), subsurface investigations (Phase II), regulatory compliance, geotechnical drilling, site remediation/clean-up (e.g., natural gas compressor stations, gasoline stations, repair facilities, and other industrial, commercial, residential, and agricultural properties) petroleum tank removals, Spill investigation and clean-up, and a variety of drilling services. Please contact Mr. Shannon to inquire about the vast array of services he can provide for you, your customers, and your property and/or loan investment.

Specialties: Professional environmental *due diligence*, environmental liability assessment, investigation, remediation, environmental advisement, report review, regulatory assistance, drilling, tank closures, and many additional services. Clientele include, but are not limited to, lending institutions/banks, residential and commercial property owners, realtors, attorneys, commercial parties involved in property transaction(s), and similar entities.

GENERAL EXPERIENCE

- Direction and expertise in Environmental *Due Diligence* Services
- Phase I Environmental Site Assessments and derivatives
- Proficiency in Small Business Administration (SBA) environmental requirements.
- Formation of Lending Institution Environmental *Due Diligence* Policies
- Phase II Environmental Site Assessments / Subsurface Investigations
- Underground Storage Tank Removals / Closures
- Oversight / direction of large-scale contaminated soil remediation projects
- Oversight of site dewatering for construction and environmental applications
- Oversight of development in geologically sensitive areas
- Soil / Groundwater / Vapors / Particulates sampling and/or monitoring
- Groundwater elevation and flow direction determination / assessment
- Gasoline station environmental site upgrade management/oversight
- Proficiency in environmental investigation/restoration projects at (but not limited to):
 - Petroleum retail / gasoline station facilities
 - Natural gas compressor stations
 - Industrial facilities
 - Commercial facilities
 - Hazardous waste sites
 - Residential Properties
- Pre- and Post-blasting Inspections
- Impacted Vapors Mitigation
- Geotechnical and Environmental drilling oversight and analysis
- Management Responsibilities
- Maintaining project budgets
- Invoice review
- Oversight / direction of project staff
- Organization of reports
- Technical Experience / Expertise
- Developing and maintaining an understanding of current and pending governmental commercial real estate rules, regulations, and standards
- Preserving expedited deadlines and fulfilling the needs of property owners, tenants, lenders, attorneys, and/or regulators
- Acquiring required regulatory permits
- In-depth knowledge of New York State and federal environmental rules and regulations
- Development and Implementation of Site Management Plans at contaminated sites for re-use

PRIOR PROFESSIONAL INVOLVEMENT

2003 to 2011 Senior Geologist / Project Manager. Aztech Technologies, Inc., Ballston Spa, New York

1999 to 2002 Geological Project Manager. CPI Environmental Services, Inc., Albany, New York.

1998 to 1999 Geologist. The Chazen Companies, Poughkeepsie, New York.

1995 to 1998 Hydrogeologist. Groundwater Investigations, Inc., Pine Bush, New York.

1994 to 1995 Environmental Technician. Wehran-EMCON NE, Middletown, New York.